

Diffusion-Based Inpainting for Retinal OCT Images

Jonathan Ma

May 20, 2026

Contents

1	Introduction	4
1.1	Motivation	4
1.2	Project Goals	4
1.3	Research Questions	4
2	Dataset	4
2.1	Retinal OCT Dataset	4
2.2	Exploratory Data Analysis	4
3	Image Preprocessing	4
3.1	Normalization	4
3.2	Image Resizing	4
3.3	Data Augmentation	4
4	Mask Generation	4
4.1	Problem Formulation	4
4.2	Mask Types	4
5	Classical Inpainting Methods	4
5.1	PDE-Based Diffusion	4
5.2	Baseline Methods	4

6	Diffusion Model	4
6.1	Forward Diffusion Process	4
6.2	Conditional Inpainting Framework	4
6.3	Model Architecture	4
7	Training Procedure	4
7.1	Loss Function	4
7.2	Optimization	4
8	Evaluation	4
8.1	Reconstruction Metrics	4
8.2	Mask Sensitivity Experiments	4
9	Uncertainty Analysis	4
9.1	Multiple Reconstruction Sampling	4
9.2	Uncertainty Maps	4
10	Results	4
10.1	Qualitative Results	4
10.2	Quantitative Results	4
11	Discussion	4
12	Future Work	4
13	Conclusion	4

1 Introduction

1.1 Motivation

1.2 Project Goals

1.3 Research Questions

2 Dataset

2.1 Retinal OCT Dataset

2.2 Exploratory Data Analysis

3 Image Preprocessing

3.1 Normalization

3.2 Image Resizing

3.3 Data Augmentation

4 Mask Generation

4.1 Problem Formulation

4.2 Mask Types

5 Classical Inpainting Methods

5.1 PDE-Based Diffusion

5.2 Baseline Methods

6 Diffusion Model

6.1 Forward Diffusion Process 4

6.2 Conditional Inpainting Framework