



Republic of the Philippines
Department of Environment and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU
1515 L and S Building, Roxas Boulevard, Pasay City
Telephone No. (02) 400-5960 Fax No. (02) 400-5960
mimaropa@emb.gov.ph and emb_mimaropa@yahoo.com
Visit us at <http://www.mimaropa.emb.gov.ph/>



December 18, 2020

ECC-OL-R4B-2020-0232

Mr. MELCED CZAR TAN BENASAS

Owner

Brgy. Balansay, Mamburao, Occidental Mindoro

Subject: ENVIRONMENTAL COMPLIANCE CERTIFICATE

Dear Mr. Benasas;

This refers to the Environmental Compliance Certificate (ECC) application for the **King Czar Gas Station Project** to be located at **Brgy. Balansay, Mamburao, Occidental Mindoro**.

After satisfying the requirements of the said application, this Bureau has decided to grant an ECC for the above-mentioned project.

With the issuance of this ECC, you are expected to implement the measures presented in the Initial Environmental Examination Checklist (IEEC), intended to protect and mitigate the project's adverse impacts on community health, welfare and the environment. Environmental considerations shall be incorporated in all phases and aspects of the project.

This Certificate does not create any right nor be used as an authorization to implement the project; you may proceed with the implementation only after securing all the necessary and relevant permits from other pertinent Government Agencies. This Office shall be monitoring the project periodically to ensure strict compliance with the stipulations cited in the attached ECC.

Please be guided accordingly.

Atty. Michael Drake P. Matias
Regional Director



ENVIRONMENTAL COMPLIANCE CERTIFICATE
(Issued under Presidential Decree 1586)
ECC-OL-R4B-2020-0232

THIS IS TO CERTIFY THAT THE PROPONENT, **MELCED CZAR T. BENASAS**, is granted this Environmental Compliance Certificate (ECC), for the **KING CZAR GAS STATION PROJECT** located at **Brgy. Balansay, Mamburao, Occidental Mindoro**, by the Department of Environment and Natural Resources (DENR), through the Environmental Management Bureau (EMB).

SUBJECT ONLY to the conditions and restrictions set in this ECC and in the attached document labeled as **Annexes A and B**.


This Certificate is issued with the following details:

PROJECT DESCRIPTION
<p>This ECC covers the Proposed <i>Gasoline Station Project</i> having a total capacity of 96,000 liters (<i>96KL</i>) with a total land area of 957.00 square meters covered by <i>Joint Special Power of Attorney (TCT No. T-23612)</i>, located at Brgy. Balansay, Mamburao, Occidental Mindoro.</p> <p>Project's facilities and structures enumerated to wit: <i>Two (2) units Dispensing Pumps with Nozzle, Generating Set, Comfort Rooms, Office Room, Quarter's Room, Electrical Room, Deepwel, and Parking Lot.</i></p> <p>The project shall operate and maintain its facilities and amenities as contained in the submitted Initial Environmental Examination Checklist (IEEC) Report and Environmental Management Plan (EMP).</p>

This Certificate is issued in compliance with the requirements of Presidential Decree No. 1586, and in accordance to DENR Administrative Order (D.A.O.) No. 2003-30. Non-compliance with any of the provisions of this Certificate shall be a sufficient cause for the cancellation of this Certificate and/or imposition of a fine in an amount not to exceed **Fifty Thousand Pesos (P50, 000.00)** for every violation thereof without prejudice to imposition of fines and penalties under other environmental laws. The EMB, however, is not precluded from reevaluating and correcting any deficiencies or errors that may be found after issuance of this Certificate.

Issued at EMB-R4B, 1515 L and S Building, Roxas Boulevard, Pasay City this **December 18, 2020.**

Recommending Approval:


Engr. Buena Fe A. Rioflorida
Chief, Clearance & Permitting Division

Approved:


Atty. Michael Drake P. Matias
Regional Director



Environmental Compliance Certificate
King Czar Gas Station
Brgy. Balansay Mamburao, Mindoro Occidental
Melced Czar T. Benasas

SWORN ACCOUNTABILITY STATEMENT

I, **MELCED CZAR T. BENASAS**, with office address located at **Brgy. Balansay, Mamburao, Occidental Mindoro**, takes full responsibility in complying with all conditions in this Environmental Compliance Certificate (ECC).

MELCED CZAR T. BENASAS
Signature

TIN No. _____

Subscribed and sworn before me this _____, the above-named affiant taking oath presenting _____, issued on _____ at _____.

Notary Public

Doc. No. _____
Page No. _____
Book No. _____
Series of _____



Environmental Compliance Certificate
King Czar Gas Station
Brgy. Balansay Mamburao, Mindoro Occidental
Melced Czar T. Benasas

I. CONDITIONS

ENVIRONMENTAL MANAGEMENT

All commitments, mitigating measures and monitoring requirements, contained in the Initial Environmental Examination Checklist Report for the proposed (**Gasoline Station Project**) particularly in the Environmental Management Plan/ Environmental Monitoring Plan, including any modifications and/or additional information as approved by the EMB, shall be instituted to minimize any adverse impact of the project to the environment throughout its implementation, which shall include among others to wit:

1. That the proponent shall ensure that the project implementation shall **NOT START** unless all required/clearances from the concerned government agencies are secured. EMB shall be advised when all the permits/clearances are secured and when will be the actual date of project implementation;
2. That the proponent shall conduct an effective Information, Education and Communication (IEC) Program to inform and educate all stakeholders, especially its contractors, workers, and local residents about the mitigating measures embodied in its IEEC, the conditions stipulated in this Certificate and the environmental and human safety features of the project for greater awareness, understanding and sustained acceptance of the project. The program shall be submitted to EMB-4B (MIMAROPA Region) on an annual basis;
3. That the proponent shall strictly manage all external, traffic problems, excessive surface runoff, dust, soil erosion, accidental spillage and health hazards identified in the Initial Environmental Examination (IEE) Checklist Report and, in case of emergency episodes, appropriate response activities shall be immediately undertaken for the protection of the workers/ personnel, host and nearby communities and the receiving environment;
4. That the proponent shall install device to monitor **possible leakage of the Underground Storage Tanks** and **submit yearly/ annual leakage testing report**.
5. That preservation and easement retention of natural drainage/waterways shall be undertaken and should conform with the provisions of the DENR Administrative Order No. 97-05 (Procedures in the Retention of Areas within certain distances along the Banks of Rivers, Streams, and Shores of Seas, Lakes and Oceans for Environmental Protection). If disturbed, a replacement drainage system shall be constructed within two (2) months from the disturbance;
6. That the solid waste management scheme as provided in the Environmental Management Plan (EMP) shall be continuously implemented from the start of the project construction as well as the operation.
7. The proponent shall Install adequate and properly maintain effective **Water Pollution Control Facility (Oil and water Separator)**, to ensure maximum efficiency at all times in order to conform to the prescribe DENR standards.
8. That proper **Air Pollution Source and Control Installations (APSCI)** shall be provided by the proponent to avert pollutant emissions.



Environmental Compliance Certificate
King Czar Gas Station
Brgy. Balansay Mamburao, Mindoro Occidental
Melced Czar T. Benasas

GENERAL CONDITIONS

Further administrative conditions for the grant of this Certificate shall be strictly complied:

9. That the proponent shall set-up a competent Environmental Unit (EU) with a Pollution Control Officer, within sixty (60) days from issuance of this Certificate and shall be duly accredited by this Office in accordance with DAO No. 02, series of 2014 (Revised Guidelines for Pollution Officer Accreditation). The Environmental Unit (EU) shall competently handle the environment-related aspects of the project. In addition to the monitoring requirements as specified in the Environmental Management Plan/ Environmental Monitoring Plan, the EU shall have the following responsibilities:
 - 9.1 Monitor actual project impacts vis-à-vis the predicted impacts and management measures in the Generic IEE Checklist Report;
 - 9.2 Recommend revisions to the EMP/EMoP, whenever necessary subject to the approval of EMB-4B (MIMAROPA Region);
 - 9.3 Ensure that data gathered during monitoring activities are properly documented, assessed, evaluated and reported to EMB-4B (MIMAROPA Region) in accordance with the standard formats;
 - 9.4 Ensure that monitoring and submissions of reports to EMB-4B (MIMAROPA Region) are carried out as required;
 - 9.5 Regular submission of a semi-annual ***ECC Compliance Monitoring Report (on or before January 15 and July 15 of each year the project is operational)*** provided with supporting documents and in accordance with the prescribed format stipulated in the Implementing Rules and Regulations of P.D. 1586;
 - 9.6 Submit a quarterly monitoring report using the prescribed format of the ***Self-Monitoring Report (SMR)*** pursuant to DAO 2003-27;
 - 9.7 Submit an **Abandonment Plan two (2) months** prior to the abandonment activities. It shall include detailed rehabilitation measures/clean-up, costs, remediation of areas possibly contaminated with toxic/hazardous substances and presentation of options on proposed alternative projects in the area;
10. That health and sanitation practices shall be observed in all phases of the project and safety & personal protection equipment/devices shall always be provided to all employees/workers within the premises of the project site to prevent health and occupational hazards;
11. That a billboard containing this message: **“Notice to the Public, the KING CZAR GAS STATION PROJECT of MELCED CZAR T. BENASAS has been issued an Environmental Compliance Certificate (ECC-OL-R4B-2020-0232) by the Department of Environment and Natural Resources–Environmental Management Bureau MIMAROPA Region on December 18, 2020.”** shall be installed at all entry and exit points and in the perimeter of the project site facing the road **during the construction phase** to inform the general public within thirty (30) days from receipt of the ECC;
12. That a copy of the ECC shall be posted in a conspicuous location at the field office of the project site clearly visible to the public and shall be adequately framed or otherwise protected against damage and at the barangay bulletin board of the host barangay(s) within **thirty (30)** days from receipt of the ECC;
13. That any **authorized DENR-EMB personnel**, with proper identification card (ID) and travel/mission order, shall be allowed unconditional access to conduct an on-the-spot inspection



Environmental Compliance Certificate
King Czar Gas Station
Brgy. Balansay Mamburao, Mindoro Occidental
Melced Czar T. Benasas

and monitoring to the project without the need for prior notice to the proponent to oversee compliance to the ECC.

II. RESTRICTIONS

- 1. That no other activities should be undertaken other than what was stipulated in the Generic IEE Checklist Report. Should there be an expansion of the project beyond the project description, construction of other structures beyond those stated in the Generic IEE Checklist Report; or any change in the activity or location, shall be made subject to a new Environmental Impact Assessment (EIA) requirements.
- 2. That in case of transfer of ownership/management of this project, these same conditions and restrictions shall apply and the transferee shall be required to notify this Office concerned within **fifteen (15)** days as regards to the transfer of ownership/management.
- 3. That the proponent (**MELCED CZAR T. BENASAS**) shall be accountable for any misrepresentation and failure to state material information in the submitted documents.

The conditions stipulated in this Certificate shall be deemed final within fifteen (15) days from receipt hereof and all conditions and restrictions set forth above shall be complied with by the herein grantee. This ECC is deemed expired if not implemented within five (5) years from the date of issuance and the proponent shall have to apply for a new ECC if it intends to pursue the project.

***Non-compliance** with any of the provisions of this certificate shall be a sufficient cause for the cancellation or suspension of this certificate and/or imposition of a fine in an amount not to exceed **Fifty Thousand Pesos (PhP50,000.00)** for every violation thereof.*



Environmental Compliance Certificate
King Czar Gas Station
Brgy. Balansay Mamburao, Mindoro Occidental
Melced Czar T. Benasas


PROJECT ASSESSMENT PLANNING TOOL

For the assistance of the Proponent, LGUs and other concerned government agencies (GAs) in the management of the project and for better coordination in mitigation on the impacts of the project on its surrounding areas and to the environment.

By way of recommendation, the following have been taken notice of by this Office and are providing these recommendations to the parties and authorities concerned for proper action and integration into their decision making-process.

Regulatory Conditions	
1. The proponent shall comply with, but not limited to the following: 1.1 P.D. 856 or the Sanitation Code of the Philippines; 1.2 P.D. 442 or the Labor Code of the Philippines including occupational health and safety; 1.3 R.A. 6541 or the National Building Code of the Philippines including adequate storm drainage system and other flood control measures and compliance to the Fire Safety and Emergency Preparedness; 1.4 P.D. 705 & DAO 97-05;	DOH DOLE-Bureau of Working Conditions Municipal Planning & Dev't. Office/Building Official/BFP/LGU Concerned DENR Sector concerned
2. That all appropriate construction, operational and resource-use permits/clearances from other national and local government agencies concerned shall be secured pertaining to the implementation of the project. Likewise, the proponent shall notify this Office of the reckoning date of project operation.	(i.e. PMRB, PNP, LGUs, DPWH, DOH, NWRB, HLURB, MGB, DA, DAR, DOLE, DTI, etc.)
Environmental Planning Recommendations for the Proponent	
2. Close monitoring of the project should be undertaken by the proponent to maintain a high level of safety and efficiency at all phases of the project and to immediately address any environmental hazard that may take place.	Proponent

For dissemination and proper action of the parties concerned.


Engr. Buena Fe A. Rioflorido
Chief, Clearance & Permitting Division


Atty. Michael Drake P. Matias
Regional Director



Environmental Compliance Certificate
King Czar Gas Station
Brgy. Balansay Mamburao, Mindoro Occidental
Melced Czar T. Benasas