



Department of Environment and Natural Resources
Environmental Management Bureau
Regional Office No. IV – B MIMAROPA

ENVIRONMENTAL COMPLIANCE CERTIFICATE

(Issued under Presidential decree 1586)

ECC-R4B-1102-0034

THIS IS TO CERTIFY THAT PROPONENT **ATIENZA POLYCLINIC** represented by Dra. Theresa Teng- Atienza is granted this Environmental Compliance Certificate (ECC), for the **HOSPITAL FACILITY PROJECT**, located at **POBLACION II, VICTORIA, ORIENTAL MINDORO** by the Department of Environment and Natural Resources (DENR), through the Environmental Management Bureau, Region IV-MIMAROPA.

SUBJECT ONLY to the conditions and restrictions set-out in this ECC and in the attached document labeled as Annex A and B.

PROJECT DESCRIPTION

This ECC covers the Hospital Facility Project with Ten (10) Beds capacity, having a total land area of **440 square meters covered by TCT # T-102005 and a total gross area of 344 square meters**, located at Poblacion II, Victoria, Oriental Mindoro.

The project will have the following facilities to wit: One (1) unit delivery room, One (1) unit Cashier's Office & Billing Section, One (1) unit Emergency Room, One (1) unit Laboratory Room, Three (3) units comfort room, Three (3) units shower room, Two (2) units wash/laundry yard, Four (4) units parking space, One (1) unit outpatient department, one (1) unit administrative office, One (1) unit operating room, One (1) unit maternity delivery ward, one (1) unit pediatric ward and One (1) unit recovery room

This ECC is issued in compliance to the requirements of Presidential Decree No. 1586, in accordance to Department Administrative Order No. 2003-30. The Bureau, however, is not precluded from reevaluating, adding, removing, and correcting any deficiencies or errors that may be found to be inconsistent with the Revised Procedural Manual of DAO 2003-30 after issuance of this ECC.

Issued at **EMB-MIMAROPA** Region **Manila, Philippines** this
FEB 25 2011

Approved by:

[Signature]
EnP SIXTO E. TOLENTINO, JR.
Regional Director

Recommending Approval:

[Signature]
BUENA FE A. RIOFLORIDO
Chief, EIA Division

SWORN STATEMENT OF OWNER

I, **Dra. Theresa Teng- Atienza**, representative of the **Hospital Facility Project** located at Poblacion II, Victoria, Oriental Mindoro takes full responsibility in complying with all conditions contained in this Environmental Compliance Certificate (ECC).

DRA. THERESA TENG-ATIENZA

Proponent/Representative

TIN _____

Subscribed and sworn to before me this _____ day of _____, 2011 the above-named affiant taking oath presenting Residence Certificate No. _____ issued on _____ 2011 at _____.

Signature of Notarizing Officer

ECC-R4B-1102-0034
Atienza Poly Clinic

CC: The RED DENR Region IV-B
The PENRO – Calapan, Or. Mindoro
The CENRO – Socorro, Or. Mindoro
The EMS - Socorro , Or. Mindoro
The Mayor – Victoria, Or. Mindoro

I. CONDITIONS

A. ENVIRONMENTAL MANAGEMENT & MONITORING PLAN (EMMoP)

1. The proponent shall ensure that all commitments, appropriate mitigating/enhancement measures and monitoring requirements especially those contained in the EMMoP in the **IEE Report**, its modifications shall be instituted and strictly implemented throughout the project implementation;
2. An Environmental Officer (EO)/ Pollution Control Officer (PCO) must be appointed to handle environmental impact management related aspects of the project as specified in the Impact Management Plan (IMP) and the Environmental Monitoring Plan (EMoP). The EO/PCO shall:
 - 2.1 Monitor actual project impacts vis-a-vis the predicted impacts and management measures in the IEE;
 - 2.2 Submit quarterly Self-Monitoring Report (SMR) and semi-annually an ECC Compliance Monitoring Report (CMR) to EMB MIMAROPA Region, wherein each second or year end report shows the summary of cumulative performance of Proponent against previous years' requirements and commitments.
3. The proponent shall submit an Abandonment Plan to the EMB MIMAROPA Region at least one year prior to the project's abandonment. The plan shall include rehabilitation measures/clean-up, remediation of areas affected by the project and proposed alternative projects in the area.
4. The proponent shall set up the following:
 - a. A **Memorandum of Agreement (MOA)** shall be entered into by the proponent with the **ECC Holders Association** to become part of their MMT and in setting up the corresponding **Environmental Monitoring Fund (EMF)** prior to project implementation;
 - b. A replenishable Environmental Monitoring Fund (EMF) to cover all costs attendant to the operation of the MMT such as conduct meetings, training, sampling and analysis, hiring of technical experts, meals, accommodations, supplies and materials, communication, and transportation.
 - c. The amount and mechanics of the EMF, and the establishment of the MMT shall be determined by the EMB-MIMAROPA Region and the proponent in consultation with stakeholder-communities and other concerned agencies. This MOA shall be submitted to EMB-MIMAROPA within sixty (60) days upon receipt of this Certificate.

GENERAL CONDITIONS

5. The project operations shall conform to the applicable provisions of PD 1586 (Philippine Environmental Impact Statement System, DAO 2003-30), RA 6969 (Toxic Substances, Hazardous Waste Control Act of 1990), RA 8749 (Philippine Clean Air Act of 1999), RA 9003 (Ecological Solid Waste Management Act of 2000), RA 9275 (Philippine Clean Water Act of 2004);

7. Installation of a cistern to store and capture rain water as additional measures in water resource management.
8. A billboard containing this message : " **Notice to the Public, This project (Hospital Facility Project) of (Atienza Poly Clinic) has been issued an Environmental Compliance Certificate (ECC-R4B-1102-0034) by the Environmental Management Bureau of the Department of Environment and Natural Resources, Region IV-B, on (FEB 25 2011).**" This message must be installed at all entry and exit points and at all perimeters of the project facing the road to inform the general public within thirty (30) days from receipt of the certificate. A copy of the certificate shall also be posted by the Proponent at the barangay bulletin board of the affected barangays within thirty (30) days from receipt of the certificate. An accomplishment report which shall include picture verification of compliance to the posting of notices and the billboards shall be submitted to this Office within ninety (90) days from receipt of the Certificate;

II. RESTRICTIONS

9. Non-compliance with any of the provisions of this ECC shall be a sufficient cause for its cancellation or suspension and/or imposition of a fine in an amount **not to exceed Fifty Thousand Pesos (Php 50,000.00)** per condition thereof;
10. In case of transfer of ownership/management turn-over of this project, these same conditions and restrictions shall apply unless otherwise revised in writing. In such case, **Atienza Poly Clinic** shall be required to notify the EMB – MIMAROPA Region within fifteen (15) days

O. R. No. : 7086927
Date : 02-18-2011

Processing Fee : 4,000.00

ECC-R4B-1102-0034
Atienza Poly Clinic

CC: The RED DENR Region IV-B
The PENRO – Calapan, Or. Mindoro
The CENRO – Socorro, Or. Mindoro

Annex B

PROJECT ASSESSMENT PLANNING TOOL

For the assistance of the Proponent, other concerned government agencies and LGUs in the management of the project and for better coordination in mitigation on the impact of the project on its surrounding areas and to the environment.

By way of recommendation, the following have been taken notice of by the EMB MIMAROPA Region and are forwarding these recommendations to parties and authorities concerned for proper action and integration into their decision-making process.

A. Recommendations to Concerned Government Agencies/LGUs	Concerned Permitting, Deciding, Monitoring Entities
1. That Atienza Poly Clinic shall ensure that socio-economic concerns of various stakeholders are adequately addressed.	Victoria, Oriental Mindoro LGU
2. That Atienza Poly Clinic should implement segregation, collection, recycling and disposal mechanism for solid waste in accordance with RA 9003.	Victoria, Oriental Mindoro LGU
3. That occupational health and safety standards/regulation must be complied with by Atienza Poly Clinic	Victoria, Oriental Mindoro LGU
4. That adequate storm drainage canal, concrete culverts and other flood control measures need to be provided to adequately receive and channel the run-off of silt laden rainwater to the nearby receiving body of water.	Victoria, Oriental Mindoro LGU
5. That structural design of component structures of the project shall conform to the design guidelines of National Building Code of the Philippines.	Victoria, Oriental Mindoro LGU
6. That Atienza Poly Clinic shall establish and implement a Social Development Program (SDP) to include training and hiring of local residents and applicable livelihood program and appropriate Information, Education and Communication (IEC) Program.	Victoria, Oriental Mindoro LGU
7. That Atienza Poly Clinic shall secure permits/clearances from concerned agencies and shall submit to this Office prior to project implementation.	Proponent, Victoria, Oriental Mindoro LGU and Other Government Agencies concerned
B. Environmental Planning Recommendations for the Proponent	
1. Atienza Poly Clinic shall undertake close monitoring in all stages of the project implementation to maintain a high level of environmental safety and performance efficiency and immediately address any environmental hazards.	