

Republic of the Philippines Department of Environment and Natural Resource ENVIRONMENTAL MANAGEMENT BUREAU

1515 L and S Building. Roxas Boulevard, Pasay City Telephone No.(02) 400-5960 Fax No.(02) 400-5960 mimaropa@emb.gov.ph and emb_mimaropa@yahoo.com Visit us at http://www.mimaropa.emb.gov.ph/

June 6, 2019

ECC-OL-R4B-2019-0129

Mr. JOEL M. CANDAVA

Brgy. 9, Mamburao, Occidental Mindoro

Subject: ENVIRONMENTAL COMPLIANCE CERTIFICATE

Dear Mr. Candava;

Sand and Gravel Extraction to be located at Tubili River, Brgy. Tubili Paluan, Mindoro Occidental. This refers to the Environmental Compliance Certificate (ECC) application for the proposed Commercial

above-mentioned project. After satisfying the requirements of the said application, this Bureau has decided to grant an ECC for the

Environmental Examination Checklist (IEEC), intended to protect and mitigate the project's adverse impacts on community health, welfare and the environment. Environmental considerations shall be With the issuance of this ECC, you are expected to implement the measures presented in the Initial incorporated in all phases and aspects of the project.

strict compliance with the stipulations cited in the attached ECC. may proceed with the implementation only after securing all the necessary and relevant permits from other pertinent Government Agencies. This Office shall be monitoring the project periodically to ensure This Certificate does not create any right nor be used as an authorization to implement the project, you relevant permits from

Please be guided accordingly.

Atty. Michael Drake P. Matias Regional Director



Republic of the Philippines Department of Environment and Natural Resource ENVIRONMENTAL MANAGEMENT BUREAU

1515 L and S Building, Roxas Boulevard, Pasay City Telephone No. (02) 400-5960 Fax No. (02) 400-5960 mimaropa@emb.gov.ph and emb_mimaropa@yahoo.com Visit us at http://www.mimaropa.emb.gov.ph/

ENVIRONMENTAL COMPLIANCE CERTIFICATE (Issued under Presidential Decree 1586) ECC-OL-R4B-2019-0129

and Natural Resources (DENR), through the Environmental Management Bureau (EMB). Environmental Compliance Certificate (ECC), for the proposed Commercial Sand and Gravel Extraction located at Tubili River, Brgy. Tubili, Paluan, Mindoro Occidental, by the Department of Environment THIS IS TO CERTIFY THAT THE PROPONENT, JOEL M. CANDAVA, is granted this

SUBJECT ONLY to the conditions and restrictions set in this ECC and in the attached document as Annexes A and B.

This Certificate is issued with the following details:

PROJECT DESCRIPTION

Paluan, Mindoro Occidental, specifically described as follows: 002 square meters and annual extraction rate of 20,000 MT, located at Tubili River, Brgy. Tubili, This ECC covers the Commercial Sand and Gravel Extraction having a total land area of 34,

Tie Line: N. 13° 09' E. 3307.38 M: From MRW - 5092, Tubili, Paluan, Occidental Mindoro to Corner "1"

95.27 M.	N. 85°43°E.	7-1
100.00 M.	N. 03°50°W.	6-7
173.03 M.	N. 24°27'E.	5-6
118.57 M.	N. 39°59'E.	4-5
161.26 M.	N. 82°51′W.	3-4
183.50 M.	S. 08°24'W.	2-3
200.00 M.	S. 14°18'W.	1-2
Distance	Bearing	Line

Management Plan (EMP). The project shall operate and maintain its facilities and amenities as contained in the submitted Initial Environmental Examination Checklist (IEEC) Report and Environmental (IEEC) Report

thereof without prejudice to imposition of fines and penalties under other environmental laws. The EMB imposition of a fine in an amount not to exceed Fifty Thousand Pesos (P50, 000.00) for every violation the provisions of this This Certificate is issued in compliance with the requirements of Presidential Decree No. 1586, and in accordance to DENR Administrative Order (D.A.O.) No. 2003-30. Non-compliance with any of Certificate shall be a sufficient cause for the cancellation of this Certificate and/or



however, is not precluded from reevaluating and correcting any deficiencies or errors that may be found after issuance of this Certificate.

Issued at EMB-R4B, 1515 L and S Building, Roxas Boulevard, Pasay City this June 6, 2019.

Recommending Approval:

Engr./Bucha-Fe A. Rioflorido Chief, Clearance & Permitting Division

Approved:

Atty. Michael Drake P. Matias Regional Director



SWORN ACCOUNTABILITY STATEMENT

Certificate (ECC). I, Mr. JOEL M. CANDAVA, Owner, with office address located in Brgy. 9, Mamburao, Occidental Mindoro takes full responsibility in complying with all conditions in this Environmental Compliance

1 0 JUN 2019TIN No.	Mr. JOI Signatur	l .
I No.	Mr. JOEL M. CANDAVA Signature	Month Line

presenting

at

, issued on

above-named

affiant

taking

oath

Subscribed and swom before me this

Doc. No.

Page No. __ Book No. _ Series of __

NOTARY PUBLIC

COMMISSION EXPIRES ON DEC. 31, 2

MY COMMISSION EXPIRES ON DEC. 31, 2021
ROLL OF ATTORNEY'S NO. 41944 MAY 8, 1997
MCLE NO. VI-0004742/DECEMBER 8, 2017
IBP NO. 060642 /01-04-2019/00C. MDO
PTR NO. 2138706/01-03-2019/00C. MDO



ENVIRONMENTAL MANAGEMENT

among others to wit: adverse impact of the project to the environment throughout its implementation, which shall include modifications and/or additional information as approved by the EMB, shall be instituted to minimize particularly in the Environmental Management Plan/ Environmental Monitoring Plan, including commitments, Examination mitigating g measures and monitoring requirements, contained in Checklist Report for the Commercial Sand and Gravel Extraction

- That the proponent shall ensure that the project implementation shall NOT COMNENCE unless advised when all the permits/clearances are secured and when will be the actual date of project all required/clearances from the concerned implementation; government agencies are secured. EMB shall be
- N residents about the mitigating measures embodied in its IEEC understanding and sustained acceptance of the project. The program shall be submitted to EMB-That the proponent shall conduct an effective Information, Education and Communication (IEC) 4B (MIMAROPA Region) on an annual basis; Certificate and the environmental and human safety features of the project for greater awareness, Campaign to inform and educate all stakeholders, especially its contractors, workers, the conditions stipulated and local m this
- ω submit a separate report together with the Compliance That the proponent shall implement a Comprehensive 4B (MIMAROPA Region) on a semi-annual basis; Social Development Program (SDP) and Monitoring Report (CMR) to the EMB-
- 4. personnel, host and nearby communities and the receiving environment; That the proponent shall strictly manage all project related traffic problems, appropriate response activities shall be immediately undertaken for the protection of the workers/ Environmental Examination (IEE) soil erosion, accidental Checklist Report and, spillage and health in case of emergency hazards identified in the excessive surface episodes.
- Ŋ shall be constructed within two (2) months from the disturbance; the Retention of Areas within certain distances along the Banks of Rivers, Streams, and Shores of should conform with the provisions of the DENR Administrative Order No. 97-05 (Procedures in That preservation and easement retention of natural drainage/waterways Seas, Lakes and Oceans for Environmental Protection). If disturbed, a replacement drainage system shall be undertaken and
- 9 (EMP) shall be continuously implemented from the start of the project operation. That the solid waste management scheme as provided in the Environmental Management Plan
- .7 That the quarry site, with respect to the survey plan submitted, shall be delineated with visible permanent markers

GENERAL CONDITIONS

Further administrative conditions for the grant of this Certificate shall be strictly complied:

00 1999), RA 9003 (Ecological Solid Waste Management Act of 2000), and RA 9275 (Philippine Clean Water Act of 2004) and other relevant policies, rules and regulations; Hazardous and Nuclear Wastes Control Act of 1990), RA 8749 (Philippine Clean Air Act of The project operations shall conform to the provisions of RA 6969 (Toxic Substances and



- 9 aspects of the project. In addition to the monitoring requirements as specified Management Plan/ Environmental Monitoring Plan, the EU shall That the proponent shall set-up a competent Environmental Unit (EU) with a Pollution Control Accreditation). The Environmental Unit (EU) shall competently handle the environment-related responsibilities: Office in accordance within sixty (60) days from issuance of this Certificate and shall be duly accredited by this Environmental Monitoring with DAO No. 02, Series of 2014 (Revised Guidelines for Pollution Officer have in the Environmental the following
- 9.1 measures in the Generic IEE Checklist Report; Monitor actual project impacts vis-à-vis the predicted impacts and management
- 9.2 of EMB-4B (MIMAROPA Region); Recommend revisions to the EMP/EMoP, whenever necessary subject to the approval
- 9.3 with the standard formats; assessed, evaluated and reported to EMB-4B (MIMAROPA Region) Ensure that data gathered during monitoring activities are properly in accordance documented,
- 9.4 Region) that monitoring and submissions of reports to EMB-4B (MIMAROPA are carried out as required;
- 9.5 Implementing Rules and Regulations of P.D. 1586; supporting documents and in accordance with the prescribed format stipulated in the before January 15 and July 15 of each year the project is operational) Regular submission of a semi-annual ECC Compliance Monitoring provided with Report (on or
- 9.6 Monitoring Report (SMR) pursuant to DAO 2003-27; a quarterly monitoring report using the prescribed format of the Self-
- 9.7 proposed alternative projects in the area.; contaminated shall include rehabilitation measures/clean-up, costs, remediation of areas possibly Submit an Abandonment Plan two (2) months prior to the abandonment activities. with toxic/hazardous substances and presentation of options on
- 10. That the mitigating/enhancement measures during the operation and abandonment phases of the project; proponent shall allocate ample budget for the implementation of the proposed
- 11. That health and sanitation practices shall be observed in all phases of the project and safety & the premises of the project site to prevent health and occupational hazards; personal protection equipment/devices shall always be provided to all employees/workers within
- 12. That a billboard containing this message: "Notice to the Public, THIS COMMERCIAL SAND at all entry and exit points and in the perimeter of the project site facing the road to inform the general public within thirty (30) days from receipt of the ECC; Environmental Management Bureau MIMAROPA Region on June 6, 2019." shall be installed (ECC-OL-R4B-2019-0129) by the Department of Environment and Natural Resources -AND GRAVEL EXTRACTION has been issued an Environmental Compliance Certificate
- 13. That a copy of the ECC shall be posted in a conspicuous location at the field office of the project receipt of the ECC damage and at the barangay bulletin board of the host barangay(s) within thirty (30) days from visib le to the public and shall be adequately framed or otherwise protected against
- 14. That any authorized DENR-EMB personnel, with proper identification card and travel/mission order, shall be allowed unconditional access to conduct an on-the-spot inspection and monitoring to the project without the need for prior notice to the proponent to oversee compliance to the ECC



II. RESTRICTIONS

- -Should there be an expansion of the project beyond the project description, construction of other structures beyond those stated in the IEEC Report; or any change in the activity or location, shall That no other activities should be undertaken other than what was stipulated in the IEEC Report. be made subject to a new Environmental Impact Assessment (EIA) requirements;
- Ŋ restrictions shall apply and the transferee shall be required to notify this office within fifteen days as regards to the transfer of ownership/management; That in case of transfer of ownership/management of this project, these same conditions (15) and
- Ç be submitted to this office; the slope/gradient and strictly within the approved quarry site. Monthly That a limit of extraction shall NOT exceed one (1) meter depth and 20,000 MT per year following report of extraction shall
- 4 That the proponent (JOEL M. CANDAVA) shall be accountable to state material information in the submitted documents for any misrepresentation and

proponent shall have to apply for a new ECC if it intends to pursue the project. This ECC is deemed expired if not implemented within five (5) years from the date of issuance and the hereof and all conditions The conditions stipulated and restrictions set forth above shall be complied in this Certificate shall be deemed final within fifteen (15) days from receipt with by the herein grantee.

exceed Fifty Thousand Pesos (PhP50,000.00) for every violation thereof. cancellation or suspension of this certificate and/or imposition of a fine in an amount not to Non-compliance with any of the provisions of this certificate shall be a sufficient cause for the



PROJECT ASSESSMENT PLANNING TOOL

parties and authorities concerned for appropriate action. areas and the environment, and by way of recommendation, forwarding these recommendations to the For the assistance of the Proponent and the Government agencies concerned in the management of the Project and for better coordination in mitigation of the impacts of the Project on its surrounding

Proponent	3. Close monitoring of the project should be undertaken by the proponent to maintain a high level of safety and efficiency at all phases of the project and to immediately address any environmental hazard that may take place.
	Environmental Planning Recommendations for the Proponent
(i.e. PMRB, PNP, LGUs, DPWH, DOH, NWRB, HLURB, MGB, DA, DAR, DOLE, DTI, etc.)	2. That all appropriate construction, operational and resource-use permits/clearances from other national and local government agencies concerned shall be secured pertaining to the implementation of the project. Likewise, the proponent shall notify this Office of the reckoning date of project operation.
DENR Sector concerned MGB/LGU Concerned	
DOLE-Bureau of Working Conditions Municipal Planning & Dev't, Office/Building Official/BFP/LGU Concerned	including occupational health and safety; 1.3 R.A. 6541 or the National Building Code of the Philippines including adequate storm drainage system and other flood control measures and compliance to the Fire Safety and Emergency
DOH	1.1 P.D. 856 or the Sanitation Code of the Philippines;
	1. The proponent shall comply with, but not limited to the following:
	Regulatory Conditions

For dissemination and proper action of the parties concerned.

Engr. Buena Fe A. Rioflorido Clearanee & Permitting Division

Atty. Michael Drake P. Matias Regional Director

Chief,

