Carpenter instructions

BanAI wardrobe design · revision 1 · 2026-10-20

Design reference - verify before cutting

These instructions were generated automatically from the customer's design, using the construction assumptions listed at the end of this document. BanAI does not verify structural soundness, hardware suitability or manufacturability. Check every measurement on site and adapt the construction before cutting.

Design summary


Overall size (W × H × D)	2000 × 2400 × 600 mm (200.0 × 240.0 × 60.0 cm)
Panel thickness	18 mm
Interior (W × H)	1964 × 2364 mm
Doors	3 hinged doors (full overlay)
Contents	3 compartments, 7 shelves, 2 drawers, 1 hanging rails
Body material	Melamine board · White · Matte
Door material	Melamine board · White · Matte




3D view of the design (doors closed)

Front elevation (doors removed), dimensions in mm

Heights (y) are measured from the top face of the bottom panel. x from the outer left edge.





3D view of the interior

Cut list (all dimensions in mm)

#	Part	Qty	Length	Width	Thk.	Material	Notes
1	Back panel	1	2400	2000	3	HDF	Nailed over the full back
2	Drawer bottom	1	616	550	3	HDF	Compartment 3; drawer at y = 0
3	Drawer bottom	1	616	550	3	HDF	Compartment 3; drawer at y = 200
4	Side panel	2	2400	600	18	Melamine board · White · Matte	
5	Top / bottom	2	1964	600	18	Melamine board · White · Matte	
6	Partition	1	2364	600	18	Melamine board · White · Matte	Between compartments 1-2; left face at x = 661
7	Partition	1	2364	600	18	Melamine board · White · Matte	Between compartments 2-3; left face at x = 1322
8	Shelf	4	643	577	18	Melamine board · White · Matte	Compartment 1; y = 400, 800, 1200, 1600
9	Shelf	1	643	577	18	Melamine board · White · Matte	Compartment 2; y = 2000
10	Shelf	2	642	577	18	Melamine board · White · Matte	Compartment 3; y = 800, 1400
11	Drawer front	1	636	197	18	Melamine board · White · Matte	Compartment 3; drawer at y = 0
12	Drawer front	1	636	197	18	Melamine board · White · Matte	Compartment 3; drawer at y = 200
13	Hinged door	1	2396	666	18	Melamine board · White · Matte	Compartments 1; hinges on the left: 100, 649, 1198, 1747, 2296
14	Hinged door	1	2396	657	18	Melamine board · White · Matte	Compartments 2; hinges on the right: 100, 649, 1198, 1747, 2296
15	Hinged door	1	2396	665	18	Melamine board · White · Matte	Compartments 3; hinges on the left: 100, 649, 1198, 1747, 2296
16	Drawer box side	2	550	160	15	Melamine board · White · Matte	Compartment 3; drawer at y = 0
17	Drawer box front/back	2	586	160	15	Melamine board · White · Matte	Compartment 3; drawer at y = 0
18	Drawer box side	2	550	160	15	Melamine board · White · Matte	Compartment 3; drawer at y = 200
19	Drawer box front/back	2	586	160	15	Melamine board · White · Matte	Compartment 3; drawer at y = 200

Hardware

Item	Qty
Confirmat screw 7×50	24
Handle	5
Cup hinge 35 mm, full overlay	15
Hanging rod 641 mm	1
Hanging rod support	2
Ball-bearing drawer runners 550 mm (pair)	2
Shelf pin 5 mm	28

Edge banding (visible front edges, +10% waste): 43.7 m

Assembly order

1. Check all measurements on site and review this list before cutting.
2. Cut the 29 parts in the cut list and edge-band the visible front edges (43.7 m).
3. Drill shelf-pin holes in the sides and partitions at the shelf heights in the drawing.
4. Drill 35 mm hinge cups in the doors at the listed hinge positions.
5. Assemble the carcass: fix the top and bottom between the two side panels with confirmat screws.
6. Install the partitions with their left face at x = 661, 1322 mm from the outer left edge.
7. Square the carcass (equal diagonals) and nail the back panel.
8. Fit the hanging rails: compartment 2 at y = 1900 (641 mm rod).
9. Assemble the 2 drawer boxes, fit the 550 mm runners and attach the fronts with a 3 mm gap.
10. Insert the shelf pins and place the 7 shelves.
11. Hang the 3 doors and adjust the hinges to a 2 mm gap.
12. Attach the handles and check that every door and drawer moves freely.

Construction assumptions (configurable defaults, not verified rules)

Assumption	Value
Back panel thickness (HDF)	3
Shelf setback from the front	20
Gap around drawer fronts	3
Runner clearance per side	13
Drawer box board thickness	15
Drawer bottom thickness (HDF)	3
Drawer box height = drawer height minus	40
Runner length at most depth minus	50
Door gap per edge	2
Sliding panel overlap	30
Sliding track height allowance	50
Hanging rod = compartment width minus	2
First/last hinge from door edge	100
Shelf pins per shelf	4
Supports per hanging rod	2
Confirmat screws per joint	3
Edge banding waste (%)	10
Hinges per door by height	900: 2, 1600: 3, 2000: 4, above: 5