HW3-1: Linear System Theory (ECE532)

Instructor: Jun Moon

Due Date: April 2 at the beginning of the class (in addition to HW3)

Problem 1: You will prove the Rank-Nullity theorem discussed in class. Suppose that $A: \mathbb{V} \to \mathbb{W}$ is a linear operator, where both \mathbb{V} and \mathbb{W} are, respectively, n- and m-dimensional vector spaces (finite-dimensional vector spaces). Show that

$$\dim(R(A)) + \dim(N(A)) = \dim(\mathbb{V}) = n.$$

Problem 2: Suppose x_1, \ldots, x_k is a list of numbers in \mathbb{R} (the set of real numbers), and let \mathbb{Q} denote the set of rational numbers. Define the set of real numbers

$$\mathbb{V}(x_1,x_2,\ldots,x_k):=\{v\in\mathbb{R}: \text{ there exists }\alpha_1,\ldots,\alpha_k\in\mathbb{Q} \text{ such that }v=\alpha_1x_1+\alpha_2x_2+\cdots+\alpha_kx_k\}.$$

That is, $\mathbb{V}(x_1, x_2, \dots, x_k)$ is the set of numbers that can be written in the form $v = \alpha_1 x_1 + \alpha_2 x_2 + \dots + \alpha_k x_k$, where $v \in \mathbb{V}(x_1, x_2, \dots, x_k)$ and $\alpha_1, \dots, \alpha_k \in \mathbb{Q}$.

- 1. Show that $\mathbb{V}(x_1, x_2, \dots, x_k)$ is the vector space over the field \mathbb{Q} .
- 2. What is the largest and smallest the dimension of $\mathbb{V}(x_1, x_2, \dots, x_k)$ can be?
- 3. Determine the dimension of $\mathbb{V}(\sqrt{2},\pi)$
- 4. Determine the dimension of $\mathbb{V}(\sqrt{2}, \pi, 2\sqrt{2} \frac{2}{3}\pi)$