
Approximation accuracy along actual data changes
The declared accuracy criterion is at most 10% RMS in every time panel
Freeze both clocks
Omit single-solve terms that vanish at zero
ODE target · pos 1 · student
ODE target · pos 1 · teacher
ODE target · pos 2 · student
ODE target · pos 2 · teacher
ODE target · pos 3 · student
ODE target · pos 3 · teacher
Swi target · pos 1 · student
Swi target · pos 2 · student
Swi target · pos 3 · student
22.9 33.9 49.0 50.1 44.9
23.3 34.0 50.2 50.4 45.2
63.5 64.5 53.0 61.1 43.6
64.5 64.4 52.7 60.6 43.6
17.2 22.6 17.6 18.4 17.4
17.8 22.5 17.8 18.9 17.6
12.7 7.1 2.9 1.1 1.2
7.8 8.2 1.3 0.6 1.1
20.2 6.5 8.1 8.6 6.3
15.0 19.9 28.6 18.6 15.7
15.2 20.4 30.1 18.5 16.5
33.3 32.0 24.6 31.2 17.4
34.5 32.7 25.8 31.8 18.6
4.9 10.3 3.6 4.0 4.7
6.5 10.6 3.6 4.2 4.7
3.7 2.2 1.4 0.6 0.6
2.6 2.9 0.7 0.3 0.6
11.8 2.8 1.8 3.3 2.4
0.1 0.3 0.5 0.7 0.9
Fixed generative time
Relative Hessian RMS discrepancy (%)
10^2
10^1
10^0