

File Edit Run Settings Tools Help

Run speed at max (no interaction)

Edit Execute

Tela_e_Teclado3.asm

```
1 #
2 # Importar os arquivo de imagem necessarios
3 .include "peca_I_1.asm"
4 .include "peca_I_1_E.asm"
5 .include "peca_I_2.asm"
6 .include "peca_I_2_E.asm"
7 .include "peca_J_1.asm"
8 .include "peca_J_1_E.asm"
9 .include "peca_J_2.asm"
10 .include "peca_J_2_E.asm"
11 .include "peca_J_3.asm"
12 .include "peca_J_3_E.asm"
13 .include "peca_J_4.asm"
14 .include "peca_J_4_E.asm"
15 .include "peca_L_1.asm"
16 .include "peca_L_1_E.asm"
17 .include "peca_L_2.asm"
18 .include "peca_L_2_E.asm"
19 .include "peca_L_3.asm"
20 .include "peca_L_3_E.asm"
21 .include "peca_L_4.asm"
22 .include "peca_L_4_E.asm"
23 .include "peca_O_1.asm"
24 .include "peca_O_1_E.asm"
25 .include "peca_S_1.asm"
26 .include "peca_S_1_E.asm"
27 .include "peca_S_2.asm"
28 .include "peca_S_2_E.asm"
29 .include "peca_T_1.asm"
30 .include "peca_T_1_E.asm"
31 .include "peca_T_2.asm"
32 .include "peca_T_2_E.asm"
33 .include "peca_T_3.asm"
34 .include "peca_T_3_E.asm"
35 .include "peca_T_4.asm"
36 .include "peca_T_4_E.asm"
```

Line: 1 Column: 1 ☒ Show Line Numbers

Mars Messages Run I/O


Clear

Registers Coproc 1 Coproc 0

Name	Number	Value
\$zero	0	0x00000000
\$at	1	0x00000000
\$v0	2	0x00000000
\$v1	3	0x00000000
\$a0	4	0x00000000
\$a1	5	0x00000000
\$a2	6	0x00000000
\$a3	7	0x00000000
\$t0	8	0x00000000
\$t1	9	0x00000000
\$t2	10	0x00000000
\$t3	11	0x00000000
\$t4	12	0x00000000
\$t5	13	0x00000000
\$t6	14	0x00000000
\$t7	15	0x00000000
\$s0	16	0x00000000
\$s1	17	0x00000000
\$s2	18	0x00000000
\$s3	19	0x00000000
\$s4	20	0x00000000
\$s5	21	0x00000000
\$s6	22	0x00000000
\$s7	23	0x00000000
\$t8	24	0x00000000
\$t9	25	0x00000000
\$k0	26	0x00000000
\$k1	27	0x00000000
\$gp	28	0x10008000
\$sp	29	0x7ffffc
\$fp	30	0x00000000
\$ra	31	0x00000000
pc		0x00400000
hi		0x00000000
lo		0x00000000

Abrir este arquivo no MARS

A versão mais atual que estiver disponível (o número indica a versão)



File Edit Run Settings Tools Help

Run speed at max (no interaction)

Edit Execute

Text Segment

Bkpt	Address	Code	Basic	Source
	0x00400000	0x081003b5	j 0x00400ed4	90: j main
	0x00400004	0x3c010001	lui \$1,0x00000001	94: addi \$t0, \$zero, 65536 #65536 = (512*512)/4 pixels
	0x00400008	0x34210000	ori \$1,\$1,0x00000000	
	0x0040000c	0x00014020	add \$8,\$0,\$1	
	0x00400010	0x01004820	add \$9,\$8,\$0	95: add \$t1, \$t0, \$zero #Adicionar a distribuiçã
	0x00400014	0x3c091004	lui \$9,0x00001004	96: lui \$t1, 0x1004 #Endereco base da tela no heap, po
	0x00400018	0x3c011004	lui \$1,0x00001004	99: li \$s1, 0X10040000
	0x0040001c	0x34310000	ori \$17,\$1,0x00000000	
	0x00400020	0x00119821	addu \$19,\$0,\$17	101: move \$s3, \$s1
	0x00400024	0x22730430	addi \$19,\$19,0x0000...	102: addi \$s3, \$s3, 1072
	0x00400028	0x00009021	addu \$18,\$0,\$0	105: move \$s2, \$zero
	0x0040002c	0x0000a021	addu \$20,\$0,\$0	107: move \$s4, \$zero
	0x00400030	0x0000a821	addu \$21,\$0,\$0	109: move \$s5, \$zero
	0x00400034	0x0000b021	addu \$22,\$0,\$0	110: move \$s6, \$zero
	0x00400038	0x03e00008	jr \$31	112: jr \$ra
	0x0040003c	0x03e00008	jr \$31	122: jr \$ra
	0x00400040	0x27bdf5f4	addiu \$29,\$29,0xffff	132: addiu \$sn, \$sn, -12

Data Segment

Address	Value (+0)	Value (+4)	Value (+8)	Value (+c)	Value (+10)
0x10010000	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x10010020	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x10010040	0x00000004	0x00000001	0x00000001	0x00000004	0x00000001
0x10010060	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x10010080	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x100100a0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x100100c0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x100100e0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010100	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010120	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010140	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010160	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010180	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x100101a0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002

0x10010000 (.data) Hexadecimal Addresses Hexadecimal Values

Registers

Name	Number	Value
\$zero	0	0x00000000
\$at	1	0x00000000
\$v0	2	0x00000000
\$v1	3	0x00000000
\$a0	4	0x00000000
\$a1	5	0x00000000
\$a2	6	0x00000000
\$a3	7	0x00000000
\$t0	8	0x00000000
\$t1	9	0x00000000
\$t2	10	0x00000000
\$t3	11	0x00000000
\$t4	12	0x00000000
\$t5	13	0x00000000
\$t6	14	0x00000000
\$t7	15	0x00000000
\$s0	16	0x00000000
\$s1	17	0x00000000
\$s2	18	0x00000000
\$s3	19	0x00000000
\$s4	20	0x00000000
\$s5	21	0x00000000
\$s6	22	0x00000000
\$s7	23	0x00000000
\$t8	24	0x00000000
\$t9	25	0x00000000
\$k0	26	0x00000000
\$k1	27	0x00000000
\$gp	28	0x10008000
\$sp	29	0x7fffffc
\$fp	30	0x00000000
\$ra	31	0x00000000
pc		0x00400000
hi		0x00000000
lo		0x00000000

Mars Messages

Run I/O

Assemble:

Assemble: operation completed successfully.

Clear

Torce para não aparecer uma mensagem diferente desta

File Edit Run Settings **Tools** Help

Run speed at max (no interaction)

Tools

- Bitmap Display
- Data Cache Simulator
- Digital Lab Sim
- Floating Point Representation
- Instruction Counter
- Instruction Statistics
- Introduction to Tools
- Keyboard and Display MMIO Simulator
- Mars Bot
- Memory Reference Visualization
- MIPS X-Ray
- ScavengerHunt
- Screen Magnifier

Text Segment

Bkpt	Address	Value
	0x00400000	0x00000000
	0x00400004	0x00000000
	0x00400008	0x00000000
	0x0040000c	0x00000000
	0x00400010	0x00000000
	0x00400014	0x00000000
	0x00400018	0x00000000
	0x0040001c	0x00000000
	0x00400020	0x00000000
	0x00400024	0x00000000
	0x00400028	0x00000000
	0x0040002c	0x00000000
	0x00400030	0x00000000
	0x00400034	0x00000000
	0x00400038	0x00000000
	0x0040003c	0x00000000
	0x00400040	0x00000000

Data Segment

Address	Value (+0)	Value (+4)	Value (+8)	Value (+c)	Value (+10)
0x10010000	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x10010020	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x10010040	0x00000004	0x00000004	0x00000004	0x00000004	0x00000004
0x10010060	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x10010080	0x00000001	0x00000001	0x00000001	0x00000001	0x00000001
0x100100a0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x100100c0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x100100e0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010100	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010120	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010140	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010160	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x10010180	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002
0x100101a0	0x00000002	0x00000002	0x00000002	0x00000002	0x00000002

Registers

Name	Number	Value
\$zero	0	0x00000000
\$at	1	0x00000000
\$v0	2	0x00000000
\$v1	3	0x00000000
\$a0	4	0x00000000
\$a1	5	0x00000000
\$a2	6	0x00000000
\$a3	7	0x00000000
\$t0	8	0x00000000
\$t1	9	0x00000000
\$t2	10	0x00000000
\$t3	11	0x00000000
\$t4	12	0x00000000
\$t5	13	0x00000000
\$t6	14	0x00000000
\$t7	15	0x00000000
\$s0	16	0x00000000
\$s1	17	0x00000000
\$s2	18	0x00000000
\$s3	19	0x00000000
\$s4	20	0x00000000
\$s5	21	0x00000000
\$s6	22	0x00000000
\$s7	23	0x00000000
\$t8	24	0x00000000
\$t9	25	0x00000000
\$k0	26	0x00000000
\$k1	27	0x00000000
\$gp	28	0x10008000
\$sp	29	0x7fffffc
\$fp	30	0x00000000
\$ra	31	0x00000000
pc		0x00400000
hi		0x00000000
lo		0x00000000

Assembly Code

```
0:      j main
4:      addi $t0, $zero, 65536 #65536 = (512*512)/4 pixels
8:
12:     add $t1, $t0, $zero #Adicionar a distribui o de
16:     lui $t1, 0x1004 #Endereco base da tela no heap, po
20:     li $s1, 0x10040000
24:
28:     move $s3, $s1
32:     addi $s3, $s3, 1072
36:     move $s2, $zero
40:     move $s4, $zero
44:     move $s5, $zero
48:     move $s6, $zero
52:     jr $ra
56:     jr $ra
60:     addiu $sp, $sp, -12
```

Mars Messages Run I/O

Assemble:

Assemble: operation completed successfully.

Clear

Bitmap Display

Abrir o Bitmap Display

