Estadística básica con R

Oscar Perpiñán Lamigueiro

25 de Enero de 2013

Contenidos

Conjunto de datos: swiss

Standardized fertility measure and socio-economic indicators for each of 47 French-speaking provinces of Switzerland at about 1888. 6 variables in percent [0, 100]:

- Fertility: Ig, 'common standardizedfertility measure'
- Agriculture: % of males involved in agriculture as occupation
- Examination: % draftees receiving highest mark on army examination
- Education: % education beyond primary school for draftees.
- Catholic: % 'catholic' (as opposed to 'protestant').
- Infant.Mortality: live births who live less than 1year.

All variables but 'Fertility' give proportions of

Conjunto de datos: swiss

```
data(swiss)

summary(swiss)
```

```
  Fertility      Agriculture     Examination      Education
Min.   :35.00   Min.   : 1.20   Min.   : 3.00   Min.   : 1.00
1st Qu.:64.70   1st Qu.:35.90   1st Qu.:12.00   1st Qu.: 6.00
Median :70.40   Median :54.10   Median :16.00   Median : 8.00
Mean   :70.14   Mean   :50.66   Mean   :16.49   Mean   :10.98
3rd Qu.:78.45   3rd Qu.:67.65   3rd Qu.:22.00   3rd Qu.:12.00
Max.   :92.50   Max.   :89.70   Max.   :37.00   Max.   :53.00
   Catholic       Infant.Mortality
Min.   :  2.150   Min.   :10.80
1st Qu.:  5.195   1st Qu.:18.15
Median : 15.140   Median :20.00
Mean   : 41.144   Mean   :19.94
3rd Qu.: 93.125   3rd Qu.:21.70
Max.   :100.000   Max.   :26.60
```

```
splom(swiss, pscale=0, type=c('p', 'smooth'),
      groups=swiss$Catholic > 50, xlab='')
```



Contenidos

summary, fivenum


```
summary(swiss)
```

```
  Fertility      Agriculture     Examination      Education
Min.   :35.00   Min.   : 1.20   Min.   : 3.00   Min.   : 1.00
1st Qu.:64.70   1st Qu.:35.90   1st Qu.:12.00   1st Qu.: 6.00
Median :70.40   Median :54.10   Median :16.00   Median : 8.00
Mean   :70.14   Mean   :50.66   Mean   :16.49   Mean   :10.98
3rd Qu.:78.45   3rd Qu.:67.65   3rd Qu.:22.00   3rd Qu.:12.00
Max.   :92.50   Max.   :89.70   Max.   :37.00   Max.   :53.00
   Catholic       Infant.Mortality
Min.   :  2.150   Min.   :10.80
1st Qu.:  5.195   1st Qu.:18.15
Median : 15.140   Median :20.00
Mean   : 41.144   Mean   :19.94
3rd Qu.: 93.125   3rd Qu.:21.70
Max.   :100.000   Max.   :26.60
```

Contenidos

Fertilidad y educación

```
lmFertEdu <- lm(Fertility ~ Education, data =
    swiss)
summary(lmFertEdu)
```

```
Call:
lm(formula = Fertility ~ Education, data = swiss)

Residuals:
    Min      1Q  Median      3Q     Max
-17.036  -6.711  -1.011   9.526  19.689

Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept)  79.6101     2.1041  37.836  < 2e-16 ***
Education    -0.8624     0.1448  -5.954 3.66e-07 ***
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 9.446 on 45 degrees of freedom
Multiple R-squared: 0.4406,     Adjusted R-squared: 0.4282
F-statistic: 35.45 on 1 and 45 DF,  p-value: 3.659e-07
```

Fertilidad y educación

```
coef(lmFertEdu)
```

```
(Intercept)   Education
 79.6100585  -0.8623503
```

```
residuals(lmFertEdu)
```

```
Courtelary     Delemont Franches-Mnt      Moutier   Neuveville   Porrentruy
10.9381450   11.2510941   17.2016929   12.2263935   10.2251959    2.5263935
     Broye        Glane      Gruyere       Sarine      Veveyse        Aigle
10.2263935   19.6887438    8.8263935   14.5004953   12.6640432   -5.1618550
   Aubonne     Avenches     Cossonay    Echallens     Grandson     Lausanne
-6.6736065   -0.3618550  -13.5983071   -9.5853579   -1.0112562    0.2357497
 La Vallee       Lavaux       Morges       Moudon        Nyone         Orbe
-8.0630527   -6.7489059   -5.4865556  -12.0230077  -12.6618550  -17.0359568
      Oron      Payerne Paysd'enhaut       Rolle       Vevey      Yverdon
-6.2477082    1.4887438   -5.0230077  -10.4865556   -4.9254030   -7.3112562
   Conthey    Entremont       Herens     Martigwy      Monthey   St Maurice
-2.3853579   -5.1359568   -0.5853579   -3.9359568    2.3769923   -6.8489059
    Sierre         Sion       Boudry La Chauxdfnd     Le Locle    Neuchatel
15.1769923   10.9004953    1.1381450   -4.4242053    4.3004953   12.3851508
Val de Ruz ValdeTravers V. De Geneve  Rive Droite  Rive Gauche
 4.0263935   -5.9736065    1.0945070   -9.9019000  -11.8019000
```

```
fitted.values(lmFertEdu)
```

```
Courtelary     Delemont Franches-Mnt      Moutier   Neuveville   Porrentruy
  69.26186     71.84891     75.29831     73.57361     66.67480     73.57361
     Broye        Glane      Gruyere       Sarine      Veveyse        Aigle
  73.57361     72.71126     73.57361     68.39950     74.43596     69.26186
   Aubonne     Avenches     Cossonay    Echallens     Grandson     Lausanne
  73.57361     69.26186     75.29831     77.88536     72.71126     55.46425
```

Fertilidad, educación y religión

```
lmFertEduCat <- lm(Fertility ~ Education +
    Catholic, data = swiss)
summary(lmFertEduCat)
```

```
Call:
lm(formula = Fertility ~ Education + Catholic, data = swiss)

Residuals:
    Min      1Q  Median      3Q     Max
-15.042  -6.578  -1.431   6.122  14.322

Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept) 74.23369    2.35197  31.562  < 2e-16 ***
Education   -0.78833    0.12929  -6.097 2.43e-07 ***
Catholic     0.11092    0.02981   3.721  0.00056 ***
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 8.331 on 44 degrees of freedom
Multiple R-squared: 0.5745,     Adjusted R-squared: 0.5552
F-statistic:  29.7 on 2 and 44 DF,  p-value: 6.849e-09
```

Lo mismo con update

```
lmFertEduCat <- update(lmFertEdu, . ~ . +
    Catholic, data = swiss)
summary(lmFertEduCat)
```

```
Call:
lm(formula = Fertility ~ Education + Catholic, data = swiss)

Residuals:
    Min      1Q  Median      3Q     Max
-15.042  -6.578  -1.431   6.122  14.322

Coefficients:
            Estimate Std. Error t value Pr(>|t|)
(Intercept) 74.23369    2.35197  31.562  < 2e-16 ***
Education   -0.78833    0.12929  -6.097 2.43e-07 ***
Catholic     0.11092    0.02981   3.721  0.00056 ***
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 8.331 on 44 degrees of freedom
Multiple R-squared: 0.5745,     Adjusted R-squared: 0.5552
F-statistic:  29.7 on 2 and 44 DF,  p-value: 6.849e-09
```

Fertilidad, educación, religión y agricultura

```
lmFertEduCatAgr <- lm(Fertility ~ Education +
    Catholic + Agriculture, data = swiss)
summary(lmFertEduCatAgr)
```

```
Call:
lm(formula = Fertility ~ Education + Catholic + Agriculture,
    data = swiss)

Residuals:
    Min      1Q  Median      3Q     Max
-15.178  -6.548   1.379   5.822  14.840

Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept) 86.22502    4.73472  18.211  < 2e-16 ***
Education   -1.07215    0.15580  -6.881 1.91e-08 ***
Catholic     0.14520    0.03015   4.817 1.84e-05 ***
Agriculture -0.20304    0.07115  -2.854  0.00662 **
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 7.728 on 43 degrees of freedom
Multiple R-squared: 0.6423,     Adjusted R-squared: 0.6173
F-statistic: 25.73 on 3 and 43 DF,  p-value: 1.089e-09
```

Lo mismo con update

```
lmFertEduCatAgr <- update(lmFertEduCat, . ~ . +
    Agriculture, data = swiss)
summary(lmFertEduCatAgr)
```

```
Call:
lm(formula = Fertility ~ Education + Catholic + Agriculture,
    data = swiss)

Residuals:
    Min      1Q  Median      3Q     Max
-15.178  -6.548   1.379   5.822  14.840

Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept) 86.22502    4.73472  18.211  < 2e-16 ***
Education   -1.07215    0.15580  -6.881 1.91e-08 ***
Catholic     0.14520    0.03015   4.817 1.84e-05 ***
Agriculture -0.20304    0.07115  -2.854  0.00662 **
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 7.728 on 43 degrees of freedom
Multiple R-squared: 0.6423,     Adjusted R-squared: 0.6173
F-statistic: 25.73 on 3 and 43 DF,  p-value: 1.089e-09
```

Lo mismo con update

```
lmFertEduCatAgr <- update(lmFertEdu, . ~ . +
    Catholic + Agriculture, data = swiss)
summary(lmFertEduCatAgr)
```

```
Call:
lm(formula = Fertility ~ Education + Catholic + Agriculture,
    data = swiss)

Residuals:
    Min      1Q  Median      3Q     Max
-15.178  -6.548   1.379   5.822  14.840

Coefficients:
             Estimate Std. Error t value Pr(>|t|)
(Intercept) 86.22502    4.73472  18.211  < 2e-16 ***
Education   -1.07215    0.15580  -6.881 1.91e-08 ***
Catholic     0.14520    0.03015   4.817 1.84e-05 ***
Agriculture -0.20304    0.07115  -2.854  0.00662 **
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 7.728 on 43 degrees of freedom
Multiple R-squared: 0.6423,     Adjusted R-squared: 0.6173
F-statistic: 25.73 on 3 and 43 DF,  p-value: 1.089e-09
```

anova

```
anova(lmFertEdu, lmFertEduCat, lmFertEduCatAgr)
```

```
Analysis of Variance Table

Model 1: Fertility ~ Education
Model 2: Fertility ~ Education + Catholic
Model 3: Fertility ~ Education + Catholic + Agriculture
  Res.Df    RSS Df Sum of Sq      F    Pr(>F)
1     45 4015.2
2     44 3054.2  1    961.07 16.093 0.0002365 ***
3     43 2567.9  1    486.28  8.143 0.0066235 **
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1
```

Fertilidad contra todo

```
lmFert <- lm(Fertility ~ ., data=swiss)

summary(lmFert)
```

```
Call:
lm(formula = Fertility ~ ., data = swiss)

Residuals:
     Min       1Q   Median       3Q      Max
-15.2743  -5.2617   0.5032   4.1198  15.3213

Coefficients:
                 Estimate Std. Error t value Pr(>|t|)
(Intercept)      66.91518   10.70604   6.250 1.91e-07 ***
Agriculture      -0.17211    0.07030  -2.448  0.01873 *
Examination      -0.25801    0.25388  -1.016  0.31546
Education        -0.87094    0.18303  -4.758 2.43e-05 ***
Catholic          0.10412    0.03526   2.953  0.00519 **
Infant.Mortality  1.07705    0.38172   2.822  0.00734 **
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

Residual standard error: 7.165 on 41 degrees of freedom
Multiple R-squared: 0.7067,     Adjusted R-squared: 0.671
F-statistic: 19.76 on 5 and 41 DF,  p-value: 5.594e-10
```

Elegir un modelo

```
anova(lmFert)
```

```
Analysis of Variance Table

Response: Fertility
                 Df  Sum Sq Mean Sq F value    Pr(>F)
Agriculture       1  894.84  894.84 17.4288 0.0001515 ***
Examination       1 2210.38 2210.38 43.0516 6.885e-08 ***
Education         1  891.81  891.81 17.3699 0.0001549 ***
Catholic          1  667.13  667.13 12.9937 0.0008387 ***
Infant.Mortality  1  408.75  408.75  7.9612 0.0073357 **
Residuals        41 2105.04   51.34
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1
```

Elegir un modelo

```
stepFert <- step(lmFert)
summary(stepFert)
```

```
Start:  AIC=190.69
Fertility ~ Agriculture + Examination + Education + Catholic +
    Infant.Mortality

                  Df Sum of Sq    RSS    AIC
- Examination      1     53.03 2158.1 189.86
<none>                         2105.0 190.69
- Agriculture      1    307.72 2412.8 195.10
- Infant.Mortality 1    408.75 2513.8 197.03
- Catholic         1    447.71 2552.8 197.75
- Education        1   1162.56 3267.6 209.36

Step:  AIC=189.86
Fertility ~ Agriculture + Education + Catholic + Infant.Mortality

                  Df Sum of Sq    RSS    AIC
<none>                         2158.1 189.86
- Agriculture      1    264.18 2422.2 193.29
- Infant.Mortality 1    409.81 2567.9 196.03
- Catholic         1    956.57 3114.6 205.10
- Education        1   2249.97 4408.0 221.43

Call:
lm(formula = Fertility ~ Agriculture + Education + Catholic +
    Infant.Mortality, data = swiss)

Residuals:
     Min       1Q   Median       3Q      Max
-14.6765  -6.0522   0.7514   3.1664  16.1422
```

Elegir un modelo


```
stepFert$anova
```

```
           Step Df Deviance Resid. Df Resid. Dev      AIC
1              NA       NA        41   2105.043 190.6913
2 - Examination  1 53.02656        42   2158.069 189.8606
```