```
#include <bits/stdc++.h>
using namespace std;
void Merge(int arr[],int low,int mid, int high)
       int i = low, j = mid + 1, k = 1, temp[100];
       while(i \le mid \& \& j \le high)
            if(arr[i]>arr[j])
               temp[k] = arr[i];
               i=i+1;
                k=k+1;
            }
            else
               temp[k] = arr[j];
               j=j+1;
               k=k+1;
        }
        while(i<=mid)
               temp[k] = arr[i];
               i=i+1;
               k=k+1;
       while(j<=high)</pre>
               temp[k] = arr[j];
                j=j+1;
                k=k+1;
       for(i=low,k=1;i<=high;i=i+1,k=k+1)
               arr[i] = temp[k];
        }
}
void divide(int arr[],int low,int high)
       if(low<high)
               int mid = (low+high)/2;
               divide(arr,low,mid);
               divide(arr,mid+1,high);
               Merge(arr,low,mid,high);
       }
}
```

```
int main()
               int n,year,month,day;
               cin >> n;
               int arr[n][3];
               int position[n];
               int age[n],temp[n];
               cout<<"Day: Month(30days): Year(365 Days)"<<"\n";
               for(int i=1;i<=n;i++)
               {
                       position[i]=i;
                       for(int j=1;j<=3;j++)
                               cin>>arr[i][j];
                               if(j==1)
                                      day=arr[i][j];
                               if(j==2)
                                       month=arr[i][j]*30;
                               if(j==3)
                                       year=arr[i][j]*365;
                       age[i]=(year+month+day);
                       temp[i]=age[i];
               divide(age,1,n);
                cout<<"After Sorting"<<"\n";</pre>
               for(int i=1;i<=n;i=i+1)
               {
                       for(int j=1;j<=n;j++)
                               if(age[i]==temp[j])
cout<<(age[i]%365)%30<<" "<<(age[i]%365)/30<<" "<<age[i]/365<<" ";
                       cout<<" position was "<<position[j]<<"\n";</pre>
                               position[j]=0;
                               temp[j]=0;
                       }
               }
               return 0;
       }
```