Waterpump Connection plan gpio 21: 7 Seg 05.05.2024 Display CS 3.3٧ GND 3x 7-Seg 4 **5** Display R3 R4 R6 D1 90 **•** • 12V from ps gpio 22: • 10k CLK GND from ps **•** GND gpio 23 . . . 3V3 5V IO23 SDA SCL GND GND MOSI DP2 3V3to5V 2. DE 1014 1021 105 5V BOOT (a) J28 Servo GND? 3V 5V Q4 IRF7455 GND 23 22 luc 1 G (e) 12v LED? ➤ 12V to Relay COM R68 500 J26 ESP32-WR00M-32D Q5 IRF7455 →gpio 04: VFD Start REAR 1nF => 10uF → gpio 16: VFD Speed-2 ST3 (EN to GND) →gpio 02: VFD Speed-3 fixes flash/boot issue Si2302 RESET ST1 →gpio 15: VFD Speed-1 UART TX 3V3 -5V from VFD note: gpio 15 is ON during UART<=> **(6)** JP1 M2 USB for boot/flash! **6** 3V3_SEL steppe • firmware LEG-12 **(6)** J14 Anteater 2.0 upload gpio13: Relay • 2019-08 Si2302 ➤ NC ➤COM 12V **₩**NO 12V servo supply • RELAIS 1013 Fuse 1A gpio gpio cable configuration 25: <u>1</u>4: control-box => VFD control-box => UI Panel [RS485] [LED/BU [MOS1] Oelflex 12x0.5mm² Servo Signal (PWM out) Flow-Sensor (Pulses in UI: Button 'Mode/Start Oelflex 7x0.5mm² gn: GND - Poti, led gn: GND (VFD) Button FREE FREE in: Pressure Sensor 0-5V -> 0-2.5V 01. GND - Display UI: Poti 01.5V (VFD) 02: 3V3 - 2xButton, Poti, LED? JZZER] (to mosfets common) 03: 5V - Display 02: 3V3 (reserve) 04: **FREE** 'Set' 03: X4 Start 04: X1 speed bit 0 05: Poti Analog (0 - 3.3V) 05: X2 speed bit 1 06: **FREE** 06: X3 speed bit 2 07: Display: CLK 08: Display: DIN (MOSI) 09: Display: CS 10: Button Set (-> switch to 3V3) 11: Button Mode (-> switch to 3V3) Pump => Box see next page Legend pcb 0 Ohm Resistor 3v3 Z-Diode 0 Ohm Optional [XXX] **Conflicting Component** nopop critical / important

Components on Pump

05.05.2024





Oelflex 12x0.5mm²

gn : GND (black)

1: 5V (red)

2: Analog-out (green)



0.5 - 4.5V 0 - 500 psi 0 - 34.5 bar

https://de.aliexpress.com/item/1005003614240635.htm

Flow meter

Oelflex 3x0.5mm²

gn : GND (black) 1: 3,3V 5V (red) 2: Pulse out (yellow)

note: no pulldown/pullup needed

1I = 12 pulses 5-24V

Cable Conection: Red: Positive+ (IN); Black: Negative- (GND); Yellow: NPN Pulse signal (OUT)

https://de.aliexpress.com/item/4000379407344.html

Pump => Box

D-Sub 25 pin Connector, pin assignment			
Signal	Device	Color	Pins
GND	Servo	black, brown, red, orange	1, 2, 3, 4
GND	Pressure sensor	yellow	5
GND	Flow sensor	green	6
12 V	Servo	blue, purple, gray, pink	7, 8, 9, 10
5 V	Pressure sensor	light brown	11
3.3 V	Flow sensor	white	12
PWM 3.3 V	Servo	white-black	13
Analog 0-5 V	Pressure sensor	white-brown	14
Pulse	Flow sensor	white-red	15
FREE			16-25



