FLS 6441 - Methods III: Explanation and Causation

Week 3 - Field Experiments

Jonathan Phillips

April 2019

Rest of the Course

- The rest of the course is mostly about:
  - **Design-Based Solutions** to the Fundamental Problem of Causal Inference:

Rest of the Course

- The rest of the course is mostly about:
  - **Design-Based Solutions** to the Fundamental Problem of Causal Inference:
    - Finding treatment assignment mechanisms that **avoid biases** and provide plausible counterfactuals

Rest of the Course

- The rest of the course is mostly about:
  - **Design-Based Solutions** to the Fundamental Problem of Causal Inference:
    - Finding treatment assignment mechanisms that **avoid biases** and provide plausible counterfactuals
    - How much can we learn with better research design?

Rest of the Course

- The rest of the course is mostly about:
  - **Design-Based Solutions** to the Fundamental Problem of Causal Inference:
    - Finding treatment assignment mechanisms that **avoid biases** and provide plausible counterfactuals
    - How much can we learn with better research design?
  - **Model-Based Solutions:** Not so much.

Rest of the Course

	Independence of Treatment Assignment?	**Researcher Controls Treatment Assignment?**
Controlled Experiments	✓	✓
Natural Experiments	✓	
Observational Studies		

Rest of the Course

		Independence of Treatment Assignment	**Researcher Controls Treatment Assignment?**
Controlled Experiments	Field Experiments	✓	✓
	Survey and Lab Experiments	✓	✓
Natural Experiments	Randomized Natural Experiments	✓	
	Instrumental Variables	✓	
	Discontinuities	✓	
Observational Studies	Difference-in-Differences		
	Controlling for Confounding		
	Matching		
	Comparative Cases and Process Tracing		

Section 1

Independence

Independent Treatment Assignment

- Last week, we identified why it's hard to estimate causal effects:

Independent Treatment Assignment

- Last week, we identified why it's hard to estimate causal effects:
- **The Treatment Assignment Mechanism depends on Potential Outcomes**

Independent Treatment Assignment

- Last week, we identified why it's hard to estimate causal effects:
- **The Treatment Assignment Mechanism depends on Potential Outcomes**
- So estimates of the ATE are **biased**

Independent Treatment Assignment

- Last week, we identified why it's hard to estimate causal effects:
- **The Treatment Assignment Mechanism depends on Potential Outcomes**
- So estimates of the ATE are **biased**
- The solution?

Independent Treatment Assignment

- Last week, we identified why it's hard to estimate causal effects:
- **The Treatment Assignment Mechanism depends on Potential Outcomes**
- So estimates of the ATE are **biased**
- The solution?
- **Treatment Assignment Mechanisms that *ARE* independent of potential outcomes**

Independent Treatment Assignment

- Why does Independence of Treatment Assignment help us achieve causal inference?
  - We want to estimate:

$$E(Y_1) - E(Y_0) \tag{1}$$

Independent Treatment Assignment

- Why does Independence of Treatment Assignment help us achieve causal inference?
  - We want to estimate:

$$E(Y_1) - E(Y_0) \tag{1}$$

  - Our data provides:

$$E(Y_1|D = 1)\ ,\ E(Y_0|D = 0) \tag{2}$$

Independent Treatment Assignment

- Why does Independence of Treatment Assignment help us achieve causal inference?
  - We want to estimate:

$$E(Y_1) - E(Y_0) \tag{1}$$

  - Our data provides:

$$E(Y_1|D=1)\ ,\ E(Y_0|D=0) \tag{2}$$

  - With independence, $Y_1, Y_0 \perp D$:

$$E(Y_1|D=1) = E(Y_1)\ ,$$

Independent Treatment Assignment

- Why does Independence of Treatment Assignment help us achieve causal inference?
  - We want to estimate:

$$E(Y_1) - E(Y_0) \tag{1}$$

  - Our data provides:

$$E(Y_1|D=1)\ ,\ E(Y_0|D=0) \tag{2}$$

  - With independence, $Y_1, Y_0 \perp D$:

$$E(Y_1|D=1) = E(Y_1)\ ,\ E(Y_0|D=0) = E(Y_0) \tag{3}$$

Independent Treatment Assignment

- Why does Independence of Treatment Assignment help us achieve causal inference?
  - We want to estimate:

$$E(Y_1) - E(Y_0) \tag{1}$$

  - Our data provides:

$$E(Y_1|D=1)\ ,\ E(Y_0|D=0) \tag{2}$$

  - With independence, $Y_1, Y_0 \perp D$:

$$E(Y_1|D=1) = E(Y_1)\ ,\ E(Y_0|D=0) = E(Y_0) \tag{3}$$

$$E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0) \tag{4}$$

$$\tag{5}$$

Independent Treatment Assignment

- Why does Independence of Treatment Assignment help us achieve causal inference?
  - We want to estimate:

$$E(Y_1) - E(Y_0) \tag{1}$$

  - Our data provides:

$$E(Y_1|D=1)\ ,\ E(Y_0|D=0) \tag{2}$$

  - With independence, $Y_1, Y_0 \perp D$:

$$E(Y_1|D=1) = E(Y_1)\ ,\ E(Y_0|D=0) = E(Y_0) \tag{3}$$

$$E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0) \tag{4}$$

$$\tag{5}$$

- Potential outcomes in the treatment and control groups are now **unbiased** and representative of *all* the units

Randomization

- What is the treatment assignment mechanism under **randomization**?

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!
  - So we get a representative sample of Y_0 and Y_1

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!
  - So we get a representative sample of Y_0 and Y_1
    - Every unit has **exactly the same** probability of treatment

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!
  - So we get a representative sample of Y_0 and Y_1
    - Every unit has **exactly the same** probability of treatment
    - Potential outcomes are 'Completely Missing at Random'

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!
  - So we get a representative sample of Y_0 and Y_1
    - Every unit has **exactly the same** probability of treatment
    - Potential outcomes are 'Completely Missing at Random'
    - No omitted variable bias is possible

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!
  - So we get a representative sample of Y_0 and Y_1
    - Every unit has **exactly the same** probability of treatment
    - Potential outcomes are 'Completely Missing at Random'
    - No omitted variable bias is possible
    - No self-selection is possible

Randomization

- What is the treatment assignment mechanism under **randomization**?
  - It has nothing to do with potential outcomes!
  - So we get a representative sample of Y_0 and Y_1
    - Every unit has **exactly the same** probability of treatment
    - Potential outcomes are 'Completely Missing at Random'
    - No omitted variable bias is possible
    - No self-selection is possible
    - No reverse causation is possible

Randomization

- This is the **entire** causal diagram:

Randomization

- This is the **entire** causal diagram:



Randomization

- Why does randomization remove selection bias?

Randomization

- Why does randomization remove selection bias?
- Assume: $Y_{1i} = Y_{0i} + \alpha$, where α is the real constant treatment effect

Randomization

- Why does randomization remove selection bias?
- Assume: $Y_{1i} = Y_{0i} + \alpha$, where α is the real constant treatment effect

$$\hat{ATE} = E(Y_1|D = 1) - E(Y_0|D = 0)$$

Randomization

- Why does randomization remove selection bias?
- Assume: $Y_{1i} = Y_{0i} + \alpha$, where α is the real constant treatment effect

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0)$$

$$\hat{ATE} = \underbrace{\alpha}_{\text{Real ATE}} + \underbrace{E(Y_0|D=1) - E(Y_0|D=0)}_{\text{Bias}}$$

Randomization

- Why does randomization remove selection bias?
- Assume: $Y_{1i} = Y_{0i} + \alpha$, where α is the real constant treatment effect

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0)$$

$$\hat{ATE} = \underbrace{\alpha}_{\text{Real ATE}} + \underbrace{E(Y_0|D=1) - E(Y_0|D=0)}_{\text{Bias}}$$

- Now, use the Independence of Treatment Assignment:

$$E(Y_0|D=1) = E(Y_0|D=0)$$

Randomization

- Why does randomization remove selection bias?
- Assume: $Y_{1i} = Y_{0i} + \alpha$, where α is the real constant treatment effect

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0)$$

$$\hat{ATE} = \underbrace{\alpha}_{\text{Real ATE}} + \underbrace{E(Y_0|D=1) - E(Y_0|D=0)}_{\text{Bias}}$$

- Now, use the Independence of Treatment Assignment:

$$E(Y_0|D=1) = E(Y_0|D=0)$$

$$\hat{ATE} = \underbrace{\alpha}_{\text{Real ATE}}$$

Randomization

- Why does randomization remove selection bias?
- Assume: $Y_{1i} = Y_{0i} + \alpha$, where α is the real constant treatment effect

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0)$$

$$\hat{ATE} = \underbrace{\alpha}_{\text{Real ATE}} + \underbrace{E(Y_0|D=1) - E(Y_0|D=0)}_{\text{Bias}}$$

- Now, use the Independence of Treatment Assignment:

$$E(Y_0|D=1) = E(Y_0|D=0)$$

$$\hat{ATE} = \underbrace{\alpha}_{\text{Real ATE}}$$

- This works for observable *and* unobservable variables

Randomization

- But this logic works only based on **expectations** (averages)

Randomization

- But this logic works only based on **expectations** (averages)
  - *On average*, potential outcomes will be balanced

Randomization

- But this logic works only based on **expectations** (averages)
  - *On average*, potential outcomes will be balanced
  - That's more likely in larger samples

Randomization

- But this logic works only based on **expectations** (averages)
  - *On average*, potential outcomes will be balanced
  - That's more likely in larger samples
  - Less likely in small samples; by chance, potential outcomes may be biased

Randomization

- But this logic works only based on **expectations** (averages)
  - *On average*, potential outcomes will be balanced
  - That's more likely in larger samples
  - Less likely in small samples; by chance, potential outcomes may be biased
  - We have no way of *verifying* if potential outcomes are biased

Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples

Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples



Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples
- But the Law of Large Numbers helps us in large samples

N=20



Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples
- But the Law of Large Numbers helps us in large samples



Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples
- But the Law of Large Numbers helps us in large samples

N=100



Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples
- But the Law of Large Numbers helps us in large samples

N=1000



Balance in Randomized Experiments

- Balance on potential outcomes is unlikely in small samples
- But the Law of Large Numbers helps us in large samples

N=100000



Section 2

Analysis

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

- What is $E(Y_1|D=1)$?

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

- What is $E(Y_1|D=1)$?
- What is $E(Y_0|D=0)$?

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

- What is $E(Y_1|D=1)$?
- What is $E(Y_0|D=0)$?
- This is easy!

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

- What is $E(Y_1|D=1)$?
- What is $E(Y_0|D=0)$?
- This is easy!
- Just the difference in outcome means between treatment and control units

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

- What is $E(Y_1|D=1)$?
- What is $E(Y_0|D=0)$?
- This is easy!
- Just the difference in outcome means between treatment and control units
  - And a simple T-test for statistical significance

Analyzing Field Experiments

- If treatment is random we know that:

$$\hat{ATE} = E(Y_1|D=1) - E(Y_0|D=0) = E(Y_1) - E(Y_0)$$

- What is $E(Y_1|D=1)$?
- What is $E(Y_0|D=0)$?
- This is easy!
- Just the difference in outcome means between treatment and control units
  - And a simple T-test for statistical significance
  - **NO modelling assumptions** ("non-parametric")

Analyzing Field Experiments

- Simple Regression = Difference-in-means T-test

Analyzing Field Experiments

- Simple Regression = Difference-in-means T-test
- By definition:

$$Y_i = Y_{0i} + (Y_{1i} - Y_{0i})D_i$$

Analyzing Field Experiments

- Simple Regression = Difference-in-means T-test
- By definition:

$$Y_i = Y_{0i} + (Y_{1i} - Y_{0i})D_i$$

- We can estimate:

$$Y_i \sim \alpha + \beta D_i + \epsilon_i$$

Analyzing Field Experiments

- Simple Regression = Difference-in-means T-test
- By definition:

$$Y_i = Y_{0i} + (Y_{1i} - Y_{0i})D_i$$

- We can estimate:

$$Y_i \sim \alpha + \beta D_i + \epsilon_i$$

- So:

$$\hat{\beta} = E(Y_{1i} - Y_{0i})$$

Analyzing Field Experiments

- Simple Regression is **identical** to a Difference-in-means T-test
- T-test Results:

	estimate	statistic	p.value
1	0.27065	2.69475	0.00706

Analyzing Field Experiments

- Simple Regression is **identical** to a Difference-in-means T-test
- T-test Results:

	estimate	statistic	p.value
1	0.27065	2.69475	0.00706

- Regression Results ($Y_i = \alpha + \beta D_i + \epsilon_i$):

	term	estimate	std.error	statistic	p.value
1	(Intercept)	0.03459	0.07110	0.48647	0.62664
2	treatment	0.27065	0.10044	2.69472	0.00706

Repeated Experiments

- The results from one experiment are not perfect

Repeated Experiments

- The results from one experiment are not perfect
- Estimated treatment effects are still *probabilistic* (random variables) so we may get the wrong answer by chance

Repeated Experiments

- The results from one experiment are not perfect
- Estimated treatment effects are still *probabilistic* (random variables) so we may get the wrong answer by chance
- In repeated experiments, 95% of confidence intervals will cross the true treatment effect

Repeated Experiments

- The results from one experiment are not perfect
- Estimated treatment effects are still *probabilistic* (random variables) so we may get the wrong answer by chance
- In repeated experiments, 95% of confidence intervals will cross the true treatment effect
- Try repeated experiments in an App

Repeated Experiments

- The results from one experiment are not perfect
- Estimated treatment effects are still *probabilistic* (random variables) so we may get the wrong answer by chance
- In repeated experiments, 95% of confidence intervals will cross the true treatment effect
- Try repeated experiments in an App



Clustered Treatments

- Clustered sampling: To reduce data collection costs

Clustered Treatments

- Clustered sampling: To reduce data collection costs
- Clustered treatment: To reduce implementation costs, or to test specific theories

Clustered Treatments

- Clustered sampling: To reduce data collection costs
- Clustered treatment: To reduce implementation costs, or to test specific theories
- Eg. Holding Town Hall meetings does not make sense at the individual level

Clustered Treatments

- Clustered sampling: To reduce data collection costs
- Clustered treatment: To reduce implementation costs, or to test specific theories
- Eg. Holding Town Hall meetings does not make sense at the individual level
- If treatment (or sampling) are clustered, we will have dependencies in our errors - closer people are more similar

Clustered Treatments

- Clustered sampling: To reduce data collection costs
- Clustered treatment: To reduce implementation costs, or to test specific theories
- Eg. Holding Town Hall meetings does not make sense at the individual level
- If treatment (or sampling) are clustered, we will have dependencies in our errors - closer people are more similar
- So standard errors must be clustered at the level of treatment (eg. villages)

Clustered Treatments

- Clustered sampling: To reduce data collection costs
- Clustered treatment: To reduce implementation costs, or to test specific theories
- Eg. Holding Town Hall meetings does not make sense at the individual level
- If treatment (or sampling) are clustered, we will have dependencies in our errors - closer people are more similar
- So standard errors must be clustered at the level of treatment (eg. villages)
- In general, inference is more efficient with more higher-level units (more villages, less people per village)

Clustered Treatments

- Clustered sampling: To reduce data collection costs
- Clustered treatment: To reduce implementation costs, or to test specific theories
- Eg. Holding Town Hall meetings does not make sense at the individual level
- If treatment (or sampling) are clustered, we will have dependencies in our errors - closer people are more similar
- So standard errors must be clustered at the level of treatment (eg. villages)
- In general, inference is more efficient with more higher-level units (more villages, less people per village)
  - But there is usually a cost trade-off

Controlling for Covariates

- Do we need to control for covariates in experiments?

Controlling for Covariates

- Do we need to control for covariates in experiments?
- If randomization worked and the sample size is large, usually not

Controlling for Covariates

- Do we need to control for covariates in experiments?
- If randomization worked and the sample size is large, usually not
- Three reasons to include controls:
  - Small sample, but note causal inference is now model-dependent

Controlling for Covariates

- Do we need to control for covariates in experiments?
- If randomization worked and the sample size is large, usually not
- Three reasons to include controls:
  - Small sample, but note causal inference is now model-dependent
  - Chance/residual imbalance on a specific variable which we want to adjust for

Controlling for Covariates

- Do we need to control for covariates in experiments?
- If randomization worked and the sample size is large, usually not
- Three reasons to include controls:
  - Small sample, but note causal inference is now model-dependent
  - Chance/residual imbalance on a specific variable which we want to adjust for
  - To improve precision, i.e. reduce the standard errors on β
    - The more variation in Y we can explain with covariates, the more certain we can be on the effect of D

Other Quantities of Interest

- Average Treatment Effects are just one summary statistic
  - Treatment effects are not normally constant

Other Quantities of Interest

- Average Treatment Effects are just one summary statistic
  - Treatment effects are not normally constant
- Averages can be influenced by outliers

Other Quantities of Interest

- Average Treatment Effects are just one summary statistic
  - Treatment effects are not normally constant
- Averages can be influenced by outliers
- What if an average effect of +5% income leaves half the population hugely rich and half very poor?

Other Quantities of Interest

- Average Treatment Effects are just one summary statistic
  - Treatment effects are not normally constant
- Averages can be influenced by outliers
- What if an average effect of +5% income leaves half the population hugely rich and half very poor?
- Average treatment effects are easiest (difference-in-means equals mean-difference)

Other Quantities of Interest

- Average Treatment Effects are just one summary statistic
  - Treatment effects are not normally constant
- Averages can be influenced by outliers
- What if an average effect of +5% income leaves half the population hugely rich and half very poor?
- Average treatment effects are easiest (difference-in-means equals mean-difference)
- But we can also estimate Quantile treatment effects, eg. the effect of treatment on the bottom 10% of the distribution

Other Quantities of Interest

- Assume the treatment effect is normally-distributed: $N(\mu = 1, \sigma^2 = 1)$

Other Quantities of Interest

- Assume the treatment effect is normally-distributed: $N(\mu = 1, \sigma^2 = 1)$



Heterogeneous Effects

- **Experiment:** We place a new health centre in half of all communities at random, and want to measure whether the health centre has a bigger effect in poor or rich neighbourhoods

Heterogeneous Effects

- **Experiment:** We place a new health centre in half of all communities at random, and want to measure whether the health centre has a bigger effect in poor or rich neighbourhoods
- **Analysis:** Run a single regression with an interaction between treatment and neighbourhood income

Heterogeneous Effects

- **Experiment:** We place a new health centre in half of all communities at random, and want to measure whether the health centre has a bigger effect in poor or rich neighbourhoods
- **Analysis:** Run a single regression with an interaction between treatment and neighbourhood income
- **Result:** The health centre boosts health by 20% in rich neighbourhoods and reduces health in poor neighbourhoods by 20%

Heterogeneous Effects

- **Experiment:** We place a new health centre in half of all communities at random, and want to measure whether the health centre has a bigger effect in poor or rich neighbourhoods
- **Analysis:** Run a single regression with an interaction between treatment and neighbourhood income
- **Result:** The health centre boosts health by 20% in rich neighbourhoods and reduces health in poor neighbourhoods by 20%
- **Interpretation:** Does neighbourhood poverty cause health centres to have a negative impact?

Heterogeneous Effects

- **Experiment:** We place a new health centre in half of all communities at random, and want to measure whether the health centre has a bigger effect in poor or rich neighbourhoods
- **Analysis:** Run a single regression with an interaction between treatment and neighbourhood income
- **Result:** The health centre boosts health by 20% in rich neighbourhoods and reduces health in poor neighbourhoods by 20%
- **Interpretation:** Does neighbourhood poverty cause health centres to have a negative impact?
- We cannot interpret the 'moderator' variable as having a causal effect, the different treatment effects could be due to omitted variables or selection

Heterogeneous Effects

- **Experiment:** We place a new health centre in half of all communities at random, and want to measure whether the health centre has a bigger effect in poor or rich neighbourhoods
- **Analysis:** Run a single regression with an interaction between treatment and neighbourhood income
- **Result:** The health centre boosts health by 20% in rich neighbourhoods and reduces health in poor neighbourhoods by 20%
- **Interpretation:** Does neighbourhood poverty cause health centres to have a negative impact?
- We cannot interpret the 'moderator' variable as having a causal effect, the different treatment effects could be due to omitted variables or selection
- Only the health centre was randomly assigned, not neighbourhood income!

Section 3

Assumptions

Assumptions

1. Compliance with Randomization procedure

Assumptions

1. Compliance with Randomization procedure
2. Randomization produced balance on potential outcomes

Assumptions

1. Compliance with Randomization procedure
2. Randomization produced balance on potential outcomes
3. No Spillovers (SUTVA)

Assumptions

1. Compliance with Randomization procedure
2. Randomization produced balance on potential outcomes
3. No Spillovers (SUTVA)
4. Excludability

Assumptions

1. Compliance with Randomization procedure
2. Randomization produced balance on potential outcomes
3. No Spillovers (SUTVA)
4. Excludability

1. Compliance with Randomization procedure

- Randomization is unpopular

1. Compliance with Randomization procedure

- Randomization is unpopular
- Need to verify treatment allocation
  - Transparency, documentation

1. Compliance with Randomization procedure

- Randomization is unpopular
- Need to verify treatment allocation
  - Transparency, documentation
- And treatment compliance
  - Did anyone assigned to control manage to get treatment?
  - Did anyone assigned to treatment refuse?

1. Compliance with Randomization procedure

- Randomization is unpopular
- Need to verify treatment allocation
  - Transparency, documentation
- And treatment compliance
  - Did anyone assigned to control manage to get treatment?
  - Did anyone assigned to treatment refuse?
- **Design:** Double-blind assignment

1. Compliance with Randomization procedure

- Randomization is unpopular
- Need to verify treatment allocation
  - Transparency, documentation
- And treatment compliance
  - Did anyone assigned to control manage to get treatment?
  - Did anyone assigned to treatment refuse?
- **Design:** Double-blind assignment
- **Checks:** Qualitative fieldwork

1. Compliance with Randomization procedure

- Randomization is unpopular
- Need to verify treatment allocation
  - Transparency, documentation
- And treatment compliance
  - Did anyone assigned to control manage to get treatment?
  - Did anyone assigned to treatment refuse?
- **Design:** Double-blind assignment
- **Checks:** Qualitative fieldwork
- **Analysis:** More on how to respond to non-compliance next week

2. Randomization Produced Balanced Potential Outcomes

- Impossible to Test!

2. Randomization Produced Balanced Potential Outcomes

- Impossible to Test!
- But we can test observable pre-treatment covariates

2. Randomization Produced Balanced Potential Outcomes

- Impossible to Test!
- But we can test observable pre-treatment covariates
- If covariates are the same in the treatment and control groups, this variable *cannot* explain any differences in outcomes

2. Randomization Produced Balanced Potential Outcomes

- Impossible to Test!
- But we can test observable pre-treatment covariates
- If covariates are the same in the treatment and control groups, this variable *cannot* explain any differences in outcomes
- If lots of variables are balanced, it's likely potential outcomes are too

2. Randomization Produced Balanced Potential Outcomes

- Impossible to Test!
- But we can test observable pre-treatment covariates
- If covariates are the same in the treatment and control groups, this variable *cannot* explain any differences in outcomes
- If lots of variables are balanced, it's likely potential outcomes are too
- **Check:** Normally a difference in means T-test of covariates between treatment and control groups

2. Randomization Produced Balanced Potential Outcomes

- Impossible to Test!
- But we can test observable pre-treatment covariates
- If covariates are the same in the treatment and control groups, this variable *cannot* explain any differences in outcomes
- If lots of variables are balanced, it's likely potential outcomes are too
- **Check:** Normally a difference in means T-test of covariates between treatment and control groups
- **Check:** Or a Kolmogorov-Smirnov (KS) Test of identical distributions

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?
- It probably will!
  1. We are testing many variables, so some differences arise by chance

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?
- It probably will!
  1. We are testing many variables, so some differences arise by chance
  2. We have a large N, so we can detect very small differences

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?
- It probably will!
  1. We are testing many variables, so some differences arise by chance
  2. We have a large N, so we can detect very small differences
- **Check:** For balance, **What matters are *substantive* differences, not p-values**

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?
- It probably will!
  1. We are testing many variables, so some differences arise by chance
  2. We have a large N, so we can detect very small differences
- **Check:** For balance, **What matters are *substantive* differences, not p-values**
- Two safety nets:
  1. **Analysis:** We can still include covariates in our analysis, controlling for 'residual' imbalance

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?
- It probably will!
  1. We are testing many variables, so some differences arise by chance
  2. We have a large N, so we can detect very small differences
- **Check:** For balance, **What matters are *substantive* differences, not p-values**
- Two safety nets:
  1. **Analysis:** We can still include covariates in our analysis, controlling for 'residual' imbalance
  2. **Analysis:** We are using p-values in our *analysis*, which take into account 'chance' imbalance

2. Randomization Produced Balanced Potential Outcomes

- What if a balance test comes back with a p-value < 0.05?
- It probably will!
  1. We are testing many variables, so some differences arise by chance
  2. We have a large N, so we can detect very small differences
- **Check:** For balance, **What matters are *substantive* differences, not p-values**
- Two safety nets:
  1. **Analysis:** We can still include covariates in our analysis, controlling for 'residual' imbalance
  2. **Analysis:** We are using p-values in our *analysis*, which take into account 'chance' imbalance

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**
- Technically, treatment of unit j does not affect the potential outcomes for unit i

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**
- Technically, treatment of unit j does not affect the potential outcomes for unit i

$$(Y_{1i}, Y_{0i}) \perp D_j$$

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**
- Technically, treatment of unit j does not affect the potential outcomes for unit i

$$(Y_{1i}, Y_{0i}) \perp D_j$$

$$Y_i(D_i, D_j, D_k, D_l, D_m, D_n, D_o, D_p \ldots) = Y_i(D_i)$$

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**
- Technically, treatment of unit j does not affect the potential outcomes for unit i

$$(Y_{1i}, Y_{0i}) \perp D_j$$

$$Y_i(D_i, D_j, D_k, D_l, D_m, D_n, D_o, D_p \ldots) = Y_i(D_i)$$

- But spillovers are common! If you get an award, I might feel more motivated or less motivated

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**
- Technically, treatment of unit j does not affect the potential outcomes for unit i

$$(Y_{1i}, Y_{0i}) \perp D_j$$

$$Y_i(D_i, D_j, D_k, D_l, D_m, D_n, D_o, D_p \ldots) = Y_i(D_i)$$

- But spillovers are common! If you get an award, I might feel more motivated or less motivated
- Why are spillovers a problem?

3. SUTVA

- Stable Unit Treatment Value Assumption = **No Spillovers**
- Technically, treatment of unit j does not affect the potential outcomes for unit i

$$(Y_{1i}, Y_{0i}) \perp D_j$$

$$Y_i(D_i, D_j, D_k, D_l, D_m, D_n, D_o, D_p \ldots) = Y_i(D_i)$$

- But spillovers are common! If you get an award, I might feel more motivated or less motivated
- Why are spillovers a problem?
  - **Design:** Limit risk of spillovers, eg. leave 20 miles between each unit in sampling
  - **Check:** Qualitative fieldwork
  - **Analysis:** Try to *measure* spillovers

4. Excludability

- **Nothing else correlated with treatment affects potential outcomes**

4. Excludability

- **Nothing else correlated with treatment affects potential outcomes**
- Assignment to treatment causes a **'parallel'** treatment

4. Excludability

- **Nothing else correlated with treatment affects potential outcomes**
- Assignment to treatment causes a **'parallel'** treatment
- Eg. We decide to share information about specific politicians on the radio, but the politicians find out and counter with their own broadcasts

4. Excludability

- **Nothing else correlated with treatment affects potential outcomes**
- Assignment to treatment causes a **'parallel'** treatment
- Eg. We decide to share information about specific politicians on the radio, but the politicians find out and counter with their own broadcasts
- Our treatment effect is no longer *only* the effect of our information intervention

4. Excludability

- **Nothing else correlated with treatment affects potential outcomes**
- Assignment to treatment causes a **'parallel'** treatment
- Eg. We decide to share information about specific politicians on the radio, but the politicians find out and counter with their own broadcasts
- Our treatment effect is no longer *only* the effect of our information intervention
- ...Or do we want to measure these additional effects?

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

Downstream ('net')
Consequences

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

Downstream ('net') Consequences

- Eg. We give a cash handout to families, and they start paying taxes; what explains their changing attitudes to government?

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

Downstream ('net') Consequences

- Eg. We give a cash handout to families, and they start paying taxes; what explains their changing attitudes to government?
- We find zero effect of government investment of $1000 in healthcare on health outcomes, because households responded by reducing their spending by exactly $1000?

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

Downstream ('net') Consequences

- Eg. We give a cash handout to families, and they start paying taxes; what explains their changing attitudes to government?
- We find zero effect of government investment of $1000 in healthcare on health outcomes, because households responded by reducing their spending by exactly $1000?

Parallel Treatments

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

Downstream ('net') Consequences

- Eg. We give a cash handout to families, and they start paying taxes; what explains their changing attitudes to government?
- We find zero effect of government investment of $1000 in healthcare on health outcomes, because households responded by reducing their spending by exactly $1000?

Parallel Treatments

- Eg. Measurement bias: Researchers give treated units 'the benefit of the doubt' and record higher outcomes for them

4. Excludability

- Distinguish between the downstream consequences of treatment and 'parallel' treatments

Downstream ('net') Consequences

- Eg. We give a cash handout to families, and they start paying taxes; what explains their changing attitudes to government?
- We find zero effect of government investment of $1000 in healthcare on health outcomes, because households responded by reducing their spending by exactly $1000?

Parallel Treatments

- Eg. Measurement bias: Researchers give treated units 'the benefit of the doubt' and record higher outcomes for them
- Or Hawthorne Effects: Participants respond to being studied, not treatment (more next week)

- **Design:** Careful specification of treatment and control

4. Excludability

Downstream Consequence of Treatment



4. Excludability

Downstream Consequence of Treatment



Parallel Treatment



2

Section 4

Implementation

Implementing Field Experiments

- How do we randomize?
  - Hard! We can't just 'pick' treated units off the top of our heads

Implementing Field Experiments

- How do we randomize?
  - Hard! We can't just 'pick' treated units off the top of our heads
  - Computers are deterministic

Implementing Field Experiments

- How do we randomize?
  - Hard! We can't just 'pick' treated units off the top of our heads
  - Computers are deterministic
  - The best we can do is to use atmospheric noise or radioactive decay

Implementing Field Experiments

- How do we randomize?
  - Hard! We can't just 'pick' treated units off the top of our heads
  - Computers are deterministic
  - The best we can do is to use atmospheric noise or radioactive decay
- In the real world, randomization is hard
  - Pressure to help the most needy

Implementing Field Experiments

- How do we randomize?
  - Hard! We can't just 'pick' treated units off the top of our heads
  - Computers are deterministic
  - The best we can do is to use atmospheric noise or radioactive decay
- In the real world, randomization is hard
  - Pressure to help the most needy
  - Political pressure

Implementing Field Experiments

- How do we randomize?
  - Hard! We can't just 'pick' treated units off the top of our heads
  - Computers are deterministic
  - The best we can do is to use atmospheric noise or radioactive decay
- In the real world, randomization is hard
  - Pressure to help the most needy
  - Political pressure
  - We don't want to be guinea pigs!

Implementing Field Experiments

- How do we randomize?

Implementing Field Experiments

- How do we randomize?
- Three options to assign treatment and control 'independent' of potential outcomes:

Implementing Field Experiments

- How do we randomize?
- Three options to assign treatment and control 'independent' of potential outcomes:
  - We have N units and want equal probability of treatment for each:

1. Flip a coin for every unit so every unit has probability 0.5 of treatment

Implementing Field Experiments

- How do we randomize?
- Three options to assign treatment and control 'independent' of potential outcomes:
  - We have N units and want equal probability of treatment for each:

1. Flip a coin for every unit so every unit has probability 0.5 of treatment
2. Randomize the order of the units and assign the first $\frac{N}{2}$ units to treatment

Implementing Field Experiments

- How do we randomize?
- Three options to assign treatment and control 'independent' of potential outcomes:
  - We have N units and want equal probability of treatment for each:

1. Flip a coin for every unit so every unit has probability 0.5 of treatment
2. Randomize the order of the units and assign the first $\frac{N}{2}$ units to treatment
3. Pair similar units and flip a coin to assign one from each pair to treatment

Implementing Field Experiments

- How do we randomize?
- Three options to assign treatment and control 'independent' of potential outcomes:
  - We have N units and want equal probability of treatment for each:

1. Flip a coin for every unit so every unit has probability 0.5 of treatment
2. Randomize the order of the units and assign the first $\frac{N}{2}$ units to treatment
3. Pair similar units and flip a coin to assign one from each pair to treatment

- What's the difference between these three options?

Implementing Field Experiments

- How do we randomize?
- Three options to assign treatment and control 'independent' of potential outcomes:
  - We have N units and want equal probability of treatment for each:

1. Flip a coin for every unit so every unit has probability 0.5 of treatment
2. Randomize the order of the units and assign the first $\frac{N}{2}$ units to treatment
3. Pair similar units and flip a coin to assign one from each pair to treatment

- What's the difference between these three options?
- What % treated? 50:50 is usually most efficient

Implementing Field Experiments

- **Blocking**

Implementing Field Experiments

- **Blocking**
- Randomization is *inefficient* and risky

Implementing Field Experiments

- **Blocking**
- Randomization is *inefficient* and risky
- We know we need balance on key covariates, eg. gender, democracy
  - So why leave this to chance??

Implementing Field Experiments

- **Blocking**
- Randomization is *inefficient* and risky
- We know we need balance on key covariates, eg. gender, democracy
  - So why leave this to chance??
  - We can measure these variables and *enforce* balance (50% female in both treatment and control)

Implementing Field Experiments

- **Blocking**
- Randomization is *inefficient* and risky
- We know we need balance on key covariates, eg. gender, democracy
  - So why leave this to chance??
  - We can measure these variables and *enforce* balance (50% female in both treatment and control)
  - Blocking means randomizing *within* fixed groups

Implementing Field Experiments

- **Blocking**
- Randomization is *inefficient* and risky
- We know we need balance on key covariates, eg. gender, democracy
  - So why leave this to chance??
  - We can measure these variables and *enforce* balance (50% female in both treatment and control)
  - Blocking means randomizing *within* fixed groups
  - Eg. We have 10 states and a total sample size of 5000 - so we fix 250 treated and 250 control in each state
- "Block what you can; randomize what you cannot"

Implementing Field Experiments

- Random treatment vs. Random samples
- Random Treatment

Implementing Field Experiments

- Random treatment vs. Random samples

- Random Treatment
- Representative potential outcomes

Implementing Field Experiments

- Random treatment vs. Random samples

- Random Treatment
- Representative potential outcomes
- Causal Inference

- Random Samples

Implementing Field Experiments

- Random treatment vs. Random samples

- Random Treatment
- Representative potential outcomes
- Causal Inference

- Random Samples
- Sample representative of larger population

Implementing Field Experiments

- Random treatment vs. Random samples

- Random Treatment
- Representative potential outcomes
- Causal Inference

- Random Samples
- Sample representative of larger population
- Statistical Inference

Implementing Field Experiments

- Random treatment vs. Random samples

- Random Treatment
- Representative potential outcomes
- Causal Inference

- Random Samples
- Sample representative of larger population
- Statistical Inference

- Both work in the same way - randomization avoids selection (into the data/treatment)

Section 5

Critiquing

Critiquing Field Experiments

- Field experiments are easy to evaluate. What can go wrong??

1. Results are a Black Box

- We know that D causes Y in this population.

1. Results are a Black Box

- We know that D causes Y in this population. So what? What did we learn about political science?

1. Results are a Black Box

- We know that D causes Y in this population. So what? What did we learn about political science?
- We know that giving citizens health insurance makes them more likely to vote.

1. Results are a Black Box

- We know that D causes Y in this population. So what? What did we learn about political science?
- We know that giving citizens health insurance makes them more likely to vote. Why??

1. Results are a Black Box

- We know that D causes Y in this population. So what? What did we learn about political science?
- We know that giving citizens health insurance makes them more likely to vote. Why??
- What theory is this testing?

1. Results are a Black Box

- We know that D causes Y in this population. So what? What did we learn about political science?
- We know that giving citizens health insurance makes them more likely to vote. Why??
- What theory is this testing? Does it reject any theory?

1. Results are a Black Box

- We know that D causes Y in this population. So what? What did we learn about political science?
- We know that giving citizens health insurance makes them more likely to vote. Why??
- What theory is this testing? Does it reject any theory?
- We want to learn about generalizable political processes.

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**
- Income makes attitudes to redistribution more negative in the USA

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**
- Income makes attitudes to redistribution more negative in the USA
  - What is the effect in Angola?

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**
- Income makes attitudes to redistribution more negative in the USA
  - What is the effect in Angola?
- Secondary school education leads to more conservative voting

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**
- Income makes attitudes to redistribution more negative in the USA
  - What is the effect in Angola?
- Secondary school education leads to more conservative voting
  - What is the effect of university education?

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**
- Income makes attitudes to redistribution more negative in the USA
  - What is the effect in Angola?
- Secondary school education leads to more conservative voting
  - What is the effect of university education?
- Yes, you randomly sampled and randomly assigned treatment, but not in the full population

2. Generalizability of Context

- Our causal conclusions are **restricted to the population we drew our sample from**
- Income makes attitudes to redistribution more negative in the USA
  - What is the effect in Angola?
- Secondary school education leads to more conservative voting
  - What is the effect of university education?
- Yes, you randomly sampled and randomly assigned treatment, but not in the full population
  - The places that agree to field experiments are not representative

3. Generalizability of Treatment

- The effect of an education intervention in an experiment in Butantã raised test scores by 20%, and was evaluated and verified by USP

3. Generalizability of Treatment

- The effect of an education intervention in an experiment in Butantã raised test scores by 20%, and was evaluated and verified by USP
- The government expands the program nationwide. Do Brazilian students' scores improve on average by 20%?

3. Generalizability of Treatment

- The effect of an education intervention in an experiment in Butantã raised test scores by 20%, and was evaluated and verified by USP
- The government expands the program nationwide. Do Brazilian students' scores improve on average by 20%?
- Three problems:
  1. **Implementation Varies:** Implementing at scale is **hard**, costly and requires delegation to less motivated and skilled actors.

3. Generalizability of Treatment

- The effect of an education intervention in an experiment in Butantã raised test scores by 20%, and was evaluated and verified by USP
- The government expands the program nationwide. Do Brazilian students' scores improve on average by 20%?
- Three problems:
  1. **Implementation Varies:** Implementing at scale is **hard**, costly and requires delegation to less motivated and skilled actors.
  2. **Ownership and Excludability:**
     - Telling someone to implement an intervention is different from working with a self-motivated actor who designed the intervention.

3. Generalizability of Treatment

- The effect of an education intervention in an experiment in Butantã raised test scores by 20%, and was evaluated and verified by USP
- The government expands the program nationwide. Do Brazilian students' scores improve on average by 20%?
- Three problems:
  1. **Implementation Varies:** Implementing at scale is **hard**, costly and requires delegation to less motivated and skilled actors.
  2. **Ownership and Excludability:**
     - Telling someone to implement an intervention is different from working with a self-motivated actor who designed the intervention.
     - Knowing you were randomly assigned to treatment rather than choosing treatment changes political ownership, perceptions and motivation.

3. Generalizability of Treatment

- The effect of an education intervention in an experiment in Butantã raised test scores by 20%, and was evaluated and verified by USP
- The government expands the program nationwide. Do Brazilian students' scores improve on average by 20%?
- Three problems:
  1. **Implementation Varies:** Implementing at scale is **hard**, costly and requires delegation to less motivated and skilled actors.
  2. **Ownership and Excludability:**
     - Telling someone to implement an intervention is different from working with a self-motivated actor who designed the intervention.
     - Knowing you were randomly assigned to treatment rather than choosing treatment changes political ownership, perceptions and motivation.
  3. **General Equilibrium Effects:** Average test scores went from 70% to 90%, so the exam board readjusted the test and made it harder.

3. Generalizability of Treatment

- Eg. The Millennium Villages Project

3. Generalizability of Treatment

- Eg. The Millennium Villages Project
- WB/UN/Columbia University tried to invest USD$120 per person in 14 African villages

3. Generalizability of Treatment

- Eg. The Millennium Villages Project
- WB/UN/Columbia University tried to invest USD$120 per person in 14 African villages
- Mixed but positive results: crop yields increased 85-350%, malaria reduced 50% compared to controls

3. Generalizability of Treatment

- Eg. The Millennium Villages Project
- WB/UN/Columbia University tried to invest USD$120 per person in 14 African villages
- Mixed but positive results: crop yields increased 85-350%, malaria reduced 50% compared to controls
- But sites were not representative (close to main roads and cities so they’re easy to visit)

3. Generalizability of Treatment

- Eg. The Millennium Villages Project
- WB/UN/Columbia University tried to invest USD$120 per person in 14 African villages
- Mixed but positive results: crop yields increased 85-350%, malaria reduced 50% compared to controls
- But sites were not representative (close to main roads and cities so they’re easy to visit)
- Treatment could not be scaled (Every village cannot get visits from Columbia professors twice a year)

3. Generalizability of Treatment

- Eg. The Millennium Villages Project
- WB/UN/Columbia University tried to invest USD$120 per person in 14 African villages
- Mixed but positive results: crop yields increased 85-350%, malaria reduced 50% compared to controls
- But sites were not representative (close to main roads and cities so they're easy to visit)
- Treatment could not be scaled (Every village cannot get visits from Columbia professors twice a year)
- And politics was ignored (No implementation unless you give locals responsibility, but then lose control)

4. Skewed Learning

- Research focuses on where experiments are most possible, not where it is most needed

4. Skewed Learning

- Research focuses on where experiments are most possible, not where it is most needed
- Selection bias in research findings