Trinity

Automated Machine Tending

Small/Medium Vertical Machining Centers

Ai Automation Sales Quotation

Quotation: E2E-030926A-AI1

Date: 03/09/2026

TRINITY AUTOMATION

Automation Proposal

Prepared For:

Gioni Bianchini
(925) 862-2057
gbianchini@e2emfg.com
E2E Manufacturing
3500 Yale Way
Fremont, CA 94538

Trinity Contact:

Nick Tonti
(714) 767-2035
nick@trinityautomation.com
Trinity Automation
4582 Brickell Privado
Ontario, CA 91761

TrinityAi Series

High Mix CNC Automation

Introducing the Trinity AI Part Loading System—an innovative solution designed and manufactured in the U.S. by an industry leader in CNC machining applications. Purpose-built to streamline automation, the system features AI-driven motion control that eliminates the need for complex robot programming. With automatic gripper finger and air vise jaw changeovers, Trinity offers a smarter, more efficient approach to part loading, helping manufacturers increase productivity with minimal operator intervention.

Ai Part Loader

High Mix Automation System
Small / Medium Vertical Machining Centers

Part Loader for Small Vertical Machines	
Max Part Width	4”
Max Part Height	4”
Max Part Length	6”
Max Part Weight	8 lbs.

Ai Series Features

- Ai Powered Robot Motion – No Robot Programming
- Automated Robot Finger Changing
- Automated Work Holding Jaw Changing
- Automated Touch Sensing
- Automated CNC Program Selection
- Simple Part Change Overs
- CNC / Auto-Door Integration
- Installation by Trinity OEM Technicians

Configuration Details

Ai Configuration	CNC Machine Configuration	Logistics

Ai – Ai Automation
• Max Part Width – 4”
• Max Part Height – 4”
• Max Part Length – 6”
• Max Weight Capacity – 8 lbs.
• Voltage – 220 VAC, 3 Phase, 40 AMPS
	CNC Machine Details
	• Manufacturer – Haas
	• Year - TBD
	• Model – VF1 or VF2
	• Controller – NGC
	• Generation – TBD
	• Automation Entry – Front
		Details
		• Lead Time – 8 weeks.
		• FOB – Shipping Point
		• Shipping – Customer Supplied
		• Shipment Prep – Trinity Supplied
		• Payment Terms: (see below)
		  ○ 20% Down
		  ○ 70% Shipment
		  ○ 10% Production

**Customer CNC machine must have in machine probing installed and functioning prior to installation & hardwired internet connection to Ai system.		

Standard Products & Services

Part Number	Description	Unit Price	Qty.	Sub-Total

Trinity Ai Machine Tending Cell	Trinity Ai Machine Tending Cell
	• Six Axis Industrial Robot
	  ○ System Power – 220 VAC – 40 Amps – 3 Phase
	  ○ Robot Controller
	  ○ Connection Cables
	  ○ Robot software options
	• Robot Gripper
	  ○ Standard Schunk Single Parallel Pneumatic Gripper
	  ○ Machined mounting components / hardware
	  ○ Integrated force / torque sensing compliance device
	  ○ Integrated open/close sensor
	  ○ Schunk Robot Automatic Quick Change Gripper Pins
	  ○ 8 lbs. total weight capacity
	• Trinity Integrated System Base / Robot Platform
	  ○ Main System Base
	  ○ Steel Construction / Powder Coated Finish
	  ○ Integrated robot mounting
	  ○ Integrated controls hardware
	  ○ Integrated robot controller mounting
	  ○ Integrated gripper finger racking assembly
	  ▪ Allows for automatic quick finger changeout
	  ○ Drip tray with integrated slip-resistant grating
	• Operator Interface
	  ○ Wired tablet control of work cell
	  ○ Trinty Ai software interface
	  ○ Integrated Emergency Stop
	  ○ Interface table mounting bracket
	• Work Cell Integrate Safety
	  ○ Fully functional safety interface / Clear fencing panels
		Included	1	Included

	○ Steel / powder coated floor mount posts ○ Light curtain protected cell entry point. ○ Control tablet mount at entry point. • Work Cell Pneumatics ○ System pneumatics (regulator, valves, sensors, etc.) ○ Misc. connection hardware for interfacing system components • System Controls ○ Controls hardware for control / machine integration ○ System PC, Remote I/O modules, misc. controls hardware ○ Robot / CNC Interface wiring hardware ○ Ai work cell / CNC interface - integration • In Machine Work Holding Integration ○ Pneumatic components for actuation by Ai work cell ○ Controls components for work holding integration to Ai work cell **Work Holding Hardware option shown below • Auto Door Integration ○ Controls interface for actuation by Ai work cell. ○ Pneumatic Auto-Door TBD based on final machine selection • Part Grid Plate (1 Each) ○ Base part grid for locating material for processing by robot ○ Base size supplied with Ai system • Shipment Preparation ○ System Crating and Preparation for Shipment ○ Shipment – FOB – Shipping Point			
Trinity Ai Base Quick Change Work Holding Package	Trinity Ai Base Quick Change Work Holding • Includes the following components ○ **Air Vise Kit** ▪ Shunk pneumatic two jaw air vise ▪ Base plate for mounting of vise to machine table ▪ Misc. mechanical / pneumatic hardware ○ **Shunk Quick Change Vise Jaw Kit:** ▪ Schunk Quick Change Jaws for air vise (1 Set) ▪ Aluminum Soft Jaws – Machinable for part geometry (1 Set) ○ **Shunk Quick Change Robot Gipper Finger Kit:** ▪ Aluminum finger blanks – 2 Sets ▪ Schunk automatic quick-change jaws (2 Sets) ▪ Schunk centering sleeves (2 Sets)	Included	1	Included
Ai Software Subscription	Advanced Annual Software Subscription (First Year Subscription) • Advanced Trinity Ai feature set – Intrinsic Ai Perception • Annual reoccurring fee • Allows for motion planning / part introduction of robot work cell • Standard Ai platform for introduction of parts via CAD upload **First Year subscription included – Re-occurs in year #2 at $12,000 Annually	Included	1	Included
Material Total	Trinity Ai Subtotal		1	$115,900.00

Discount	Promotional Discount • Q1 Inventory Promotional Discount (15%) **Subject to availability.	($17,385.00)	1	($17,385.00)
Sub Total			1	$98,515.00
Installation	Certified On-Site Installation / Integration • Trinity technician on-site for installation / machine integration. • Includes on-site time – Installation / Commissioning • Hands on Operator Training • Normal business hours 8:00 AM – 5:00 PM.	$6,995.00	1	$6,995.00

Trinity Annual Software Subscription	Trinity Annual Software Subscription – Advanced
	• Annual reoccurring fee
	• Continues feature set of Advanced Trinity Ai work cell with Perception
	• Based upon CAD upload/ vision picking
	• Second year pricing (years 2+, annual renewal)
	  ○ Due 12 months following installation
	  ○ Subscription and PM services detailed below:
	  ▪ Subscription and PM service included in annual renewal fee
	  ▪ Trinity Authorized PM service at annual renewal
	  ▪ Advanced Perception software annual renewal
		$12,000.00	0	$00.00

AX System Price: $105,510.00
Tax (%): TBD
Equipment Total $105,510.00
Approx. Freight: TBD
Approx. Rigging: TBD
Total: $105,510.00

Optional Hardware / Support

Air Vise Optional hardware



Part Number	Description	Unit Price	Qty.	Sub-Total

Quick Change Vise Jaw Kit	Trinity Ai Quick Change Vise Jaw Kit
	• Shunk Quick Change Vise Jaw Kit:
	  ○ Schunk Quick Change Jaws for air vise (1 Set)
	  ○ Aluminum Soft Jaws – Machinable for part geometry (1 Set)
		$1,900.00	1	$1,900.00

Air Vise Soft Jaws Aluminum	Trinity Air Vise Machinable Soft Jaws • Aluminum Soft Jaws – Machinable for part geometry (1 Set)	$475.00	1	$475.00
Air Vise Soft Jaws Steel	Schunk Air Vise Machinable Soft Jaws • Steel Soft Jaws – Machinable for part geometry (1 Set) • Replaces (Schunk Quick Change Jaws + Aluminum Soft Jaws) • Schunk - WTR-A 160 (ID 1479315)	$1,050.00	1	$1,050.00

Robot Gripper Optional Hardware



Part Number	Description	Unit Price	Qty.	Sub-Total
Quick Change Robot Gripper Finger Kit	Trinity Ai Quick Change Robot Gripper Finger Kit • Shunk Quick Change Robot Gipper Finger Kit: ○ Aluminum finger blanks – machinable for part geometry (1 Set) ○ Schunk automatic quick-change jaws (1 Set) ○ Schunk centering sleeves (1 set)	$1,450.00	1	$1,450.00
Robot Gripper Finger Kit	Trinity Ai Robot Gripper Finger Kit • Machinable finger kit for Quick Change Finger Kit ○ Aluminum finger blanks – machinable for part geometry (1 Set) ○ Schunk centering sleeves (1 set) **Allows for re-use of existing Schunk Automatic quick-change jaws	$250.00	1	$250.00
Robot Gripper Finger Centering Sleeve Kit	Trinity Ai Robot Gripper Finger Centering Sleeve Kit • Schunk centering sleeves (1 set)	$25.00	1	$25.00

Grid Plates / Application Support

Part Number	Description	Unit Price	Qty.	Sub-Total
Part Grid Plate	Part Grid Plate • Part grid for locating material for processing by robot • Grid size / product count based upon product geometry	$395.00	1	$395.00

Application Support	Application Support
	• Application Engineering support for part introduction / change over
	  ○ Soft jaw / finger design & machining support
	  ○ Part introduction support for high mix environments
	  ○ Pricing quoted on an individual case basis.
		Call for Pricing	1	Call for Pricing

General Assumptions

(1) Trinity will require Client to provide utility connections (including Electricity and Clean Dry Shop Air) to specified locations. All drops will have disconnects and will be de-energized until system power up.
(2) Trinity is not responsible for any local permits. All city, Fire, Environmental, Seismic, etc. permits are the sole responsibility of the client.
(3) Trinity is not responsible for any alterations needed to the building for the installation of this system. These include alterations needed to the walls, floors, ceiling, structure, or any existing building alterations required to install the quoted system.
(4) Trinity is not responsible for any Structural Engineering Calculations or Services.
(5) Installation hours are budgeted to take place during normal business hours 8:00 AM – 5:00 PM.
(6) Client will provide and ensure level flooring for equipment mounting.
(7) Client to provide Seismic Engineering & Title 24 calculations, if required
(8) (If Applicable) Trinity is not responsible for any limitations placed on the installation that are driven by local permitting entities.

Warranty Information

(1) Trinity Robotics Automation, LLC. warranties the purchased materials and workmanship provided by Trinity to be free of defects for the period of one (1) year from the date in which SAT run-off is completed and signed off by the client or agreed upon production runs begin (whichever event happens first).

Lead Time

Delivery and completion of the equipment is based upon receipt and acceptance of Client purchase order, down payment, and contractual signature at Trinity's facility in Ontario, California. Lead times can shift during the project execution due to unaccounted-ed for events (purchased component lead times, delay in payment, delay in signatures, etc.).

Payment Terms

20% - Down Payment
- Due upon invoice

70% - Shipment of Equipment
- Net 10

10% - Production
- Net 30

Tax Information

(1) All purchase orders made to Trinity Robotics Automation should state whether they are taxable or non-taxable.
(2) If Purchases are tax exempt, sales tax will be removed from the Sales Order Total
(3) Tax exempt purchases will require proof of certification to Trinity Office Management

Shipping / Freight / Rigging

(1) All Shipment, freight, and rigging costs are the responsibility of the client.

Contract Terms

(1) Trinity Robotics Automation, LLC. (“Trinity”) retains a purchase money security interest in the goods that are subject to this contract to secure payment by customer. Upon request, customer will execute a UCC-1 Financing Statement to perfect Trinity’s security interest.
(2) Payment in full on the balance of this Contract must be made upon terms noted on the SO.
(3) Late payments are subject to a financing charge of 1.5 percent per month on the unpaid balance.
(4) Financing is the responsibility of Customer.
(5) If an action is brought to enforce or interpret this Contract, the prevailing party will be reimbursed for all costs and expenses, including reasonable attorney’s fees, disbursements, and other costs.
(6) Limited Warranty – Does not apply to used equipment. (a) If a defect arises during the Warranty Period, Trinity, at its option will(i)

repair the Product at no charge using new parts or parts that are equivalent to new in performance and reliability, (ii) exchange the Product with same Product configuration or with your consent, exchange a product that is at least functionally equivalent to the product it replaces, or (iii) refund the original purchase price. These alternative remedies are custom's sole and exclusive remedies against Trinity for breach of the limited warranty provided in this Contract and are separate and apart from any warranties provided by the manufacturer(s) of the goods. (b) Goods that have been subject to abuse, misuse, accident, alteration, neglect, unauthorized repair or installation are not covered by this limited warranty. Trinity will make the final determination as to the existence and cause of any alleged defect. No warranty is made with respect to custom equipment or products produced to the customer's specifications except as may be specifically set forth in writing signed by Trinity. (c) Except for the Limited Warranty expressly stated here, Trinity makes no warranty in connection with this Contract and hereby disclaims any and all implied or statutory warranties, including, but not limited to, all implied warranties or title, merchantability, nonfringement and fitness for a particular purpose. To the extent that Trinity may not, as a matter of applicable law, disclaim any implied warranty, the scope and duration of such implied warranty will be the minimum permitted under such law.

(7) Limitations on Liability (a) Trinity will not be liable for any loss, damage, cost, expense or penalty resulting from failure or delay in performance due to causes beyond the reasonable control of Trinity, including but not limited to supplier delay, force majeure, act of God, labor unrest, flood, fire, explosion, earthquake, or by excess demand for its products; in any such event, the delivery date will be deemed extended for a period equal to the period of delay. (b) In no event will Trinity be liable for (i) damages in excess of the purchase price for the goods and services that are subject to this Contract, or (ii) special, consequential, incidental or indirect damages (including without limitation lost profits), whether or not Trinity has been advised of the possibility of such damage, however caused and on the basis of any theory of liability, including contract, tort, negligence, strict liability that may arise out of third-party claims against customer. In no event will Trinity be liable for costs of procurement of substitute goods by customer. These limitations shall apply notwithstanding any failure of essential purpose of any limited remedy.

No contract shall result from this order until purchaser's offer is accepted by the General Manager or Trinity Robotics Automation, LLC.
Price Valid for 60 days from date on Sales order

☐ Opt. in for Standard Software Subscription, Due 1 year from deployment date - $4,995.00 Annual reoccurring fee.

☐ Opt. in for Perception Software Subscription, Due 1 year from deployment date - $12,000.00 Annual reoccurring fee.

Date:_____Title:_____Signature:_____

I agree to the stated Terms and Conditions

Trinity Robotics Automation, LLC. Use Only.

Date:_____Title:_____Signature:_____

Trinity Robotics Automation, LLC. Accepts this order.