

# JAC MOTORS



**Elizade**  
Auto LAND

# Introduction

## ELIZADE AUTOLAND

Birtherd 46 years ago, the Elizade Group had over the years established a name and a reputation. Through our tenacity, focus and resilience we have built trust in the market, and people have come to believe in our name and expertise when it comes to automobile.

We have branches nationwide which includes IKEJA, LEKKI, VICTORIA ISLAND, OGBA, and other states located at PORT HARCOURT, ABUJA, AKURE, IBADAN, OWERRI, UYO and ASABA.

The company made good on its promise to commission a state of the art Assembly plant located in Lagos, also we are one of the largest auto dealership in Nigeria focusing on Tropicalised Made for Nigeria Vehicles including Trucks, Buses and salon cars.

## JAC MOTORS

JAC (Anhui Jianghuai Automobile Group Corp. Ltd) is a Chinese state owned automobile manufacturer, it was founded in 1964 with its headquarter in Hefei, Anhui Province, China.

JAC specializes in manufacturing of Trucks/Buses/Passenger cars and key auto components. Average production per year is about 1,000,000 units of vehicles. JAC has presence in 130 countries and has production plants in 19 locations across the world.

It has one of the best R&D base and is rated one of the top Ten Auto Manufacturers in China and No.1 light trucks exporter for 16 consecutive years. It is also 3rd best selling light duty truck brand in the world with 200,000 units per year.

It aims to be the best value and comprehensive automobile brand in the world.



**JAC**  
MOTORS



J4





## PERFORMANCE

• Engine Capacity	1.5 VVT
• Overall dimensions (L*W*H)	4435*1725*1505
• Maximum power (kw/rpm)	77/6000
• Maximum torque (Nm/rpm)	146/3500-4500
• Transmission model	CVT

## COMFORT & STYLING

- Tilt adjustable Multifunctional Leather cover Steering wheel
- Leather seat with seat adjustment and four door power windows
- Ozone safe manual Air condition
- Foldable remote key, engine immobilizer
- Radio, CD, AUX, and USB input with 6 speakers
- 15" alloy wheels (185/65R15) with spare tire full size
- Cigarette lighter with mobile ashtray and Front and rear cup holder
- Driver and assistant driver's sun shield with make-up mirror and lamp
- Electric exterior rear view mirror with adjustment and indicators
- Electric adjustable headlamps
- Front and rear fog lamps
- High location break lights




## SAFETY

- Dual airbags and ISOFIX (child seat fixed device)
- TPMS - Tire pressure monitoring system
- Car central locking with child protection
- ABS - Anti-locking Breaking System
- EBD - Electronic Break force Distribution
- RRS - Reverse Reader/Parking Sensor

## CAPABILITY

• Fuel efficiency (L/Km)	6.9/100
• Triptronic CVT gearbox	
• Ground clearance (m)	180
• Trunk space (L)	550
• Macpherson spiral spring FRONT independent suspension	
• Semi-independent torsion beam REAR suspension	









# S2

## ...SPORTY & SMART

### PERFORMANCE

• Engine capacity	1.5 liter VVT
• Overall dimensions(L*W*H)	4135*1750*1568
• Maximum sport power (kw/rpm)	77 /6000
• Maximum torque (Nm/rpm)	146/3500-4500
• Transmission model	CVT

### COMFORT & STYLING

- Tilt adjustable Multifunctional Leather cover
- Steering wheel with CRUISE Controls
- Leather seat with seat adjustment
- Leather seats with collapsible rear seat, Front/rear row independent headrest
- Sporty white sewing lines on seats
- Dust filtration system
- Ozone safe manual Air condition
- Engine immobilizer
- 7" monitor, multi-screen entertainment system
- Radio, MP5, AUX, USB, IPOD, Bluetooth connectivity and 6 speakers
- 16" alloy wheels (205/55R16), spare tire full size
- Fuel tank capacity 42 liters
- Cigarette lighter with mobile ashtray
- Front and rear cup holder
- Electric exterior rear view mirror with adjustment and indicators
- Four door power windows
- Eagle headlamps adjust and Background light
- Front and rear fog lamps, Utype rear lights and LED day time running lights

### CAPABILITY

- Fuel efficiency(L/Km) 6.9/100
- Perfpower train 1.5 VVT
- Triptronic CVT gearbox
- Ground clearance(m) 200
- HBA – Hydraulic Brake Assist
- HAC – Hill Start Assist Control

### SAFETY

- Dual airbags
- TPMS Tire Pressure Monitoring System
- High intensity steel wheel
- Car central locking with child protection
- World leading BOSCH 9.0 version ABS – Anti-locking Braking System
- EBD – Electronic Break force Distribution
- ESC-Electronic Stability Control
- RPS – Reverse Parking Sensor
- RPC –Reverse Parking Camera
- High positioned break lights











**DRIVE, SO EASY**

## PERFORMANCE

- Engine capacity 1.6 L VVT
- Overall dimension(L\*W\*H) 4345\*1765\*1640
- Maximum power (kw/rpm) 80/6000
- Maximum torque (Nm/rpm) 150/3500-4500
- Transmission model CVT

## COMFORT & STYLING

- Tilt adjustable Multifunctional Leather cover steering wheel with CRUISE Controls
- Leather seat with seat adjustment and front central armrest with glove box
- Leather seats with collapsible rear seat,
- Front/rear row independent headrest
- Auto dual climate control
- Rear climate control
- Engine Immobilizer
- 8" monitor, multi-screen entertainment system
- Radio, MP5, AUX, USB, IPOD, Bluetooth connectivity and 6 speakers
- 16" alloy wheels (205/55 R16), spare tire full size
- Private glass (Tinted)
- Fuel tank capacity 45 liters
- Cigarette lighter with mobile ashtray
- Front and rear cup holder
- Electric exterior rear view mirror with adjustment and indicators
- Four door power windows
- Electric adjustable day time running halogen headlamps
- LED Utype rear lights
- Front and rear fog lamps
- High location break lights



## CAPABILITY

- Fuel efficiency (L/Km) 7.4/100
- Triptronic CVT gearbox
- Ground clearance (m) 200
- Trunk space (L) 600
- Macpherson FRONT independent suspension
- Semi-independent torsion beam REAR suspension
- HBA - Hydraulic Brake Assist
- HAC - Hill Start Assist Control
- HDC-Hill Decent Control

## SAFETY

- Dual airbags
- TPMS - Tire Pressure Monitoring System
- ISOFIX (child seat fixed device)
- Car central locking with child protection
- ABS - Anti-locking Breaking System
- EBD - Electronic Break force Distribution
- ESC-Electronic Stability Control
- RPS - Reverse Reader/Parking Sensor
- RPC -Reverse Parking Camera





**JAC**  
MOTORS



**S5**





## PERFORMANCE

• Engine capacity	2.0L, Turbo charged
• Overall dimension (L*W*H)	4475×1840×1680
• Maximum power (kw/rpm)	120/5200
• Maximum torque (Nm/rpm)	235/2000~4000
• Gearbox	DCT(Double Clutch Transmission)

## COMFORT & STYLING

- Multi-function leather covered steering wheel
- Single disc CD, MP5 +Bluetooth, USB interface with AUX, iPod interface, with 6 speakers
- Digital display (with instantaneous fuel consumption, mileage display)
- Electric adjust and fold rear view mirror
- Electrical adjustable headlamp
- Front and rear anti-fog lamp
- Leather seats with collapsible rear seat, Front/rear row independent headrest
- Anti-dazzle interior rearview mirror
- ISOfix child seat fixed device
- 18" alloy wheels (225/55 R18)

## SAFETY

- Dual airbags
- TPMS - Tire Pressure Monitoring System
- ABS - Anti-locking Breaking System
- EBD - Electronic Break
- Curb weight force Distribution
- ESC-Electronic Stability Control
- Central control lock with child-protection
- Electronic anti- theft system
- Rear reversing sensor
- RPC -Reverse Parking Camera

## CAPABILITY

• Ground clearance (mm)	200
• Gross Vehicle Weight (kg)	1920
• Curb weight (kg)	1545
• Full tank capacity (L)	55
• Brake system	front /rear disc





# T6



**More than 50 Years Chassis Producing Expert Guarantees  
Comfortable Driving, Strong Loading and Worry-free Security**





# T6

## NEW

- The newest 8th International platform;
- Life-style design on Streamline & Interior;
- Updates on strong and safe;
- Eco-friendly & highly efficient powertrain

## FASHIONABLE

- Impressive JAC logo & extremely chroming grille.
- Muscular & Sportive streamline.
- Body color front bumper as standard.
- Hawk-eye modelling halogen combined lamps & LED turn light.
- Ultra-durable metallic paint.
- Aluminum alloy wheel rim.
- Personal owned distinguished side step.

## BIG

- The same size with latest HILUX
- High bed chassis with greater passing ability and high body size.
- Min Ground Clearance: 207mm
- Bigger Tire 245/65R17



## STRONG

- Latest HILUX chassis & body technology
- Bird-net structure body, with light weight
- High-tensile steel sheets is above 60%
- Anti-collision intensity bar inside the door
- C-NCAP 4 Star collision test
- ABS+EBD applied, ESC, HAC, EBA



## COMFORT



- 7 inch Touch Screen
- 4 Speakers+2 twitters
- Multi-function steering
- Bluetooth;
- Leather seats
- Electric 4X4 model

## POWERFUL

- 2.0T+ engine of 4WD T6 gives 180hp and 280N.m power
- Low NVH
- Economy consumption



Turbo charge





Model code		HFC1037DEV	HFC1037DEV	HFC1037DEV	HFC1037DESV	HFC1037DESV	HFC1037D1ESV	HFC1037D1ESV
Version		Work	Intermediate	Full	Intermediate	Full	Ext. BASIC	Ext. COMFORT
		Gasoline 4GA3-3D	Gasoline 4GA3-3D	Gasoline 4GA3-3D	Gasoline 4GA3-4D	Gasoline 4GA3-4D	Gasoline 4GA3-4D	Gasoline 4GA3-4D
Cabin		DOUBLE CABIN	DOUBLE CABIN	DOUBLE CABIN	DOUBLE CABIN	DOUBLE CABIN	DOUBLE CABIN	DOUBLE CABIN
Dimensional parameter	Overall size ( L×W×H ) ( mm )	5315*1830*1815	5315*1830*1815	5315*1830*1815	5315*1830*1815	5315*1830*1815	5605*1830*1815	5605*1830*1815
	Rear body size (inner)	1520*1520*470	1520*1520*470	1520*1520*470	1520*1520*470	1520*1520*470	1810*1520*470	1810*1520*470
	Wheelbase ( mm )	3090	3090	3090	3090	3090	3380	3380
	GVW ( kg )	2580	2580	2580	2720	2720	2835	2835
	Curb Weight(kg)	1760	1760	1760	1900	1900	2015	2015
	Payload ( kg )	820	820	820	820	820	820	820
	Passenger Capacity	2+3	2+3	2+3	2+3	2+3	2+3	2+3
	Mini Ground Clearance ( mm )	197	197	197	198	198	197	197
	Max Gradeability ( % )	30	30	30	30	30	30	30
	Min Turing Radius ( m )	6.2	6.2	6.2	6.2	6.2	6.7	6.7
Power performance	Drive Mode	4*2	4*2	4*2	4*4	4*4	4*4	4*4
	Engine	HFC4GA3-3D	HFC4GA3-3D	HFC4GA3-3D	HFC4GA3-4D	HFC4GA3-4D	HFC4GA3-4D	HFC4GA3-4D
	Engine Type	in line-4, Gasoline ,VVT	in line-4, Gasoline ,VVT	in line-4, Gasoline ,VVT	in line-4, int-cooler turbocharged, Gasoline	in line-4, int-cooler turbocharged, Gasoline	in line-4, int-cooler turbocharged, Gasoline	in line-4, int-cooler turbocharged, Gasoline
	Displacement ( cc )	1997	1997	1997	1997	1997	1997	1997
	Max Power ( KW/r/min )	108/6000	108/6000	108/6000	140/5000	140/5000	140/5000	140/5000
	Max Torque ( Nm/r/min )	190/3000~4500	190/3000~4500	190/3000~4500	290/1800-4000	290/1800-4000	290/1800-4000	290/1800-4000
	Transmission	LC5T80	LC5T80	LC5T80	LC6T32	LC6T32	LC6T32	LC6T32
	Max Speed ( km/h )	145	145	145	150	150	150	150
Chassis & Steering	Rear Axel Ratio	4.875	4.875	4.875	4.1	4.1	4.1	4.1
	Front suspension	Double wishbone independent suspension with spiral spring	Double wishbone independent suspension with spiral spring	Double wishbone independent suspension with spiral spring	Double wishbone independent suspension with spiral spring	Double wishbone independent suspension with spiral spring	Double wishbone independent suspension with spiral spring	Double wishbone independent suspension with spiral spring
	Rear suspension	Non-independent rear leaf spring suspension	Non-independent rear leaf spring suspension	Non-independent rear leaf spring suspension	Non-independent rear leaf spring suspension	Non-independent rear leaf spring suspension	Non-independent rear leaf spring suspension	Non-independent rear leaf spring suspension
Wheel & Brake	Steering	Hydraulic power steering	Hydraulic power steering	Hydraulic power steering	Hydraulic power steering	Hydraulic power steering	Hydraulic power steering	Hydraulic power steering
	Front brake	Disc	Disc	Disc	Disc	Disc	Disc	Disc
	Rear brake	Drum	Drum	Drum	Drum	Drum	Drum	Drum
	Parking brake	Ratchet type cable remote operation, acting on the rear drum brakes	Ratchet type cable remote operation, acting on the rear drum brakes	Ratchet type cable remote operation, acting on the rear drum brakes	Ratchet type cable remote operation, acting on the rear drum brakes	Ratchet type cable remote operation, acting on the rear drum brakes	Ratchet type cable remote operation, acting on the rear drum brakes	Ratchet type cable remote operation, acting on the rear drum brakes
	Tire size	245/65R17	245/65R17	245/65R17	245/65 R17	245/65 R17	245/65 R17	245/65 R17
Safety equipment	ABS	•	•	•	•	•	•	•
	EBD	•	•	•	•	•	•	•
	Double Airbag	—	•	•	•	•	—	•
	Front Seat Seat Belt Height adjustable	•	•	•	•	•	•	•
	Driver seat belt with alarm system	•	•	•	•	•	•	•
	Front seat headrest	•	•	•	•	•	•	•
	Rear seat headrest	•	•	•	•	•	•	•





Safety equipment	Central door locking	●	●	●	●	●	●	●
	Power window lock function	●	●	●	●	●	●	●
	Auto Lock	●	●	●	●	●	●	●
	Remote Control	●	●	●	●	●	●	●
	IMMO (Engine immobilizer)	○	○	○	●	●	●	●
	Center High Mounted Stop Light( CHMSL)	—	●	●	●	●	●	●
	Child safety lock	●	●	●	●	●	●	●
	Rear parking sensor	●	●	●	●	●	●	●
	Reversing video images	—	—	●	—	●	—	●
Exterior equipment	Cargo Protector	●	●	●	●	●	—	●
	Cargo Fence	●	●	●	●	●	●	●
	Side padels	●	●	●	●	●	●	●
	Aluminium alloy rim	●	●	●	●	●	●	●
	Fog light (F/R)	●	●	●	●	●	●	●
	Headlamps height adjustable	●	●	●	●	●	●	●
	Power assist Rearview mirror	●	●	●	●	●	●	●
内飾 Interior eupment	Black interior	●	●	●	●	●	●	●
	Sun visor mirror of driver's seat	●	●	●	●	●	●	●
	Steering leather cover	●	●	●	●	●	●	●
	Up and down adjustment of steering wheel	●	●	●	●	●	●	●
	Trip computer	●	●	●	●	●	●	●
	Instrument cluster dimmer switch	●	●	●	●	●	●	●
	Power Window	●	●	●	●	●	●	●
	Intermittent control wipper	●	●	●	●	●	●	●
	Electric air conditioning	●	●	●	●	●	●	●
	Sound insulation pad of hood	●	●	●	●	●	●	●
	Seat material	Leather	Fabric	Leather	Fabric	Leather	Fabric	Leather
	Driver seat maunual adjustable	● ( 6 )	● ( 6 )	● ( 6 )	● ( 6 )	● ( 6 )	● ( 6 )	● ( 6 )
	Co-pilot seat maunual adjustable	● ( 4 )	● ( 4 )	● ( 6 )	● ( 4 )	● ( 4 )	● ( 4 )	● ( 6 )
多媒体配置 Multimedia configuration	Radio	●	●	●	●	●	●	●
	CD	●	●	—	●	—	●	—
	AUX+USB	●	●	●	●	●	●	●
	iPod	—	—	—	—	—	—	—
	Speakers	4	4	6	4	6	4	6
	MP5	—	—	●	—	●	—	●
	Multifunction steering wheel	●	●	●	●	●	●	●
	CCS	●	●	●	●	●	●	●
	Bluetooth phone	—	—	●	—	●	—	●
Standard:● Optional:○							—	—



**JAC**  
MOTORS



**X5**



# X5

## EASY LIFE, EASY JOB

Overall Dimensions (mm)	5170×1700×2092
Box size(inner) (mm)	3100×1560×320
Wheelbase (mm)	2600
Min Ground Clearance (mm)	160
GVW(kg)	2586
Curb Weight(kg)	1475
Play load(kg)	1111
Max speed(km/h)	105
Maximum Gradeability(%)	≥20
Min Turning Radius (m)	5
Engine Type	Naturally aspirated, Petrol
Displacement	1249cc
Max power(kW/rpm)	64/6000
Max torque(N·m/ rpm)	110/4000
Gearbox Type	5 speed
Rear Axle capacity(kg)	1500
Suspension (F/R)	Leaf Spring
Brake	Hydraulic Brake
Drum type	Front disc and rear drum
SABS	●
Front Tire	6.00-13 8PR double rear tire
Power steering	●
Fuel tank	45L
Seat Materials	Fabric
Ash pan	●
Ceiling handle	●
Repairing hole	●
MP3	●
Radio	●
Power window	●
Central locking	●





**JAC**  
MOTORS



**L40**



# L40

Overall Dimensions (mm)	4918*1868*2154
Box size(inner) (mm)	3100*1770*400
Wheelbase (mm)	2490
Min Ground Clearance (mm)	200
GVW (Kg)	4000
Payload (Kg)	1725
Max speed (Km/h)	100
Maximum Gradeability (%)	32
Min Turning Radius (m)	7
Engine Model	JAC HFC4DA1-1
Engine Type	in line-4, int-cooler turbocharged, diesel
Max power (Kw/rpm)	68/3600
Max torque (N·m/rpm)	216/1800-2000
Displacement (cc)	2771
Gearbox type	5 speed, manual
Front axle capacity (Kg)	2000
Rear axle capacity (Kg)	3000
Power steering	√
Suspension Type	front/rear leaf spring
Leaf spring number(front/rear)	6/3+2
Fuel tank capacity (L)	60
Brake Type	hydraulic brake
Exhaust Brake	√
Tire	7.00R16 12PR
Steel cargo	√
Seat belts	√
Radio+MP3	√
Mannal window	√
Fission ceiling	√
Roof ventilator	√
Fabric seat	√

## Applications



**Freezer / Chiller**



**VAN truck**



**Mobile Shop**



**Beverage Truck**



**JAC**  
MOTORS



***N-Series***





**Stylish and fashionable design**  
Cabin support plate longitudinal beam  
Anti-collision girder steel inside doors  
High rigid steel is used for security  
Passed high standard collision test



**Radiator protector**



**Heavy duty  
suspension**



**Exhaust brake**



**Dual fuel filter**



**Heavy duty  
Chassis &  
differential**



**Desert air inlet**



# N-Series

## Applications

					
Applications	Half body	Van body	Beverage body	Freezer/Chiller	Dumper
N55	✓	✓	✓	✓	x
N75	✓	✓	✓	✓	✓
N85	✓	✓	✓	✓	x
N120	✓	✓	✓	✓	x

					
Applications	Mobile Restaurant	Garbage Compactor	Garbage Collector	Water/Oil tanker	Crane truck
N55	✓	x	x	x	x
N75	✓	✓	✓	x	✓
N85	✓	x	x	✓	✓
N120	x	x	x	✓	✓



# N-Series

Model	N55	N75	N85	N120
Chassis Dimensions (mm)	5840×1861×2215	5797*1995*2270	7167*1995*2354	8230*1995*2490
Box length (inner) (mm)	4230	4180	5505	6200
Wheelbase (mm)	3360	3308	4150	4700
Min Ground Clearance (mm)	205	180	256	240
GVW (Kg)	5500	7500	8500	12000
Chassis Weight (Kg)	1980	2750	2870	4040
Max speed (Km/h)	100	100	105	100
Maximum Gradeability (%)	30	35	30	30
Min Turning Radius (m)	7	7.8	7.6	10.5
Engine Model	HFC4DA1-1	B125 33	B140 33	ISF3.8S3168
Engine Type	in line-4,ind-cooler turbocharged,diesel	in line-4,ind-cooler turbocharged,diesel	in line-4,ind-cooler turbocharged,diesel	Common Rail
Max power (Kw/rpm)	68/3600	92/2500	103/2500	125/2600
Max torque (N·m/rpm)	216/1800-2200	410/1500~1600	502/1500	600/1300-1700
Displacement (cc)	2771	3920	3920	3760
Front axle loading capacity (Kg)	2000	2500	2500-3000	3500
Rear axle loading capacity (Kg)	4000	6000	6000	9000
power steering	√	√	√	√
Suspension Type	front/rear Leaf spring	front/rear leaf spring	front/rear leaf spring	front/rear leaf spring
Leaf spring number(front/rear)	7/4+6	8/8+6	8/6+6	7/10+10
Fuel tank capacity (L)	100	110	110	210
Brake Type	hydraulic brake	air brake	air brake	air brake
Aire Dryer	x	√	√	√
Exhaust Braking	√	√	√	√
Tire	7.00R16	7.50R16	8.25R16	8.25R20
Reverse warning	√	√	√	√
Seat Belt warning	√	√	√	√
Radio+MP3	√	√	√	√
Mannal window	√	√	√	√
Fission ceiling	x	√	√	√
Overall ceiling	√	x	x	x
Roof ventilator	x	√	√	√
Fabric seat	√	√	√	√
Heavy duty suspension	√	√	√	√
Duel Pre-Fuel Filter	√	√	√	√
Radiator protector	√	√	√	√
Desert air inlet system	√	√	√	√
Heavy duty rear axle	x	√	√	√



# Fleet Delivery





# Fleet Delivery

