

## PRACTICAL COURSE WORKBOOK

# Zapier for Business Automation

Design a reliable workflow that reduces repetitive work

|             |                                                                  |
|-------------|------------------------------------------------------------------|
| LEVEL       | Beginner                                                         |
| GUIDED TIME | 5 hours across 12 lessons                                        |
| PROJECT     | a mapped automation with tests and recovery steps                |
| SKILLS      | Zapier, Business, CRM, Email, Critical evaluation, Documentation |
| EDITION     | Structured draft - version 0.9                                   |

## WHAT YOU WILL BE ABLE TO DO

- Use Zapier appropriately in a realistic, bounded task.
- Use Business appropriately in a realistic, bounded task.
- Use CRM appropriately in a realistic, bounded task.
- Use Email appropriately in a realistic, bounded task.

## WHO THIS IS FOR

People designing reliable no-code and low-code workflows.

## BEFORE YOU BEGIN

- Basic spreadsheet and web-app experience

---

Use this workbook with the online lessons. It is designed for A4 printing, handwritten evidence notes, and offline revision. It does not provide certification.

## WORKBOOK GUIDE

# A clear route through the course

Zapier for Business Automation is a structured, practical course covering Zapier, Business, CRM, Email. It emphasizes explainable methods, checked work and a final outcome that can be reviewed.

| MODULE                            | LESSONS AND FOCUS                                                                          |
|-----------------------------------|--------------------------------------------------------------------------------------------|
| <b>01 Zapier: Workflow design</b> | 1. Triggers with Zapier<br>2. Actions with Business<br>3. Data mapping with CRM            |
| <b>02 Business: Building</b>      | 1. Connections with Email<br>2. Conditions with Zapier<br>3. Transformations with Business |
| <b>03 CRM: Reliability</b>        | 1. Errors with CRM<br>2. Testing with Email<br>3. Monitoring with Zapier                   |
| <b>04 Email: Operations</b>       | 1. Documentation with Business<br>2. Security with CRM<br>3. Maintenance with Email        |

## HOW TO USE EACH LESSON PAGE

- 1 Read the objective and identify the decision it supports.
- 2 Attempt the retrieval prompt before checking the online explanation.
- 3 Reproduce the worked example with the stated input.
- 4 Test one normal case and one boundary or failure case.
- 5 Record the result, limitation and next action in the evidence log.

## PRINT AND FILE

Print at 100% scale on A4 paper. Use double-sided printing with long-edge binding. Keep completed pages with the project files named in the evidence log.

## MODULE 01

# Zapier: Workflow design

Apply Zapier through triggers, actions, data mapping.

## LESSON 01 / 18 MIN

## Triggers with Zapier

### Learning objectives

- Explain triggers in the context of Zapier for Business Automation.
- Apply Zapier to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

triggers, Zapier, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a triggers result produced with Zapier?

### Evidence to keep

[ ] Original input [ ] Observed result [ ] Boundary or failure result [ ] Limitation and next action

## LESSON 02 / 22 MIN

## Actions with Business

### Learning objectives

- Explain actions in the context of Zapier for Business Automation.
- Apply Business to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

actions, Business, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a actions result produced with Business?

### Evidence to keep

[ ] Original input [ ] Observed result [ ] Boundary or failure result [ ] Limitation and next action

## LESSON 03 / 26 MIN

## Data mapping with CRM

### Learning objectives

- Explain data mapping in the context of Zapier for Business Automation.
- Apply CRM to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

data mapping, CRM, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a data mapping result produced with CRM?

**Evidence to keep**

[ ] Original input [ ] Observed result [ ] Boundary or failure result [ ] Limitation and next action

## MODULE REVIEW

# Turn the module into usable evidence

**1. RETRIEVE**

Without checking the lessons, explain the module's three most important ideas in your own words.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

**2. APPLY**

Describe the example or file you produced, the input used, and the result you observed.

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |

**3. REVIEW**

Record one uncertainty, one source to recheck, and the next deliberate practice action.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

## MODULE 02

# Business: Building

Apply Business through connections, conditions, transformations.

## LESSON 04 / 30 MIN

## Connections with Email

**Learning objectives**

- Explain connections in the context of Zapier for Business Automation.
- Apply Email to a bounded practical task.
- Evaluate the result using explicit quality criteria.

**Key terms**

connections, Email, automation

**Retrieval prompt**

In Zapier for Business Automation, which evidence best supports a connections result produced with Email?

**Evidence to keep**

☐ Original input ☐ Observed result ☐ Boundary or failure result ☐ Limitation and next action

## LESSON 05 / 18 MIN

## Conditions with Zapier

**Learning objectives**

- Explain conditions in the context of Zapier for Business Automation.
- Apply Zapier to a bounded practical task.
- Evaluate the result using explicit quality criteria.

**Key terms**

conditions, Zapier, automation

**Retrieval prompt**

In Zapier for Business Automation, which evidence best supports a conditions result produced with Zapier?

**Evidence to keep**

☐ Original input ☐ Observed result ☐ Boundary or failure result ☐ Limitation and next action

## LESSON 06 / 22 MIN

## Transformations with Business

**Learning objectives**

- Explain transformations in the context of Zapier for Business Automation.
- Apply Business to a bounded practical task.
- Evaluate the result using explicit quality criteria.

**Key terms**

transformations, Business, automation

**Retrieval prompt**

In Zapier for Business Automation, which evidence best supports a transformations result produced with Business?

**Evidence to keep**

[ ] Original input [ ] Observed result [ ] Boundary or failure result [ ] Limitation and next action

## MODULE REVIEW

# Turn the module into usable evidence

**1. RETRIEVE**

Without checking the lessons, explain the module's three most important ideas in your own words.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

**2. APPLY**

Describe the example or file you produced, the input used, and the result you observed.

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |

**3. REVIEW**

Record one uncertainty, one source to recheck, and the next deliberate practice action.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

## MODULE 03

# CRM: Reliability

Apply CRM through errors, testing, monitoring.

## LESSON 07 / 26 MIN

## Errors with CRM

### Learning objectives

- Explain errors in the context of Zapier for Business Automation.
- Apply CRM to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

errors, CRM, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a errors result produced with CRM?

### Evidence to keep

☐ Original input ☐ Observed result ☐ Boundary or failure result ☐ Limitation and next action

## LESSON 08 / 30 MIN

## Testing with Email

### Learning objectives

- Explain testing in the context of Zapier for Business Automation.
- Apply Email to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

testing, Email, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a testing result produced with Email?

### Evidence to keep

☐ Original input ☐ Observed result ☐ Boundary or failure result ☐ Limitation and next action

## LESSON 09 / 18 MIN

## Monitoring with Zapier

### Learning objectives

- Explain monitoring in the context of Zapier for Business Automation.
- Apply Zapier to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

monitoring, Zapier, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a monitoring result produced with Zapier?

**Evidence to keep**

[ ] Original input [ ] Observed result [ ] Boundary or failure result [ ] Limitation and next action

## MODULE REVIEW

# Turn the module into usable evidence

**1. RETRIEVE**

Without checking the lessons, explain the module's three most important ideas in your own words.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

**2. APPLY**

Describe the example or file you produced, the input used, and the result you observed.

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |

**3. REVIEW**

Record one uncertainty, one source to recheck, and the next deliberate practice action.

|  |
|--|
|  |
|  |
|  |
|  |
|  |



## MODULE 04

# Email: Operations

Apply Email through documentation, security, maintenance.

## LESSON 10 / 22 MIN

## Documentation with Business

### Learning objectives

- Explain documentation in the context of Zapier for Business Automation.
- Apply Business to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

documentation, Business, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a documentation result produced with Business?

### Evidence to keep

☐ Original input ☐ Observed result ☐ Boundary or failure result ☐ Limitation and next action

## LESSON 11 / 26 MIN

## Security with CRM

### Learning objectives

- Explain security in the context of Zapier for Business Automation.
- Apply CRM to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

security, CRM, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a security result produced with CRM?

### Evidence to keep

☐ Original input ☐ Observed result ☐ Boundary or failure result ☐ Limitation and next action

## LESSON 12 / 30 MIN

## Maintenance with Email

### Learning objectives

- Explain maintenance in the context of Zapier for Business Automation.
- Apply Email to a bounded practical task.
- Evaluate the result using explicit quality criteria.

### Key terms

maintenance, Email, automation

### Retrieval prompt

In Zapier for Business Automation, which evidence best supports a maintenance result produced with Email?

**Evidence to keep**

[ ] Original input [ ] Observed result [ ] Boundary or failure result [ ] Limitation and next action

## MODULE REVIEW

# Turn the module into usable evidence

**1. RETRIEVE**

Without checking the lessons, explain the module's three most important ideas in your own words.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

**2. APPLY**

Describe the example or file you produced, the input used, and the result you observed.

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |

**3. REVIEW**

Record one uncertainty, one source to recheck, and the next deliberate practice action.

|  |
|--|
|  |
|  |
|  |
|  |
|  |

## CAPSTONE PROJECT

# Produce a reviewable Zapier for Business Automation project using Zapier, Business, CRM.

|             |                                                                                                  |
|-------------|--------------------------------------------------------------------------------------------------|
| DELIVERABLE | A working Zapier for Business Automation artefact plus an evidence-based self-review.            |
| TOOLS       | A suitable Zapier environment, A plain-text decision log, Test data or realistic sample material |

## Production plan

- 1 Define the intended user, outcome and constraints.
- 2 Create the smallest complete result using Zapier.
- 3 Test one normal case, one boundary case and one failure response.
- 4 Revise the work from the evidence and preserve before-and-after results.
- 5 Prepare a concise handover containing method, limitations and next step.

## Definition of done

- The output matches the stated outcome.
- Inputs and decisions are reproducible.
- Boundary and failure evidence is included.
- Limitations and responsibility considerations are explicit.

PROJECT EVIDENCE

# Document decisions another person can review

| 1. PURPOSE AND USER                                              |
|------------------------------------------------------------------|
| State the intended user, need, expected outcome and constraints. |
|                                                                  |
|                                                                  |
|                                                                  |
|                                                                  |
|                                                                  |

  

| 2. INPUTS AND ASSUMPTIONS                                       |
|-----------------------------------------------------------------|
| List source files, data, versions, permissions and assumptions. |
|                                                                 |
|                                                                 |
|                                                                 |
|                                                                 |
|                                                                 |

## PROJECT EVIDENCE

# Tests, limitations and revision

**3. NORMAL CASE**

Expected result, observed result and evidence location.

**4. BOUNDARY OR FAILURE CASE**

What was difficult, what happened and why it matters.

**5. REVISION AND LIMITATION**

What changed, what improved and what remains unproven.

## REVIEW AND SOURCES

# Make the work credible and repeatable

## Final self-review

- Can another learner repeat the method?
- Did I test a difficult case?
- Did I avoid unsupported claims?
- Is the next action proportionate to the remaining risk?

**FINAL DECISION**

Is the project ready to share? State the evidence, remaining risk, owner and next review date.

## Authoritative references

### API Security Top 10

OWASP Foundation - reviewed 2026-08-21

<https://owasp.org/API-Security/>

### HTTP Semantics

IETF - reviewed 2026-08-21

<https://www.rfc-editor.org/rfc/rfc9110>

**SOURCE NOTE**

Product versions, laws and professional standards can change. Recheck the linked primary source before applying version-sensitive information.

**NEXT IMPROVEMENT**

Choose one weakness found during review and improve it before extending the Zapier scope.