



Computer Science
Operations Research

Optimal Routes
Floyd's Algorithm

Group 40
Professor: Francisco Torres Rojas

Carmen Hidalgo Paz
Id: 2020030538

Melissa Carvajal Charpentier
Id: 2022197088

Josué Soto González
Id: 2023207915

12 septiembre 2025

1 Floyd's Algorithm


This program consists of Floyd's algorithm to obtain the shortest path between any pair of nodes in a graph with weighted distances. Floyd's algorithm compares the distance between any two given nodes and by passing through another city in between, if the result is less than the original then it chooses the shortest one. After contemplating all nodes in the graph, the graph is guaranteed to have all the shortest distances between any two nodes in the graph. These changes are recorded in another matrix called P that helps determine the shortest path between any two nodes.

2 Robert W. Floyd (1936–2001)



Robert Willoughby Floyd was a computer scientist that lived from 1936 to 2001. He made great advances in computer science and developed an algorithm to find the shortest paths between any two nodes for a directed graph. He was awarded a Turing Award in 1978.

3 Initial Graph



4 Table D_0

D	New York	Vegas	Miami	San Antonio	Washington
New York	0	∞	16	17	5
Vegas	2	0	∞	2	3
Miami	15	1	0	6	∞
San Antonio	∞	9	5	0	11
Washington	9	2	8	∞	0

5 Table P_0

P	New York	Vegas	Miami	San Antonio	Washington
New York	0	0	0	0	0
Vegas	0	0	0	0	0
Miami	0	0	0	0	0
San Antonio	0	0	0	0	0
Washington	0	0	0	0	0

6 Table D_1

D	New York	Vegas	Miami	San Antonio	Washington
New York	0	∞	16	17	5
Vegas	2	0	18	2	3
Miami	15	1	0	6	20
San Antonio	∞	9	5	0	11
Washington	9	2	8	26	0

7 Table P_1

P	New York	Vegas	Miami	San Antonio	Washington
New York	0	0	0	0	0
Vegas	0	0	1	0	0
Miami	0	0	0	0	1
San Antonio	0	0	0	0	0
Washington	0	0	0	1	0

8 Table D_2

D	New York	Vegas	Miami	San Antonio	Washington
New York	0	∞	16	17	5
Vegas	2	0	18	2	3
Miami	3	1	0	3	4
San Antonio	11	9	5	0	11
Washington	4	2	8	4	0

9 Table P_2

P	New York	Vegas	Miami	San Antonio	Washington
New York	0	0	0	0	0
Vegas	0	0	1	0	0
Miami	2	0	0	2	2
San Antonio	2	0	0	0	0
Washington	2	0	0	2	0

10 Table D_3

D	New York	Vegas	Miami	San Antonio	Washington
New York	0	17	16	17	5
Vegas	2	0	18	2	3
Miami	3	1	0	3	4
San Antonio	8	6	5	0	9
Washington	4	2	8	4	0

11 Table P_3

P	New York	Vegas	Miami	San Antonio	Washington
New York	0	3	0	0	0
Vegas	0	0	1	0	0
Miami	2	0	0	2	2
San Antonio	3	3	0	0	3
Washington	2	0	0	2	0

12 Table D_4

D	New York	Vegas	Miami	San Antonio	Washington
New York	0	17	16	17	5
Vegas	2	0	7	2	3
Miami	3	1	0	3	4
San Antonio	8	6	5	0	9
Washington	4	2	8	4	0

13 Table P_4

P	New York	Vegas	Miami	San Antonio	Washington
New York	0	3	0	0	0
Vegas	0	0	4	0	0
Miami	2	0	0	2	2
San Antonio	3	3	0	0	3
Washington	2	0	0	2	0


14 Table D_5

D	New York	Vegas	Miami	San Antonio	Washington
New York	0	7	13	9	5
Vegas	2	0	7	2	3
Miami	3	1	0	3	4
San Antonio	8	6	5	0	9
Washington	4	2	8	4	0

15 Table P_5


P	New York	Vegas	Miami	San Antonio	Washington
New York	0	5	5	5	0
Vegas	0	0	4	0	0
Miami	2	0	0	2	2
San Antonio	3	3	0	0	3
Washington	2	0	0	2	0

Current city: New York




Current city: Vegas






Current city: Miami



Current city: San Antonio



Current city: Washington

