








Git	Fecha: 20/09/2024
ALUMNO: Jordy Reyes Loor	SERVIDOR:
Nota:	GRUPO: 2 DAW

	Servicio/configuración	Imagen demostrativa (copiar una imagen o un bloque de texto por cada punto)
1.	Git	<ul style="list-style-type: none">Configuración de git (nombre y correo). 
2.	GitHub	<ul style="list-style-type: none">Captura de repositorio recién creado.  <ul style="list-style-type: none">Clonado de repositorio  <ul style="list-style-type: none">Estado de repositorio local.Añadido del fichero hola.py al área de ensayo 

		<ul style="list-style-type: none"> Commit de la primera versión.  <pre> MINGW64:/d/jordyr1/DIWECE/Introduccion/GIT jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT (master) \$ git add hola.py jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT (master) \$ git commit -m "Primera Version de Hola Mundo" [master 8292d32] Primera Version de Hola Mundo 1 file changed, 1 insertion(+), 1 deletion(-) jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT (master) \$ </pre> <ul style="list-style-type: none"> Subida de cambios al repositorio.  <pre> MINGW64:/d/jordyr1/DIWECE/Introduccion/GIT jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT (master) \$ git push Enumerating objects: 11, done. Counting objects: 100% (11/11), done. Delta compression using up to 8 threads Compressing objects: 100% (3/3), done. Writing objects: 100% (6/6), 559 bytes 559.00 KiB/s, done. Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 To https://github.com/Joravs/jordyr1.git 3c01ec3..8292d32 master -> master jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT (master) \$ </pre>
3.	Bitbucket	<ul style="list-style-type: none"> Captura de repositorio recién creado.  <ul style="list-style-type: none"> Inicialización del repositorio local.  <pre> MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master) \$ git init Initialized empty Git repository in D:/jordyr1/DIWECE/Introduccion/GIT/BitBucket/.git/ </pre> <ul style="list-style-type: none"> Añadido de archivos  <pre> MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master) \$ git add * </pre> <ul style="list-style-type: none"> Commit  <pre> MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master) \$ git commit -m "Primer commit en BitBucket" [master (root-commit) ddad770] Primer commit en BitBucket 1 file changed, 1 insertion(+) create mode 100644 hola.py </pre> <ul style="list-style-type: none"> Añadido de URL  <pre> MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master) \$ git remote add origin https://dpo23276@bitbucket.org/holabb-mundo/holabb-mundo.git </pre> <ul style="list-style-type: none"> Subida al repositorio remoto

Create Repository Access Token

Details

Name *

clase

Scopes

[Learn more about scopes.](#)

Repositories

- ☐ Read
- ☐ Write
- ☒ Admin
- ☐ Delete
- Pull requests
 - ☐ Read
 - ☐ Write
- Webhooks
 - ☐ Read and write

Pipelines

- ☐ Read
- ☐ Write
- ☐ Edit variables

Runners

- ☐ Read
- ☐ Write

Cancel Create

```
jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master)
$ git remote add origin https://x-token-auth:ATTTThFFQWjF3BakQeHw/rsH.kZnJG1bN1OC02SodThzyZ1yeh_rh7xoq-oYB-CJn2amPRLnRw7ba1XbtPy1srWk8B81_E-jpojv8Yq4J0CK-gJdeSe2Pt5LGrRGKMed-e2wK8SuzC2Jp263qxtYBRpDThvt8o_93HY5Sp9-mj0m456925D6b1tbucket.org/holabb-mundo/holabb-mundo.git
```

```
jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master)
$ git push origin master
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 497 bytes | 497.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To https://bitbucket.org/holabb-mundo/holabb-mundo.git
 * [new branch]      master -> master

jordy.reyes@A210P13 MINGW64 /d/jordyr1/DIWECE/Introduccion/GIT/BitBucket (master)
$
```

