

MATERIAL SAFETY DATA SHEET

Issued to : WRS Group
624 Texas Central Parkway

Waco TX 76712

Attention of :

Sales Number :
Sales Description Number One :
Sales Description Number Two :

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL PRODUCT IDENTIFICATION:

PRODUCT ID : B43527
PRODUCT DESCRIPTION : WHITE ANTIFLOAT
TRADE NAME : COLORMATCH
FORMULA ID : B43527
FORMULA VERSION NUMBER : 2
PRINT DATE : 10/14/2005

MANUFACTURER IDENTIFICATION:

NAME : PLASTICOLORS, INC.
ADDRESS : 2600 MICHIGAN AVENUE
ASHTABULA OH 44004

TELEPHONE : 440-997-5137
EMERGENCY CONTACT : Chemtrec
EMERGENCY TELEPHONE : (800) 424-9300

HMIS INFORMATION:

Health - 2 Flammability - 1 Reactivity - 0

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

1
CAS# 7664 38 2
PHOSPHORIC ACID
PCT BY WT: 1-5%
EXPOSURE LIMIT:

TWA 1.00 mg/m3
STEL 3.00 mg/m3

PLASTICOLORS, INC.
MATERIAL SAFETY DATA SHEET

B43527

OSHA PEL 1.00 mg/m3

This product contains no reported carcinogens or suspected
carcinogens.

SECTION 3 - HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS:

ACUTE EFFECTS:

EYE:

May cause mild irritation to eyes.

SKIN:

May cause dermal irritation.

INHALATION:

No harmful effects reported.

INGESTION:

May cause gastrointestinal irritation, which could include nausea,
vomiting, diarrhea.

CHRONIC EFFECTS:

EYE:

No harmful effects by chronic exposure reported.

INGESTION:

No harmful effects by chronic exposure reported.

INHALATION:

No harmful effects by chronic exposure reported.

SKIN:

No harmful effects by chronic exposure reported.

MEDICAL CONDITIONS AGGREGATED

CARCINOGENICITY:



PLASTICOLORS, INC.
MATERIAL SAFETY DATA SHEET

B43527

SECTION 4 - FIRST AID MEASURES

NOTE TO PHYSICIAN:

Flush eyes immediately with large amounts of water for at least 15 minutes. Flush under both upper and lower lids. Seek medical aid. Wash from skin with soap and water. If irritation develops, seek medical aid. Wash contaminated clothing before reuse. If inhaled, remove person to fresh air and aid in breathing if necessary. Seek medical aid. If ingested, DO NOT INDUCE VOMITING. Immediately seek medical aid.

SECTION 5 - FIRE FIGHTING MEASURES

FIRE AND EXPLOSIVE PROPERTIES OF THE CHEMICAL: Emits toxic fumes under fire conditions

Flashpoint	:	-N/A	°F
Explosion Level	:	Low	- -N/A
		High	- -N/A

EXTINGUISHING MEDIA:

CO2, foam, dry chemical.

Water may be used to keep fire-exposed containers cool until fire is out.

Wear a self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Refer to the personal protective equipment section of this MSDS.

FIRE-FIGHTING PROCEDURES AND EQUIPMENTS:

Firefighters must wear NIOSH-approved self-contained breathing apparatus and full protective equipment.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Eliminate all sources of ignition. Dike spill with polypropylene absorbent sock or sand. Place in container for disposal.

Always dispose of in accordance with local, state and federal regulations.

PLASTICOLORS, INC.
MATERIAL SAFETY DATA SHEET

B43527

SECTION 7 - HANDLING AND STORAGE

Avoid excessive inhalation of vapors that might be generated.
Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not ingest. Keep away from food and feed products.
Good housekeeping required.

Store in closed properly labeled containers away from heat, open flames and strong oxidizers.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EYE PROTECTION:

Chemical safety goggles or safety glasses.

RESPIRATORY PROTECTION:

SKIN PROTECTION:

Chemically resistant, impervious gloves.

ENGINEERING CONTROLS:

Use ventilation adequate to maintain safe levels.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance	: UNPIGMENTED LIQUID
Odor	: CHARACTERISTIC
Vapor Pressure	: -N/A
Specific Gravity	: 1.159
Formula Weight per Volume	: 9.6499 LBS/GAL

SECTION 10 - STABILITY AND REACTIVITY

INCOMPATIBILITIES:

Strong oxidizers.

DECOMPOSITION:

None known.

PLASTICOLORS, INC.
MATERIAL SAFETY DATA SHEET

B43527

CONDITIONS TO AVOID:

None known.

POLYMERIZATION:

Product will not undergo hazardous polymerization.

STABILITY:

Stable

SECTION 11 - TOXICOLOGICAL INFORMATION

Not Evaluated at this time.

SECTION 12 - TRANSPORT INFORMATION

No Data

SECTION 13 - REGULATORY INFORMATION

DISPOSAL CONSIDERATIONS:

In a licensed, permitted facility, incinerate or landfill as a solid after cementation or encapsulation. Do not discharge into waterways or sewer systems. Spilled material, empty containers and unused contents must be disposed of in accordance with applicable local, state, and federal regulations.

OTHER REGULATIONS:

TSCA Status:

TSCA (United States) The intentional ingredients of this product are listed.

SARA 313 INFORMATION:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

PHOSPHORIC ACID

PLASTICOLORS, INC.
MATERIAL SAFETY DATA SHEET

B43527

CAS# 7664 38 2 PCT BY WT: 1-5%

SECTION 14 - OTHER INFORMATION

Prepared by : J. MILLER
Last Revision Date : NONE
MSDS Prepared for : WRS Group
624 Texas Central Parkway

Waco

TX 76712

The information contained herein is presented in good faith and is based on data believed to be accurate. However, no warranty is expressed or implied regarding this information or the results obtained from the use of this Material Safety Data Sheet whether it originated with Plasticolors, Inc. or not. This Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use with any other material or in any process. This information is supplied upon the condition that the user will make the appropriate determination as to its suitability for their purposes prior to use. Plasticolors, Inc. assumes no legal responsibility for use or reliance upon this information.

This information must be included in all MSDSs that are copied and distributed for this material.

