

VI JON LABORATORIES -- PETROLEUM JELLY

MATERIAL SAFETY DATA SHEET

NSN: 6505001055828

Manufacturer's CAGE: 9E444

Part No. Indicator: B

Part Number/Trade Name: PETROLEUM JELLY

=====

General Information

=====

Company's Name: VI JON LABORATORIES

Company's Street: 6300 ETZEL AVE

Company's City: ST. LOUIS

Company's State: MO

Company's Country: US

Company's Zip Code: 63133-1904

Company's Emerg Ph #: 314-721-2990

Company's Info Ph #: 314-721-2990

Record No. For Safety Entry: 002

Tot Safety Entries This Stk#: 002

Status: FE

Date MSDS Prepared: 06MAR91

Safety Data Review Date: 18JAN95

Preparer's Company: VI JON LABORATORIES

Preparer's St Or P. O. Box: 6300 ETZEL AVE

Preparer's City: ST. LOUIS

Preparer's State: MO

Preparer's Zip Code: 63133-1904

MSDS Serial Number: BWKTW

=====

Ingredients/Identity Information

=====

Proprietary: NO

Ingredient: PETROLATUM, GREASE *94-4*

Ingredient Sequence Number: 01

Percent: 100

NIOSH (RTECS) Number: 1000032PL

CAS Number: 8009-03-8

OSHA PEL: 5 MG/CUM OIL MIST

=====

Physical/Chemical Characteristics

=====

Appearance And Odor: YELLOWISH, TRANSLUSCENT MASS W/NO ODOR.

Boiling Point: >650F

Melting Point: 135F

Vapor Pressure (MM Hg/70 F): <1

Vapor Density (Air=1): >1

Specific Gravity: 0.86

Solubility In Water: EMULSIFIES

=====

Fire and Explosion Hazard Data

=====

Flash Point: 400F

Flash Point Method: COC

Extinguishing Media: DRY CHEMICAL, FOAM, CO2.

Special Fire Fighting Proc: WATER/FOAM MAY CAUSE FROTHING OF MOLTEN
MATERIAL. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.

=====

Reactivity Data

=====

Stability: YES

Cond To Avoid (Stability): NONE

Hazardous Decomp Products: DENSE SMOKE, CO, CO2 & OTHER OXIDES.

Hazardous Poly Occur: NO

Conditions To Avoid (Poly): NONE

=====

Health Hazard Data

=====

Route Of Entry - Inhalation: NO

Route Of Entry - Skin: NO

Route Of Entry - Ingestion: NO

Health Haz Acute And Chronic: NONE

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: NONE

Signs/Symptoms Of Overexp: NONE

Med Cond Aggravated By Exp: NONE

Emergency/First Aid Proc: OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: DON'T ALLOW MIXTURE TO ENTER SEWERS.

Waste Disposal Method: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

IF SPILLED/DISCARDED IT MAY BE A REGULATED WASTE.

Precautions-Handling/Storing: STORE <125F.

=====

Control Measures

=====

Respiratory Protection: NONE REQUIRED

Protective Gloves: NONE REQUIRED

Eye Protection: NONE REQUIRED

Work Hygienic Practices: WASH HANDS & FACE W/SOAP & WATER BEFORE EATING,
DRINKING/SMOKING.

=====

Transportation Data

=====

=====

Disposal Data

=====

=====

Label Data

=====

Label Required: YES

Label Status: G

Common Name: PETROLEUM JELLY

Special Hazard Precautions: NONE NONE

Label Name: VI JON LABORATORIES

Label Street: 6300 ETZEL AVE

Label City: ST. LOUIS

Label State: MO

Label Zip Code: 63133-1904

Label Country: US

Label Emergency Number: 314-721-2990