June 20, 2002 Page 1 of 5

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTICATION

PRODUCT NAME

Marvel Mystery Oil

PRODUCT CODE

MM007, MM010, MM011, MM012R, MM013R, MM014R, MM015, MM016, MM017, MM018,

MM613

CHEMICAL FAMILY

Petroleum Distillates

CHEMICAL NAME

Complex Mixture of Hydrocarbons

FORMULA

Mixture

MANUFACTURER

EMERGENCY TELEPHONE NUMBERS

Marvel Oil Company, Inc 5655 W. 73rd Street

Transportation:

CHEMTREC: 800-424-9300

Chicago, IL 60638

Medical:

Phone: 708-563-3766 Fax: 708-563-3715 ROCKY MTN POISON CTR: 800-332-3073

POSITION/INFORMATION ON INGREDIENTS 2.

COMPONENT	CAS NUMBER	CONCENTRATION (wt %)
Naphthenic Hydrocarbons	64742-52-5	70 – 80
Mineral Spirits	08052-41-3	20 – 30
Chlorinated Hydrocarbons	00095-50-1	0 – 1

EXPOSURE LIMITS 8 hrs. TWA(ppm)

	OSHA PEL	ACGIH TLV
Naphthenic Hydrocarbons	5 as oil mist	5 as oil mist
Mineral Spirits	100	100
Chlorinated Hydrocarbons	25	25

3. **HAZARDS IDENTIFICATION**

POTENTIAL HEALTH EFFECTS

INHALATION: Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

SKIN CONTACT: Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

June 20, 2002 Page 2 of 5

4. FIRST AID MEASURES

EYE: Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

SKIN: Thoroughly was exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

INHALATION: Remove person to fresh air. If breathing difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

INGESTION: Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

5. FIRE FIGHTING MEASURES

FLASH POINT: 128 ° F (53 ° C) TCC

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

6. ACCIDENTIAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE (MIN./MAX.): -40 ° F (-40 ° C)/ 120 ° F (49 C)

SHELF LIFE: 3 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

EYE PROTECTION REQUIREMENTS: Splash goggles.

SKIN PROTECTION REQUIREMENTS: Wear chemically resistant gloves.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV's.

EXPOSURE LIMITS: Not established for product as whole.

Mineral Spirits NIOSH 100 ppm TWA

Oil Mist OSHA 5 mg/m3

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Thin liquid

COLOR:

Red

ODOR:

Wintergreen

BOILING POINT:

Not determined

MELT / FREEZE POINT

-60°F(-51°C)

PH:

Not applicable

SOLUBILITY IN WATER:

Insoluble

SPECIFIC GRAVITY:

0.876 @ 60 ° F (15.6 ° C)

% VOLATILE BY WEIGHT:

25 %

VAPOR PRESSURE:

Not determined

VAPOR DENSITY:

Not determined

10. REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidizing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Aspiration into lungs can cause pneumonitis which can be fatal.

CHRONIC INHALATION: Not determined.

ACUTE SKIN CONTACT: Prolonged or repeated contact can cause moderate irritation, defatting or

dermatitis.

CHRONIC SKIN CONTACT: Not determined.

ACUTE EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

12. <u>ECOLOGICAL INFORMATION</u>

No data available.

13. <u>DISPOSAL CONSIDERATIONS</u>

Ignitable hazardous waste, EPA Hazardous Waste Number D001

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

14. TRANSPORT INFORMATION

DOT INFORMATION:

PROPER SHIPPING NAME:

Non Bulk

Not regulated

Bulk

Petroleum distillates, n.o.s.

TECHNICAL SHIPPING NAME:

Fuel and oil additive

HAZARD CLASS:

Non Bulk

ORM-D

Bulk

Class 3

UN NUMBER:

UN 1268

PRODUCT RQ (lbs):

None

LABEL:

Non Bulk

ORM-D

Bulk

Bulk

Flammable Liquid

PLACARD:

Non Bulk

None

Flammable Liquid

FREIGHT CLASS BULK:

PG III

FREIGHT CLASS PACKAGE:

None

PRODUCT LABEL

None

15. REGULATORY INFORMATION

TSCA STATUS:

All ingredients listed.

CERCLA REPORTABLE QUANTITY:

None

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES

None

SECTION 311/312 HAZARD CATEGORIES

Acute Health

Yes

Chronic Health

Yes

Fire

Yes

Reactive

No

Sudden Release of Pressure

No

SECTION 313

CHEMICAL NAME

CAS NUMBER

CONCENTRATION

Ortho-dichlorobenzene

00095-50-1

0 - 0.25 %

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT/ CAS NUMBER	CONCENTRATION	STATE CODE
p-dichlorobenzene	less than 150 ppm	CA
00106-46-7		

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. OTHER INFORMATION

HMIS CLASSIFICATION	Health	2
	Flammability	2
	Reactivity	0
	PPI	В
NFPA RATING	Health	2
	Fire	2
	Reactivity	0
	Special	None
REASON FOR ISSUE	Special Update to ANSI	
REASON FOR ISSUE PREPARED BY	•	format
	Update to ANSI	format
PREPARED BY	Update to ANSI Richard P. Kelly	format
PREPARED BY TITLE	Update to ANSI Richard P. Kelly Technical Manag	format ger

This information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.

Msdsmm005new.doc