1

MATERIAL SAFETY DATA SHEET

Issued to	WRS Group 624 Texas Central Parkway
Attention of	Waco TX 76712
Sales Number	
SECTION 1 - CHEMICAL PRODUCT AND	
TELEPHONE	POLYESTER RESIN A12666
Health - 1 Flammability - 1	Reactivity - 1
SECTION 2 - COMPOSITION, INFO	RMATION ON INGREDIENTS
1 CAS# MIXTURE Polyester Resin PCT BY WT: 95-100% YPOSURE LIMIT:	

PLASTICOLORS, INC. MATERIAL SAFETY DATA SHEET

A12666

This product contains no reported carcinogens or suspected carcinogens.

SECTION 3 - HAZARDS IDENTIFICATION

CAUTION! : May cause skin and eye irritation

POTENTIAL HEALTH EFFECTS:

ACUTE EFFECTS:

EYE:

May cause severe irritation, redness, tearing, blurred vision.

SKIN:

May be mildly irritating. Contact with skin may produce a burning sensation.

INHALATION:

Exposure is possible under conditions of handling and use (for example during heating, spraying, or stirring). Harmful effects are not expected from short-term inhalation.

INGESTION:

May cause gastrointestinal irritation, which could include nausea, vomiting, diarrhea.

CHRONIC EFFECTS:

EYE:

No harmful effects by chronic exposure reported.

INGESTION:

No harmful effects by chronic exposure reported.

INHALATION:

No harmful effects by chronic exposure reported.

SKIN:

No harmful effects by chronic exposure reported.

MEDICAL CONDITIONS AGGREVATED

CARCINOGENICITY:

PLASTICOLORS, INC MATERIAL SAFETY Á12666	DATA SHEET		
SECTION 4 - FIRST AID MEASURES			
NOTE TO PHYSICIAN:			
Flush eyes immediately with large amountes. Flush under both upper and Wash from skin with soap and water. medical aid. Wash contaminated cloth remove person to fresh air and aid in medical aid. If ingested, seek medical	lower lids. Seek medical aid. If irritation develops, seek ning before reuse. If inhaled, n breathing if necessary. Seek cal aid.		
SECTION 5 - FIRE FIGHTING MEASURES			
FIRE AND EXPLOSIVE PROPERTIES OF THE CHEMI	CAL: Emits toxic fumes under		
Flashpoint	-N/A °F LowN/A HighN/A		
EXTINGUISHING MEDIA: CO2, foam, dry chemical.			
FIRE-FIGHTING PROCEDURES AND EQUIPMENTS: Water may be used to keep fire-expose out.	ed containers cool until fire is		

Wear a self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode wtih appropriate turn-out gear and chemical resistant personal protective equipment. Refer to the personal protective equipment section of this MSDS.

SECTION 6 - ACCIDENTAL RELEASE MEASURES _____

Wear appropriate safety equipment. Eliminate all ignition sources. Contain and clean up spill immediately. Prevent from entering floor drains. Contain liquids using absorbants. Vacuum or sweep powders carefully to minimize dusting. Shovel all spill materials into disposal drums and follow disposal instructions. Scrub spill area with detergent and flush with copious amounts of water.

Always dispose of in accordance with local, state and federal

	PAGE
A12666	PLASTICOLORS, INC. MATERIAL SAFETY DATA SHEET
re	egulations.
	SECTION 7 - HANDLING AND STORAGE
em sc ob	ontainers of this material may be hazardous when emptied. Since mptied containers retain product residues (vapor, liquid, and/or olid), all hazard precautions given in the data sheet must be oserved. tore in a cool, dry place away from excessive heat and moisture.
	SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION
Ch TESPIRA	OTECTION: Demical safety goggles or safety glasses. ATORY PROTECTION: Outline to the control of
Pe al mu If	ROTECTION: ermeation resistant gloves (butyl rubber, nitrile rubber, polyvinyl cohol). However, please note that PVA degrades in water. Cover as such of the exposed skin area as possible with appropriate clothing. skin creams are used, keep the area covered by the cream to a nimum.
	ERING CONTROLS: se ventilation adequate to maintain safe levels.
	SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.0790 LBS/GAL

Å12666	PLASTICOLORS, INC. MATERIAL SAFETY DATA SHEET	
	CCTION 10 - STABILITY AND REACTIVITY	
INCOMPATIBILITIES: Strong acids and		
DECOMPOSITION: Carbon monoxide,	carbon dioxide, various hydrocarbons.	
CONDITIONS TO AVOID: Excessive heat,	flame and other possible ignition sources.	
POLYMERIZATION: Product can unde	ergo hazardous polymerization.	
STABILITY: Stable		
	CTION 11 - TOXICOLOGICAL INFORMATION	
Not Evaluated at	this time.	
	SECTION 12 - TRANSPORT INFORMATION	

Not Evaluated at this time.

SECTION 13 - REGULATORY INFORMATION

DISPOSAL CONSIDERATIONS:

In a licensed, permitted facility, incinerate or landfill as a solid after cementation or encapsulation. Do not discharge into waterways or sewer systems. Spilled material, empty containers and unused contents must be disposed of in accordance with applicable local, state, and federal regulations.

OTHER REGULATIONS:

TSCA Status:

TSCA (United States) The intentional ingredients of this product are listed.

PLASTICOLORS, INC. MATERIAL SAFETY DATA SHEET

A12666

SARA 313 INFORMATION:

This product contains NONE of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 14 - OTHER INFORMATION

Prepared by J. MILLER

Last Revision Date : NONE

MSDS Prepared for WRS Group

624 Texas Central Parkway

Waco TX 76712

The information contained herein is presented in good faith and is based on data believed to be accurate. However, no warranty is expressed or implied regarding this information or the results obtained from the use of this Material Safety Data Sheet whether it originated with Plasticolors, Inc. or not. This Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use with any other material or in any process. This information is supplied upon the condition that the user will make the appropriate determination as to its suitability for their purposes prior to use. Plasticolors, Inc. assumes no legal responsibility for use or reliance upon this information.

This information must be included in all MSDSs that are copied and distributed for this material.