

Using other repos

GITHUB CONCEPTS



Jasmin Ludolf

Content Developer, DataCamp

Cloning

- Similar to copy-paste
- Linked to the original repo
- Creates a copy on a local computer
- Allows updates to go back and forth

How does it work?

- With Git:
 - Push changes back to the original repo
 - Pull changes into our local version



Clone a repo

[george-boorman / bank_marketing](#) Private

[Watch 1](#) [Fork 0](#) [Star 0](#)

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Security](#) [Insights](#)

[main](#) 1 branch 0 tags [Go to file](#) [Add file](#) [Code](#)

[george-boorman](#) Initial commit 86291fd 11 days ago 1 commit

README.md Initial commit 11 days ago

README.md

bank_marketing

About

No description, website, or topics provided.

[Readme](#)
 0 stars
 1 watching
 0 forks

Releases

No releases published [Create a new release](#)

Packages

No packages published [Publish your first package](#)

Clone a repo

The screenshot shows a GitHub repository page for the user 'george-boorman' with the repository name 'bank_marketing'. The repository is private, as indicated by the 'Private' badge. The top navigation bar includes links for Code, Issues, Pull requests, Actions, Projects, Security, and Insights. Below the navigation, there are buttons for main (selected), 1 branch, and 0 tags. The main content area displays a commit history with one entry from 'george-boorman' titled 'Initial commit' made 11 days ago. To the right of the commit list is a 'Code' dropdown menu, which is highlighted with a green arrow pointing from the top right. The 'About' section on the right side of the page contains no description, website, or topics provided, and lists 0 stars, 1 watching, and 0 forks. The 'Releases' and 'Packages' sections both indicate no releases or packages have been published.

george-boorman / bank_marketing Private

Watch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Security Insights

main 1 branch 0 tags

Go to file Add file Code

george-boorman Initial commit 86291fd 11 days ago 1 commit 11 days ago

README.md Initial commit

README.md

bank_marketing

About

No description, website, or topics provided.

Readme 0 stars 1 watching 0 forks

Releases

No releases published Create a new release

Packages

No packages published Publish your first package

Clone a repo

The screenshot shows a GitHub repository page for 'george-boorman / bank_marketing'. The repository is private, has 1 watch, 0 forks, and 0 stars. The 'Code' tab is selected, showing 1 branch and 0 tags. The main commit is by 'george-boorman' with the message 'Initial commit'. A 'README.md' file is present with the content 'Initial commit'. Below the repository details, the word 'bank_marketing' is displayed.

Code ▾

main ▾ 1 branch 0 tags

george-boorman Initial commit

README.md Initial commit

README.md

bank_marketing

Clone

HTTPS SSH GitHub CLI

https://github.com/george-boorman/bank_marketing

Use Git or checkout with SVN using the web URL.

Open with GitHub Desktop

Download ZIP

About

No description, website, or topics provided.

Readme 0 stars 1 watching 0 forks

Releases

No releases published [Create a new release](#)

Packages

No packages published [Publish your first package](#)

Clone a repo

The screenshot shows a GitHub repository page for "george-boorman/bank_marketing". The "Code" dropdown menu is open, revealing options for cloning the repository via HTTPS, SSH, or GitHub CLI. The HTTPS link is highlighted with a green arrow and circled in green. The GitHub CLI option is also visible.

george-boorman / bank_marketing Private

Watch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Security Insights

main 1 branch 0 tags

george-boorman Initial commit

README.md Initial commit

README.md

bank_marketing

Clone

HTTPS SSH GitHub CLI

https://github.com/george-boorman/bank_marketing

Use Git or checkout with SVN using the web URL

Open with GitHub Desktop

Download ZIP

About

No description, website, or topics provided.

Readme 0 stars 1 watching 0 forks

Releases

No releases published Create a new release

Clone a repo

```
$ pwd  
/home/jasmin/bank_project  
$ git clone https://github.com/george-boorman/bank_marketing.git
```

- May need to input GitHub logins here

```
> Cloning into `bank_project`...  
> remote: Counting objects: 10, done.  
> remote: Compressing objects: 100% (8/8), done.  
> remote: Total 10 (delta 1), reused 10 (delta 1)  
> Unpacking objects: 100% (10/10), done.
```

Clone an empty repo

The screenshot shows a GitHub repository page for 'jasminludolf / empty_repo_example'. The repository is private, with 0 stars, 0 forks, and 0 watches. The navigation bar includes links for Code, Issues, Pull requests, Actions, Projects, Security, Insights, and Settings. A prominent blue box at the top contains instructions for quick setup or cloning the repository via HTTPS or SSH. Below this, sections provide command-line instructions for creating a new repository, pushing an existing one, and importing code from another repository.

Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#) https://github.com/jasminludolf/empty_repo_example.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# empty_repo_example" >> README.md  
git init  
git add README.md  
git commit -m "first commit"  
git branch -M main  
git remote add origin https://github.com/jasminludolf/empty_repo_example.git  
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/jasminludolf/empty_repo_example.git  
git branch -M main  
git push -u origin main
```

...or import code from another repository

Forking



- Copy without a link to the original repo
- Forking creates an independent copy
- Good to run experiments without risk
- Used for collaboration
- Anyone can fork a public repo
- The owner of a private repo should configure their settings
- Submit changes with a pull request
- Different to creating a new branch where we need to be a collaborator

¹ iStock Credit:Anton Shaparenko Stock illustration ID:1158104118

Fork a repo

[george-boorman / bank_marketing](#) Private

[Watch 1](#) [Fork 0](#) [Star 0](#)

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Security](#) [Insights](#)

[main](#) [1 branch](#) [0 tags](#)

[Go to file](#) [Add file](#) [Code](#)

 **george-boorman** Initial commit 86291fd 11 days ago 1 commit

 README.md Initial commit 11 days ago

README.md 

bank_marketing

About

No description, website, or topics provided.

 [Readme](#)
 [0 stars](#)
 [1 watching](#)
 [0 forks](#)

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Fork a repo

The screenshot shows a GitHub repository page for the repository `george-boorman/bank_marketing`. The repository is private. In the top right corner of the header, there is a 'Fork' button with a value of '0'. This button is circled in green, and a large green arrow points towards it from the bottom left. Below the header, there are navigation tabs: Code (which is selected and highlighted in red), Issues, Pull requests, Actions, Projects, Security, and Insights. Under the 'Code' tab, there is a dropdown for the branch ('main') and a summary showing 1 branch and 0 tags. On the right side of the main content area, there is a 'Code' button with a dropdown arrow. The main content area displays a single commit by `george-boorman` titled 'Initial commit' made 11 days ago. The commit hash is `86291fd` and it contains 1 commit. Below this commit, there is a file named 'README.md' with the description 'Initial commit' and a timestamp of '11 days ago'. To the right of the main content area, there is an 'About' section. It states 'No description, website, or topics provided.' and lists the following metrics: Readme (document icon), 0 stars (star icon), 1 watching (eye icon), and 0 forks (fork icon). Further down, there is a 'Releases' section stating 'No releases published' and a link 'Create a new release'. At the bottom, there is a 'Packages' section stating 'No packages published' and a link 'Publish your first package'.

Fork a repo

The screenshot shows a GitHub repository page for `george-boorman/bank_marketing`. The repository is private, indicated by a lock icon and the word "Private". The main navigation tabs are "Code", "Issues", "Pull requests", "Actions", "Projects", "Security", and "Insights". Below these are buttons for "Go to file" and "Add file". A dropdown menu titled "Your existing forks" shows the message "You don't have any forks of this repository." A green circle highlights the "Create a new fork" button, which has a plus sign icon and the text "Create a new fork". On the left, there's a list of commits: "george-boorman Initial commit" (86291fd, 11 days ago, 1 commit) and " README.md Initial commit" (11 days ago). The README file content is displayed below, showing the text "bank_marketing". To the right of the repository details, there's a sidebar with the following information: "No description, website, or topics provided.", "Readme", "0 stars", "1 watching", "0 forks", "Releases" (with a link to "Create a new release"), and "Packages" (with a link to "Publish your first package").

george-boorman / bank_marketing Private

Code Issues Pull requests Actions Projects Security Insights

main 1 branch 0 tags Go to file Add file

Your existing forks

You don't have any forks of this repository.

+ Create a new fork

george-boorman Initial commit 86291fd 11 days ago 1 commit

README.md Initial commit 11 days ago

README.md

bank_marketing

No description, website, or topics provided.

Readme

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Fork a repo

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Owner *



jasminludolf ▾

Repository name *

bank_marketing



By default, forks are named the same as their parent repository. You can customize the name to distinguish it further.

Description (optional)

Copy the main branch only

Contribute back to george-boorman/bank_marketing by adding your own branch. [Learn more.](#)

 You are creating a fork in your personal account.

[Create fork](#)

Fork a repo

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Owner *



Repository name *

jasminludolf / bank_marketing ✓

By default, forks are named bank_marketing is available. pository. You can customize the name to distinguish it further.

Description (optional)

Copy the main branch only

Contribute back to george-boorman/bank_marketing by adding your own branch. [Learn more.](#)

You are creating a fork in your personal account.

[Create fork](#)

Fork a repo

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Owner *



jasminludolf ▾

Repository name *

bank_marketing



By default, forks are named the same as their parent repository. You can customize the name to distinguish it further.

Description (optional)

Copy the main branch only

Contribute back to george-boorman/bank_marketing by adding your own branch. [Learn more.](#)

You are creating a fork in your personal account.

[Create fork](#)

Fork a repo

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.

Owner *



jasminludolf ▾

Repository name *

bank_marketing



By default, forks are named the same as their parent repository. You can customize the name to distinguish it further.

Description (optional)

Copy the main branch only

Contribute back to george-boorman/bank_marketing by adding your own branch. [Learn more.](#)

You are creating a fork in your personal account.

Create fork

Fork a repo

forked from [george-boorman/bank_marketing](#)

[Code](#) [Pull requests](#) [Actions](#) [Projects](#) [Security](#) [Insights](#) [Settings](#)

[main](#) [1 branch](#) [0 tags](#) [Go to file](#) [Add file](#) [Code](#)

This branch is up to date with george-boorman/bank_marketing:main.

[Contribute](#) [Sync fork](#)

 **george-boorman** Initial commit 86291fd 11 days ago 1 commit

 [README.md](#) [Initial commit](#) 11 days ago

[README.md](#) 

bank_marketing

About

No description, website, or topics provided.

 [Readme](#)
 [0 stars](#)
 [0 watching](#)
 [1 fork](#)

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Clone vs. Fork



Cloning

- Creates a linked copy on a local computer
- Requires use of Git
- Push and pull updates with Git
- Great for collaboration



Forking

- Creates an independent copy on GitHub
- Can all be done within GitHub
- Submit changes through a PR
- Great for collaboration and experimenting

Let's practice!

GITHUB CONCEPTS

GitHub issues

GITHUB CONCEPTS




Jasmin Ludolf

Content Developer, DataCamp

What is an issue?

- Messages to help:
 - Track problem fixes
 - Plans
 - Important tasks
 - Other communications



Issues

[george-boorman / bank_marketing](#) Private

[Watch 1](#) [Fork 0](#) [Star 0](#)

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Security](#) [Insights](#)

[main](#) [1 branch](#) [0 tags](#)

[Go to file](#) [Add file](#) [Code](#)

 **george-boorman** Initial commit 86291fd 11 days ago 1 commit

 README.md Initial commit 11 days ago

README.md 

bank_marketing

About

No description, website, or topics provided.

 [Readme](#)
 [0 stars](#)
 [1 watching](#)
 [0 forks](#)

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Create a new issue

The screenshot shows the GitHub interface for the repository 'george-boorman/bank_marketing'. The 'Issues' tab is active. At the top right, there are buttons for 'Watch 1', 'Fork 1', and 'Star 0'. Below the tabs, there are filters ('Filters', search bar with 'is:issue is:open'), labels ('Labels 9'), milestones ('Milestones 0'), and a prominent green 'New issue' button. A large green arrow points to the 'New issue' button, which is highlighted with a green border.

Create a new issue

The screenshot shows the GitHub interface for creating a new issue in the repository `george-boorman/bank_marketing`. The repository is private, with 1 watch, 1 fork, and 0 stars.

The navigation bar includes links for Code, Issues (selected), Pull requests, Actions, Projects, Security, and Insights.

The main form for creating an issue has the following fields:

- Title:** A text input field where the user can type the title of the issue.
- Write / Preview:** Buttons for switching between writing and previewing the issue content.
- Formatting:** A toolbar with icons for H1, B, I, and various other text styling options.
- Description:** A large text area labeled "Leave a comment" where users can write the body of the issue.
- Attachments:** A section for attaching files with the text "Attach files by dragging & dropping, selecting or pasting them."
- Markdown Support:** A note stating "Styling with Markdown is supported" with a corresponding icon.
- Submit new issue:** A green button at the bottom right of the form.

Optional settings on the right side of the form include:

- Assignees:** No one—assign yourself.
- Labels:** None yet.
- Projects:** None yet.
- Milestone:** No milestone.
- Development:** Shows branches and pull requests linked to this issue.

Create a new issue

 george-boorman / bank_marketing Private

 Watch 1  Fork 1  Star 0

< Code Issues Pull requests Actions Projects Security Insights



Spring Campaign Review

[Write](#) [Preview](#) 

Spring Campaign Review

Hi George,

We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- [] Remove the "management" job title and replace it with tiered management titles.
- [] Remove the Contact column, as we regularly do not receive data on this.

Attach files by dragging & dropping, selecting or pasting them. 

 Styling with Markdown is supported

[Submit new issue](#)

 Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Assignees 
No one—assign yourself

Labels 
None yet

Projects 
None yet

Milestone 
No milestone

Development
Shows branches and pull requests linked to this issue.

Create a new issue

Assign an issue

The screenshot shows a GitHub repository page for 'george-boorman / bank_marketing'. The repository is private, with 1 watch, 1 fork, and 0 stars. The 'Issues' tab is selected, showing 1 open issue. The issue is titled 'Spring Campaign Review #1'. It was opened by 'jasminludolf' now, with 0 comments and 2 tasks assigned. The issue body contains a comment from 'jasminludolf' and a list of tasks to review.

george-boorman / bank_marketing Private

Watch 1 Fork 1 Star 0

Code Issues 1 Pull requests Actions Projects Security Insights

Spring Campaign Review #1

Open 2 tasks jasminludolf opened this issue now · 0 comments

jasminludolf commented now

Spring Campaign Review

Hi George,

We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

Assignees: No one—assign yourself

Labels: None yet

Projects: None yet

Milestone:

Assign an issue

The screenshot shows a GitHub repository page for 'george-boorman / bank_marketing'. The repository is private, with 1 watch, 1 fork, and 0 stars. The 'Issues' tab is selected, showing 1 open issue. The issue is titled 'Spring Campaign Review #1' and was opened by 'jasminludolf' 1 minute ago with 0 comments. It has 2 tasks assigned. The issue content discusses a campaign review, mentions George Boorman, and lists two tasks: removing 'management' job titles and the Contact column. The assignee field shows 'george-' being typed, and 'george-boorman' is listed as the assignee. The project and milestone fields are currently empty.

george-boorman / bank_marketing Private

Watch 1 Fork 1 Star 0

Code Issues 1 Pull requests Actions Projects Security Insights

Spring Campaign Review #1

Open 2 tasks jasminludolf opened this issue 1 minute ago · 0 comments

jasminludolf commented 1 minute ago

Spring Campaign Review

Hi George,

We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

Assignees

Assign up to 10 people to this issue

george-

✓ george-boorman George Boorman

Projects

None yet

Milestone

Assign an issue

The screenshot shows a GitHub repository page for 'george-boorman / bank_marketing'. The repository is private, with 1 watch, 1 fork, and 0 stars. The 'Issues' tab is selected, showing 1 open issue. The issue is titled 'Spring Campaign Review #1'. It was opened by 'jasminludolf' 1 minute ago, with 2 tasks assigned. The comment section contains a message from 'jasminludolf' about preparing for the spring campaign review. The right sidebar displays the issue's details: assignees ('george-boorman'), labels ('None yet'), projects ('None yet'), and milestones ('None').

george-boorman / bank_marketing Private

Watch 1 Fork 1 Star 0

Code Issues 1 Pull requests Actions Projects Security Insights

Spring Campaign Review #1

Open 2 tasks jasminludolf opened this issue 1 minute ago · 0 comments

jasminludolf commented 1 minute ago

Spring Campaign Review

Hi George,

We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

Assignees
george-boorman

Labels
None yet

Projects
None yet

Milestone

Tagging

The screenshot shows a GitHub issue page for the repository `george-boorman / bank_marketing`. The issue is titled "Spring Campaign Review #1". The issue details section includes a "Comment" button, a "2 tasks" button, and a timestamp indicating it was opened 1 minute ago with 0 comments. The issue body contains a comment from user `jasminludolf` stating "Spring Campaign Review" and a message to "George". It also lists two tasks:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

On the right side of the issue, there are sections for "Assignees" (listing `george-boorman`), "Labels" (listing "None yet"), "Projects" (listing "None yet"), and "Milestone" (listing "None yet").

Assign vs. Tag

- Assign : Who should work on the issue
- Tag : Who needs to read the issue



¹ iStock Credit:VectorBird Stock illustration ID:1308927236

Comment on an issue

The screenshot shows a GitHub issue page for a pull request titled "Spring Campaign Review". A comment from user **jasminludolf** is displayed, mentioning tasks related to management job titles and contact columns. Below this comment, user **jasminludolf** has assigned the issue to **george-boorman**. A reply from **george-boorman** is shown in a reply box, stating: "I would like to set some time aside to discuss how to expand our loan data." A green arrow points to the **Comment** button at the bottom right of the reply box.

Assignees
george-boorman

Labels
None yet

Projects
None yet

Milestone
No milestone

Development
Create a branch for this issue or link a pull request.

Notifications
Customize
Unsubscribe

You're receiving notifications because you authored the thread.

2 participants

Close with comment

Comment

Spring Campaign Review

Hi @george-boorman ,

We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

jasminludolf assigned george-boorman 4 minutes ago

I would like to set some time aside to discuss how to expand our loan data.

Attach files by dragging & dropping, selecting or pasting them.

Link to another issue

A screenshot of a GitHub issue page. The main content is a comment from user `jasminludolf` about a "Spring Campaign Review". The comment text reads:

Hi @george-boorman ,
We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

Below the comment, it shows that `jasminludolf` assigned `george-boorman` 6 minutes ago. In the bottom right corner of the comment area, there is a blue callout bubble containing the text "#2 Winter Campaign Review".

The right side of the screen displays the issue's metadata and settings:

- Assignees:** george-boorman
- Labels:** None yet
- Projects:** None yet
- Milestone:** No milestone
- Development:** Create a branch for this issue or link a pull request.
- Notifications:** Customize, Unsubscribe (button highlighted)
- Participants:** 2 participants (avatars of jasminludolf and george-boorman)

Link to another issue

Spring Campaign Review #1

[Edit](#)[New issue](#)[Open](#)[2 tasks](#)

jasminludolf opened this issue 8 minutes ago · 1 comment



jasminludolf commented 8 minutes ago · edited

...

Spring Campaign Review

Hi @george-boorman ,

We are ready to begin the review for the spring campaign. Here are a few tasks we need to do to prepare for the next one:

- Remove the "management" job title and replace it with tiered management titles.
- Remove the Contact column, as we regularly do not receive data on this.

 jasminludolf assigned george-boorman 6 minutes ago



jasminludolf commented now

Author

...

We should also review the changes we made to the Winter campaign in Issue #2

Assignees

 george-boorman

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

[Create a branch](#) for this issue or link a pull request.

Notifications

Customize

 [Unsubscribe](#)

You're receiving notifications because you authored

Quote a previous comment

The screenshot shows a GitHub comment interface. At the top, a comment from user **jasminludolf** is displayed, stating: "We should also review the changes we made to the Winter campaign in". Below this, there is a reply input field with "Leave a comment" placeholder text and a rich text editor toolbar with buttons for **H**, **B**, **I**, **≡**, **<>**, and **🔗**. A context menu is open over the original comment, showing options: **Author**, **...**, **Copy link**, **Quote reply** (which is highlighted in blue), **Reference in new issue**, **Edit**, **Hide**, and **Delete**. To the right of the comment area, there are sections for **Notifications** (with an **Unsubscribe** button) and **Customize**. Below these are sections for **2 participants** (showing profile pictures of the two users), **Lock conversation**, **Pin issue**, and **Transfer issue**. At the bottom left, a note says: "Remember, contributions to this repository should follow our [GitHub Community Guidelines](#)".

jasminludolf commented 26 seconds ago

We should also review the changes we made to the Winter campaign in

Write Preview H B I ≡ <> ↲

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

Close issue Comment

Author ...

Copy link

Quote reply

Reference in new issue

Edit

Hide

Delete

Notifications

Customize

Unsubscribe

You're receiving notifications because you authored the thread.

2 participants

Lock conversation

Pin issue i

Transfer issue

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Quote a previous comment

Notifications

Customize

 [Unsubscribe](#)

You're receiving notifications because you authored the thread.

2 participants



 Lock conversation

Pin issue

→ Transfer issue



GITHUB CONCEPTS

Close an issue

A screenshot of a digital communication platform, likely a messaging or collaboration tool. At the top left is a circular profile picture of a woman with glasses. To her right are two tabs: "Write" (which is selected, indicated by a grey background) and "Preview". Above the tabs is a horizontal toolbar with various icons: a bold 'B', an italic 'I', a list icon 'E', a double arrow 'C', a list icon 'E', a fraction '1/2' icon, an '@' symbol, a speech bubble icon, and a left arrow icon. The main content area contains a blue-bordered box with the text "The spring review is complete.". Below this box is a dashed blue line. A message "Attach files by dragging & dropping, selecting or pasting them." is displayed, followed by a small "M" icon with a downward arrow. At the bottom right are three buttons: a white button with a purple checkmark and the text "Close with comment" (with a dropdown arrow), a light grey button with a downward arrow, and a green button with the text "Comment".

 Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Close an issue

The spring review is complete.

Attach files by dragging & dropping, selecting or pasting them. M↓

Close with comment ▼ Comment

ⓘ Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Close an issue



jasminludolf commented now

Author



The spring review is complete.



jasminludolf closed this as completed now

Let's practice!

GITHUB CONCEPTS

Pull requests

GITHUB CONCEPTS



Jasmin Ludolf

Content Developer, DataCamp

What is a PR?

- A way to notify others about changes
- Allows the repo owner to check changes before they are added
- Best practice to add changes to a branch that is not the main branch
- A successful PR is merging two branches

Make a pull request

The screenshot shows a GitHub repository page for the repository `jasminludolf/bank_marketing_jasmin`. The repository is private and was forked from `george-boorman/bank_marketing`. The main navigation bar includes links for Code, Pull requests, Actions, Projects, Security, Insights, and Settings. The current view is on the Code tab, specifically the `README.md` file.

The `README.md` file contains the following content:

```
Bank Marketing

Goal: Analyze historical campaigns to see what factors contributed to an individual making a deposit.
```

At the top of the file, there is a commit by `jasminludolf` that updated the `README.md` file 2 minutes ago. The commit message is "Update README.md". There are 2 contributors listed: `jasminludolf` and another user whose profile picture is partially visible. The file has 3 lines (2 sloc) and 120 Bytes.

Make a pull request

The screenshot shows a GitHub repository page for `jasminludolf/bank_marketing_jasmin`. The repository is private and was forked from `george-boorman/bank_marketing`. The top navigation bar includes links for Code, Pull requests (which is the active tab), Actions, Projects, Security, Insights, and Settings. In the top right corner, there are buttons for Watch (0), Fork (1), and Star (0). A yellow notification bar at the top indicates that `jasmin_update_readme` had recent pushes 3 minutes ago, with a [Compare & pull request](#) button. Below the notification bar are filters for Labels (9) and Milestones (0), and a [New pull request](#) button. The main content area features a large "Welcome to pull requests!" message with a small icon above it, followed by a description of what pull requests are and how to create one.

Watch 0 Fork 1 Star 0

Code Pull requests Actions Projects Security Insights Settings

jasmin_update_readme had recent pushes 3 minutes ago Compare & pull request

Filters is:pr is:open Labels 9 Milestones 0 New pull request

Welcome to pull requests!

Pull requests help you collaborate on code with other people. As pull requests are created, they'll appear here in a searchable and filterable list. To get started, you should [create a pull request](#).

Make a pull request

The screenshot shows a GitHub repository page for `jasminludolf/bank_marketing_jasmin`. The repository is private and has been forked from `george-boorman/bank_marketing`. The top navigation bar includes links for Code, Pull requests (which is the active tab), Actions, Projects, Security, Insights, and Settings. The main content area displays a yellow banner for a recent push to `jasmin_update_readme`. Below the banner is a search bar with the query `is:pr is:open`, a Labels button (9), a Milestones button (0), and a prominent green **New pull request** button. A large green arrow points to this button. The central text area says "Welcome to pull requests!" and explains how pull requests help collaborate on code.

Watch 0 Fork 1 Star 0

Code Pull requests Actions Projects Security Insights Settings

jasmin_update_readme had recent pushes 3 minutes ago Compare & pull request

Filters is:pr is:open Labels 9 Milestones 0 New pull request

Welcome to pull requests!

Pull requests help you collaborate on code with other people. As pull requests are created, they'll appear here in a searchable and filterable list. To get started, you should [create a pull request](#).

Comparing changes

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#).

base repository: george-boorman/bank_mark... ▾ base: update_readme ▾ ←

head repository: jasminludolf/bank_marketing... ▾ compare: jasmin_update_readme ▾

✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#) Create pull request

-o 1 commit ± 1 file changed 1 contributor

-o Commits on Sep 20, 2022

Update README.md ... Verified 534c376

jasminludolf committed 3 minutes ago

Showing 1 changed file with 3 additions and 1 deletion. Split Unified

> 4 README.md

Comparing changes

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#).

base repository: george-boorman/bank_mark... ▾ base: update_readme ▾ ←

head repository: jasminludolf/bank_marketing... ▾ compare: jasmin_update_readme ▾

✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

-o 1 commit

± 1 file changed

2 1 contributor

-o Commits on Sep 20, 2022

Update README.md ...

jasminludolf committed 3 minutes ago

Verified

534c376

<>

Showing 1 changed file with 3 additions and 1 deletion.

Split Unified

> 4 README.md

<> ⌂ ...

The screenshot shows a GitHub comparison view. At the top, it displays the base repository as 'george-boorman/bank_mark...' and the base branch as 'update_readme'. Below that, it shows the head repository as 'jasminludolf/bank_marketing...' and the compare branch as 'jasmin_update_readme'. A green box highlights the message '✓ Able to merge. These branches can be automatically merged.' In the middle, there's a light blue bar with the text 'Discuss and review the changes in this comparison with others.' and a 'Create pull request' button. Below this, summary statistics are shown: 1 commit, 1 file changed, and 1 contributor. A detailed commit history is listed, showing a single commit from 'jasminludolf' on Sep 20, 2022, titled 'Update README.md'. The commit was made 3 minutes ago and is verified. The commit hash is '534c376'. At the bottom, it says 'Showing 1 changed file with 3 additions and 1 deletion.' with 'Split' and 'Unified' options, and a file status bar for 'README.md'.

Comparing changes

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#).

base repository: george-boorman/bank_mark... ▾ base: update_readme ▾ ←

head repository: jasminludolf/bank_marketing... ▾ compare: jasmin_update_readme ▾

✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

-o 1 commit ± 1 file changed & 1 contributor

-o Commits on Sep 20, 2022


Update README.md ...
jasminludolf committed 3 minutes ago

Verified 534c376 <>

Showing 1 changed file with 3 additions and 1 deletion.

Split Unified

> 4 README.md



Fill in a pull request

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

The screenshot shows the GitHub pull request creation interface. At the top, it displays the base repository as `george-boorman/bank_mark...` and the base branch as `update_readme`. Below that, it shows the head repository as `jasminludolf/bank_marketing...` and the compare branch as `jasmin_update_readme`. A green checkmark indicates that the branches are **Able to merge**, meaning they can be automatically merged.

The main area features a rich text editor titled "Update README.md". The editor has a "Write" tab selected, showing the text "Adding title and short description.". It includes a toolbar with various formatting options like bold, italic, and code blocks. Below the editor is a file attachment section with the placeholder "Attach files by dragging & dropping, selecting or pasting them." and a "Create pull request" button.

On the right side, there are several configuration sections:

- Reviewers:** No reviews. (with gear icon)
- Assignees:** No one—assign yourself. (with gear icon)
- Labels:** None yet. (with gear icon)
- Projects:** None yet. (with gear icon)
- Milestone:** No milestone. (with gear icon)

Assign a pull request

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

The screenshot shows the GitHub interface for creating a pull request. At the top, it displays the base repository as `george-boorman/bank_mark...` and the base branch as `update_readme`. Below that, it shows the head repository as `jasminludolf/bank_marketing...` and the compare branch as `jasmin_update_readme`. A green checkmark indicates that the branches are **Able to merge**, meaning they can be automatically merged.

The main area is titled "Update README.md". It includes tabs for "Write" (selected) and "Preview", and a rich text editor toolbar with icons for bold, italic, underline, and other styling options. The content area is currently empty, with the placeholder text "Adding title and short description.".

On the right side, there are several configuration sections:

- Reviewers:** Shows "No reviews" and a gear icon for settings.
- Assignees:** Allows assigning up to 10 people. It shows a search bar, suggestions for "jasminludolf" and "george-boorman", and a blue button with a checkmark indicating "george-boorman" has been assigned.
- Milestone:** Shows "No milestone" and a gear icon for settings.

At the bottom left, there is a checkbox for "Allow edits by maintainers" with a question mark icon. On the bottom right, a large green "Create pull request" button is visible.

Create pull request

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

Let's practice!

GITHUB CONCEPTS

Reviewing pull requests

GITHUB CONCEPTS



Jasmin Ludolf

Content Developer, DataCamp

How to request a review of a PR

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

The screenshot shows the GitHub Pull Request creation interface. At the top, it displays the base repository as `base repository: george-boorman/bank_mark...`, the base branch as `base: update_readme`, the head repository as `head repository: jasminludolf/bank_marketing...`, and the compare branch as `compare: jasmin_update_readme`. A green checkmark indicates that the branches are **Able to merge**. The main area shows a title `Update README.md` and a preview tab. Below the preview is a text input field with placeholder text `Adding title and short description.`. At the bottom, there is a file attachment section and a checkbox for `Allow edits by maintainers`. To the right, the **Reviewers** section allows requesting up to 15 reviewers, with a search bar and a suggestion for `george-boorman George Boorman`. Other sections include **Labels** (None yet), **Projects** (None yet), and **Milestone** (No milestone).

Assign vs. Review

Assignee

- Approves the PR

Reviewer

- Looks at the changes before the PR is merged

How to request a review of a PR

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

The screenshot shows the GitHub interface for creating a pull request. At the top, it displays the base repository as `george-boorman/bank_mark...`, the base branch as `update_readme`, the head repository as `jasminludolf/bank_marketing...`, and the compare branch as `jasmin_update_readme`. A green checkmark indicates that the branches are **Able to merge**. The main area is a rich text editor titled "Update README.md" with "Write" and "Preview" tabs. The preview tab shows the text "Adding title and short description." Below the editor, there is a file attachment section with the placeholder "Attach files by dragging & dropping, selecting or pasting them." At the bottom, there is a checkbox for "Allow edits by maintainers" and a green "Create pull request" button. To the right of the editor, there are configuration sections for Reviewers (set to `george-boorman`), Assignees (also set to `george-boorman`), Labels (None yet), Projects (None yet), and Milestone (No milestone).

How to review a PR

The screenshot shows a GitHub repository page for `george-boorman/bank_marketing`. The repository is private. The navigation bar includes links for Pull requests, Issues, Marketplace, and Explore. The main content area displays a list of pull requests. A search bar at the top has the query `is:pr is:open`. The list shows one open pull request:

- 1 Open** ✓ 0 Closed
- Update README.md** #3 opened 2 minutes ago by jasminludolf

A ProTip! message suggests using `-linked:issue` to find pull requests not related to open issues.

At the bottom, there are links for GitHub's footer: Terms, Privacy, Security, Status, Docs, Contact GitHub, Pricing, API, Training, Blog, and About.

How to review a PR

The screenshot shows a GitHub repository page for `george-boorman/bank_marketing`. The repository is private. The navigation bar includes links for Pull requests, Issues (1), Actions, Projects, Security, Insights, and Settings. The main content area displays a list of pull requests. A green box highlights the first pull request, which is titled "Update README.md". The pull request was opened by `#3` and was made 2 minutes ago by `jasminludolf`. The status bar indicates there is 1 open pull request and 0 closed ones. The page also features a ProTip at the bottom: "ProTip! Find all pull requests that aren't related to any open issues with -linked:issue."

Search or jump to... / Pull requests Issues Marketplace Explore

george-boorman / bank_marketing Private

Unwatch 1 Fork 1 Star 0

Code Issues 1 Pull requests 1 Actions Projects Security Insights Settings

Filters is:pr is:open Labels 9 Milestones 0 New pull request

1 Open 0 Closed Author Label Projects Milestones Reviews Assignee Sort

Update README.md #3 opened 2 minutes ago by jasminludolf

ProTip! Find all pull requests that aren't related to any open issues with -linked:issue.

© 2022 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API Training Blog About

How to review a PR

The screenshot shows a GitHub pull request page for the repository `george-boorman/bank_marketing`. The pull request is titled "Update README.md #3". A green arrow points to the "Files changed" tab, which is highlighted with a green border. The tab shows there is 1 file changed, specifically `README.md`. The diff view shows the following changes:

```
@@ -1 +1,3 @@
- # bank_marketing
+ # Bank Marketing
+
+ Goal: Analyze historical campaigns to see what factors contributed to an individual making a deposit.
```

Reviewing a PR

A screenshot of a GitHub pull request page for the repository `george-boorman/bank_marketing`. The page shows a single open pull request titled "Update README.md #3". The pull request details indicate that `jasminludolf` wants to merge 1 commit from `george-boorman:update_readme` into `jasminludolf:jasmin_update_readme`. The "Files changed" tab is selected, showing a diff of the `README.md` file. A green arrow points to the first line of the diff, which shows the deletion of the text "# bank_marketing" and its replacement with "# Bank Marketing".

george-boorman / bank_marketing Private

Unwatch 1 Fork 1 Star 0

Code Issues 1 Pull requests 1 Actions Projects Security Insights Settings

Update README.md #3

Open jasminludolf wants to merge 1 commit into george-boorman:update_readme from jasminludolf:jasmin_update_readme

Conversation 0 Commits 1 Checks 0 Files changed 1


+3 -1

Changes from all commits ▾ File filter ▾ Conversations ▾ Jump to ▾ Review changes ▾

4 README.md

```
@@ -1 +1,3 @@
- # bank_marketing
+ # Bank Marketing
+
+ Goal: Analyze historical campaigns to see what factors contributed to an individual making a deposit.
```

Reviewing a PR



A screenshot of a GitHub pull request page for the repository `george-boorman/bank_marketing`. The pull request is titled "Update README.md #3" and is from the user `jasminludolf`. The commit message is "want to merge 1 commit into `george-boorman:update_readme` from `jasminludolf:jasmin_update_readme`". The "Files changed" tab is selected, showing a diff for the file `README.md`. A green arrow points to the line where the word "bank_marketing" is being replaced by "Bank Marketing".

Conversation 0 Commits 1 Checks 0 Files changed 1

Changes from all commits ▾ File filter ▾ Conversations ▾ Jump to ▾ Review changes ▾

```
@@ -1 +1,3 @@
- # bank_marketing
+ # Bank Marketing
+
+ Goal: Analyze historical campaigns to see what factors contributed to an individual making a deposit.
```

Reviewing a PR

The screenshot shows a GitHub pull request page for the repository `george-boorman/bank_marketing`. The pull request is titled "Update README.md #3" and is from the user `jasminludolf`. It has 1 commit and 1 file changed. The changes are shown in the "Files changed" tab, specifically for the `README.md` file. The diff shows the following changes:

```
@@ -1 +1,3 @@
- # bank_marketing
+ # Bank Marketing
+
+ Goal: Analyze historical campaigns to see what factors contributed to an individual ma
```

A modal window titled "Finish your review" is open, prompting the reviewer to "Leave a comment". It includes a rich text editor toolbar and a "Review changes" button. Below the comment area, there are three radio button options for the review outcome:

- Comment**
Submit general feedback without explicit approval.
- Approve**
Submit feedback and approve merging these changes.
- Request changes**
Submit feedback that must be addressed before merging.

At the bottom of the modal is a "Submit review" button.

Adding comments to a PR

The screenshot shows a GitHub pull request page for a repository named `george-boorman/bank_marketing`. The pull request is titled "Update README.md #3". The "Files changed" tab is selected, showing a single file, `README.md`, with 4 changes. The diff shows the following changes:

```
@@ -1 +1,3 @@
- # bank_marketing
+ # Bank Marketing
+
+ Goal: Analyze historical campaigns to see what factors contributed to an individual making a deposit.
```

A comment has been added to the third line of the diff, reading "Goal: Analyze historical campaigns to see what factors contributed to an individual making a deposit.". The GitHub interface includes standard navigation bars like "Code", "Issues", and "Pull requests", and various status indicators such as "Unwatch", "Fork", and "Star".

Adding comments to a PR

The screenshot shows a GitHub Pull Request page for a repository named "george-boorman / bank_marketing". The pull request is titled "Update README.md #3" and is currently open. The commit message is from "jasminludolf" and merges changes from "george-boorman:update_readme" into "jasminludolf:jasmin_update_readme". The file changed is "README.md", which has been updated from "# bank_marketing" to "# Bank Marketing". A detailed diff shows the change: @@ -1 +1,3 @@, -# bank_marketing, +# Bank Marketing. The pull request has 1 file viewed and 0 / 1 files reviewed.

In the bottom right corner of the code view, a modal window is open for adding a comment. The "Write" tab is selected, and the text input field contains the question: "Can we link to the campaign files for reference?". Below the input field is a dashed line for attachments, with the placeholder text: "Attach files by dragging & dropping, selecting or pasting them.". At the bottom of the modal are three buttons: "Cancel", "Add single comment", and "Start a review".

Adding comments to a PR

The screenshot shows a GitHub Pull Request page for the repository `george-boorman/bank_marketing`. The pull request is titled "Update README.md #3" and is marked as "Open". It shows a merge from `jasminludolf:jasmin_update_readme` into `george-boorman:update_readme`. The changes section shows a diff for `README.md` with the following code snippet:

```
@@ -1 +1,3 @@
- # bank_marketing
+ # Bank Marketing
+
```


A comment from user `george-boorman` is visible in the sidebar, suggesting a more suitable title:

Would this be a more suitable title (see below)?


Bank Marketing Campaign Analysis

Additionally, can we include a summary of the data? For example, listing the column names and data types?

Responding to a PR



Comment vs. Request changes




Comment

- Feedback
- Suggestions
- No requirement to change the project

Comment vs. Request changes

Request Changes

- Feedback that needs to be incorporated



Requesting changes



george-boorman requested changes 1 hour ago

[View changes](#)

README.md

```
1 + # Bank Marketing  
2 +  
3 + Goal: Analyze historical campaigns to see what factors contributed  
to an individual making a deposit.
```



george-boorman 1 hour ago

...

Can we link to the previous campaigns for reference?



Reply...

Resolve conversation

Requesting changes

 **Changes requested**
1 review requesting changes [Learn more.](#) [Hide all reviewers](#)

 **1 change requested** ^

 **george-boorman** requested changes

 **This branch has no conflicts with the base branch**
Merging can be performed automatically.

[See review](#)
[Dismiss review](#)
[Re-request review](#)

Merge pull request ▾

You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

Approving a PR

The screenshot shows a GitHub pull request page for a repository named `george-boorman/bank_marketing`. The pull request is titled "Update README.md #3" and has been opened by `jasminludolf`. It merges three commits from the branch `jasminludolf:jasmin_update_readme` into the branch `george-boorman:update_readme`. The changes are shown in four files, with one file changed being `README.md`.

A modal window titled "Finish your review" is open, prompting the reviewer to "Leave a comment". It includes a rich text editor toolbar and a section for attaching files. Below the comment area, there are three radio button options:

- Comment**: Submit general feedback without explicit approval.
- Approve**: Submit feedback and approve merging these changes. (This option is highlighted with a green border.)
- Request changes**: Submit feedback that must be addressed before merging.

At the bottom of the modal is a "Submit review" button.

Merging a PR

 Open jasminludolf wants to merge 3 commits into [george-boorman:update_readme](#) from [jasminludolf:jasmin_update_readme](#) 

  **george-boorman** approved these changes now [View changes](#)  Lock conversation

Add more commits by pushing to the [jasmin_update_readme](#) branch on [jasminludolf/bank_marketing_jasmin](#).

  **Changes approved** Show all reviewers
1 approving review [Learn more](#).

 **1 approval** 

 **Continuous integration has not been set up**
GitHub Actions and [several other apps](#) can be used to automatically catch bugs and enforce style.

 **This branch has no conflicts with the base branch**
Merging can be performed automatically.

Merge pull request  You can also open this in GitHub Desktop or view [command line instructions](#).

 [Write](#) [Preview](#) 

Leave a comment

Merging a PR

A screenshot of a GitHub pull request merge dialog. At the top, a green button labeled "Open" is next to the title "Update README.md #3". Below the title, it says "jasminludolf wants to merge 3 commits into `george-boorman:update_readme` from `jasminludolf:jasmin_update_readme`". A message from "george-boorman" indicates they approved the changes 10 minutes ago. There are buttons for "View changes" and "Lock conversation". A note below says to add more commits by pushing to the `jasmin_update_readme` branch on `jasminludolf/bank_marketing_jasmin`. A modal window is open, showing the commit message "Merge pull request #3 from jasminludolf/jasmin_update_readme" and the file "Update README.md". It also shows the author email "91079072+george-boorman@users.noreply.github.com". Two buttons are at the bottom of the modal: "Confirm merge" (highlighted with a green border) and "Cancel". Below the modal is a comment input field with "Write" and "Preview" tabs, rich text editor icons, and a "Leave a comment" placeholder. At the bottom, there's a file attachment area with the instruction "Attach files by dragging & dropping, selecting or pasting them.", and buttons for "Close pull request" and "Comment".

Deleting a branch after a PR

The screenshot shows a GitHub pull request merge confirmation screen. At the top, it says "Update README.md #3" and "Merged". It details the merge: "george-boorman merged 3 commits into george-boorman:update_readme from jasminludolf:jasmin_update_readme now". Below this, a timeline shows "jasminludolf requested a review from george-boorman 15 hours ago", "george-boorman approved these changes 10 minutes ago", and "george-boorman merged commit 6f81347 into george-boorman:update_readme now". On the right, there are "View changes" and "Revert" buttons, and a note about 2 participants with their profile pictures. A large green arrow points to a "Delete branch" button in a callout box that says "Pull request successfully merged and closed. You're all set—the jasminludolf:jasmin_update_re... branch can be safely deleted." At the bottom, there's a comment section with "Write" and "Preview" tabs, a "Leave a comment" input field, an "Attach files" area, and a "Comment" button. A note at the bottom says "Remember, contributions to this repository should follow our GitHub Community Guidelines."

Restoring a deleted branch

Merged Update README.md #3
george-boorman merged 3 commits into `george-boorman:update_readme` from `jasminludolf:jasmin_update_readme` 1 minute ago

jasminludolf requested a review from george-boorman 15 hours ago

george-boorman approved these changes 11 minutes ago

george-boorman merged commit `6f81347` into `george-boorman:update_readme` 36 seconds ago

george-boorman deleted the `jasmin_update_readme` branch now

View changes **Revert** **Restore branch**

2 participants
 


Lock conversation

Write **Preview**

Leave a comment


Attach files by dragging & dropping, selecting or pasting them.

Comment



Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

ProTip! Add comments to specific lines under [Files changed](#).



Restoring from a closed PR

The screenshot shows a GitHub repository page for `george-boorman / bank_marketing`. The repository is private. At the top, there are buttons for Watch (1), Fork (1), and Star (0). Below the repository name, there are navigation links: Code, Issues (1), Pull requests (highlighted with a green oval), Actions, Projects, Security, and Insights. A search bar contains the query `is:pr is:open`. To the right are buttons for Labels (9), Milestones (0), and New pull request. Below the search bar, there are filters for Open (0) and Closed (1) pull requests, and dropdown menus for Author, Label, Projects, Milestones, Reviews, Assignee, and Sort. The main content area displays a message: "There aren't any open pull requests. You could search [all of GitHub](#) or try an [advanced search](#)".

george-boorman / bank_marketing Private

Watch 1 Fork 1 Star 0

Code Issues 1 Pull requests Actions Projects Security Insights

Filters is:pr is:open Labels 9 Milestones 0 New pull request

0 Open 1 Closed Author Label Projects Milestones Reviews Assignee Sort

There aren't any open pull requests.

You could search [all of GitHub](#) or try an [advanced search](#).

Restoring from a closed PR

The screenshot shows a GitHub repository page for 'george-boorman / bank_marketing'. The repository is private. At the top, there are buttons for 'Watch' (1), 'Fork' (1), and 'Star' (0). Below the repository name, there are navigation links: 'Code', 'Issues 1', 'Pull requests' (which is the active tab, highlighted with an orange underline), 'Actions', 'Projects', 'Security', and 'Insights'. A search bar contains the query 'is:pr is:open'. Below the search bar are buttons for 'Labels 9', 'Milestones 0', and 'New pull request'. The filter section shows '0 Open' and '1 Closed' (with a green circle around it). To the right are dropdowns for 'Author', 'Label', 'Projects', 'Milestones', 'Reviews', 'Assignee', and 'Sort'. The main content area displays a message: 'There aren't any open pull requests.' followed by a link to 'all of GitHub' or 'advanced search'.

george-boorman / bank_marketing Private

Watch 1 Fork 1 Star 0

Code Issues 1 Pull requests Actions Projects Security Insights

Filters is:pr is:open Labels 9 Milestones 0 New pull request

0 Open ✓ 1 Closed

Author Label Projects Milestones Reviews Assignee Sort

There aren't any open pull requests.

You could search [all of GitHub](#) or try an [advanced search](#).

Restoring from a closed PR

The screenshot shows a GitHub repository page for 'george-boorman / bank_marketing'. The repository is private, with 1 watch, 1 fork, and 0 stars. The 'Pull requests' tab is selected, showing 1 closed pull request. The search bar contains the query 'is:pr is:closed'. The pull request listed is '#3 by jasminludolf was merged 2 days ago • Approved'. The entire pull request card is highlighted with a green rounded rectangle.

george-boorman / bank_marketing Private

Watch 1 Fork 1 Star 0

Code Issues 1 Pull requests Actions Projects Security Insights

Filters ▾ Q is:pr is:closed Labels 9 Milestones 0 New pull request

Clear current search query, filters, and sorts

0 Open ✓ 1 Closed

Author ▾ Label ▾ Projects ▾ Milestones ▾ Reviews ▾ Assignee ▾ Sort ▾

[Update README.md](#) #3 by jasminludolf was merged 2 days ago • Approved

4

💡 ProTip! Exclude your own issues with `-author:jasminludolf`.

Restoring from a closed PR

→ Merged

Update README.md #3

george-boorman merged 3 commits into [george-boorman:update_readme](#) from [jasminludolf:jasmin_update_readme](#) 2 days ago

2

1

 george-boorman deleted the `jasmin_update_readme` branch 2 days ago

F

1

 george-boorman restored the jasmin_update_readme branch 2 days ago

2

1

 **jasminludolf** deleted the `jasmin_update_readme` branch 44 seconds ago

Restore branch



Pull request closed

If you wish, you can delete this fork of [george-boorman/bank_marketing](#) in the [settings](#).



Write

Preview

H B I \equiv <> ||| $\frac{1}{2}$ ||| @ ↵

Leave a comment

Let's practice!

GITHUB CONCEPTS

Congratulations!

GITHUB CONCEPTS



Jasmin Ludolf

Content Developer, DataCamp

Course recap

- What is GitHub
- What is GitHub used for
- How is GitHub different from Git
- Create public and private repos on GitHub
- Create and format a `README` file
- Create a `.gitignore` file
- Add and modify files and directories
- Add new branches and switch between them
- Configure settings and create PATs



Course recap



- How to collaborate on GitHub with:
 - Issues
 - Comments
 - Pull requests
- How to review changes
- How to approve changes

Congratulations!

GITHUB CONCEPTS