Лабораторная работа №1

Работа c git

Акондзо Жордани Лади Гаэл.

23 Апрель 2024

Российский университет дружбы народов, Москва, Россия

Информация

Докладчик

- Акондзо Жордани Лади Гаэл
- студентка группы НКНбд-01-21
- Российский университет дружбы народов
- https://github.com/Jordaniakondzo

Вводная часть

Цели и задачи

Цель работы

Приобретение практических навыков работы с ситемой управления версиями Git.

Задачи

- Создать репозиторий
- Изменить его содержимое, изучить работу с коммитами, версиями и тегами
- · Поработать с объектами Git
- Создать дополнительную ветку, провести слияние, разрешение конфликтов
- Создать клон репозитория и слить его с оригинальным
- Залить и извлечь изменения

Выполнение лабораторной работы




Figure 1: Настройка git

```
    Terminal

                                                                                                   ann 23 04:33
                                                                                              iordani@iordani: ~/hello
iordani@iordani:~S mkdir hello
iordani@iordani:~S cd hello
jordani@jordani:~/helloS touch hello.html
jordani@jordani:~/hello$ echo "Hello, World!" > hello.html
iordani@iordani:~/helloS cat hello
cat: hello: No such file or directory
jordani@jordani:~/helloS cat hello.html
Hello, World!
iordani@iordani:~/helloS git init
Initialized empty Git repository in /home/jordani/hello/.git/
tordani@iordani:~/helloS git add hello.html
fordani@iordani:~/helloS git commit -m "Initial Commit"
Author identity unknown
*** Please tell me who you are.
Run
 oit config --global user.email "vou@example.com"
 git config --global user.name "Your Name"
to set your account's default identity.
Omit -- global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'jordani@jordani.(none)')
jordani@jordani:~/hello$ git config --global user.name "Jordaniakondzo"
jordani@jordani:~/hello$ git config --global user.email "jordaniakondzo3438@omail.com"
iordani@iordani:~/helloS git add hello.html
jordani@jordani:~/helloS git commit -m "Initial Commit"
[master (root-commit) 39958c5] Initial Commit
1 file changed, 1 insertion(+)
create mode 100644 hello.html
iordani@iordani:~/helloS git status
On branch master
nothing to commit, working tree clean
iordani@iordani:~/helloS
```

Внесение изменений

```
F Terminal
                                                                                                   and 23 04:42
                                                                                              iordani@iordani: ~/he
iordani@iordani:~/helloS nano hello.html
jordani@jordani:~/hello$ cat hello.html
<h1>Hello. World!</h1>
iordani@iordani:~/helloS git status
On branch master
Changes not staged for commit:
 (use "git add <file>..." to update what will be committed)
 (use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
fordani@fordani:~/helloS git add hello.html
iordani@iordani:~/helloS git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
jordani@jordani:~/helloS git commit
Aborting commit due to empty commit message.
jordani@jordani:~/helloS git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
jordani@jordani:~/helloS git commit -m "adding"
[master ff4beef] adding
1 file changed, 1 insertion(+), 1 deletion(-)
iordani@iordani:~/helloS git status
On branch master
nothing to commit, working tree clean
```

Figure 3: Внесение изменений в содержимое репозитория




Figure 4: Внесение нескольких изменений в содержимое репозитория

История




Figure 5: Просмотр истории

Получение старых версий

```
    Terminal

                                                                                                    ann 23 05:02
                                                                                               jordani@jordani: ~/hello
Author: Jordaniakondzo <jordaniakondzo3438@gmail.com>
Date: Tue Apr 23 04:41:49 2024 +0300
    adding
Author: Jordaniakondzo <jordaniakondzo3438@gmail.com>
Date: Tue Apr 23 04:31:47 2024 +0300
    Initial Commit
jordani@jordani:~/hello$ git checkout b2fa60b033
Note: switching to 'b2fa60b033'
You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:
 git switch -c <new-branch-name>
Or undo this operation with:
  git switch -
Turn off this advice by setting config variable advice detachedHead to false
HEAD is now at b2fa60b Added HTML header
jordani@jordani:~/helloS cat hello.html
<html>
<head>
</head>
<body>
<h1>Hello, World!</h1>
</hody>
</html>
iordani@iordani:~/helloS git checkout master
Switched to branch 'master'
iordani@iordani:~/helloS cat hello.html
<html>
<head>
</head>
<hody>
<h1>Hello, World!</h1>
</body>
</html>
```

Создание тегов версий




Figure 7: Создание тегов версий

Создание тегов версий




Figure 8: Переключение по имени тега и просмотр доступных тегов

Отмена локальных изменений (до индексации)




Figure 9: Отмена локальных изменений (до индексации)

Отмена проиндексированных изменений (перед коммитом)




Figure 10: Отмена проиндексированных изменений (перед коммитом)

```
    Terminal

                                                                                                    ann 23 05:19
                                                                                               jordani@jordani: ~/hello
 ordani@iordani:~/helloS nano hello.html
 ordani@iordani:~/helloS cat hello.html
<head>
</head>
 <body>
<h1>Hello, World!</h1>
<!-- This is an unwanted but committed change -->
</hody>
</html>
 jordani@jordani:~/hello$ git add hello.html
 ordani@jordani:~/hello$ git commit -m "Oops, we didn't want this commit"
 [master 9e765fel Oops, we didn't want this commit
1 file changed, 1 insertion(+)
jordani@jordani:~/hello$ git revert HEAD
 [master caf1ae7] Revert "Oops, we didn't want this commit"
 1 file changed, 1 deletion(-)
 iordani@iordani:~/helloS git log
Author: Jordaniakondzo <iordaniakondzo3438@gmail.com>
Date: Tue Apr 23 05:18:04 2024 +0300
    Revert "Oops, we didn't want this commit"
    This reverts commit 9e765fec26c7bd0e43776a32b63845e70057578e.
Author: Jordaniakondzo <iordaniakondzo3438@gmail.com>
Date: Tue Apr 23 05:17:40 2024 +0300
    Oops, we didn't want this commit
Author: Jordaniakondzo <jordaniakondzo3438@gmail.com>
Date: Tue Apr 23 04:49:10 2024 +0300
    Added HTML header
Author: Jordaniakondzo <iordaniakondzo34380omail.com>
Date: Tue Apr 23 04:47:24 2024 +0300
    Added standard HTML page tags
```

Author: Jordaniakondzo <jordaniakondzo3438@gmail.com>




Figure 12: Удаление коммиттов из ветки

Удаление тега оорѕ




Figure 13: Удаление тега oops

Изменение предыдущего коммита

```
lordani@lordani: «/hello
tordani@iordani:=/helloS nano hello.html
jordani@jordani:~/helloS cat hello.html
<!-- Author: Dwitry S. Kulyabov -->
<html>
</head>
<h1>Hello, World!</h1>
</body>
c/html>
fordani@fordani:-/helloS git add hello.html
jordani@jordani:~/helloS git commit -n "Add an author comment"
[master 952f605] Add an author comment
1 file changed, 2 insertions(+)
jordani@jordani:-/hello$ nano hello.html
jordani@jordani:-/hello$ git add hello.html
 tordani@tordani:-/hello$ git commit --amend -m "Add an author/email comment"
[master 8909aSf] Add an author/enail comment
 Date: Tue Apr 23 05:25:12 2024 +0300
1 file changed, 2 insertions(+)
Author: Jordaniakondzo «tordaniakondzo3438@onail.con»
Date: Tue Apr 23 05:25:12 2024 +0300
    Add an author/enall comment
commit b2fa00b03330f33e373591c0d9314c571de0f413 (tag: v1)
Author: Jordaniakondzo <jordaniakondzo3438@gmail.com>
Date: Tue Apr 23 04:49:10 2024 +0300
    Added HTML header
Author: Jordaniakondzo «tordaniakondzo3438@gnail.com»
Date: Tue Apr 23 04:47:24 2024 +0300
    Added standard HTML page tags
Author: Jordaniakondzo <fordaniakondzo3438@gnail.com>
Date: Tue Apr 23 84:41:49 2824 #8388
```

Figure 14: Изменение предыдущего коммита

Перемещение файлов

```
↑ Terminal

                                                                                                   anp 23 05:32
                                                                                              jordani@jordani: ~/hello
tordant@tordant:~/helloS mkdir lib
jordani@jordani:~/hello$ git mv hello.html lib
jordani@jordani:~/hello$ git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
jordani@jordani:~/hello$ git commit -m "Moved hello.html to lib"
[master a4dfec7] Moved hello.html to lib
1 file changed, 0 insertions(+), 0 deletions(-)
rename hello.html => lib/hello.html (100%)
jordant@jordant:~/hello$
```

Figure 15: Перемещение файлов

Подробнее о структуре

```
↑ Terminal

                                                                                                    anp 23 05:36
                                                                                               jordani@jordani: ~/hello
jordant@jordant:~/helloS touch index.html
jordani@jordani:~/hello$ nano index.html
jordani@jordani:~/hello$ cat index.html
<body>
<iframe src="lib/hello.html" width="200" height="200" />
</body>
</html>
jordani@jordani:~/hello$ git add index.html
jordant@jordant:~/hello$ git commit -m "Added index.html."
[master d88616a] Added index.html.
1 file changed, 5 insertions(+)
create mode 100644 index.html
jordant@jordant:~/hello$
```

Figure 16: Добавление нового файла в репозиторий

Подробнее о структуре



Figure 17: Добавление нового файла в репозиторий

Git внутри: Каталог .git




Figure 18: Каталог .git

Работа непосредственно с объектами git

```
    Terminal

                                                                                                  anp 23 05:56
                                                                                              iordani@iordani: ~/hello
       Tue Apr 23 05:35:51 2024 +0300
    Added index.html.
 jordant@jordant:-/hello$ git cat-file -t d88616aad363bfadf39cf558c4c72355631f2668
 jordani@jordani:-/helloS git cat-file -p git cat-file -p <hash>
bash: syntax error near unexpected token 'newline
 jordani@jordani:=/helloS git cat-file -p git cat-file -p d88616aad363bfadf39cf558c4c72355631f2668
usage: git cat-file (-t [--allow-unknown-type] | -s [--allow-unknown-type] | -e | -p | <type> | --textconv | --filters) [--path=<path>] <object>
   or: oit cat-file (--batch[=<format>] | --batch-check[=<format>]) [--follow-symlinks] [--textcony | --filters]
 type> can be one of: blob, tree, commit, tag
                          show object type
                          show object size
                          exit with zero when there's no error
                          pretty-print object's content
    --textconv
                          for blob objects, run textconv on object's content
                          for blob objects, run filters on object's content
    --path <blob>
                          use a specific path for --textcony/--filters
    -- allow-unknown-type allow -s and -t to work with broken/corrupt objects
    --buffer
                          buffer --batch output
    --batch[=<format>] show info and content of objects fed from the standard input
    --batch-check[=<format>1
                          show info about objects fed from the standard input
    --follow-symlinks
                          follow in-tree symlinks (used with --batch or --batch-check)
    --batch-all-objects show all objects with --batch or --batch-check
    --unordered
                          do not order --batch-all-objects output
 ordani@jordani:-/hello$ git cat-file -p d88616aad363bfadf39cf558c4c72355631f2668
tree bd8fb158c62d4b97a629224a4ad98199acab1b83
 parent a4dfec7d0b431f4ff62a57f225744bdb762cd2e5
author Jordaniakondzo <iordaniakondzo3438@gmail.com> 1713839751 +0300
connitter Jordaniakondzo <iordaniakondzo3438@omail.com> 1713839751 +0300
Added index.html.
 iordan(@jordan):=/helloS git cat-file -p bd8fb150c62d4b97a629224a4ad98199acab1b83
188644 blob 68583eacd328586a31568f8df6f45ebb874238b5 index.html
848888 tree 3abSe488ec562a88138aa883b1881b14725acc8a lib
 iordani@jordani:~/helloS git cat-file -p 3ab5e480ec562a88130aa003b1881b14725acc8a
188644 blob cRadc8a891d74b719bff8e7b884b7188e586c8f8 hello.html
jordani@jordani:~/hello$ git cat-file -p c8adc0a091d74b719bff0e7b004b7180e586c8f8
<!-- Author: Dmitry S. Kulvabov (kulvabov-ds@rudo.ru) -->
<html>
<head>
</heads
<body>
<h1>Hello, World!</h1>
```

Figure 19: Работа непосредственно с объектами git

Работа непосредственно с объектами git




Figure 20: Поиск оригинального файла hello.html

```
Company of the control of the contro
```

Figure 21: Создание ветки




Figure 22: Просмотр логов новой ветки

Выводы



В результаты выполнение лабораторной работы были приобретены практические навыки работы с ситемой управления версиями Git.

Список литературы

Список литературы

1. GitHub [Электронный ресурс]. GitHub, Inc., 2024. URL: https://github.com/.