

Lowers fitted prediction
Raises fitted prediction
Median and IQR
Solvent
DMF/DMSO (4:1) (n=5,710; 1,005 groups)
DMF (n=2,717; 568 groups)
DMF/DMSO (9:1) (n=1,353; 267 groups)
ETL
compact/mesoporous TiO2; spin-coated (n=2,487; 496 groups)
compact TiO2; spin-coated (n=1,761; 388 groups)
compact/mesoporous TiO2; spray/spin coat (n=1,664; 334 groups)
HTL
Spiro-OMeTAD; spin-coated (n=9,605; 1,935 groups)
PEDOT:PSS; spin-coated (n=2,457; 554 groups)
PTAA; spin-coated (n=1,244; 274 groups)
Absorber
MAPbI3 (n=10,631; 2,143 groups)
Cs0.05FA0.79MA0.16PbBr0.51I2.49 (n=862; 178 groups)
FA0.85MA0.15PbBr0.45I2.55 (n=557; 119 groups)
Quenching
Yes (n=12,674; 2,225 groups)
No (n=8,247; 1,674 groups)
Back contact
Au (n=9,620; 1,807 groups)
Ag (n=6,842; 1,247 groups)
Carbon (n=1,209; 250 groups)
−1
0
1
2
3
Bundle SHAP contribution to predicted PCE (percentage points)