
The completed 2×2 grid


Both Qwen 27B participants · 24 matched original story families



A/C share the original transcript; B/D share a new feedback transcript. Counts are correct judge answers.
Frozen adapted response probe: a wrong-answer advocacy signal, not a local-lie probability. Cell color spans 0–100% accuracy.

Paired effects across the four cells


Both Qwen 27B participants · point estimates and family bootstrap 95% intervals



The same 24 families are resampled jointly across cells and participant models. Intervals are unadjusted pilot intervals.
Raw no-score A/B versus real-score C/D; these contrasts include display effects. Reused A/C and fresh B/D may differ in API routing.

The completed 2×2 grid


Qwen 3.5 27B debates · 24 matched original story families



A/C share the original transcript; B/D share a new feedback transcript. Counts are correct judge answers.
Frozen adapted response probe: a wrong-answer advocacy signal, not a local-lie probability. Cell color spans 0–100% accuracy.

Paired effects across the four cells


Qwen 3.5 27B debates · point estimates and family bootstrap 95% intervals



The same 24 families are resampled jointly across cells and participant models. Intervals are unadjusted pilot intervals.
Raw no-score A/B versus real-score C/D; these contrasts include display effects. Reused A/C and fresh B/D may differ in API routing.

The completed 2×2 grid


Qwen 3.8 27B debates · 24 matched original story families



A/C share the original transcript; B/D share a new feedback transcript. Counts are correct judge answers.
Frozen adapted response probe: a wrong-answer advocacy signal, not a local-lie probability. Cell color spans 0–100% accuracy.

Paired effects across the four cells


Qwen 3.8 27B debates · point estimates and family bootstrap 95% intervals




The same 24 families are resampled jointly across cells and participant models. Intervals are unadjusted pilot intervals.
Raw no-score A/B versus real-score C/D; these contrasts include display effects. Reused A/C and fresh B/D may differ in API routing.

Haiku replay: how much does the reused baseline move?

Post-result diagnostic · all 96 original A/C requests · the same 24 story families





2/96 answers changed: 2 corrections, 0 new errors. All requests match; no receipt reuse. The primary grid is unchanged.
Original routing: Anthropic 56 / Azure 40; replay and B/D: Azure. No backend fingerprints were returned.
95% intervals resample the 24 families. Provider, time and sampling variation are not separately identified.