The completed 2×2 grid

Both Qwen 27B participants · 24 matched original story families



A/C share the original transcript; B/D share a new feedback transcript. Counts are correct judge answers.
Frozen adapted response probe: a wrong-answer advocacy signal, not a local-lie probability. Cell color spans 0–100% accuracy.

Paired effects across the four cells

Both Qwen 27B participants · point estimates and family bootstrap 95% intervals



The same 24 families are resampled jointly across cells and participant models. Intervals are unadjusted pilot intervals.
Raw no-score A/B versus real-score C/D; these contrasts include display effects. Reused A/C and fresh B/D may differ in API routing.

The completed 2×2 grid

Qwen 3.5 27B debates · 24 matched original story families



A/C share the original transcript; B/D share a new feedback transcript. Counts are correct judge answers.
Frozen adapted response probe: a wrong-answer advocacy signal, not a local-lie probability. Cell color spans 0–100% accuracy.

Paired effects across the four cells

Qwen 3.5 27B debates · point estimates and family bootstrap 95% intervals



The same 24 families are resampled jointly across cells and participant models. Intervals are unadjusted pilot intervals.
Raw no-score A/B versus real-score C/D; these contrasts include display effects. Reused A/C and fresh B/D may differ in API routing.

The completed 2×2 grid

Qwen 3.8 27B debates · 24 matched original story families



A/C share the original transcript; B/D share a new feedback transcript. Counts are correct judge answers.
Frozen adapted response probe: a wrong-answer advocacy signal, not a local-lie probability. Cell color spans 0–100% accuracy.

Paired effects across the four cells

Qwen 3.8 27B debates · point estimates and family bootstrap 95% intervals



The same 24 families are resampled jointly across cells and participant models. Intervals are unadjusted pilot intervals.
Raw no-score A/B versus real-score C/D; these contrasts include display effects. Reused A/C and fresh B/D may differ in API routing.