

:)

- **pica** - high quality and fast image resize in browser.
- **babelfish** - developer friendly i18n with plurals support and easy syntax.

You will like those projects!

h1 Heading 8-)

h2 Heading

h3 Heading

h4 Heading

Horizontal Rules

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-
test.. test... test..... test?..... test!....

!!!!!! ???? „ – —

”Smartypants, double quotes” and ’single quotes’

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

1.6 Lists

Unordered

- Create a list by starting a line with +, -, or *
- Sub-lists are made by indenting 2 spaces:
 - Marker character change forces new list start:
 - * Ac tristique libero volutpat at
 - * Facilisis in pretium nisl aliquet
 - * Nulla volutpat aliquam velit
- Very easy!

Ordered

2. Lorem ipsum dolor sit amet
3. Consectetur adipiscing elit
4. Integer molestie lorem at massa
5. You can use sequential numbers...
6. ...or keep all the numbers as 1.

Start numbering with offset:

58. foo
59. bar

1.7 Code

Inline code

Indented code

// Some comments line 1 of code line 2 of code line 3 of code

Block code "fences"

```
|| Sample text here...
```

Syntax highlighting

```
|| var foo = function (bar) {  
||   return bar++;  
|| };  
|| console.log(foo(5));
```

1.8 Tables

— Option — Description — — ——— — — data — path to data files to supply the data that will be passed into templates. — — engine — engine to be used for processing templates. Handlebars is the default. — — ext — extension to be used for dest files. —

Right aligned columns

— Option — Description — — ———:— ———:— — data — path to data files to supply the data that will be passed into templates. — — engine — engine to be used for processing templates. Handlebars is the default. — — ext — extension to be used for dest files. —

1.9 Links

link text

link with title

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

1.10 Images

img img

Like links, Images also have a footnote style syntax

img

With a reference later in the document defining the URL location:

1.11 Plugins

The killer feature of `markdown-it` is very effective support of syntax plugins.

1.11.1 Emojies

Classic markup: `:wink: :crush: :cry: :tear: :laughing: :yum:`

Shortcuts (emoticons): `:-) :-(8-) ;)`

see how to change output with `twemoji`.

1.11.2 Subscript / Superscript

- $19^t h^{H^2 O}$

•

1.11.3 `ins`

`++Inserted text++`

1.11.4 `mark`

`==Marked text==`

1.11.5 Footnotes

Footnote 1 link^[first].

Footnote 2 link^[second].

Inline footnote^[Text of inline footnote]definition.

Duplicated footnote reference^[second].

^[first] : Footnote can have markup

and multiple paragraphs.

^[second] : Footnote text.

1.11.6 Definition lists

Term 1

: Definition 1 with lazy continuation.

Term 2 with inline markup

: Definition 2

some code, part of Definition 2

Third paragraph of definition 2.

Compact style:

Term 1 Definition 1

Term 2 Definition 2a Definition 2b

1.11.7 Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy"
and so on.

*[HTML]: Hyper Text Markup Language

1.11.8 Custom containers

::: warning here be dragons :::