




Escuela Politécnica de Guadalajara
Educación media superior
Universidad de Guadalajara

Proyecto Login:



Alumno: Jorge Antonio Macias Castro

Código: 222808966

Profesora: Zuri Vega

Módulo: Software de aplicación



Grado: 8vo

Grupo: B Vespertino

Carrera: TPSI

Fecha: 5/06/2026

1. Página de Login de Angular y Base de datos



pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- bd_web
 - Cast
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (1)
 - usuarios
 - Columns
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - Trigger Functions
 - Types
 - Views
 - Subscriptions

Properties x bd_web/postgres... x Processes x public.usuarios/bd_web/postgres@PostgreSQL 17 x

public.usuarios/bd_web/postgres@PostgreSQL 17

Query Query History Scratch Pad x

```
1 SELECT * FROM public.usuarios
2 ORDER BY id ASC
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	nombre character varying (255)	contrasena character varying (255)	id [PK] integer	email character varying (255)
1	Jorge	Macias246	1	jorgemacias2008@gmail.c...

Total rows: 1 Query complete 00:00:00.214 CRLF Ln 1, Col 1

2. Conexión de Git a GitHub desde visual

```
PS C:\Users\jorge\app-proyecto-JAMC> git init
Initialized empty Git repository in C:/Users/jorge/app-proyecto-JAMC/.git/
PS C:\Users\jorge\app-proyecto-JAMC> git remote add origin https://github.com/JorgeMC285/proyecto-final-app.git
PS C:\Users\jorge\app-proyecto-JAMC> git add .
warning: in the working copy of 'backend/package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'backend/package.json', LF will be replaced by CRLF the next time Git touches it
warning: adding embedded git repository: frontend
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> frontend
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached frontend
hint:
hint: See "git help submodule" for more information.
hint: Disable this message with "git config set advice.addEmbeddedRepo false"
PS C:\Users\jorge\app-proyecto-JAMC> git commit -m "Primera versión del proyecto: Login funcional, conexion funcional con Angular, Node.js y PostgreSQL"
[master (root-commit) dd1b274] Primera versión del proyecto: Login funcional, conexion funcional con Angular, Node.js y PostgreSQL
6 files changed, 1128 insertions(+)
create mode 100644 .gitignore
create mode 100644 BASE DE DATOS/bd_web
create mode 100644 backend/index.js
create mode 100644 backend/package-lock.json
create mode 100644 backend/package.json
create mode 160000 frontend
PS C:\Users\jorge\app-proyecto-JAMC> git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/JorgeMC285/proyecto-final-app.git'
PS C:\Users\jorge\app-proyecto-JAMC> git pull origin main --allow-unrelated-histories
fatal: couldn't find remote ref main
PS C:\Users\jorge\app-proyecto-JAMC> rm -rf frontend/.git
Remove-Item : No se encuentra ningún parámetro que coincida con el nombre del parámetro 'rf'.
En línea: 1 Carácter: 4
+ rm -rf frontend/.git
+ ~~~
+ CategoryInfo          : InvalidArgument: (:) [Remove-Item], ParameterBindingException
+ FullyQualifiedErrorId : NamedParameterNotFound,Microsoft.PowerShell.Commands.RemoveItemCommand

PS C:\Users\jorge\app-proyecto-JAMC> cd frontend
PS C:\Users\jorge\app-proyecto-JAMC\frontend> rm -rf frontend/.git
Remove-Item : No se encuentra ningún parámetro que coincida con el nombre del parámetro 'rf'.
En línea: 1 Carácter: 4
+ rm -rf frontend/.git
+ ~~~
```

```

PS C:\Users\jorge\app-proyecto-JAMC\frontend> Remove-Item -Recurse -Force frontend\.git
>>
Remove-Item : No se encuentra la ruta de acceso 'C:\Users\jorge\app-proyecto-JAMC\frontend\frontend\.git' porque no existe.
En línea: 1 Carácter: 1
+ Remove-Item -Recurse -Force frontend\.git
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (C:\Users\jorge\...d\frontend\.git:String) [Remove-Item], ItemNotFoundException
+ FullyQualifiedErrorId : PathNotFound,Microsoft.PowerShell.Commands.RemoveItemCommand

PS C:\Users\jorge\app-proyecto-JAMC\frontend> cd ..
PS C:\Users\jorge\app-proyecto-JAMC> Remove-Item -Recurse -Force frontend\.git
>>
PS C:\Users\jorge\app-proyecto-JAMC> Remove-Item -Recurse -Force frontend\.git
>>
Remove-Item : No se encuentra la ruta de acceso 'C:\Users\jorge\app-proyecto-JAMC\frontend\.git' porque no existe.
En línea: 1 Carácter: 1
+ Remove-Item -Recurse -Force frontend\.git
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (C:\Users\jorge\...C\frontend\.git:String) [Remove-Item], ItemNotFoundException
+ FullyQualifiedErrorId : PathNotFound,Microsoft.PowerShell.Commands.RemoveItemCommand

PS C:\Users\jorge\app-proyecto-JAMC> git rm --cached frontend
rm 'frontend'
PS C:\Users\jorge\app-proyecto-JAMC> git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    frontend

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        frontend/

PS C:\Users\jorge\app-proyecto-JAMC> git commit -m "Primera versión del proyecto: Login funcional, conexion funcional con Angular, Node.js y PostgreSQL"
[master 6e918f4] Primera versión del proyecto: Login funcional, conexion funcional con Angular, Node.js y PostgreSQL
 1 file changed, 1 deletion(-)
 delete mode 160000 frontend
PS C:\Users\jorge\app-proyecto-JAMC> git push -u origin master:main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (11/11), 11.50 KiB | 5.75 MiB/s, done.
Total 11 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.

```

```

remote: Resolving deltas: 100% (2/2), done.
To https://github.com/JorgeMC285/proyecto-final-app.git
* [new branch]      master -> main
branch 'master' set up to track 'origin/main'.
● PS C:\Users\jorge\app-proyecto-JAMC> git push -u origin master:main
branch 'master' set up to track 'origin/main'.
Everything up-to-date
● PS C:\Users\jorge\app-proyecto-JAMC> git status
On branch master
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    frontend/

nothing added to commit but untracked files present (use "git add" to track)
● PS C:\Users\jorge\app-proyecto-JAMC> git add frontend/
warning: in the working copy of 'frontend/package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/package.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/app/inicio/inicio.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/app/inicio/inicio.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/app/login/login.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/app/login/login.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'frontend/src/app/services/usuarios.ts', LF will be replaced by CRLF the next time Git touches it
● PS C:\Users\jorge\app-proyecto-JAMC> git add frontend/
○ PS C:\Users\jorge\app-proyecto-JAMC> ^C
● PS C:\Users\jorge\app-proyecto-JAMC> git status
On branch master
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   frontend/.editorconfig
    new file:   frontend/.gitignore
    new file:   frontend/.prettierrc
    new file:   frontend/README.md
    new file:   frontend/angular.json
    new file:   frontend/package-lock.json
    new file:   frontend/package.json
    new file:   frontend/public/favicon.ico
    new file:   frontend/public/fonts/Minecraft.ttf
    new file:   frontend/public/images/Logo.png
    new file:   frontend/public/images/back.jpg
    new file:   frontend/public/images/back2.jpg
    new file:   frontend/src/app/app.config.ts
    new file:   frontend/src/app/app.css
    new file:   frontend/src/app/app.html
    new file:   frontend/src/app/app.routes.ts

```



```
new file:   frontend/src/app/app.routes.ts
new file:   frontend/src/app/app.ts
new file:   frontend/src/app/inicio/inicio.css
new file:   frontend/src/app/inicio/inicio.html
new file:   frontend/src/app/inicio/inicio.ts
new file:   frontend/src/app/login/login.css
new file:   frontend/src/app/login/login.html
new file:   frontend/src/app/login/login.ts
new file:   frontend/src/app/services/usuarios.ts
new file:   frontend/src/index.html
new file:   frontend/src/main.ts
new file:   frontend/src/styles.css
new file:   frontend/tsconfig.app.json
new file:   frontend/tsconfig.json
new file:   frontend/tsconfig.spec.json
```

- PS C:\Users\jorge\app-proyecto-JAMC> git commit -m "Frontend completo, hecho en angular"
[master 84d3f14] Frontend completo, hecho en angular
30 files changed, 9404 insertions(+)
create mode 100644 frontend/.editorconfig
create mode 100644 frontend/.gitignore
create mode 100644 frontend/.prettierrc
create mode 100644 frontend/README.md
create mode 100644 frontend/angular.json
create mode 100644 frontend/package-lock.json
create mode 100644 frontend/package.json
create mode 100644 frontend/public/favicon.ico
create mode 100644 frontend/public/fonts/Minecraft.ttf
create mode 100644 frontend/public/images/Logo.png
create mode 100644 frontend/public/images/back.jpg
create mode 100644 frontend/public/images/back2.jpg
create mode 100644 frontend/src/app/app.config.ts
create mode 100644 frontend/src/app/app.css
create mode 100644 frontend/src/app/app.html
create mode 100644 frontend/src/app/app.routes.ts
create mode 100644 frontend/src/app/app.ts
create mode 100644 frontend/src/app/inicio/inicio.css
create mode 100644 frontend/src/app/inicio/inicio.html
create mode 100644 frontend/src/app/inicio/inicio.ts
create mode 100644 frontend/src/app/login/login.css
create mode 100644 frontend/src/app/login/login.html
create mode 100644 frontend/src/app/login/login.ts
create mode 100644 frontend/src/app/services/usuarios.ts
create mode 100644 frontend/src/index.html
create mode 100644 frontend/src/main.ts
create mode 100644 frontend/src/styles.css
create mode 100644 frontend/tsconfig.app.json
create mode 100644 frontend/tsconfig.json

```
create mode 100644 frontend/tsconfig.spec.json
```

```
PS C:\Users\jorge\app-proyecto-JAMC> git push
fatal: The upstream branch of your current branch does not match
the name of your current branch. To push to the upstream branch
on the remote, use
```

```
git push origin HEAD:main
```

To push to the branch of the same name on the remote, use

```
git push origin HEAD
```


To choose either option permanently, see `push.default` in `'git help config'`.

To avoid automatically configuring an upstream branch when its name won't match the local branch, see option `'simple'` of `branch.autoSetupMerge` in `'git help config'`.

```
PS C:\Users\jorge\app-proyecto-JAMC> git push origin HEAD
Enumerating objects: 42, done.
Counting objects: 100% (42/42), done.
Delta compression using up to 8 threads
Compressing objects: 100% (37/37), done.
Writing objects: 100% (41/41), 13.49 MiB | 3.60 MiB/s, done.
Total 41 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:   https://github.com/JorgeMC285/proyecto-final-app/pull/new/master
remote:
To https://github.com/JorgeMC285/proyecto-final-app.git
 * [new branch]      HEAD -> master
```

```
PS C:\Users\jorge\app-proyecto-JAMC> 
```


3.Link al repositorio en GitHub (Subido desde Git)



- <https://github.com/JorgeMC285/proyecto-final-app/tree/main>