# Chipathon 2025 AC3E-Chile team


Power MOSBius - Project proposal

#### Datasheet - Functionality

- Power integrated circuits are a growing topic in the context of energy autonomous and compact electronic systems: IoT, wearables, nanosatellites, etc.
- At AC3E-USM, we have been researching and implementing power management integrated circuits using open source tools for the last 3 years
  - Easy to implement + modular + friendly with older technologies
- Our goal is to implement an educational chip for integrated power electronics
  - Power MOSBius -, with the following features:
    - o Full closed DC-DC buck converter operation test with digital and time-based control
    - Full 3-phase closed DC-DC buck converter operation test with digital and time-based control
    - Full closed DC-DC buck converter differential operation test with digital and time-based control
    - Independent testing of each building block, including: open loop buck operation, VCO characterization and digital circuit testing

#### Datasheet - Block diagram

 To achieve this goal, the plan is to have a set of building blocks that, through the usage of the MOSbius switch matrix, will allow the implementation and testing of the different features




## Datasheet - Block diagram (Power Stage)

DC-DC Buck Converter Regarding complexity, the power stage has 2  $v_{\!\scriptscriptstyle \mathrm{PWM}}$ transistors for a half bridge DC-DC converter NOL and 10 transistors for each level shifter. Thus, 66 transistors for the 3 power stages involved in the chip. The design for each stage is quite complex due to the efficiency analysis and maximum current expected. Gate **NMOS** Drivers  $V_{DD}=1.8V$  $\mathbf{M}_{\mathrm{D6}}$  $\bowtie$   $M_{D2}$  $M_{D4}$  $M_{D10}$  $V_{GND} = 0V$ 


## Datasheet - Block diagram (VCO)

For the ring VCO, each stage will have 8 transistors. Depending on the phases required for the converters, the number stages for the ring will change using the switch matrix. The complexity for this design relays on the central frequency requirement and linearity, which is increases due to the amount of transistor parameters that affect it.




## Datasheet - Block diagram (PD, NOL)

 For the Phase Detector (PD) and Non-Overlapping (NOL) blocks, the complexity is low due to the usage of standard cells from the GF180 library. Regarding the number transistors, it is unknown at the moment as the standard cells haven't been explored internally.



#### Datasheet - Pinout




#### Datasheet - Pinlist


Pin name	type	Description			
VCONT1	Input	Voltage-Controlled Oscillator control voltage			
VCONT2	Input	Voltage-Controlled Oscillator control voltage			
VCO1_out	Output	Output of Voltage-Controlled Oscillator			
VCO2_out	Output	Output of Voltage-Controlled Oscillator			
PD_out	Output	Output of Phase Detector			
pwm_ext1	Input	PWM external input			
pwm_ext2	Input	PWM external input			
pwm_sel	Input	PWM mode selection			

Pin name	type	Description
NOC_p	Output	Non-Overlapping Circuit control signal- positive side
NOC_n	Output	Non-Overlapping Circuit control signal- negative side
GD_p	Output	Gate driver control signal for PMOS (positive side)
GD_n	Output	Gate driver control signal for PMOS (negative side)
VDD_PS	Input	Power Supply Voltage for the power stage
VDD_CTRL	Input	Power Supply Voltage for PD,NOL and VCO
VSS_PS	Input	Ground reference for the power stage
VOUT	Output	Output Voltage


#### Datasheet - Application diagram: three-phase operation



#### Datasheet - Application diagram: single-phase operation




## Datasheet - Application diagram: differential operation




#### Datasheet - Application diagram: single-block testing

1. Open-loop operation

2. VCO characterisation



3. Testing of digital blocks



#### Team members + tasks

- Power stage + gate driver design
  - Maximiliano Jofré + Felipe Rojas
- Switch matrix layout macros
  - Fernanda Quintana + Max Vega
- Digital circuit (phase detector + dead time) design and automated layout
  - Jesus Ávila, Manuel Díaz, Julián Cardozo y Fernando Bonomi
- VCO design, top level simulations and proposal writing
  - Vicente Osorio + Jorge Marín
- Top integration
  - All members

# Week-by-week schedule

Chipathon plan	Week	Task group: Power stage + gate driver design	Task group: Switch matrix layout macros	Task group: Digital circuit (phase detector + dead time)	Task group: VCO design + top level simulations	Task group: Top integration
	27	N/A	* Preliminary layout scripting in Python	* Preliminary study of sch2gds flow	* Proposal writing * First VCO simulations	* Preliminary block and pin definitions
	28	* PS + GD circuit simulation in GF180	* Switching matrix specification definition	* Preliminary study of sch2gds flow	* VCO optimization + circuit simulation	* Improved block and pin definitions
Team Formation	29	* PS + GD circuit simulation in GF180	* Transmission gate design	* Migration of PD + NOL from IHP to GF	* VCO optimization + circuit simulation	* Improved block and pin definitions
and Project Planning	30	* Power transistor layout	* Transmission gate layout (scripted)	* Migration of PD + NOL from IHP to GF	* VCO + PD + NOL circuit simulation	* Pad ring initial floorplan
	31	* Power transistor layout	* Tgate array layout (scripted)	* VCO cell layout		* Pad ring initial floorplan
	32	* Gate driver layout	* Digital switch matrix circuitry definition	* VCO cell layout		* Help in top integration
Design and Simulation	33	* Gate driver layout	* Digital switch matrix circuitry design	* VCO top layout		* Help in top integration

# Week-by-week schedule

			* Integration of Tgate			
	34	* PS + GD layout	array + digital circuits	* VCO top layout		* Help in top integration
	25	* DC + CD leveut	* Integration of Tgate	* I lala in ton integration	* I laba in ton integration	* I lala in tan integration
	ან	* PS + GD layout	array + digital circuits	* Help in top integration	* Help in top integration	* Help in top integration
			* Tgate + digital			
	36	* Help in top integration	co-simulation	* Help in top integration	* Help in top integration	* Help in top integration
			* Tgate + digital			
	37	* Help in top integration	co-simulation	* Help in top integration	* Help in top integration	* Help in top integration
	38	* Help in top integration	* Help in top integration	* Help in top integration	* Help in top integration	* Help in top integration
Layout and	39	* Help in top integration	* Help in top integration	* Help in top integration	* Help in top integration	* Help in top integration
Verification	40	* Help in top integration	* Help in top integration	* Help in top integration	* Help in top integration	* Help in top integration