

	On-	Boar	d Cor	npone	nts		
QSPI FLASH				.,			
PB10 I10	S <sup>4:2</sup>		TC <sup>5:0</sup>	TCC <sup>0:4</sup>	TCC1:0	Q_SCK	34
PB11 I11	S4:3		TC5:1	TCC <sup>0:5</sup>	TCC1:1	Q_CS	35
PA08 NMI	S <sup>0:0</sup>	S <sup>2:1</sup>	TC <sup>0:0</sup>	TCC <sup>0:0</sup>	TCC1:4	Q_I00	36
PA09 19	S <sup>0:1</sup>	S <sup>2:0</sup>	TC <sup>0:1</sup>	TCC <sup>0:1</sup>	TCC1:5	Q_I01	37
PA10   I10	S <sup>0:2</sup>	S <sup>2:2</sup>	TC1:0	TCC <sup>0:2</sup>	TCC1:6	Q_I02	38
PA11   I11	S <sup>0:3</sup>	S <sup>2:3</sup>	TC1:1	TCC <sup>0:3</sup>	TCC1:7	Q_I03	39
Battery Vol	tage Di	vider					
PB01 I1	S <sup>5:3</sup>	1	TC7:1	7			20 A6
Built-In Ne	oPixel						
PB03 I3	S <sup>5:1</sup>	1	TC <sup>6:1</sup>	7			8 🥭















