UNIVERSIDAD DEL NORTE

Digital Image Processing

Fundamentals

Jorge Martinez Gomez, mSc.

jfmartinez@uninorte.edu.co

Based on slides from: Juan Carlos Niebles. PhD.

Today

This lecture will cover:

- The human visual system
- Light and the electromagnetic spectrum
- Image representation
- Image sensing and acquisition
- Sampling, quantisation and resolution

Human Visual System

The best vision model we have!

Knowledge of how images form in the eye can help us with processing digital images

We will take just a whirlwind tour of the human visual system

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Structure Of The Human Eye

The lens focuses light from objects onto the retina

The retina is covered with light receptors called *cones* (6-7 million) and *rods* (75-150 million)

Cones are concentrated around the fovea and are very sensitive to colour

Rods are more spread out and are sensitive to low levels of illumination



Pupil dilation



Source: http://es.wikipedia.org/wiki/Archivo:Eye_dilate.gif

Focusing



a distant object

a close object

Source: http://es.wikipedia.org/wiki/Archivo:Focus_in_an_eye.svg

Distribution of rods and cones in the retina



FIGURE 2.2
Distribution of rods and cones in the retina.

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Blind-Spot Experiment

Draw an image similar to that below on a piece of paper (the dot and cross are about 6 inches apart)

Close your right eye and focus on the cross with your left eye

Hold the image about 20 inches away from your face and move it slowly towards you

The dot should disappear!

Image Formation In The Eye

UNIVERSIDAD DEL NORTE

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Muscles within the eye can be used to change the shape of the lens allowing us focus on objects that are near or far away

An image is focused onto the retina causing rods and cones to become excited which ultimately send signals to the brain



Brightness Adaptation & Discrimination

UNIVERSIDAD DEL NORTE

The human visual system can perceive approximately 10^{10} different light intensity levels

However, at any one time we can only discriminate between a much smaller number – *brightness adaptation*

Similarly, the *perceived intensity* of a region is related to the light intensities of the regions surrounding it

UNIVERSIDAD DEL NORTE

Brightness Adaptation & Discrimination (cont…)



An example of Mach bands

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Brightness Adaptation & Discrimination (cont…)



Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

UNIVERSIDAD DEL NORTE

Brightness Adaptation & Discrimination (cont…)



An example of *simultaneous contrast*

Brightness Adaptation & Discrimination (cont…)



Edward H. Adelson

For more great illusion examples take a look at: http://web.mit.edu/persci/gaz/





Available here: http://www.lottolab.org/Visual%20Demos/Demo%2015.html

Optical Illusions

Our visual systems play lots of interesting tricks on us



UNIVERSIDAD DEL NORTE

Optical Illusions (cont…)





Optical Illusions (cont…)



Stare at the cross in the middle of the image and think circles

Mind Map Exercise: Mind Mapping For Note Taking

UNIVERSIDAD DEL NORTE



TED Ideas worth spreading

Beau Lotto: Optical Illusions Show How We See

http://www.ted.com/talks/lang/eng/beau_lotto_optical_illusions_show_how_we_see.html b

Attention & The human visual system

Visual Attention

http://www.youtube.com/watch?v=vJG698U2Mvo

Change Blindness

http://www.youtube.com/watch?v=6JONMYxaZ_s

Light And The Electromagnetic Spectrum

UNIVERSIDAD DEL NORTE

Light is just a particular part of the electromagnetic spectrum that can be sensed by the human eye

The electromagnetic spectrum is split up according to the wavelengths of different forms of energy



Reflected Light

The colours that we perceive are determined by the nature of the light reflected from an object

For example, if white light is shone onto a green object most wavelengths are absorbed, while green light is reflected from the object



Sampling, Quantisation And Resolution

In the following slides we will consider what is involved in capturing a digital image of a real-world scene

- Image sensing and representation
- Sampling and quantisation
- Resolution

Image Representation

Before we discuss image acquisition recall that a digital image is composed of M rows and N columns of pixels each storing a value

Pixel values are most often grey levels in the range 0-255(black-white)

We will see later on that images can easily be represented as matrices



Image Acquisition

Images are typically generated by *illuminating* a *scene* and absorbing the energy reflected by the objects in that scene



– Typical notions of illumination and scene can be way off:
  - X-rays of a skeleton
  - Ultrasound of an unborn baby
  - Electro-microscopic images of molecules

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Image Sensing

Incoming energy lands on a sensor material responsive to that type of energy and this generates a voltage

Collections of sensors are arranged to capture images



Imaging Sensor

Line of Image Sensors



Array of Image Sensors

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Image acquisition with a single sensor



FIGURE 2.13 Combining a single sensor with motion to generate a 2-D image.

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Image Sensing



Using Sensor Strips and Rings

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Image Sampling And Quantisation

UNIVERSIDAD DEL NORTE

A digital sensor can only measure a limited number of **samples** at a **discrete** set of energy levels

Quantisation is the process of converting a continuous **analogue** signal into a digital representation of this signal



Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Image Sampling And Quantisation (cont…)

UNIVERSIDAD DEL NORTE

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Remember that a digital image is always only an **approximation** of a real world scene



Image as a Surface







Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution

The spatial resolution of an image is determined by how sampling was carried out

Spatial resolution simply refers to the smallest

- Vision specialists will often talk about pixel size
- Graphic designers will talk about *dots per inch* (DPI)

Spatial Resolution (cont…)

1024

512

256

128

64

32

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Spatial Resolution (cont…)



Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution

UNIVERSIDAD DEL NORTE

Intensity level resolution refers to the number of intensity levels used to represent the image

- The more intensity levels used, the finer the level of detail discernable in an image
- Intensity level resolution is usually given in terms of the number of bits used to store each intensity level

Number of Bits	Number of Intensity Levels	Examples
1	2	0, 1
2	4	00, 01, 10, 11
4	16	0000, 0101, 1111
8	256	00110011, 01010101
16	65,536	1010101010101010

Intensity Level Resolution (cont…)

UNIVERSIDAD DEL NORTE

Images taken from Gonzalez & Woods, Digital Image Processing (2002)



Intensity Level Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)



Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)



Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Intensity Level Resolution (cont…)

Images taken from Gonzalez & Woods, Digital Image Processing (2002)

Resolution: How Much Is Enough?

The big question with resolution is always *how much is enough*?

- This all depends on what is in the image and what you would like to do with it
- Key questions include
  - Does the image look aesthetically pleasing?
  - Can you see what you need to see within the image?

Resolution: How Much Is Enough? (cont…)

The picture on the right is fine for counting the number of cars, but not for reading the number plate

Summary

We have looked at:

- Human visual system
- Light and the electromagnetic spectrum
- Image representation
- Image sensing and acquisition
- Sampling, quantisation and resolution

Next time we start to look at techniques for image enhancement