
ResolvedDeployment
provenance Provenance (+1)
applications* ResolvedApplication
reconcileUnits* ReconcileUnit
policyJob ResolvedPolicyJob (+1)
catalogJobs* ResolvedCatalogJob (+6)
events ResolvedEvents
nodeAgents* ResolvedNodeAgent (+6)
addressPools* ResolvedAddressPool
deliverables* Deliverable
38 kinds: AddressPoolFile, AlertRulesFile, AlertingFile, AliasFile, BackupFile, BudgetFile, CatalogJobFile, ClaimFile, ClientFile, ConfigMapFile, ConnectionFile, DashboardFile, EventsFile, FluxMonitorFile, GeneratedKeysFile, HumanGrantFile, IdentityFile, IndexFile, IngressRouteFile, LibraryFile, MigrationFile, MonitorFile, MoveFile, NamespaceFile, NetworkPolicyFile, NodeAgentFile, PolicyJobFile, PriorityClassFile, RbacFile, SecretFile, ServiceFile, SharedMiddlewareFile, SourceFile, StableAddressFile, SwitchoverFile, VaultPolicyFile, VaultRoleFile, WorkloadFile
ResolvedApplication
releaseGate ReleaseGate (+5)
migration ResolvedMigration (+5)
exposure* ResolvedExposure (+4)
scrape ResolvedScrape (+1)
client ResolvedClient
alertRules* ResolvedAlertRules (+3)
alerting ResolvedAlerting (+2)
fluxScrape ResolvedFluxScrape (+1)
dashboards ResolvedDashboards (+2)
processes* ResolvedProcess
ResolvedProcess
gpu ResolvedGpu
vpn ResolvedVpn (+5)
api ResolvedApiAccess (+2)
internetEgress InternetEgress
readiness ResolvedProbe (+1)
liveness ResolvedProbe
ResolvedProcess (continued)
startup StartupProbe (+1)
surfaces* ResolvedSurface
placement ResolvedPlacement
volumes* ResolvedVolume (+7)
libraries* ResolvedLibraryMount
secrets* ResolvedGrant (+2)
assets* ResolvedAsset
sidecars* ResolvedSidecar (+1)
dependencies* ResolvedEdge (+1)
writablePaths* WritablePath
environment* EnvEntry (+1)
seeder ResolvedSeeder (+1)
l4Services* ResolvedL4Service (+1)
nodePorts* L4Port
spawns* ResolvedSpawn (+1)
move ResolvedMove (+3)
at Task 2
added since Task 2
italic abstract · role* many · dashed: shown elsewhere · (+n) classes folded · ◁ n subclasses