GitHub issues: cause and the fix

Snapshot of every issue in JorreFog/BananaLinux (https://github.com/JorreFog/BananaLinux/issues?q=is%3Aissue) as of 30 October 2026 (Europe/Stockholm): **98 issues, 76 open, 22 closed**. Many open tickets already shipped in 0.4.2 or 0.5.0; GitHub was not always closed. Causes below are from the tree on `main` (`12474fb`) plus the issue threads.

A live copy of the same notes is BananaOS issue analysis (https://cursor.com/canvas/store-cfd2f98a-3e84-4197-a0d9-3cf70b8f59ee/f6c2e279-b7ee-40e3-9656-d2466dba4c30) (clusters, charts, the 25 remaining code changes, open PRs, and tickets to close).

How to read this

- **Shipped** means the requested behaviour is in a release. Close those tickets after a quick check.
- **PR** means an open pull request already contains the fix.
- **Needed** means the file and the change are identified here and are not in `main`.
- **Hardware / emulator / product** means BananaOS can document, wrap, or work around, but the real limit is the SoC, DraStic, melonDS, or a new app.

Clusters

These tickets are the same bug under several numbers. Fix the cluster once.

A. Charge while off, gauge, and the amber LED (`#8` `#34` `#99` `#104` `#116`)

The RG DS Plus *does* take current from the charger with the kernel down. What fails is everything that needs the RK817 awake:

- The amber LED is a PWM on the RK817. Fully off, that rail is down, so there is no light (`#116`, part of `#34` / `#99`).
- Until 0.5.0 the fuel gauge could ignore an off-charge and keep the old percent (one unit showed 25% after 22 hours on the charger with a full battery). 0.5.0 starts from a voltage floor so the percent jumps to reality on boot (`#34`, `#99`, `#104`).
- Sleep *on* the charger is a different path: since 0.4.2 bananad stays dark and awake so the PWM LED can stay on (`#8`).

Fix still to land: PR #123 (https://github.com/JorreFog/BananaLinux/pull/123) (`bananad --charge`) keeps a tiny on-charger context so the LED can light without a full boot. Confirm it does not undo a real power-off. Keep `#34` as the tracker until a long off-charge on 0.5.0+ shows the right percent *and* a light.

B. Sleep drain (`#79`, with `#64` `#46` `#85`)

`CONFIG_USB_GADGET` is unset in `buildroot/board/rgds/linux-banana.fragment`. The DWC3 port then stays host-only, xHCI halt returns `-110`, and older bananad stuck to s2idle after two failed suspends (~25% overnight vs ROCKNIX). 0.5.0 retries deep sleep every time and adds **Power off after sleeping**. A 0.5.1 overnight test was still ~11%.

Fix: PR #101 (https://github.com/JorreFog/BananaLinux/pull/101) — dual-role OTG so the host can halt, and s2idle fallback for *that sleep only*. Even a working suspend is about 0.5%/h of hardware drain; `#85`'s timer is the safety net. `#64`'s white

SuperDrastic screens after ~36 min are a DraStic frame-timer bug, ignored since 0.5.0. `#46` is shutdown re-entering sleep (see cluster D).

C. Per-game 3D resolution (`#117`, leftover of `#27`)

The game page writes `/data/banana/nds-per-game-res.conf`. `run-bananads` exports `BANANADS_RENDER_SCALE`. `run-drastic` never reads that file and never patches `hires_3d` in `drastic.cfg` (it only swaps `threaded_3d` and the mic). SuperDrastic also has no 3x/4x, only `hires_3d` 0/1.

Fix: in `run-drastic`, read the per-game res and swap `hires_3d` for that run the same way `threaded_3d` is swapped, then put Settings' value back.

D. Shutdown that becomes sleep (`#46`, leftover of `#85`)

A unit that was shut down is found asleep hours later; unplug-then-shutdown can leave black lit screens. `rcK` can suspend again while powering off. 0.5.0 added a Power menu (START then Y) and a shutdown animation so sleep and off look different; it did not stop the re-sleep.

Fix: the useful part of closed PR #84 (https://github.com/JorreFog/BananaLinux/pull/84) — pause suspend until poweroff finishes. Trace bananad and `rcK` around shutdown with the lid closed and with the charger just pulled.

E. Menu: resume chip vs DS icons, START on the plate (`#107` `#128`)

- `#107`: `Library::game()` honours `dsCartIcons`; `Library::system()` fills the Last-played chip from box/cart/label only. Apply `romIconCover` to the resume fields too.
- `#128`: `plateBox()` in `ui/rnds/RndsUI.cpp` has a dark band from y 132; `START` is drawn at `ry+124` on that band. Move the word or drop the band.

F. banana-sync TLS (`#109`)

`probe()` in `ui/src/sync.cpp` tries `:8092`, `:8080`, `:80` and never `https` / `:443`. RomM on 443 sees plain HTTP and 400s.

Fix: also try `https://host` and `https://host:443`. Optional Settings toggle to skip TLS verify for a LAN self-signed cert (off by default).

G. One bad settings line bricks the menu (`#88`)

Unexpected enums crash at every boot; `pad()` with an empty filler can hang. PR #73 (https://github.com/JorreFog/BananaLinux/pull/73) fuzzes the card and defaults bad values. Merge it.

H. SuperDrastic fast-forward on R3 (`#113`)

`buildroot/board/rgds/drastic.cfg` sets `controls_a[CONTROL_INDEX_FAST_FORWARD] = 1036` (R3). The Plus has no R3. DraStic's own control editor can also lock the user out of that menu.

Fix: default FF to R2 (BananaDS already does). Do not send people into DraStic's mapper.

I. Colour table is one screen (`#74`, maybe `#129`)

VOP2 has one `GAMMA_LUT`. `kms.cpp` programs one CRTC. Two independent curves are not possible. Same table on both screens may be; `#129`'s green patches need a LUT/panel-tune bisect first.

J. Bluetooth one-bud (`#118`)

bananad plays only bluez-alsa `a2dp`. OnePlus Buds 4 drop a cup on Low Latency / play left-only on Best Quality. Log the PCM channel count and codec; force SBC stereo or skip a one-channel sink. Games use the same ALSA `default`.

K. First flash / U-Boot (`#58` `#83` `#102`)

U-Boot lives at sector 64 (~32 KiB). Windows error 5 at ~20 MiB, Defender eating the flasher, or a partition-only write leaves stock/GammaOS booting and Banana with no LED. Not a runtime bug. Document a known-good writer; compare the first 64 KiB to a good image.

Remaining code on `main`

Open PRs to review first: #101 (https://github.com/JorreFog/BananaLinux/pull/101) sleep, #123 (https://github.com/JorreFog/BananaLinux/pull/123) charge LED, #73 (https://github.com/JorreFog/BananaLinux/pull/73) settings fuzz, #91 (https://github.com/JorreFog/BananaLinux/pull/91) update trial boot, #94 (https://github.com/JorreFog/BananaLinux/pull/94) flight recorder.

Small, local fixes with no PR yet:

Issue	File	Change
#117	`run-drastic`	Read `nds-per-game-res.conf`, swap `hires_3d` for that run
#107	`ui/src/library.cpp`	Resume chip uses `dsCartIcons` / `romIconCover`
#128	`ui/rnds/RndsUI.cpp`	START not on the plate’s dark band
#109	`ui/src/sync.cpp`	`probe()` tries https/:443
#113	`drastic.cfg`	FF default R2
#122	settings footer	Do not draw help into Back
#108	cart draw	Contain + pad, not cover-crop
#87	bananad / banana-ui start	Keys live before the boot animation
#46	rcK / bananad	Do not suspend during poweroff
#41	settings lists	Time zone / themes / box-art off the UI thread
#78	boot / library	Missing PortMaster folder must not refuse boot
#35	BananaDS pause	Charging bolt on that menu too

Close on GitHub (behaviour already in 0.4.2 or 0.5.0): `#70` `#69` `#40` `#39` `#36` `#30` `#26` `#23` `#18` `#65` `#8` (if sleep-on-charger LED is confirmed).

Counts

Issues	98 (76 open, 22 closed)
Shipped (close or leftover check)	48 (31 fully, 17 partial)
Open PR already	8
Cause known, not in tree	25
Emulator core / SoC / product	14

Install / docs	3

By area (open only):

Area	Open
Menu	25
BananaDS	13
Power	11
SuperDrastic	11
Network	7
Boot	4
Audio	2
RetroArch	2
Feature	1

Every issue

Each entry is: GitHub status, the work column, where it shipped if it did, the cause in this tree, and the fix.

131 — Thermal issue when charging

OPEN · Power · Cause known; change not in tree

Cause. Charging while the SoC is awake stacks charge heat on CPU/GPU heat. Off-charge is cooler because the RK3566 is powered down. This is mostly physics, not a menu bug.

Fix. If a fix is wanted: lower RK817 input/charge current while on and/or hot (sysfs or DTS), and dim clocks on the charger. Measure board temperature first; do not guess a current.

Files: `system/bananad/bananad.c; DTS rk817 charger`.

130 — MTP Responder feature request

OPEN · Network · New emulator, store app, or product choice · #101

Cause. There is no USB gadget stack in the image, so there is no MTP function. Gadget is also the missing piece behind deep-sleep USB (#79 / PR #101).

Fix. After dual-role OTG lands, add a gadget config (f_fs + umtp-responder, or similar) behind a Settings toggle. Do not enable gadget without the sleep fix: host-only xHCI is why suspend fails.

Files: `buildroot/board/rgds/linux-banana.fragment (CONFIG_USB_GADGET is not set); DWC3 OTG`.

129 — Green tints on the screen

OPEN · Menu · Cause known; change not in tree

Cause. Green patches on the top panel only under BananaOS (not GammaOS Nano / ROCKNIX). Banana programs VOP2 GAMMA_LUT and its own panel tune; a bad LUT, CSC, or DSI init on one CRTC would tint only that screen.

Fix. Compare Banana vs ROCKNIX DTB panel timings and whether a non-neutral GAMMA_LUT is applied to the top CRTC. Bisect banana-panel-tune and Settings > screen colours. If LUT identity still tints, look at VOP2 CSC / panel gamma.

Files: `ui/src/kms.cpp (GAMMA_LUT); ui/src/colors.cpp; banana-panel-tune; DSI panel DTS`.

128 — START text overlaps weirdly with selector colors

OPEN · Menu · Cause known; change not in tree · in 0.5.0

Cause. plateBox() paints a light band at y 0–14 and a dark band from y 132. START is drawn at ry+124, so the letters sit on the dark band and look cut when the ink is dark.

Fix. Move START above the dark band, drop or shorten the bottom band, or draw START on a flat strip of accent.base. Keep the plate 124×162.

Files: `ui/rnds/RndsUI.cpp plateBox() / drawFit("START")`.

126 — Bshare: send and receive files over Wi-Fi with LocalSend

CLOSED · Network · Shipped, issue still open or already closed · in 0.5.x · #127

Cause. Feature request that shipped as the Bshare Store app (LocalSend protocol).

Fix. Already merged. No further OS change required for the request as written.

Files: `Store app / PR #127`.

125 — Is undervolt supported?

OPEN · Power · New emulator, store app, or product choice

Cause. BananaOS does not expose ROCKNIX-style CPU undervolt. The governors are banana-perf plus SuperDrastic's own limiter.

Fix. Only if someone measures a stable OPP table on both boards. A voltage-offset knob without per-board characterisation will hard-lock units. Not a missing toggle on an existing table.

Files: `kernel OPP / banana-perf`.

122 — Text description inconsistency

OPEN · Menu · Cause known; change not in tree

Cause. The emulator-options help line on the bottom screen runs into the Back affordance. The footer has no reserved width for a long sentence.

Fix. Either drop that help line (the rows already name themselves) or clip/wrap it with padding so it never crosses the Back slot.

Files: `ui/src/settings.cpp; ui/rnds help/footer layout`.

121 — Group games into folders under a system library

OPEN · Menu · Cause known; change not in tree

Cause. The library is a flat list per system. Subdirectories on the card are scanned but not kept as groups, so series dumps become one reel.

Fix. Keep the parent folder on each Game and add a folder grouping in the system view (or a 'Folders' sort). Same request as part of #49.

Files: `ui/src/library.cpp`.

120 — Multi-row grid layout for the home screen

OPEN · Menu · Cause known; change not in tree

Cause. The home and library are a DSi-style one-row reel. There is no grid view.

Fix. Add a view mode that lays cartridges in rows (also #49). Keep the current reel as default.

Files: `ui/rnds/RndsUI.cpp (single reel)`.

119 — Screen brightness issue

CLOSED · Menu · Shipped, issue still open or already closed · in 0.5.x

Cause. 5% was still too bright in the dark.

Fix. Closed after a dimmer floor. No remaining code work in this ticket.

Files: `bananad backlight; Settings > Display`.

118 — Bluetooth audio — right bud doesn’t work in games

OPEN · Audio · Cause known; change not in tree

Cause. bananad plays to bluez-alsa profile a2dp only. OnePlus Buds 4: Low Latency drops the right bud at game start; Best Quality is left-only even in the menu. Likely a stereo A2DP / one-bud sink or aptX-LL vs SBC mismatch, not a BananaDS bug.

Fix. Log bluez-alsa PCM format and which buds register as A2DP sinks. Force SBC stereo, reject one-channel devices, or fall back when the sink is not 2ch. Games inherit the same ALSA ‘default’ route.

Files: `system/bananad/bananad.c (bluez-alsa A2DP PCM); system/rootfs bluetooth`.

117 — 3D Resolution for individual games doesn’t work

OPEN · SuperDrastic · Cause known; change not in tree · in 0.5.0

Cause. The game page writes nds-per-game-res.conf. run-bananads exports BANANADS_RENDER_SCALE from it. run-drastic never reads that file and never patches hires_3d in drastic.cfg (it only swaps threaded_3d and mic).

Fix. In run-drastic, read nds-per-game-res.conf and, for this run only, set hires_3d (1 or 0; SuperDrastic has no 3x/4x) the same way threaded_3d is swapped. BananaDS already works.

Files: `ui/src/settings.cpp (nds-per-game-res.conf); system/rootfs/usr/libexec/banana/run-drastic; run-bananads`.

116 — Charge LED off when the device is off

OPEN · Power · Open pull request · #123

Cause. Same cluster as #34/#99/#8. The amber LED is a PWM on the RK817. Fully off, that rail is down, so no LED even while the charger IC takes current.

Fix. PR #123: bananad –charge keeps a tiny on-charger path so the PWM LED can light without a full boot. Confirm it does not undo deep off / drain.

Files: `system/bananad/bananad.c; RK817 PWM LEDs`.

114 — Integer scaling + other shaders in BananaDS

OPEN · BananaDS · Cause known; change not in tree

Cause. Shader ‘none’ bilinear-filters on the Plus; LCD shaders run on that filtered image, so they look soft next to RetroArch’s integer-then-shader path.

Fix. Scale nearest/integer to the panel first, then run the .frag on that image. Add an Integer+LCD (and Integer+lcd3x) preset. Do not bilinear then LCD.

Files: `BananaDS kms.shader; shader pass`.

113 — Fast forward on SuperDrastic is R3; Plus has no R3

OPEN · SuperDrastic · Cause known; change not in tree

Cause. Stock DraStic mapping uses 1036 (R3). The Plus has no R3, and changing DraStic’s own menu mapping can lock the user out of that menu (#113 body).

Fix. Ship R2 as the default FF (BananaDS already uses R2). Reset controls_a/b FF if still 1036. Optional: Settings row. Do not send people into DraStic’s control editor.

Files: `buildroot/board/rgds/drastic.cfg controls_a[CONTROL_INDEX_FAST_FORWARD] = 1036`.

112 — Font issue (capital H)

OPEN · Menu · Cause known; change not in tree

Cause. A one-pixel spur on H makes it read as M at the menu’s size.

Fix. Fix the glyph in the bundled font or the 1-bit raster of that codepoint. Screenshot at native panel size to confirm.

Files: `Pixelify Sans / banana-ui text raster`.

111 — Plans about a file manager?

CLOSED · Menu · Shipped, issue still open or already closed · in 0.5.x · #115

Cause. Asked whether a file manager was planned.

Fix. Files (copy/move/rename/delete) landed. Closed.

Files: `Files shelf / PR #115`.

110 — Fast forward sound

OPEN · BananaDS · New emulator, store app, or product choice · in 0.4.0

Cause. BananaDS mutes while fast-forwarding (documented with #13). Reporter asks if silence is normal.

Fix. Document it in the in-game help. Optional: a quiet chip-tune or pitch-up mix; full audio at Max FF will underrun.

Files: `run-bananads / BananaDS fast-forward`.

109 — Homeserver must append :443; no skip-verify

OPEN · Network · Cause known; change not in tree · in 0.5.0

Cause. probe() tries host:8092, :8080, :80 (http). It never tries https or :443, so a RomM behind TLS on 443 400s as plain HTTP. No TLS skip-verify either.

Fix. If the address has no scheme/port, also try https://host and https://host:443. Add a Settings toggle to skip TLS verify for LAN self-signed certs (off by default).

Files: `ui/src/sync.cpp probe()`.

108 — Make cartridge image fit, not fill

OPEN · Menu · Cause known; change not in tree · in 0.5.0

Cause. Title screens are drawn cover-style (aspect preserved, edges cropped). Reporter wants contain + white pad, and a choice of box vs title vs icon.

Fix. Draw cart art with contain into the label rect; fill leftover with white. A Display row already picks icon vs art (#106); add Box / Title / Icon if still missing.

Files: `ui/rnds cart drawing; ui/src/library.cpp cartArt`.

107 — DS cartridge shows icon but resume chip shows title screen

OPEN · Menu · Cause known; change not in tree · in 0.5.0

Cause. dsCartIcons fills GameInfo.cartArt / rom for the reel. The top-screen resume chip is filled from SystemInfo resumeBox/Cart/Label and never looks at dsCartIcons, so Last played keeps title/box art.

Fix. In Library::system(), when dsCartIcons and the resume game is a DS ROM, set resumeLabel/resumeCart from romIconCover the same way game() does.

Files: `ui/src/library.cpp Library::system() vs Library::game()`.

106 — Option to show original cartridge art

CLOSED · Menu · Shipped, issue still open or already closed · in 0.5.0

Cause. 0.5.0 defaulted to media/label; the icon/original-cart option was missed.

Fix. The option exists. Closed.

Files: `Settings > Display & sound > DS cartridges`.

105 — SuperDrastic inverting screens (Spirit Tracks)

OPEN · SuperDrastic · Inside DraStic or BananaDS/melonDS

Cause. Spirit Tower swaps the two DS screens in SuperDrastic (touch stays on the bottom). Same class as #67 Dragon Quest with threaded 3D on.

Fix. Workaround: X on the game > Threaded 3D Off. Optional: ship known-bad titles with threaded_3d=0. A real fix is inside DraStic.

Files: `DraStic threaded_3d; nds-per-game-3d.conf`.

104 — Battery not charging past 95%

OPEN · Power · Open pull request · in 0.5.0 · #123

Cause. Off-charge was invisible to the old gauge (jump 90%→100% on boot). LED off while off is the PWM-on-RK817 limit. A 5W brick is also slow.

Fix. 0.5.0 voltage floor should stop the stuck-95% lie. LED-while-off is PR #123. Confirm on 0.5.0+ after a long off-charge.

Files: `bananad gauge; RK817 charger; LED PWM`.

103 — Add PSP via PPSSPP

OPEN · RetroArch · New emulator, store app, or product choice

Cause. No PSP core or shelf in the image.

Fix. Add libretro-ppsspp (or standalone), roms/psp, a systems.conf entry, and a control profile. Heavy; RK3566 is marginal for many PSP titles.

Files: `Buildroot libretro cores; systems.conf; roms/psp`.

102 — No boot, power LED, or display with ROCKNIXDS or BananaOS

OPEN · Boot · Install / docs / user setup · #91

Cause. Two Plus units: stock TF boots, Banana/ROCKNIXDS TF1 does not (no LED). Same class as #58/#83: incomplete image write (Windows error 5 at ~20 MiB skips U-Boot), TF1 vs TF2, or a board that will not take this U-Boot.

Fix. Installer must write from offset 0 (sector 64). Recommend Linux/macOS or a current Etcher; compare bytes 32–64KiB to a known-good image. PR #91 is for a failed *update*, not a blank first flash.

Files: `U-Boot at sector 64; firstboot; Windows raw write`.

100 — Replace SuperDrastic with dsperate

OPEN · SuperDrastic · New emulator, store app, or product choice

Cause. DraStic is closed-source and old. dsperate is a different emulator, not a drop-in.

Fix. Keep SuperDrastic as the compatibility option; BananaDS is the open path. A dsperate port is a new emulator contract, not a swap.

Files: `SuperDrastic / DraStic binary`.

99 — Device doesn’t charge when off

OPEN · Power · Open pull request · in 0.5.0 · #123

Cause. The Plus does take charge while off; 0.4.x gauge could ignore it. No LED while off. Reporter still saw no % change until plugging in while on.

Fix. 0.5.0 voltage floor + PR #123 LED path. Ask for a 0.5.0+ off-charge test with voltage and % before/after.

Files: `RK817 charger; bananad gauge; PWM LED`.

98 — Can DSi emulation be added?

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.5.0.1

Cause. DSi / DSiWare were not runnable.

Fix. 0.5.0.1: .dsi/.cia on BananaDS with dumped DSi BIOS. Closed.

Files: `BananaDS + bios/dsi_bios7.bin, dsi_bios9.bin`.

97 — SuperDrastic graphical glitches NSMB

OPEN · SuperDrastic · Inside DraStic or BananaDS/melonDS

Cause. Sky/water themes tear and go red in SuperDrastic; BananaDS is fine. DraStic’s software raster, not Banana’s compositor.

Fix. Use BananaDS for that title. No OS-side fix without a DraStic update.

Files: `DraStic rasterizer`.

96 — SuperDrastic SM64DS not saving

OPEN · SuperDrastic · Cause known; change not in tree

Cause. In-game save missing after reload in SuperDrastic; BananaDS fine. Either DraStic wrote nowhere banana-ui looks, the .dsv name does not match the ROM, or nds-saves overwrote a newer .dsv with an empty .sav.

Fix. Log nds-saves before/after SM64DS. If sync mtime is wrong, prefer the larger/newer file and never clobber a non-empty .dsv with a 0-byte .sav.

Files: `system/rootfs/usr/libexec/banana/nds-saves; drastic/backup/*.dsv`.

95 — SuperDrastic crackling in MapleStory DS

OPEN · SuperDrastic · Inside DraStic or BananaDS/melonDS

Cause. Crackle in SuperDrastic only; BananaDS fine. DraStic's audio path when the game stalls.

Fix. Use BananaDS, or live with DraStic's mixer. Not the #12 BananaDS hold-last-sample bug (that shipped in 0.4.0).

Files: `DraStic audio`.

93 — Developer options with a flight recorder

OPEN · Menu · Open pull request · #94

Cause. Logs on the card do not record buttons, lid, or which menu screen was up.

Fix. Review/merge PR #94 (off by default, no secrets).

Files: `PR #94`.

92 — BananaDS homebrew ALTTP DS port ARM9 abort

OPEN · BananaDS · Inside DraStic or BananaDS/melonDS

Cause. lttp-ds.nds boots in desktop melonDS 1.1, ARM9 data-aborts in BananaDS; SuperDrastic dies 132. BANANADS_JIT_ENABLE did not change the log. Secure-area decrypt failed first.

Fix. Compare BananaDS's melonDS pin and secure-area/homebrew path to upstream 1.1. Homebrew that needs a different cart header or JIT off may need an explicit setting that actually reaches the core.

Files: `BananaDS / melonDS JIT and secure area`.

90 — Fall back to the previous version when an update doesn't start

OPEN · Boot · Open pull request · #91

Cause. A bad slot can sit on a black screen with no automatic revert.

Fix. Review/merge PR #91: trial boot, then DEFAULT back to the old slot; breadcrumbs on the card.

Files: `extlinux DEFAULT; PR #91`.

89 — A shutdown animation to match the boot one

CLOSED · Menu · Shipped, issue still open or already closed · in 0.5.0 · #72

Cause. Power-off cut to black.

Fix. Merged in 0.5.0. Closed.

Files: `banana-ui shutdown animation`.

88 — One wrong line in settings.conf or a theme can crash the menu

OPEN · Menu · Open pull request · #73

Cause. Unexpected enums crash at every boot; pad() with an empty filler can hang; long theme formulas can blow the stack. Some lists now terminate with nullptr; pad() is still unbounded on main.

Fix. Merge PR #73 (fuzz + default-on-bad-value + bounded pad). Until then, a bad settings.conf line is a brick.

Files: `ui/src/settings.cpp; ui/src/expr.cpp pad(); theme formulas`.

87 — Power and volume buttons sometimes don’t respond right after turning on

OPEN · Power · Cause known; change not in tree · #86

Cause. Menu is up before bananad owns power/volume, so those keys do nothing for a few seconds. PR #86 (closed, unmerged) also wanted a hardware-check toast.

Fix. Start bananad’s input grab before banana-ui paints, or have banana-ui handle volume/power until bananad takes over. Reopen the useful part of #86.

Files: `bananad vs banana-ui startup; evdev`.

85 — Turn off by itself after sleeping for a while

OPEN · Power · Partly in a release; leftover listed · in 0.5.0 · #84

Cause. Lid-sleep could drain to empty. Shutdown-with-lid-closed could re-enter sleep (#46).

Fix. 0.5.0 shipped the auto-power-off timer. Still missing from #84: LED while asleep, instant black on lid, idle timers in games, plainer help. PR #84 is closed unmerged.

Files: `Settings > Sleep & power > Power off after sleeping; PR #84`.

83 — Cannot install BananaOS

OPEN · Boot · Install / docs / user setup

Cause. Defender deleted the flasher; Windows error 5 at write; Rufus black screens (U-Boot not written). Same flash-integrity class as #58/#102.

Fix. Document: allow the flasher, use a current Etcher/Linux, never a ‘partition only’ write. Sign/notarize the flasher if Defender keeps eating it. Not an OS runtime bug.

Files: `BananaLinux Flasher; Windows Defender; raw disk write`.

82 — BananaDS rendering issue with Pokemon Diamond

OPEN · BananaDS · Inside DraStic or BananaDS/melonDS

Cause. 3D collapses to lines on Cycle Road in BananaDS; SuperDrastic plays it. melonDS/Gengis scene bug.

Fix. Use SuperDrastic for that stretch, or fix the renderer in BananaDS (related to other Gengis edge bugs).

Files: `BananaDS / Gengis 3D (Cycle Road / Route 206)`.

79 — High power usage in sleep

OPEN · Power · Open pull request · in 0.5.0 · #101

Cause. Gadget off → DWC3/xHCI stays host-only → xHCI halt -110 → bananad used to stick to s2idle after two failures (~25%/night). 0.5.0 retries deep sleep each time and adds auto-power-off; reporter still saw 11% overnight on 0.5.1.

Fix. Merge PR #101: dual-role OTG so the host can halt, and s2idle fallback for that sleep only. Hardware floor is still ~0.5%/h even when suspend works.

Files: `linux-banana.fragment CONFIG_USB_GADGET is not set; bananad suspend; xHCI`.

78 — Customize home row

OPEN · Menu · Partly in a release; leftover listed · in 0.5.0

Cause. Want hide/reorder PortMaster etc. Deleting the PortMaster folder could refuse to boot.

Fix. 0.5.0: hide systems without deleting folders. Still needed: reorder the home row, and a guard so a missing ports folder cannot brick boot.

Files: `Settings > Display & sound > Shown systems`.

77 — SuperDrastic hotkeys

OPEN · SuperDrastic · Cause known; change not in tree

Cause. Save/load/quit exist inside DraStic's menu, not as Banana F-combos the way BananaDS does.

Fix. Map F+L / F+R / F+Start in the SuperDrastic wrapper (or write controls_* from Settings) without opening DraStic's own mapper (#113).

Files: `drastic.cfg F-combos; banana-ui cannot assign them`.

76 — Dot Mizai shaders do not render correctly

OPEN · BananaDS · Cause known; change not in tree · in 0.4.2

Cause. Dot Mizai assumes stock/ROCKNIX scale and a grid overlay. Banana's shader pass is a different resolution/filter, so the LCD grid is wrong.

Fix. Document the .frag contract (pixel size, integer vs bilinear). Add a Plus-native Mizai that matches 1024×768 integer 4×, or run shaders after integer scale (#114).

Files: `DS .frag shader contract vs stock overlay`.

75 — Dark second screen panel during single-screen gaming

OPEN · Menu · Partly in a release; leftover listed · in 0.5.0

Cause. Light home theme makes the idle game panel bright.

Fix. 0.5.0 can dim/turn off the other panel. Still needed: a Dark panel option that ignores the light theme.

Files: `Settings > Other systems > Game panel when idle`.

74 — Color correction on both screens

OPEN · Menu · SoC / panel limit

Cause. RK VOP2 exposes one GAMMA_LUT. Banana applies it to one CRTC (top, bottom, or none).

Fix. Cannot have two independent curves. If the same curve on both is enough, program that LUT on both CRTCs if the hardware allows a shared table; else keep one screen and say so in Settings.

Files: `ui/src/kms.cpp GAMMA_LUT; kms.h: display controller has one table`.

71 — Slow gameplay compared with ROCKNIX

OPEN · RetroArch · Partly in a release; leftover listed · in 0.5.0

Cause. Threaded video / auto frame delay off; many GLSL presets failed to link so RA fell back. N64/PSX were heavy.

Fix. 0.5.0: shaders link again, N64 native res, PSX audio, latency/VSync rows. Still open: whether threaded video should default on, and crt-easymode cost. Need a 0.5.0 comparison list.

Files: `RetroArch cfg; GLSL link on Mali-G52`.

70 — Show Linux kernel version

OPEN · Menu · Shipped, issue still open or already closed · in 0.5.0

Cause. About had no kernel string.

Fix. Shipped in 0.5.0 (kernel + RetroArch versions). Close the issue.

Files: `Settings > System > About`.

69 — Download updates on device

OPEN · Network · Shipped, issue still open or already closed · in 0.5.0

Cause. Updates were copy-to-card only.

Fix. Shipped in 0.5.0 (GitHub OTA). Close the issue.

Files: `libexec/banana/update check|download`.

68 — Discord invite link has expired

CLOSED · Boot · Shipped, issue still open or already closed

Cause. Invite expired.

Fix. Permanent invite. Closed.

Files: `README / website`.

67 — Couple of game bugs (DQ, Love Plus, VP, Pokemon outlines)

OPEN · BananaDS · Inside DraStic or BananaDS/melonDS · in 0.4.2

Cause. Mix: BananaDS 2x broken in some 3D games, fog/yellow, flashing; DraStic swapped screens / missing 3D unless threaded 3D is off; Pokemon outline geometry is industry-wide.

Fix. Per-game Threaded 3D Off for DraStic titles that swap. BananaDS fog/2x are core bugs. Pokemon outlines: do not treat as BananaOS.

Files: `threaded_3d; BananaDS fog/resolution; DraStic screens`.

65 — sd2 ROMs not always detected

OPEN · Menu · Shipped, issue still open or already closed · in 0.5.0

Cause. A scan could leave the second-card lock held by file sharing, so later boots showed no games until the setting was toggled.

Fix. Fixed in 0.5.0. Close after confirmation (reporter moved to one card).

Files: `library scan lock vs ksmbd`.

64 — Sleep mode not working as intended

OPEN · SuperDrastic · Partly in a release; leftover listed · in 0.5.0

Cause. After ~36 min asleep in SuperDrastic, white unresponsive screens: DraStic treated sleep as a huge frame wait. BananaDS was fine.

Fix. 0.5.0 ignores that gap. A different long-sleep freeze (game stuck, in-game menu still works) is still listed as known. Collect whether white screens remain on 0.5.0.

Files: `SuperDrastic frame timer vs CLOCK_MONOTONIC gap`.

58 — RG DS — GammaOS on internal storage, SD card doesn't boot

CLOSED · Boot · Install / docs / user setup

Cause. Incomplete Windows write left Android bootable; ROCKNIX cards that actually contained U-Boot worked. Flashing on Linux / latest Etcher fixed it.

Fix. Closed. Keep the flasher notes with #83/#102.

Files: `U-Boot overwrite; Windows error 5 at 20 MiB`.

56 — RetroAchievements menu

OPEN · Menu · Cause known; change not in tree

Cause. RA login exists; no index, unlock-sound, hardcore, or achievement browser in the menu.

Fix. A Settings > RetroAchievements page: enable, hardcore, sounds, and an optional hash index. Viewing the full set needs RA's API and a lot of UI.

Files: `banana-ui; RetroArch cheevos; ra-secrets`.

55 — Allow remapping of L3

OPEN · BananaDS · Cause known; change not in tree

Cause. L3 is menu; the physical menu button now exists, so L3 is wasted. Rhythm games want L2/R2 → L1/R1.

Fix. BananaDS: a remap table in Settings (and unmap). SuperDrastic: an Unassigned sentinels in drastic.cfg (#52). Do not require DraStic's on-device mapper.

Files: `BananaDS has no remap; DraStic maps but cannot unmap`.

54 — Reimplementation of performance overlay

OPEN · BananaDS · Cause known; change not in tree

Cause. ROCKNIXDS had FPS / detailed / advanced overlays.

Fix. Extend BananaDS's counter (clocks, 3D load). SuperDrastic would need a wrapper overlay; DraStic will not grow one.

Files: `BananaDS FPS; no clocks overlay in SuperDrastic`.

53 — Pls remove

CLOSED · Menu · Shipped, issue still open or already closed

Cause. Accidental issue.

Fix. Closed.

52 — Unmap button

OPEN · SuperDrastic · Cause known; change not in tree

Cause. DraStic can assign but not clear a key, so accidental save/load stays bound.

Fix. Write 0 / none for that control from Settings, or a Reset hotkeys row. Same work as #55.

Files: `drastic.cfg controls_*`.

49 — Multiple subjects after using 0.4.1

OPEN · Menu · Partly in a release; leftover listed · in 0.4.2 / 0.5.0

Cause. Kitchen-sink: DSi, folders, metadata, grid, rebind F, picker menus, in-game clocks, integer-to-edge, screenshots, RA toggle, play-time reset, OTA; plus in-game menu shader revert and integer touch offset.

Fix. Shipped: names/sort, DS name/language, per-game 3D/threaded/mic, OTA, BananaDS shader-behind-menu and integer touch, DSi files. Still open: folders (#121), grid (#120), RA toggle (#56), screenshots, F remap, SMB reliability (comment). Split remaining bullets to their own issues and close this.

Files: `many`.

48 — Hardcore RetroAchievements for DS emulators

OPEN · BananaDS · New emulator, store app, or product choice

Cause. Hardcore needs official emulator support and no save states.

Fix. BananaDS would need an RA hardcore path and to disable states. SuperDrastic is a closed DraStic; unlikely. Apply to RA only after the core can actually enforce it.

Files: `RA integration in BananaDS / SuperDrastic`.

47 — RetroAchievements will not sign in after reboot (502)

OPEN · Network · Cause known; change not in tree

Cause. Wi-Fi is up and file sharing works; first-time RA login returns 502. 502 is the RA server (or a proxy) refusing; also possible: token not persisted, or login hits HTTP before DNS/NTP.

Fix. Retry with backoff; persist the token in banana/accounts.conf; block the login row until time is set. Log the URL and status. If it is only RA 502, surface ‘server said 502’ and retry.

Files: `ui ra-secrets; RetroAchievements HTTP`.

46 — Can’t turn off the device (keeps turning on after couple hours)

OPEN · Power · Cause known; change not in tree · in 0.5.0 · #84

Cause. A ‘shut down’ unit is found asleep hours later. Unplug-while-on then Shut down can leave black-but-lit screens. rcK can re-enter sleep mid-shutdown; charger/RTC can look like a wake.

Fix. 0.5.0 added a Power menu and shutdown animation (tells sleep from off) but not the main bug. Pause suspend until poweroff completes (the useful part of #84). Trace rcK vs bananad around shutdown.

Files: `rcK shutdown vs lid/sleep; bananad RTC/charger`.

45 — DS firmware settings

OPEN · BananaDS · Partly in a release; leftover listed · in 0.4.2

Cause. Want remaps, name, colour, birthday, region, language.

Fix. 0.4.2: DS name and language. Still needed: favourite colour, birthday, region, L2/R2 maps (#55).

Files: `Settings > Nintendo DS`.

42 — Add DSiWare support

OPEN · BananaDS · Partly in a release; leftover listed · in 0.5.0.1

Cause. DSiWare did not run on other RG DS firmwares either.

Fix. 0.5.0.1 runs .dsi/.cia with dumped BIOS. Keep open only for titles that still fail (e.g. Risky Revenge); otherwise close as duplicate of #98.

Files: `BananaDS DSi mode + BIOS`.

41 — Specific menu items slow to load

OPEN · Menu · Cause known; change not in tree

Cause. Those rows hitch 15s+: they walk large lists or the card on the UI thread.

Fix. Build the timezone/theme/scraper lists off-thread (or once at boot) and keep the last result. Never scan the card inside the row's draw/open.

Files: `settings Time zone / Themes / Box art From`.

40 — Connecting to a saved Wi-Fi network asks for the password again

OPEN · Network · Shipped, issue still open or already closed · in 0.4.2 · #43

Cause. A on a saved SSID always opened the keyboard.

Fix. Fixed in 0.4.2 (A joins with the stored PSK). Close; PR #43 may be leftover.

Files: `Settings > Network`.

39 — Zero-copy panels for SDL_BANANA_PANELS

OPEN · Menu · Shipped, issue still open or already closed · in 0.4.2

Cause. GBM read-back was ~8 fps for LÖVE; zero-copy dual-CRTC viewport ~60 fps.

Fix. Patch is in 0.4.2. Close.

Files: `buildroot/patches/sdl2/`.

38 — Add a YouTube player

OPEN · Feature · New emulator, store app, or product choice

Cause. ROCKNIXDS has a YouTube DS app. Not part of the squashfs.

Fix. A Store app, not a core package (codec, ToS, network). Point at PortMaster/Store.

Files: `Store / PortMaster`.

37 — BananaDS FPS counter wrong

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.2

Cause. Counter showed emu 60 while the game was slower.

Fix. Fixed in 0.4.2 (game FPS vs emu FPS).

Files: `BananaDS FPS`.

36 — Not updating to 0.4.1 (rootfs.squashfs hash)

OPEN · Boot · Shipped, issue still open or already closed · in 0.4.2

Cause. A damaged package failed the squashfs hash with a terse error.

Fix. 0.4.2 retries unpack and explains a bad SHA. Reporter got onto 0.4.2. Close.

Files: `libexec/banana/update apply`.

35 — Missing charging battery icon

OPEN · Menu · Partly in a release; leftover listed · in 0.4.2 / 0.5.0

Cause. No bolt on the home battery while charging; then missing in the in-game menu.

Fix. 0.4.2 home bolt; 0.5.0 pause menus. Reporter still sees no bolt in the BananaDS menu — finish that path.

Files: `home battery; in-game pause menus`.

34 — RG DS Plus doesn’t charge when it’s turned off

OPEN · Power · Open pull request · in 0.5.0 · #123

Cause. Head of the charge-while-off cluster: charge happens, gauge lied, LED cannot light with RK817 down. Stock firmware keeps a small charge UI.

Fix. 0.5.0 gauge floor. PR #123 for the LED. Keep this as the tracker until both are confirmed on hardware.

Files: `RK817; gauge; PWM LED`.

33 — Toy Story 3 dialogue stutters in BananaDS 0.4.1

OPEN · BananaDS · Partly in a release; leftover listed · in 0.4.2

Cause. Skipping dialogue stalled the emu because saves ran on the emu thread.

Fix. 0.4.2 writes saves off-thread. Needs a 0.4.2+ confirm on Toy Story 3; close if gone.

Files: `BananaDS save thread`.

31 — Transferring existing save files to BananaOS

CLOSED · SuperDrastic · Shipped, issue still open or already closed

Cause. Saves in the wrong folder/name were ignored.

Fix. Documented. Closed.

Files: `nds-saves; saves/nds/*.sav; drastic/backup/*.dsv`.

30 — DraStic username in initial setup

OPEN · Menu · Shipped, issue still open or already closed · in 0.4.2

Cause. Firmware name was Dr Drastic.

Fix. Shipped in 0.4.2. Close.

Files: `Settings > Nintendo DS > DS name; first-time setup`.

29 — Allow editing game metadata

OPEN · Menu · Partly in a release; leftover listed · in 0.4.2

Cause. Want display name + sort title that survive scrape.

Fix. 0.4.2 added both. Leftover: ROCKNIX vs — Banana sorts but still shows the original title until Name is edited.

Files: `X > Name / Sort title; gamelist.xml sortname`.

28 — Allow manual title matching when scraping

OPEN · Menu · Partly in a release; leftover listed · in 0.4.2

Cause. Auto-scrape misses translations and hacks.

Fix. 0.4.2: type a title and pick a match. Leftover: preview art/description before apply.

Files: `X > Box art search`.

27 — Add per-game configuration in menu

OPEN · Menu · Partly in a release; leftover listed · in 0.4.2 / 0.5.0

Cause. Want per-game threaded 3D, mic, shader, 3D res.

Fix. 0.4.2: emulator/shader/threaded/mic. 0.5.0: 3D res row — but SuperDrastic ignores it (#117). Close this when #117 is done.

Files: `X on a DS game; nds-per-game-*.conf`.

26 — Expose additional DraStic settings in menu

OPEN · SuperDrastic · Shipped, issue still open or already closed · in 0.4.2

Cause. Threaded 3D was only inside DraStic.

Fix. Shipped (global + per game). Close.

Files: `Settings > Nintendo DS > Threaded 3D`.

25 — Expose internal and external storage through SMB

OPEN · Network · Partly in a release; leftover listed · in 0.4.2

Cause. Only \ip\banana, so a games-on-sd2 setup was invisible. Also ROCKNIX .dsv next to ROMs.

Fix. 0.4.2: \ip\sd2 and first-time .dsv import. Leftover: Windows tree connect / signing / 60s notify (#25 comments); optional \ip\update alias.

Files: `ksmbd banana + sd2 shares`.

24 — Configurable credentials for SMB

OPEN · Network · Partly in a release; leftover listed · in 0.4.2

Cause. Windows refused guest SMB.

Fix. 0.4.2: banana/linux by default. Leftover: SSH on Windows still awkward (dropbear auth).

Files: `Settings > Network > Sharing name/password`.

23 — Move SSH to Settings → Network

OPEN · Menu · Shipped, issue still open or already closed · in 0.4.2

Cause. SSH lived under System.

Fix. Moved in 0.4.2. Close.

Files: `Settings > Network`.

22 — Select emulated language

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.2

Cause. No DS firmware language.

Fix. Shipped. Closed.

Files: `Settings > Nintendo DS > DS language`.

21 — UTC-5 Lima, Bogota and other Latam timezones

CLOSED · Menu · Shipped, issue still open or already closed · in 0.4.2

Cause. 30 zones, no Latam.

Fix. 49 zones in 0.4.2. Closed.

Files: `Settings > System > Time zone`.

20 — BananaDS audio pitch changes on 0.4.0

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.1

Cause. 0.4.0 stretched pitch with speed.

Fix. 0.4.1 keeps pitch. Closed.

Files: `BananaDS audio servo`.

19 — Box art for DS games on the second SD

CLOSED · Menu · Shipped, issue still open or already closed · in 0.4.2

Cause. Box art scanned only the first card.

Fix. Fixed in 0.4.2. Closed.

Files: `scraper / sd2 paths`.

18 — Volume below 100% sounds extremely low

OPEN · Audio · Shipped, issue still open or already closed · in 0.4.2

Cause. Linear ALSA % is not loudness; 50% sounded almost mute.

Fix. 0.4.2 uses an ear curve on both boards. Close if 0.4.2+ still sounds right; otherwise retune the table.

Files: `bananad volume curve`.

17 — Degraded BananaDS performance & pitch on 0.4.0

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.1

Cause. Stutters + pitch on Plus after 0.4.0.

Fix. Fixed in 0.4.1. Closed.

Files: `BananaDS 0.4.0 regression`.

15 — More shaders / add shaders

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.0

Cause. No place to add LCD/CRT shaders.

Fix. 0.4.0: card .frag files + RA presets. Closed (quality leftover is #76/#114).

Files: `banana/shaders/*.frag; RetroArch GLSL`.

14 — Microphone does not seem to work in games

OPEN · BananaDS · Partly in a release; leftover listed · in 0.4.2 / 0.5.0.1

Cause. Volume used to be the capture gain (silence at 0). Then BananaDS delivered mic ~1.3 s late. DraStic has only a blow *key*, not PCM. Spirit Tracks still fails for a reporter on 0.5.0.1 even with gate off.

Fix. Shipped: capture gain unlinked from volume; 0.5.0.1 ~50 ms path; Phantom Hourglass candles work in tests. Still open: Spirit Tracks songs on Plus — capture BananaDS mic logs vs that game's sampling, and document that SuperDrastic cannot do voice.

Files: `rk817 capture vs volume; BananaDS mic latency; DraStic blow key`.

13 — BananaDS is missing fast forward

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.0

Cause. No FF.

Fix. 0.4.0: hold R2. Closed (mute is #110).

Files: `R2 / F+X`.

12 — Light audio crackling with BananaDS

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.0

Cause. Gaps when the game ran under 60.

Fix. 0.4.0 stretches instead of holding. Closed (SuperDrastic crackle is #95).

Files: `BananaDS audio hold-last-sample`.

11 — Antialiasing / deeper graphics settings for BananaDS

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.0

Cause. Soft look on the Plus; ROCKNIX had integer scale.

Fix. 0.4.0 Sharp pixels (true 4× on 1024×768). Closed.

Files: `Settings > Nintendo DS > Shader > Sharp pixels`.

10 — Joystick isn’t mapped in BananaDS

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.0

Cause. Plus left stick did nothing.

Fix. 0.4.0: stick as d-pad. Closed.

Files: `BananaDS input`.

9 — No overlay for BananaDS

CLOSED · BananaDS · Shipped, issue still open or already closed · in 0.4.0

Cause. Anbernic button did not open a pause menu.

Fix. 0.4.0: F opens BananaDS’s menu. Closed.

Files: `F / L3 menu`.

8 — Charging LED in sleep

OPEN · Power · Partly in a release; leftover listed · in 0.4.2 · #123

Cause. PWM LED dies if the RK817 suspends. Sleep-on-charger used to suspend and the light went out.

Fix. 0.4.2: any sleep on charger stays dark-and-awake so amber stays on. Fully *off* is still dark (#34/#123). Close #8 if sleep-on-charger is confirmed; leave off-charge to #34.

Files: `bananad dark-awake on charger; PWM LED`.