

## 快速上线一个网站

### 事先需要准备的素材：

- 1、github账号； [GitHub · Build and ship software on a single, collaborative platform · Git Hub](#)
- 2、网站的代码；自己事先编写完成；
- 3、vercel账号； [Vercel: Build and deploy the best web experiences with the AI Cloud](#)

### 具体步骤：

- 1、登录自己的github账号，创建一个新的仓库Notion(以notion为例)，然后将之前的模板文件等文件复制到该仓库中；
- 2、登录vercel账号，关联自己的github账号，然后将todo仓库中的代码进行部署；

### 使用自己的域名替代Vercel的默认域名：

- 1、Spaceship域名厂商(支持支付宝)购买域名： <https://www.spaceship.com/zh/>
- 2、cloudflare: 添加对域名的解析；

### 具体步骤：

- 1、从Spaceship购买域名；
- 2、将域名的dns设置为cloudflare，添加到Spaceship的后台；
- 3、vercel中设置域名，并且将A标签与CNAME标签添加到cloudflare；
- 4、在vercel与cloudflare中设置SSL证书；

user->cloudflare->vercel

其中user→cloudflare加一个证书，cloudflare→vercel再加一个

### 上述步骤涉及的计算机网络原理：

#### 1. 域名服务器（DNS）配置

- **原理：** DNS（Domain Name System）将域名（如 `memorytest.io`）转换为IP地址。当用户访问域名时，浏览器会查询DNS记录以找到对应的服务器地址。
- **操作步骤：**

- 将域名注册商的DNS服务器改为Cloudflare提供的名称服务器（如 `rommy.ns.cloudflare.com`）。
- 这样，所有对该域名的DNS查询将由Cloudflare处理，而非原始注册商的DNS服务。
- **作用：**
  - Cloudflare成为权威DNS提供商，可以控制域名的解析逻辑（如A记录、CNAME记录等）。
  - 后续流量会经过Cloudflare的网络，便于实现代理和缓存。

## 2.Vercel中配置域名：

### 作用：

- Vercel确认域名归属后，会将部署的项目与域名绑定，生成SSL证书（如Let's Encrypt），支持HTTPS访问。

### 操作步骤：

- 在Vercel中添加自定义域名（`memorytest.io`），并按照提示验证DNS记录（需与Cloudflare中配置一致）。

## 3.Cloudflare代理与Vercel的DNS记录

- **原理：**Cloudflare作为反向代理，拦截用户请求并转发到源服务器（这里是Vercel托管的服务）。
- **操作步骤：**
  - 在Cloudflare中添加Vercel提供的DNS记录：
    - **A记录：**将根域名（`memorytest.io`）指向Vercel的IP地址（如 `76.76.21.21`）。
    - **CNAME记录：**将子域名（如 `www`）指向Vercel的别名（`cname.vercel-dns.com`）。
  - 启用Cloudflare的代理功能（橙色云图标），使流量经过Cloudflare的网络。
- **作用：**
  - **代理模式：**用户访问域名时，请求先到达Cloudflare的边缘节点，再由Cloudflare转发到Vercel。这隐藏了源服务器IP，并提供DDoS防护和缓存加速。

## 4.SSL/TLS加密模式（完全严格模式）

- **原理：**HTTPS通信需要端到端加密，防止中间人攻击。
- **操作步骤：**
  - 在Cloudflare的SSL/TLS设置中选择**完全（严格）模式**：

- Cloudflare与用户之间：使用Cloudflare的证书加密（自动生成）。
- Cloudflare与Vercel之间：验证Vercel的证书（必须由可信CA签发）。

- 作用：

- 避免重定向循环（如错误配置导致的ERR\_TOO\_MANY\_REDIRECTS）。
- 确保从用户到源服务器的全程加密。

Ask AI

Support

Domain purchase

Buy a new domain at cost.

Add domain

The Nominet registry has scheduled maintenance from 05:00 UTC May 12th through 07:00 UTC May 12th. During this time registrations of .uk domains will be unavailable

Search for a domain name

blogdu.top

Search

Review [domain registration documentation](#) and [supported TLDs](#).

blogdu.top is not available

blogdu.top cannot be registered as Cloudflare does not yet support the ".top" extension.

# Review your DNS records

Records we found: 2 A

Our scan may have missed uncommon records or custom subdomains. Compare the list below to your current DNS provider (most likely your registrar) and add any missing records. Pay close attention to all records on the zone apex, records of the type A, AAAA, and CNAME and records needed for email like MX, SPF, DMARC, DKIM, and MTA-STS.

- To receive email at @blogdu.top addresses, add a mail exchange (MX) record.
- An A, AAAA or CNAME record for the www subdomain is required for the blogdu.top subdomain to resolve.

### Your traffic is almost ready to proxy

How proxying works

Your DNS records tell Cloudflare where your web content is hosted, so we can hide the origin and proxy your web traffic.

**Proxied:** HTTP traffic goes through the Cloudflare network. Required for services like caching, smart routing, and Web Application Firewall.

**DNS only:** HTTP traffic bypasses Cloudflare and goes directly to the origin, but DNS resolution still benefits from our fast and secure network. A gray cloud means proxying is off, no cloud means the record is not eligible for proxying.

### DNS management for blogdu.top

About DNS records

DNS Setup: Full

[Import DNS Records](#)

Search DNS Records

Search

+ Add record

| <input type="checkbox"/> | Type | Name       | Content       | Proxy status                              | TTL  | Actions                |
|--------------------------|------|------------|---------------|-------------------------------------------|------|------------------------|
| <input type="checkbox"/> | A    | blogdu.top | 54.149.79.189 | <div><div></div><div> Proxied</div></div> | Auto | <a href="#">Delete</a> |
| <input type="checkbox"/> | A    | blogdu.top | 34.216.117.25 | <div><div></div><div> Proxied</div></div> | Auto | <a href="#">Delete</a> |

[← 返回](#)

## 更新你的命名服务器以激活 Cloudflare

这是让Cloudflare加快速度并保护你的网络流量的最后一步。

### 1. 登录你的DNS提供商（很可能是你的注册商）

→ [在ICANN 查询](#)

如果你是通过经销商（例如 Squarespace）购买域名，或者使用了不同的 DNS 提供商，请登录那个账户。

### 2. 用Cloudflare名称服务器替换你当前的名称服务器

这不太可能导致停机，但你可以跳过这个，去检查一下[DNS 记录](#)首先。

A. 查找名称服务器部分

B. 添加你分配的每个Cloudflare名称服务器：

C. 删除你的其他名称服务器：

 ~~launch2.spaceship.net。~~

 ~~launch1.spaceship.net。~~

D. 保存你的更改

 文献资料

### 推荐阅读

#### 确保关闭DNSSEC

找到并关闭DNS安全（DNSSEC）设置（如果它开启的话）。你可以之后通过Cloudflare重新启用它。

 文献资料

#### 只允许在你的起始地址使用Cloudflare IP地址

更新你源服务器的防火墙（通常通过你的网站主机提供商或服务器控制台），阻止所有非Cloudflare的进站流量。

spaceship

所有产品 |  询问 AI |  库

blogdu.top 的域名服务器已更新。  
大多数更新会很快生效。完全传播可能需要长达48小时。

← 高级DNS

blogdu.top

管理 DNS 设置 | ← 查看所有域名

名称服务器

自定义名称服务器  更改

margot.ns.cloudflare.com  
vasilii.ns.cloudflare.com

传播状态

 在传播中

检查服务器

域名管理

域名管理器 

最后更新：2026年5月08日 下午1:20

Dns记录 (0) | DNSSEC | 个人名称服务器 | URL 重定向

使用自定义DNS管理

要在此处管理您的记录，请将名称服务器更改回Spaceship DNS。您甚至可以选择查看您的非活动记录，并在更改回来之前准备它们。

更改nameserver

notion-next

Overview

Production Deployment

Repository

Instant Rollback

Visit

Deployment

notion-next-18uhdgnmo-5329733736s-projects.vercel.app

Domains

notion-next-tau-dusky.vercel.app

Status

Created

Ready

1d ago by tanglyqq

Source

main

4e89274 Merge pull request #4013 from tangly1024/fix/contact-email-themes-and-...

Deployment Settings

4 Recommendations

To update your Production Deployment, push to the main branch.

Deployments

Production Checklist 2/5

Connect Git Repository

Add Custom Domain

Preview Deployment

Enable Web Analytics

Enable Speed Insights

Observability 6h

Edge Requests

160

Function Invocations

5

Error Rate

0%

Analytics

Track visitors and page views

Enable

Active Branches

notion-next

Domains

Search any domain

Add Existing

Buy



notion-next-tau-dusky.vercel.app

Valid Configuration

Production

Refresh

Edit



Overview

# blogdu.top

Monitor and configure how Cloudflare processes your web traffic with the services in the menu.

[Review Cloudflare fundamentals](#)

## ✔ Your domain is now protected by Cloudflare

Your web traffic is proxying through Cloudflare, meaning:

- Your website or app loads faster with [caching](#), [speed](#), and [traffic](#) services
- Attacks and bots are mitigated by [security](#) products
- Data is encrypted with [SSL/TLS](#)
- You can customize how HTTP traffic is handled with [rules](#) and [Workers Routes](#)
- Not sure where to start? Follow our [learning path](#)

Your traffic data will show under [Analytics & Logs](#) once available.

### Next steps

Go to [DNS](#) to verify your existing records and configure proxy status.

Use [SSL/TLS](#) to manage certificates. We will issue you a free universal SSL certificate to cover your root domain (example.com) and first-level subdomains (www.example.com, blog.example.com, etc.).

Automatic [SSL/TLS](#) regularly scans your origin to set an encryption mode that suits your setup, in case you uploaded a new certificate or changed your TLS settings.

+ Add tag

## Quick start guide

Hide ^

Your website or app is now behind Cloudflare. Requests to blogdu.top come to Cloudflare first, so we can stop attacks and speed up your web traffic.

### 🚀 Get more out of your Free plan ^

Several features are on by default, including [CDN/caching](#), [DDoS](#) protection, [SSL/TLS](#), and [WAF](#). Explore other features

## DNS

DNS Setup: Full ⓘ

[DNS Records](#)

### Control AI crawlers

#### Block AI training bots

Deploys a Cloudflare-managed rule to block bots that we categorize as AI training crawlers from visiting your site.

Block on all pages

[See the list of bots and learn more](#)

#### Manage your robots.txt

Set how Cloudflare manages your robots.txt file, which tells bots and crawlers how they should interact with your site.

Instruct AI bot traffic with robots.txt

[Learn more](#)

### Quick Actions

#### Under Attack Mode

Show visitors a non-interactive challenge when they visit your site.

[About Under Attack Mode](#)

#### Development Mode

Temporarily bypass our cache. See changes to your origin server in real-time.

[About Development Mode](#)

[Run speed test](#)

[Configure caching](#)

## Domain Registration

Registrar: Unknown

[Transfer to Cloudflare](#)



|                |                             |            |                |         |      |
|----------------|-----------------------------|------------|----------------|---------|------|
| blogdu.top     | Waiting For DNS Propagation | Learn more | Production     | Refresh | Edit |
| www.blogdu.top | Generating SSL Certificate  |            | 387 blogdu.top | Refresh | Edit |



## Overview

Choose how Cloudflare encrypts traffic between your visitors and Cloudflare, and between Cloudflare and your origin server, to prevent data theft and other tampering.

[SSL/TLS documentation](#)

### SSL/TLS encryption

Current encryption mode: **Full**


Automatic mode disabled 9 minutes ago.



[Configure](#)

### Traffic Served Over TLS

Last 24 hours



Select the SSL/TLS encryption mode that works best for your needs.

[Encryption modes documentation](#)

### Select encryption mode

#### Automatic SSL/TLS (default)

Cloudflare checks if your traffic needs a more secure encryption mode and updates your setting automatically.

[Select](#)

#### Custom SSL/TLS

Select the encryption mode that Cloudflare uses to connect to your origin server

[Selected](#)

##### Full (Strict)

☒ Enable encryption end-to-end and enforce validation on origin certificates. Use Cloudflare's Origin CA to generate certificates for your origin.

##### Full

☐ Enable encryption end-to-end. Use this mode when your origin server supports SSL certification but does not use a valid, publicly trusted certificate.

##### Flexible

☐ Enable encryption only between your visitors and Cloudflare. This will avoid browser security warnings, but all connections between Cloudflare and your origin are made through HTTP.

##### Off (not secure)

☐ No encryption applied. Turning off SSL disables HTTPS and causes browsers to show a warning that your website is not secure.



[Cancel](#)

[Save](#)

SSL证书：

