(iii) Test your program.

Take a screenshot of the output(s).

Save your program. Copy and paste the screenshot(s) into part **3(a)(iii)** in the evidence document.

[1]

(b) The program stores the following string. The string has four statements that are each terminated by a semi-colon `';'`

`"x=0;y=1;x=x+y;y++;"`

(i) Write program code to amend the main program to store the string `"x=0;y=1;x=x+y;y++;"` in a local variable.

Save your program. Copy and paste the program code into part **3(b)(i)** in the evidence document.

[1]

(ii) The function `SplitData()` splits a string parameter into **four** individual lines of code.

The function creates an array of the strings where each line is stored in a new array element without the semi-colon.

The function returns the array of strings.

Do **not** use an inbuilt function to split the string.

Write program code for `SplitData()`

Save your program. Copy and paste the program code into part **3(b)(ii)** in the evidence document.

[6]

(iii) The main program needs to call `SplitData()` with the string from part **3(b)(i)**. The main program then needs to output each element from the returned array on a new line.

Write program code to amend the main program.

Save your program. Copy and paste the program code into part **3(b)(iii)** in the evidence document.

[2]

(iv) Test your program.

Take a screenshot of the output(s).

Save your program. Copy and paste the screenshot(s) into part **3(b)(iv)** in the evidence document.

[1]

© UCLES 2025