

## ✓ ¡Felicitaciones! ¡Aprobaste!

Calificación recibida 100 % Para Aprobar 80 % o más

Ir al siguiente elemento

### Week 4 Quiz

Calificación de la entrega más reciente: 100 %

1. Using Image Generator, how do you label images?

1 / 1 punto

- ☒ It's based on the directory the image is contained in
- ☐ TensorFlow figures it out from the contents
- ☐ It's based on the file name
- ☐ You have to manually do it

✓ Correcto

That's right! The directory of the image is the label.

2. What method on the Image Generator is used to normalize the image?

1 / 1 punto

- ☐ normalize
- ☒ rescale
- ☐ normalize\_image
- ☐ Rescale\_image

✓ Correcto

You've got it! This is the correct method for normalizing images.

3. How did we specify the training size for the images?

1 / 1 punto

- ☐ The training\_size parameter on the validation generator
- ☐ The target\_size parameter on the validation generator
- ☐ The training\_size parameter on the training generator
- ☒ The target\_size parameter on the training generator

✓ Correcto

Exactly! target\_size specifies the image training size

4. When we specify the input\_shape to be (300, 300, 3), what does that mean?

1 / 1 punto

- ☐ There will be 300 images, each size 300, loaded in batches of 3
- ☐ Every Image will be 300x300 pixels, and there should be 3 Convolutional Layers
- ☒ Every Image will be 300x300 pixels, with 3 bytes to define color

☐ There will be 300 horses and 300 humans, loaded in batches of 3

✓ **Correcto**

Nailed it! input\_shape specifies image resolution.

5. If your training data is close to 1.000 accuracy, but your validation data isn't, what's the risk here?

1 / 1 punto

- ☐ No risk, that's a great result
- ☐ You're overfitting on your validation data
- ☐ You're underfitting on your validation data
- ☒ You're overfitting on your training data

✓ **Correcto**

Great job! The analysis corresponds too closely to the training data, and may therefore fail to fit additional data.

6. Convolutional Neural Networks are better for classifying images like horses and humans because:

1 / 1 punto

✓ ☒ There's a wide variety of horses

✓ **Correcto**

Way to go! CNNs are better in this case as they are independent from prior knowledge and human intervention in feature extraction.

✓ ☒ In these images, the features may be in different parts of the frame

✓ **Correcto**

Correct! The receptive fields of different neurons partially overlap such that they cover the entire visual field.

✓ ☒ There's a wide variety of humans

✓ **Correcto**

You've got it! CNNs are better in this case as they are independent from prior knowledge and human intervention in feature extraction.

7. After reducing the size of the images, the training results were different. Why?

1 / 1 punto

- ☐ There was more condensed information in the images
- ☐ There was less information in the images
- ☐ The training was faster
- ☒ We removed some convolutions to handle the smaller images

✓ **Correcto**

Yes! Removing some convolutions modifies the training results.