

✓ **¡Felicitaciones! ¡Aprobaste!**

Calificación recibida **100 %** Para Aprobar 80 % o más

[Ir al siguiente elemento](#)

## Week 1 Quiz

Calificación de la entrega más reciente: 100 %

1. What is the name of the object used to tokenize sentences?

1 / 1 punto

- ☐ WordTokenizer
- ☒ Tokenizer
- ☐ TextTokenizer
- ☐ CharacterTokenizer

✓ **Correcto**

2. What is the name of the method used to tokenize a list of sentences?

1 / 1 punto

- ☐ tokenize(sentences)
- ☐ tokenize\_on\_text(sentences)
- ☒ fit\_on\_texts(sentences)
- ☐ fit\_to\_text(sentences)

✓ **Correcto**

3. Once you have the corpus tokenized, what's the method used to encode a list of sentences to use those tokens?

1 / 1 punto

- ☐ text\_to\_tokens(sentences)
- ☒ texts\_to\_sequences(sentences)
- ☐ texts\_to\_tokens(sentences)
- ☐ text\_to\_sequences(sentences)

✓ **Correcto**

4. When initializing the tokenizer, how to you specify a token to use for unknown words?

1 / 1 punto

- ☐ out\_of\_vocab=<Token>
- ☐ unknown\_word=<Token>
- ☒ oov\_token=<Token>
- ☐ unknown\_token=<Token>

✓ **Correcto**

5. If you don't use a token for out of vocabulary words, what happens at encoding?

1 / 1 punto

- ☒ The word isn't encoded, and is skipped in the sequence
- ☐ The word isn't encoded, and is replaced by a zero in the sequence
- ☐ The word isn't encoded, and the sequencing ends
- ☐ The word is replaced by the most common token

✓ Correcto

6. If you have a number of sequences of different lengths, how do you ensure that they are understood when fed into a neural network?

1 / 1 punto

- ☐ Make sure that they are all the same length using the pad\_sequences method of the tokenizer
- ☒ Use the pad\_sequences object from the tensorflow.keras.preprocessing.sequence namespace
- ☐ Process them on the input layer of the Neural Network using the pad\_sequences property
- ☐ Specify the input layer of the Neural Network to expect different sizes with dynamic\_length

✓ Correcto

7. If you have a number of sequences of different length, and call pad\_sequences on them, what's the default result?

1 / 1 punto

- ☐ Nothing, they'll remain unchanged
- ☐ They'll get padded to the length of the longest sequence by adding zeros to the end of shorter ones
- ☒ They'll get padded to the length of the longest sequence by adding zeros to the beginning of shorter ones
- ☐ They'll get cropped to the length of the shortest sequence

✓ Correcto

8. When padding sequences, if you want the padding to be at the end of the sequence, how do you do it?

1 / 1 punto

- ☒ Pass padding='post' to pad\_sequences when initializing it
- ☐ Call the padding method of the pad\_sequences object, passing it 'post'
- ☐ Pass padding='after' to pad\_sequences when initializing it
- ☐ Call the padding method of the pad\_sequences object, passing it 'after'

✓ Correcto