Homework 1

September 10, 2021

Jose Carlos Munoz

Part1)

1)

It is given that the Data set is set up as D.

$$D = \begin{bmatrix} 19 & 12 \\ 22 & 6 \\ 6 & 9 \\ 3 & 15 \\ 2 & 13 \\ 20 & 5 \end{bmatrix}$$

To center it, μ must be found for both attributs and subtracted from D.

$$\mu_1 = (19 + 22 + 6 + 3 + 2 + 10)/60$$

$$= 12$$

$$\mu_2 = (12 + 6 + 9 + 15 + 13 + 5)/60$$

$$= 10$$

Once found, $\bar{D} = D - \mathbf{1} * \mu$

$$\bar{D} = \begin{bmatrix} 19 & 12 \\ 22 & 6 \\ 6 & 9 \\ 3 & 15 \\ 2 & 13 \\ 20 & 5 \end{bmatrix} - \begin{bmatrix} 12 & 10 \\ 12 & 10 \\ 12 & 10 \\ 12 & 10 \\ 12 & 10 \end{bmatrix}$$

$$\bar{D} = \begin{bmatrix} 7 & 2 \\ 10 & -4 \\ -6 & -1 \\ -9 & 5 \\ -10 & 3 \\ 8 & -5 \end{bmatrix}$$

2)

Finding the Covariance of a centerd matrix is $C_x = \frac{1}{n-1} * \bar{D}^T * \bar{D}$. Where n is the number of objects in the matrix.

$$C_{x} = \frac{1}{6-1} * \begin{bmatrix} 7 & 10 & -6 & -9 & -10 & 8 \\ 2 & -4 & -1 & 5 & 3 & -5 \end{bmatrix} * \begin{bmatrix} 7 & 2 \\ 10 & -4 \\ -6 & -1 \\ -9 & 5 \\ -10 & 3 \\ 8 & -5 \end{bmatrix}$$

$$C_{x} = \frac{1}{5} * \begin{bmatrix} 430 & -135 \\ -135 & 80 \end{bmatrix}$$

$$C_{x} = \begin{bmatrix} 86 & -27 \\ -27 & 16 \end{bmatrix}$$

3) To find the characteristics poolynomials we have to take the determinate of the Covariance minus the eigen values. $det(C_x - \lambda * 1)$

$$det(\begin{bmatrix} 86 & -27 \\ -27 & 16 \end{bmatrix} - \begin{bmatrix} \lambda & 0 \\ 0 & \lambda \end{bmatrix}) = 0$$
$$det(\begin{bmatrix} 86 - \lambda & -27 \\ -27 & 16 - \lambda \end{bmatrix}) = 0$$
$$(86 - \lambda)(16 - \lambda) - (-27)(-27) = 0$$
$$1376 - 102\lambda + \lambda^2 - 729 = 0$$
$$\lambda^2 - 102\lambda + 647 = 0$$

From the polynomial $\lambda^2 - 102\lambda + 647$, the components a, b and c are 1,-102, and 647 respectively. To find the Eigen Values, we find the root of the polynomials. Which can be done with the quadratic equation. Giving us 2 roots; $\lambda_1 = 95.204072$ and $\lambda_2 = 6.795928$.