

# OpenAPI definition

## API and SDK Documentation

Version: v0

No description provided (generated by Swagger Codegen <https://github.com/swagger-api/swagger-codegen>)

## AuthController

### login

Authenticates a user and returns a token.

POST

/auth/login

#### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\
-H "Accept: */*\\"
-H "Content-Type: application/json"\
"http://localhost:1234/auth/login"
```

#### Parameters

Body parameters

Name	Description
body *	<div>▼ { }</div> <div>username: string</div> <div>password: string</div> <div>}</div>

#### Responses

Status: 200 - Login successful.

Schema

▼ { }

token: string

}

# logout

Logs out the current user session.

POST

/auth/logout

## Usage and SDK Samples

Curl   Java   Android   Obj-C   JavaScript   C#   PHP   Perl   Python

```
curl -X POST\
-H "Accept: */*"\"
"http://localhost:1234/auth/logout"
```

## Parameters

## Responses

Status: 200 - OK

Schema
string

# register

Registers a new user account.

POST

/auth/register

## Usage and SDK Samples

Curl   Java   Android   Obj-C   JavaScript   C#   PHP   Perl   Python

```
curl -X POST\
-H "Accept: */*"\"
-H "Content-Type: application/json\"
"http://localhost:1234/auth/register"
```

## Parameters

Body parameters

Name	Description
------	-------------

body *	<div>▼ { }</div> <div>username: string</div> <div>password: string</div> <div>email: string</div> <div>first_name: string</div> <div>last_name: string</div> <div>birthdate: ▼ { } string (date)</div> <div>}</div>
--------	---

Responses

Status: 200 - User registered successfully.

Schema	<div>▼ { }</div> <div>token: string</div> <div>}</div>
--------	--

validateToken

Validates an authentication token.

POST
/auth/validate

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
curl -X POST\ -H "Accept: */*"\ "http://localhost:1234/auth/validate"								

Parameters

Responses

Status: 200 - OK

Schema	<div>▼ { }</div> <div>}</div>
--------	-------------------------------

# CommentController

## deleteComment

DELETE

```
/api/comments/deleteComment/{id}
```

### Usage and SDK Samples

Curl    Java    Android    Obj-C    JavaScript    C#    PHP    Perl    Python

```
curl -X DELETE \
"http://localhost:1234/api/comments/deleteComment/{id}"
```

### Parameters

Path parameters

Name	Description
id*	Long (int64) Required

### Responses

Status: 200 - OK

## getCommentsByPost

GET

```
/api/comments/getByPost/{postId}
```

### Usage and SDK Samples

Curl    Java    Android    Obj-C    JavaScript    C#    PHP    Perl    Python

```
curl -X GET \
-H "Accept: */*" \
"http://localhost:1234/api/comments/getByPost/{postId}"
```

### Parameters

Path parameters

Name	Description
------	-------------

postId*	Long (int64) Required
---------	--------------------------

Responses

Status: 200 - OK

Schema

getUserByCommentId

GET

/api/comments/userByCommentId/{id}
------------------------------------

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
------	------	---------	-------	------------	----	-----	------	--------

curl -X GET\ -H "Accept: */*"\ "http://localhost:1234/api/comments/userByCommentId/{id}"
--

Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Responses

Status: 200 - OK

Schema

postComment

POST

/api/comments/postComment/{post_id}/{user_id}/{comment_text}
--

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: */*"\  
"http://localhost:1234/api/comments/postComment/{post_id}/{user_id}/{comment_text}"
```

Parameters

Path parameters

Name	Description
post_id*	Long (int64) Required
user_id*	Long (int64) Required
comment_text*	String Required

Responses

Status: 200 - OK

Schema

# FollowController

## addFollow

POST

/api/follows/follow/{id\_og}/{id\_view}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
"http://localhost:1234/api/follows/follow/{id_og}/{id_view}"
```

Parameters

Path parameters

Name	Description
id_og*	Long (int64) Required

id_view*	Long (int64) Required
----------	--------------------------

Responses

Status: 200 - OK

deleteFollow

DELETE

```
/api/follows/unfollow/{id_og}/{id_view}
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X DELETE\  
"http://localhost:1234/api/follows/unfollow/{id_og}/{id_view}"
```

Parameters

Path parameters

Name	Description
id_og*	Long (int64) Required
id_view*	Long (int64) Required

Responses

Status: 200 - OK

isFollowed

GET

```
/api/follows/isFollowed/{id_og}/{id_view}
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/follows/isFollowed/{id_og}/{id_view}"
```

Parameters

Path parameters

Name	Description
id_og*	Long (int64) Required
id_view*	Long (int64) Required

Responses

Status: 200 - OK

Schema
boolean

ImageController

validateImage

GET

/validate-image
-----------------

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
<pre>curl -X GET\ -H "Accept: */*" "http://localhost:1234/validate-image?url="</pre>								

Parameters

Query parameters

Name	Description
url*	String Required

Responses

Status: 200 - OK

Schema
--------



boolean

# LikeController

## addLikeByPostId

POST

/api/likes/add/{id\_post}/{user\_id}

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST \
"http://localhost:1234/api/likes/add/{id_post}/{user_id}"
```

### Parameters

Path parameters

Name	Description
id_post*	Long (int64) Required
user_id*	Long (int64) Required

### Responses

Status: 200 - OK

## deleteLikeByPostId

DELETE

/api/likes/delete/{id\_post}/{user\_id}

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X DELETE\  
"http://localhost:1234/api/likes/delete/{id_post}/{user_id}"
```

Parameters

Path parameters

Name	Description
id_post*	Long (int64) Required
user_id*	Long (int64) Required

Responses

Status: 200 - OK

userHaveLiked

GET

```
/api/likes/userHaveLiked/{id_post}/{user_id}
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/likes/userHaveLiked/{id_post}/{user_id}"
```

Parameters

Path parameters

Name	Description
id_post*	Long (int64) Required
user_id*	Long (int64) Required

Responses

Status: 200 - OK

Schema
boolean

# NotificationController

## getNotifications

GET

/api/notifications/getAll

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/notifications/getAll"
```

### Parameters

### Responses

Status: 200 - OK

Schema

## getNotificationsByUser

GET

/api/notifications/getByUser/{id}

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/notifications/getByUser/{id}"
```

### Parameters

Path parameters

Name	Description
------	-------------

id*	Long (int64) Required
-----	--------------------------

Responses

Status: 200 - OK

Schema

getUserOriginalByNotification

GET

/api/notifications/getUserByNotification/{id}
---

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
<pre>curl -X GET\ -H "Accept: */*"\" "http://localhost:1234/api/notifications/getUserByNotification/{id}"</pre>								

Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Responses

Status: 200 - OK

Schema

markNotificationAsRead

Marks a notification as read by its ID.

PUT

/api/notifications/markAsRead/{id}
------------------------------------

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT\  
"http://localhost:1234/api/notifications/markAsRead/{id}"
```

Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Responses

Status: 200 - Notification marked as read.

notifyMentions

POST

```
/api/notifications/notify-mentions
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:1234/api/notifications/notify-mentions"
```

Parameters

Body parameters

Name	Description
body *	<div>▼ { }</div> <div>comment_id: ▼ integer (int64)</div> <div>post_id: ▼ integer (int64)</div> <div>commenter_id: ▼ integer (int64)</div> <div>mentioned_users: ▼ [ string ]</div> <div>}</div>

Responses

Status: 200 - OK

Schema

```
▼ {  
}
```

# PostController

## assignTagsToPost

POST

/api/posts/{postId}/tags

### Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:1234/api/posts/{postId}/tags"
```

### Parameters

Path parameters

Name	Description
postId*	Long (int64) Required

Body parameters

Name	Description
body *	▼ [ string ]

### Responses

Status: 200 - OK

Schema

## createPost

POST

/api/posts/createPost

Usage and SDK Samples

Curl    Java    Android    Obj-C    JavaScript    C#    PHP    Perl    Python

```
curl -X POST\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:1234/api/posts/createPost"
```

Parameters

Body parameters

Name	Description
body *	<div><div>▼ { }</div><div><div>user_id: ▼ integer (int64)</div><div>title: string</div><div>content: string</div><div>img_url: string</div></div></div>

Responses

Status: 200 - OK

Schema

getAllPosts

GET

/api/posts/getPosts

Usage and SDK Samples

Curl    Java    Android    Obj-C    JavaScript    C#    PHP    Perl    Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/posts/getPosts"
```

Parameters

Responses

Status: 200 - OK

Schema

getAllPostsByDateAndFollow

GET

/api/posts/getPostsByDate/{user\_id}

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: */*"\"
"http://localhost:1234/api/posts/getPostsByDate/{user_id}"
```

Parameters

Path parameters

Name	Description
user_id*	Long (int64) Required

Responses

Status: 200 - OK

Schema

getAllPostsByInteractions

GET

/api/posts/getPostsByInteractions/{id}

Usage and SDK Samples



CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X GET\  
-H "Accept: \*/\*"\  
"http://localhost:1234/api/posts/getPostsByInteractions/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Responses

Status: 200 - OK

Schema

getPostById

GET

/api/posts/getPost/{id}

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X GET\  
-H "Accept: \*/\*"\  
"http://localhost:1234/api/posts/getPost/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Responses

Status: 200 - OK

Schema

# getUserByPost

GET

/api/posts/getUserByPost/{id}

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/posts/getUserByPost/{id}"
```

## Parameters

Path parameters

Name	Description
id*	Long (int64) Required

## Responses

Status: 200 - OK

Schema

# updatePost

Updates an existing post by ID.

PUT

/api/posts/update/{id}

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT\  
-H "Accept: */*"\  
-H "Content-Type: application/json"\  
"http://localhost:1234/api/posts/update/{id}"
```

## Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Body parameters

Name	Description
body *	<div>▼ { }</div> <div><div>title: string</div><div>content: string</div><div>img_url: string</div></div> <div>}</div>

Responses

Status: 200 - Post updated successfully.

Schema

updatePost1

DELETE

/api/posts/delete/{id}
------------------------

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
<pre>curl -X DELETE\ "http://localhost:1234/api/posts/delete/{id}"</pre>								

Parameters

Path parameters

Name	Description
id*	Long (int64) Required

Responses

Status: 200 - OK

ProfileController

# updateProfile

Updates the user's profile information.

PUT

/api/profile

## Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

```
curl -X PUT \
-H "Accept: */*" \
-H "Content-Type: application/json" \
"http://localhost:1234/api/profile"
```

## Parameters

Body parameters

Name	Description
body *	<div><div>▼ { }</div><div><div>userId: ▼ integer (int64)</div><div>name: string</div><div>lastname: string</div><div>bio: string</div><div>profilePhotoUrl: string</div><div>phoneNumber: string</div></div></div>

## Responses

Status: 200 - Successfully updated profile.

Schema

# UserController

## getFollowers

GET

/api/user/followers

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/user/followers"
```

Parameters

Responses

Status: 200 - OK

Schema

▼ { }

getFollows

GET

```
/api/user/follows
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/user/follows"
```

Parameters

Responses

Status: 200 - OK

Schema

▼ { }

getUser

GET

/api/user/getUser/{id}

### Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/user/getUser/{id}"
```

### Parameters

Path parameters

Name	Description
id*	Long (int64) Required

### Responses

Status: 200 - OK

Schema

## getUserByUsername

GET

/api/user/getUser

### Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/user/getUser?username="
```

### Parameters

Query parameters

Name	Description
username*	String Required

### Responses

Status: 200 - OK

Schema

# getUserInfo

GET

/api/user/me

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/user/me"
```

## Parameters

## Responses

Status: 200 - OK

Schema

▼ { }

# searchUsers

GET

/api/user/search

## Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\  
-H "Accept: */*"\  
"http://localhost:1234/api/user/search?username="
```

## Parameters

Query parameters

Name	Description
username*	String Required

Responses

Status: 200 - OK

Schema	
--------	--

Suggestions, contact, support and error reporting;

Information URL: <https://helloeverb.com> (<https://helloeverb.com>)

Contact Info: [hello@helloeverb.com](mailto:hello@helloeverb.com) ([hello@helloeverb.com](mailto:hello@helloeverb.com))

All rights reserved

<http://apache.org/licenses/LICENSE-2.0.html>