



INSIGHTS REPORT

Application: [jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M=](#)

Analysis label: Defensoria-Quejoso

Analysis date: 2026/05/06 09:30

Report date: 2026/05/06 01:40

Filter Query:



TABLE OF CONTENTS

Included
in this
report

COMPONENT INVENTORY

Security, Licensing and Obsolescence Overview

SECURITY

- Critical Severity Vulnerabilities
- High Severity Vulnerabilities
- Medium Severity Vulnerabilities
- Low Severity Vulnerabilities
- Critical Security Risk Components
- High Security Risk Components
- Medium Security Risk Components
- Low Security Risk Components
- None Security Risk Components

OBSOLESCENCE

- High Obsolescence Risk Components
- Medium Obsolescence Risk Components
- Low Obsolescence Risk Components
- Unknown Obsolescence Risk Components

LICENSES

- High Risk Licenses
- None Risk Licenses
- Unknown Risk Licenses



COMPONENT INVENTORY

Kiuwan Insight analyzes your application software, discovering all external dependencies, and builds a **Component Inventory** that lets you track any external component that could be part of your application.

Kiuwan Insights comes to answer all your questions by providing:

- A complete **Component Inventory** of 3rd party components used by your applications.
- Detailed information on **Security, Obsolescence and Licensing** aspects of those components.

A total of **73 components** have been found in the analysis.

- **0 component(s) duplicated** (i.e. different versions for the same component are being used in the same application).

Distribution by programming languages is as follows:





SECURITY, LICENSING & OBSOLESCENCE OVERVIEW

SECURITY

A total of **0 vulnerabilities** have been found in the analysis.

- **0 Critical Security Risk** (CVSS).
- **0 High Security Risk** (CVSS).
- 0 High and Critical Exploitability.
- 0 High and Critical Impact.


CVSS Base
Score
Exploitability
Subscore
Impact
Subscore

[See security section for explanation of security risk, exploitability and impact metrics.](#)

LICENSING

A total of **15 licenses** have been found in the analysis.

- **3** belongs to categories that have some licensing implications to be considered:
 - 3 Copyleft.
 - 0 Copyrighted.
 - 0 Proprietary.




[See licenses section for explanation of licenses.](#)

OBSOLESCENCE

A total of **0** components present **High Obsolescence** values, deserving special attention the following:

- **0** components are **Out of Date** (i.e. are using quite old versions).
- **0** components have **High Time Inactivity** (i.e. seem to be 'dead').



[See obsolescence section for explanation of obsolescence risk and associated metrics.](#)



SECURITY

For every external component found in your application, Kiuwan Insights show known vulnerabilities.

The severity of a vulnerability is based on **CVSS Base**

Score (<https://www.first.org/cvss/v2/guide>, <https://www.first.org/cvss/v3.0/specification-document>).

CVSS Base Score is based on two main characteristics (modeled as **Subscores**) of any vulnerability.

- **Exploitability Subscore**: degree of difficulty to access and exploit the vulnerability.
- **Impact Subscore**: if exploited, how important would be the consequences.

Exploitability and Impact subscores are calculated from their associated metrics. ([see next page for explanation](#))

In the security section you can find:

- **High-Severity Vulnerabilities**: found during Insight analysis. A complete listing of all the found vulnerabilities is available at Appendix-1 Complete list of vulnerabilities.
- **Components with High Security Risk**: a complete listing of all the Components is available at Appendix-1 Complete list of components.

A total of **0 vulnerabilities** have been found in the analysis according to CVSS Base Score.

- **0 Critical Security Risk** (CVSS).
- **0 High Security Risk** (CVSS).
- 0 High and Critical Exploitability.
- 0 High and Critical Impact.

CVSS Base
Score
Exploitability
Subscore
Impact
Subscore



SECURITY: UNDERSTANDING CVSS V2 METRICS

Exploitability metrics

• Attack Vector (AV):

- This metric reflects the level of "proximity" the attacker needs to obtain to the system in order to exploit the vulnerability. The more remote an attacker can exploit the vulnerability, the more vulnerable the system is.
- Values : Local - Adjacent - Network (L / A / N).

• Access Complexity (AC):

- Once the target system is reached, this metric reflects the complexity required to exploit the vulnerability (relative to the existence of "barrier conditions"). The easier to exploit the vulnerability, the more vulnerable the system is.
- Values : Low – Medium – High (L / M / H).

• Authentication (Au):

- This metric reflects the number of time the attacked needs to authenticate before being able to exploit the vulnerability. The less times he needs, the more vulnerable the system is.
- Values : Multiple – Single – None (M / S / N).

Impact metrics

• Confidentiality Impact (C):

- This metric reflects the degree in which the vulnerability can read system data and produce confidential information disclosure to non-authorized users.
- Values : None - Partial - Complete (N / P / C).

• Integrity Impact (I):

- This metric reflects the degree in which the vulnerability allows the attacker to modify existing system data, compromising the trust and veracity of data.
- Values : None - Partial - Complete (N / P / C).

• Availability Impact (A):

- This metric reflects the degree in which the vulnerability affects the availability and use of the system.
- Values : None - Partial - Complete (N / P / C).

Values of above metrics are combined to calculate CVSS v2 Base Score and Exploitability / Impact Subscore.
Reference: <https://nvd.nist.gov/vuln-metrics/cvss/v2-calculator>



SECURITY: UNDERSTANDING CVSS V3 METRICS

Exploitability metrics

• Attack Vector (AV):

- This metric reflects the level of “proximity” the attacker needs to obtain to the system in order to exploit the vulnerability. The more remote an attacker can exploit the vulnerability, the more vulnerable the system is.
- Values : Local - Adjacent - Network - Physical (L / A / N / P).

• Attack Complexity (AC):

- Once the target system is reached, this metric reflects the complexity required to exploit the vulnerability (relative to the existence of “barrier conditions”). The easier to exploit the vulnerability, the more vulnerable the system is.
- Values : Low – High (L / H).

• Privileges Required (PR):

- This metric describes the level of privileges an attacker must possess before successfully exploiting the vulnerability. The less privileges he needs, the more vulnerable the system is.
- Values : High – Low – None (H / L / N).

• User Interaction (UI):

- This metric determines whether the vulnerability can be exploited solely by the attacker or whether a separate user must participate in some manner. No user interaction leads to higher vulnerability.
- Values : Required – None (R / N).

Impact metrics

• Confidentiality Impact (C):

- This metric reflects the degree in which the vulnerability can read system data and produce confidential information disclosure to non-authorized users.
- Values : None - Low - High (N / L / H).

• Integrity Impact (I):

- This metric reflects the degree in which the vulnerability allows the attacker to modify existing system data, compromising the trust and veracity of data.
- Values : None - Low - High (N / L / H).

• Availability Impact (A):

- This metric reflects the degree in which the vulnerability affects the availability and use of the system.
- Values : None - Low - High (N / L / H).

Scope (S)

- The Scope metric captures whether a vulnerability in one vulnerable component impacts resources in components beyond its security scope. Scope change leads to higher vulnerability.
- Values : Unchanged – Changed (U / C).

Values of above metrics are combined to calculate CVSS v3 Base Score and Exploitability / Impact Subscore.

Reference: <https://nvd.nist.gov/vuln-metrics/cvss/v3-calculator>



SECURITY: UNDERSTANDING CVSS V2 METRICS

Values of above metrics are combined to calculate CVSS v2 Base Score and Exploitability / Impact Subscore.

Reference: <https://nvd.nist.gov/vuln-metrics/cvss/v2-calculator>

Detailed information on CVSS v2 Base Score and Exploitability / Impact Subscore of High Severity Vulnerabilities found in the analysis of app jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= follows.

Base Score, as well as Exploitability and Impact subscores, are displayed as a numeric range from 0 to 10, with associated color based on its importance ("the higher the worst").

CVSS v2 Base Score: 7.5

Vector: AV:N/AC:L/Au:N/C:P/I:P/A:P

Exploitability Metrics: 10

Attack Vector (AV)

Local (AV:L) Adjacent Network (AV:A) **Network (AV:N)**

Access Complexity (AC)

High (AC:H) Medium (AC:M) **Low (AC:L)**

Authentication (Au)

Multiple (Au:M) Single (Au:S) **None (Au:N)**

Impact Metrics: 6.4

Confidentiality Impact (C)

None (C:N) **Partial (C:P)** Complete (C:C)

Integrity Impact (I)

None (I:N) **Partial (I:P)** Complete (I:C)

Availability Impact (A)

None (A:N) **Partial (A:P)** Complete (A:C)

CVSS v2 Scores

Value	Label
[0 , 4]	Low
(4 , 7]	Medium
(7 , 10]	High



SECURITY: UNDERSTANDING CVSS V3 METRICS

Values of above metrics are combined to calculate CVSS v3 Base Score and Exploitability / Impact Subscore.

Reference: <https://nvd.nist.gov/vuln-metrics/cvss/v3-calculator>

Detailed information on CVSS v3 Base Score and Exploitability / Impact Subscore of Critical Severity Vulnerabilities found in the analysis of app jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= follows.

Base Score, as well as Exploitability and Impact subscores, are displayed as a numeric range from 0 to 10, with associated color based on its importance ("the higher the worst").

CVSS v3 Base Score: 9.8

Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Exploitability Metrics: 3.9

Attack Vector (AV)

Network (AV:N) Adjacent Network (AV:A) Local (AV:L) Physical (AV:P) **None (C:N)** Low (C:L) **High (C:H)**

Attack Complexity (AC)

Low (AC:L) High (AC:H)

Privileges Required (PR)

None (PR:N) Low (PR:L) High (PR:H)

User Interaction (UI)

None (UI:N) Required (UI:R)

Scope (S)

Unchanged (S:U) Changed (S:C)

Impact Metrics: 5.9

Confidentiality Impact (C)

None (C:N) Low (C:L) **High (C:H)**

Integrity Impact (I)

None (I:N) Low (I:L) **High (I:H)**

Availability Impact (A)

None (A:N) Low (A:L) **High (A:H)**

CVSS v3 Scores

Value	Label
0	None
(0 , 4)	Low
[4 , 7)	Medium
[7 , 9)	High
[9 , 10]	Critical



CRITICAL SEVERITY VULNERABILITIES

A total of **0 vulnerabilities** have been found:

- **0** are considered as **Critical-severity** vulnerabilities.
- **0** are **new** (i.e. they were not present in the moment of the analysis because they are being introduced later on).

The most severe vulnerabilities found in the components used by your application are listed below.



HIGH SEVERITY VULNERABILITIES

A total of **0 vulnerabilities** have been found:

- **0** are considered as **High-severity** vulnerabilities.
- **0** are **new** (i.e. they were not present in the moment of the analysis because they are being introduced later on).

The most severe vulnerabilities found in the components used by your application are listed below.



MEDIUM SEVERITY VULNERABILITIES

A total of **0 vulnerabilities** have been found:

- **0** are considered as **Medium-severity** vulnerabilities.
- **0** are **new** (i.e. they were not present in the moment of the analysis because they are being introduced later on).

The most severe vulnerabilities found in the components used by your application are listed below.



LOW SEVERITY VULNERABILITIES

A total of **0 vulnerabilities** have been found:

- **0** are considered as **Low-severity** vulnerabilities.
- **0** are **new** (i.e. they were not present in the moment of the analysis because they are being introduced later on).

The most severe vulnerabilities found in the components used by your application are listed below.



CRITICAL SECURITY RISK COMPONENTS

A component Security Risk is based on CVSS v2 and CVSS v3 Base Scores (Severities) of its vulnerabilities:

- If the selected component has more than one vulnerability:
 - Kiuwan will label the component with the highest severity value of all the vulnerabilities of the component.
- If the selected component has only one vulnerability:
 - The Severity of that vulnerability will be the Security Risk of the component.

A total of **0 Components** have been found with **Critical Security Risk**.



HIGH SECURITY RISK COMPONENTS

A component Security Risk is based on CVSS v2 and CVSS v3 Base Scores (Severities) of its vulnerabilities:

- If the selected component has more than one vulnerability:
 - Kiuwan will label the component with the highest severity value of all the vulnerabilities of the component.
- If the selected component has only one vulnerability:
 - The Severity of that vulnerability will be the Security Risk of the component.

A total of **0 Components** have been found with **High Security Risk**.



MEDIUM SECURITY RISK COMPONENTS

A component Security Risk is based on CVSS v2 and CVSS v3 Base Scores (Severities) of its vulnerabilities:

- If the selected component has more than one vulnerability:
 - Kiuwan will label the component with the highest severity value of all the vulnerabilities of the component.
- If the selected component has only one vulnerability:
 - The Severity of that vulnerability will be the Security Risk of the component.

A total of **0 Components** have been found with **Medium Security Risk**.



LOW SECURITY RISK COMPONENTS

A component Security Risk is based on CVSS v2 and CVSS v3 Base Scores (Severities) of its vulnerabilities:

- If the selected component has more than one vulnerability:
 - Kiuwan will label the component with the highest severity value of all the vulnerabilities of the component.
- If the selected component has only one vulnerability:
 - The Severity of that vulnerability will be the Security Risk of the component.

A total of **0 Components** have been found with **Low Security Risk**.



NONE SECURITY RISK COMPONENTS

A component Security Risk is based on CVSS v2 and CVSS v3 Base Scores (Severities) of its vulnerabilities:

- If the selected component has more than one vulnerability:
 - Kiuwan will label the component with the highest severity value of all the vulnerabilities of the component.
- If the selected component has only one vulnerability:
 - The Severity of that vulnerability will be the Security Risk of the component.

A total of **73 Components** have been found with **None Security Risk**.

COMPONENT	VERSION	FILENAME	LANGUAGE	OBSOLESCENCE RISK	LICENSE RISK	SECURITY RISK
org.eclipse.angus:angus-activation	2.0.2	angus-activation-2.0.2.jar	Java	Low	None	None
organtlr:antlr4-runtime	4.13.0	antlr4-runtime-4.13.0.jar	Java	Low	None	None
org.aspectj:aspectjweaver	1.9.24	aspectjweaver-1.9.24.jar	Java	Low	None	None
net.bytebuddy:byte-buddy	1.15.11	byte-buddy-1.15.11.jar	Java	Low	None	None
com.fasterxml:classmate	1.7.0	classmate-1.7.0.jar	Java	Low	None	None
com.h2database:h2	2.3.232	h2-2.3.232.jar	Java	Low	None	None
org.hibernate.common:hibernate-commons-annotations	7.0.3.Final	hibernate-commons-annotations-7.0.3.Final.jar	Java	Low	None	None
org.hibernate.orm:hibernate-core	6.6.13.Final	hibernate-core-6.6.13.Final.jar	Java	Low	None	None
com.zaxxer:HikariCP	5.1.0	HikariCP-5.1.0.jar	Java	Low	None	None
com.sun.istack:istack-commons-runtime	4.1.2	istack-commons-runtime-4.1.2.jar	Java	Low	None	None

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 19

KIUWAN
REPORT

				Low	None	None
com.fasterxml.jackson.core:jackson-annotations	2.18.3	jackson-annotations-2.18.3.jar	Java	Low	None	None
com.fasterxml.jackson.core:jackson-core	2.18.3	jackson-core-2.18.3.jar	Java	Low	None	None
com.fasterxml.jackson.core:jackson-databind	2.18.3	jackson-databind-2.18.3.jar	Java	Low	None	None
com.fasterxml.jackson.datatype:jackson-datatype-jdk8	2.18.3	jackson-datatype-jdk8-2.18.3.jar	Java	Low	None	None
com.fasterxml.jackson.datatype:jackson-datatype-jsr310	2.18.3	jackson-datatype-jsr310-2.18.3.jar	Java	Low	None	None
com.fasterxml.jackson.module:jackson-module-parameter-names	2.18.3	jackson-module-parameter-names-2.18.3.jar	Java	Low	None	None
jakarta.activation:jakarta.activation-api	2.1.3	jakarta.activation-api-2.1.3.jar	Java	Low	None	None
jakarta.annotation:jakarta.annotation-api	2.1.1	jakarta.annotation-api-2.1.1.jar	Java	Low	High	None
jakarta.inject:jakarta.inject-api	2.0.1	jakarta.inject-api-2.0.1.jar	Java	Medium	None	None
org.eclipse.angus:jakarta.mail	2.0.3	jakarta.mail-2.0.3.jar	Java	Low	High	None
jakarta.persistence:jakarta.persistence-api	3.1.0	jakarta.persistence-api-3.1.0.jar	Java	Medium	None	None
jakarta.transaction:jakarta.transaction-api	2.0.1	jakarta.transaction-api-2.0.1.jar	Java	Medium	High	None
jakarta.xml.bind:jakarta.xml.bind-api	4.0.2	jakarta.xml.bind-api-4.0.2.jar	Java	Low	None	None
io.smallrye:jandex	3.2.0	jandex-3.2.0.jar	Java	Low	None	None
org.glassfish.jaxb:jaxb-core	4.0.5	jaxb-core-4.0.5.jar	Java	Low	None	None
org.glassfish.jaxb:jaxb-runtime	4.0.5	jaxb-runtime-4.0.5.jar	Java	Low	None	None
org.jboss.logging:jboss-logging	3.6.1.Final	jboss-logging-3.6.1.Final.jar	Java	Low	None	None
io.jsonwebtoken:jjwt-api	0.11.5	jjwt-api-0.11.5.jar	Java	Medium	None	None
io.jsonwebtoken:jjwt-impl	0.11.5	jjwt-impl-0.11.5.jar	Java	Medium	None	None

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 20

KIUWAN
REPORT

io.jsonwebtoken:jjwt-jackson	0.11.5	jjwt-jackson-0.11.5.jar	Java	Medium	None	None
org.slf4j:jul-to-slf4j	2.0.17	jul-to-slf4j-2.0.17.jar	Java	Unknown	None	None
org.apache.logging.log4j:log4j-api	2.24.3	log4j-api-2.24.3.jar	Java	Unknown	None	None
org.apache.logging.log4j:log4j-to-slf4j	2.24.3	log4j-to-slf4j-2.24.3.jar	Java	Unknown	None	None
ch.qos.logback:logback-classic	1.5.18	logback-classic-1.5.18.jar	Java	Low	None	None
ch.qos.logback:logback-core	1.5.18	logback-core-1.5.18.jar	Java	Low	None	None
io.micrometer:micrometer-commons	1.14.6	micrometer-commons-1.14.6.jar	Java	Low	None	None
io.micrometer:micrometer-observation	1.14.6	micrometer-observation-1.14.6.jar	Java	Low	None	None
org.slf4j:slf4j-api	2.0.17	slf4j-api-2.0.17.jar	Java	Unknown	None	None
org.yaml:snakeyaml	2.3	snakeyaml-2.3.jar	Java	Low	None	None
org.springframework:spring-aop	6.2.6	spring-aop-6.2.6.jar	Java	Low	None	None
org.springframework:spring-aspects	6.2.6	spring-aspects-6.2.6.jar	Java	Low	None	None
org.springframework:spring-beans	6.2.6	spring-beans-6.2.6.jar	Java	Low	None	None
org.springframework.boot:spring-boot	3.4.5	spring-boot-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-autoconfigure	3.4.5	spring-boot-autoconfigure-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter	3.4.5	spring-boot-starter-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-data-jpa	3.4.5	spring-boot-starter-data-jpa-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-jdbc	3.4.5	spring-boot-starter-jdbc-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-json	3.4.5	spring-boot-starter-json-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-logging	3.4.5	spring-boot-starter-logging-3.4.5.jar	Java	Low	None	None

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 21

KIUWAN
REPORT

org.springframework.boot:spring-boot-starter-mail	3.4.5	spring-boot-starter-mail-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-security	3.4.5	spring-boot-starter-security-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-tomcat	3.4.5	spring-boot-starter-tomcat-3.4.5.jar	Java	Low	None	None
org.springframework.boot:spring-boot-starter-web	3.4.5	spring-boot-starter-web-3.4.5.jar	Java	Low	None	None
org.springframework:spring-context	6.2.6	spring-context-6.2.6.jar	Java	Low	None	None
org.springframework:spring-context-support	6.2.6	spring-context-support-6.2.6.jar	Java	Low	None	None
org.springframework:spring-core	6.2.6	spring-core-6.2.6.jar	Java	Low	None	None
org.springframework.data:spring-data-commons	3.4.5	spring-data-commons-3.4.5.jar	Java	Low	None	None
org.springframework.data:spring-data-jpa	3.4.5	spring-data-jpa-3.4.5.jar	Java	Low	None	None
org.springframework:spring-expression	6.2.6	spring-expression-6.2.6.jar	Java	Low	None	None
org.springframework:spring-jcl	6.2.6	spring-jcl-6.2.6.jar	Java	Low	None	None
org.springframework:spring-jdbc	6.2.6	spring-jdbc-6.2.6.jar	Java	Low	None	None
org.springframework:spring-orm	6.2.6	spring-orm-6.2.6.jar	Java	Low	None	None
org.springframework.security:spring-security-config	6.4.5	spring-security-config-6.4.5.jar	Java	Low	None	None
org.springframework.security:spring-security-core	6.4.5	spring-security-core-6.4.5.jar	Java	Low	None	None
org.springframework.security:spring-security-crypto	6.4.5	spring-security-crypto-6.4.5.jar	Java	Low	None	None
org.springframework.security:spring-security-web	6.4.5	spring-security-web-6.4.5.jar	Java	Low	None	None
org.springframework:spring-tx	6.2.6	spring-tx-6.2.6.jar	Java	Low	None	None
org.springframework:spring-web	6.2.6	spring-web-6.2.6.jar	Java	Low	None	None
org.springframework:spring-webmvc	6.2.6	spring-webmvc-6.2.6.jar	Java	Low	None	None

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 22

KIUWAN
REPORT

org.apache.tomcat.embed:tomcat-embed-core	10.1.40	tomcat-embed-core-10.1.40.jar	Java	Low	None	None
org.apache.tomcat.embed:tomcat-embed-el	10.1.40	tomcat-embed-el-10.1.40.jar	Java	Low	None	None
org.apache.tomcat.embed:tomcat-embed-websocket	10.1.40	tomcat-embed-websocket-10.1.40.jar	Java	Low	None	None
org.glassfish.jaxb:txw2	4.0.5	txw2-4.0.5.jar	Java	Low	None	None



OBSOLESCENCE

Kiuwan Insights lets you easily explore the **versions of the components** used by your application. For every external component, Kiuwan Insights clearly states the **version** used and provides an **Obsolescence Risk** indicator.

When Kiuwan Insight detects the use of a component, it displays its **Used Version** in your application, as well as the date when that version was released (**Used Version Release Date**).

Also, Kiuwan displays the **Last Version** (the latest released version of the component) and the date when the last version was released (**Last Version Release Date**).

With these values, Kiuwan Insights calculates two important time frames:


- **Out of Date**: the elapsed time between the date of the used version and the date of the latest version (a measure of the age of your version with respect to the latest version).
- **Time Inactivity**: the elapsed time between the date of the latest version and the current date (a measure on how active the component is).

Out of Date and **Time Inactivity** values are converted to a yearly-scale ranging from 0 to 10 years (values higher than 10y are taken as 10).

Obsolescence Risk: is calculated as a weighted average of Out of Date (30%) and Time Inactivity values (70%).

A total of **73 Components** have been found in the analysis:

- **0** with High Obsolescence Risk
- **0** with High Out Of Date
- **0** with High Time Inactivity





HIGH OBSOLESCENCE RISK COMPONENTS

Obsolescence Risk: is calculated as a weighted average of Out of Date (30%) and Time Inactivity values (70%).

- A high Out of Date value would mean that you are probably missing bug fixes and new functionalities that are found in newer versions.
- A high Time Inactivity value would mean that the component is "dead" and you should think of finding some more active components, especially if your component contains important vulnerabilities.

A total of **0** components have been found with **High Obsolescence Risk**.



MEDIUM OBSOLESCENCE RISK COMPONENTS

Obsolescence Risk: is calculated as a weighted average of Out of Date (30%) and Time Inactivity values (70%).

- A high Out of Date value would mean that you are probably missing bug fixes and new functionalities that are found in newer versions.
- A high Time Inactivity value would mean that the component is “dead” and you should think of finding some more active components, especially if your component contains important vulnerabilities.

A total of **6** components have been found with **Medium Obsolescence Risk**.

COMPONENT	LANGUAGE	USED VERSION	DATE	LAST VERSION	DATE	RELEASES	OUT OF DATE	TIME INACTIVITY	OBSOLESCENCE RISK
jakarta.inject:jakarta.inject-api	Java	2.0.1	2021/10/16	2.0.1	2021/10/16	0	0d 	4y 202d 	Medium
jakarta.persistence:jakarta.persistence-api	Java	3.1.0	2022/02/25	3.2.0	2024/04/10	5	2y 45d 	2y 25d 	Medium
jakarta.transaction:jakarta.transaction-api	Java	2.0.1	2022/03/31	2.0.1	2022/03/31	0	0d 	4y 36d 	Medium
io.jsonwebtoken:jjwt-api	Java	0.11.5	2022/04/28	0.12.6	2024/06/21	7	2y 55d 	1y 318d 	Medium
io.jsonwebtoken:jjwt-impl	Java	0.11.5	2022/04/28	0.12.6	2024/06/21	7	2y 55d 	1y 318d 	Medium
io.jsonwebtoken:jjwt-jackson	Java	0.11.5	2022/04/28	0.12.6	2024/06/21	7	2y 55d 	1y 318d 	Medium



LOW OBSOLESCENCE RISK COMPONENTS

Obsolescence Risk: is calculated as a weighted average of Out of Date (30%) and Time Inactivity values (70%).

- A high Out of Date value would mean that you are probably missing bug fixes and new functionalities that are found in newer versions.
- A high Time Inactivity value would mean that the component is “dead” and you should think of finding some more active components, especially if your component contains important vulnerabilities.

A total of **63** components have been found with **Low Obsolescence Risk**.

COMPONENT	LANGUAGE	USED VERSION	DATE	LAST VERSION	DATE	RELEASES	OUT OF DATE	TIME INACTIVITY	OBSOLESCENCE RISK
org.eclipse.angus:angus-activation	Java	2.0.2	2024/02/15	2.0.2	2024/02/15	0	0d 	2y 80d 	Low
org.antlr:antlr4-runtime	Java	4.13.0	2023/05/21	4.13.2	2024/08/03	2	1y 75d 	1y 275d 	Low
org.aspectj:aspectjweaver	Java	1.9.24	2025/04/12	1.9.24	2025/04/12	0	0d 	1y 23d 	Low
net.bytebuddy:byte-buddy	Java	1.15.11	2024/12/15	1.17.5	2025/03/31	8	106d 	1y 35d 	Low
com.fasterxml:classmate	Java	1.7.0	2024/01/03	1.7.0	2024/01/03	0	0d 	2y 123d 	Low
com.h2database:h2	Java	2.3.232	2024/08/12	2.3.232	2024/08/12	0	0d 	1y 266d 	Low
org.hibernate.common:hibernate-commons-annotations	Java	7.0.3.Final	2024/10/21	7.0.3.Final	2024/10/21	0	0d 	1y 196d 	Low
org.hibernate.orm:hibernate-core	Java	6.6.13.Final	2025/04/06	7.0.2.Final	2025/06/12	18	67d 	327d 	Low
com.zaxxer:HikariCP	Java	5.1.0	2023/11/04	6.3.0	2025/03/24	5	1y 141d 	1y 42d 	Low
com.sun.istack:istack-commons-runtime	Java	4.1.2	2023/04/11	4.2.0	2023/04/14	1	3d 	3y 22d 	Low
com.fasterxml.jackson.core:jackson-annotations	Java	2.18.3	2025/03/01	3.0-rc5	2025/05/22	9	82d 	348d 	Low
com.fasterxml.jackson.core:jackson-core	Java	2.18.3	2025/03/01	2.19.0	2025/04/25	4	55d 	1y 10d 	Low

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 27

KIUWAN
REPORT

com.fasterxml.jackson.core:jackson-databind	Java	2.18.3	2025/03/01	2.19.0	2025/04/25	3	55d	1y 10d	Low
com.fasterxml.jackson.datatype:jackson-datatype-jdk8	Java	2.18.3	2025/03/01	2.19.0	2025/04/25	3	55d	1y 10d	Low
com.fasterxml.jackson.datatype:jackson-datatype-jsr310	Java	2.18.3	2025/03/01	2.19.0	2025/04/25	3	55d	1y 10d	Low
com.fasterxml.jackson.module:jackson-module-parameter-names	Java	2.18.3	2025/03/01	2.19.0	2025/04/25	3	55d	1y 10d	Low
jakarta.activation:jakarta.activation-api	Java	2.1.3	2024/02/15	2.1.3	2024/02/15	0	0d	2y 80d	Low
jakarta.annotation:jakarta.annotation-api	Java	2.1.1	2022/06/14	3.0.0	2024/02/15	2	1y 246d	2y 80d	Low
org.eclipse.angus:jakarta.mail	Java	2.0.3	2024/02/27	2.0.3	2024/02/27	0	0d	2y 68d	Low
jakarta.xml.bind:jakarta.xml.bind-api	Java	4.0.2	2024/02/19	4.0.2	2024/02/19	0	0d	2y 76d	Low
io.smallrye:jandex	Java	3.2.0	2024/05/16	3.2.0	2024/05/16	0	0d	1y 354d	Low
org.glassfish.jaxb:jaxb-core	Java	4.0.5	2024/03/06	4.0.6	2025/09/22	1	1y 200d	225d	Low
org.glassfish.jaxb:jaxb-runtime	Java	4.0.5	2024/03/06	4.0.6	2025/09/22	1	1y 200d	225d	Low
org.jboss.logging:jboss-logging	Java	3.6.1.Final	2024/09/09	3.6.1.Final	2024/09/09	0	0d	1y 238d	Low
ch.qos.logback:logback-classic	Java	1.5.18	2025/03/18	1.5.18	2025/03/18	0	0d	1y 48d	Low
ch.qos.logback:logback-core	Java	1.5.18	2025/03/18	1.5.18	2025/03/18	0	0d	1y 48d	Low
io.micrometer:micrometer-commons	Java	1.14.6	2025/04/14	1.14.6	2025/04/14	0	0d	1y 21d	Low
io.micrometer:micrometer-observation	Java	1.14.6	2025/04/14	1.14.6	2025/04/14	0	0d	1y 21d	Low
org.yaml:snakeyaml	Java	2.3	2024/08/31	2.4	2025/02/15	1	168d	1y 79d	Low
org.springframework:spring-aop	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d	327d	Low
org.springframework:spring-aspects	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d	327d	Low
org.springframework:spring-beans	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d	327d	Low
org.springframework.boot:spring-boot	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d	319d	Low

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 28

KIUWAN
REPORT

										Low
org.springframework.boot:spring-boot-autoconfigure	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-data-jpa	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-jdbc	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-json	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-logging	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-mail	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-security	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-tomcat	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework.boot:spring-boot-starter-web	Java	3.4.5	2025/04/24	3.5.3	2025/06/20	6	57d		319d	Low
org.springframework:spring-context	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d	Low
org.springframework:spring-context-support	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d	Low
org.springframework:spring-core	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d	Low
org.springframework.data:spring-data-commons	Java	3.4.5	2025/04/22	4.0.0-M3	2025/05/16	7	24d		354d	Low
org.springframework.data:spring-data-jpa	Java	3.4.5	2025/04/22	4.0.0-M3	2025/05/16	7	24d		354d	Low
org.springframework:spring-expression	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d	Low
org.springframework:spring-jcl	Java	6.2.6	2025/04/17	6.2.8	2025/06/12	2	56d		327d	Low
org.springframework:spring-jdbc	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d	Low
org.springframework:spring-orm	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d	Low
org.springframework.security:spring-security-config	Java	6.4.5	2025/04/21	6.5.1	2025/06/16	4	56d		323d	Low

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

org.springframework.security:spring-security-core	Java	6.4.5	2025/04/21	6.5.1	2025/06/16	4	56d		323d		Low
org.springframework.security:spring-security-crypto	Java	6.4.5	2025/04/21	6.5.1	2025/06/16	4	56d		323d		Low
org.springframework.security:spring-security-web	Java	6.4.5	2025/04/21	6.5.1	2025/06/16	4	56d		323d		Low
org.springframework:spring-tx	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d		Low
org.springframework:spring-web	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d		Low
org.springframework:spring-webmvc	Java	6.2.6	2025/04/17	7.0.0-M6	2025/06/12	8	56d		327d		Low
org.apache.tomcat.embed:tomcat-embed-core	Java	10.1.40	2025/04/01	11.0.20	2026/03/16	54	349d		50d		Low
org.apache.tomcat.embed:tomcat-embed-el	Java	10.1.40	2025/04/01	11.0.20	2026/03/16	53	349d		50d		Low
org.apache.tomcat.embed:tomcat-embed-websocket	Java	10.1.40	2025/04/01	11.0.20	2026/03/16	53	349d		50d		Low
org.glassfish.jaxb:txw2	Java	4.0.5	2024/03/06	4.0.6	2025/09/22	1	1y 200d		225d		Low



UNKNOWN OBSOLESCENCE RISK COMPONENTS

Obsolescence Risk: is calculated as a weighted average of Out of Date (30%) and Time Inactivity values (70%).

- A high Out of Date value would mean that you are probably missing bug fixes and new functionalities that are found in newer versions.
- A high Time Inactivity value would mean that the component is “dead” and you should think of finding some more active components, especially if your component contains important vulnerabilities.

A total of 4 components have been found with **Unknown Obsolescence Risk**.

COMPONENT	LANGUAGE	USED VERSION	DATE	LAST VERSION	DATE	RELEASES	OUT OF DATE	TIME INACTIVITY	OBSOLESCENCE RISK
org.slf4j:jul-to-slf4j	Java	2.0.17	2025/02/25	2.1.0-alpha1	2024/01/02	2	-	2y 124d	Unknown
org.apache.logging.log4j:log4j-api	Java	2.24.3	2024/12/10	3.0.0-beta2	2024/02/17	8	-	2y 78d	Unknown
org.apache.logging.log4j:log4j-to-slf4j	Java	2.24.3	2024/12/10	3.0.0-beta2	2024/02/17	6	-	2y 78d	Unknown
org.slf4j:slf4j-api	Java	2.0.17	2025/02/25	2.1.0-alpha1	2024/01/02	2	-	2y 124d	Unknown



LICENSES

Kiuwan Insights reports and categorizes any found **License** according to its copyright content so you can easily visualize its type:

- **PublicDomain**: free of all restrictions.
- **Permissive** (or Non-Protective): retains copyright but grant all rights to copyright to the licensee.
- **WeakCopyleft** and **Copyleft** (Protective): non-protective plus restrictions apply (typically requirement to publish source code).
- **Copyrighted** and **Proprietary** (Proprietary): retains copy and grants few rights (specific terms of use in a end-user license agreement - EULA).

License Risk is a visual indicator that advises on licenses (and involved components) that might have some legal implications:

- **High risk**: Copyleft, Copyrighted and Proprietary.
- **None**: PublicDomain, Permissive and WeakCopyleft.
- **Unknown**: for those licenses that don't show a License Type.

A total of **15 Licenses** have been found in the analysis:

3 licenses with High License Risk:

- 3 are Copyleft
- 0 are Copyrighted
- 0 are Proprietary





HIGH RISK LICENSES

Kiuwan Insights adheres to **SPDX** (Software Package Data Exchange®, <https://spdx.org>) to report the components' licensing name and related information.

A total of **3 Licenses** have been found with **High Risk**.

NAME	COMPONENTS	SPDX CODE	TYPE	URL	LICENSE RISK
GNU General Public License v2.0 only	2	GPL-2.0-only	Copyleft	https://spdx.org/licenses/GPL-2.0-only.html	High
PERMISSIONS: Place Warranty, Modify, Commercial Use, Distribute					
LIMITATIONS: Hold Liable, Sublicense					
CONDITIONS: Include Copyright, Disclose Source, State Changes, Include License, Include Original					
COMPONENTS: org.eclipse.angus:jakarta.mail, jakarta.transaction:jakarta.transaction-api					
GNU General Public License v3.0 only	2	GPL-3.0-only	Copyleft	https://spdx.org/licenses/GPL-3.0-only.html	High
PERMISSIONS: Place Warranty, Use Patent Claims, Modify, Commercial Use, Distribute					
LIMITATIONS: Hold Liable, Sublicense					
CONDITIONS: Include Copyright, Disclose Source, State Changes, Include License, Include Install Instructions, Include Original					
COMPONENTS: jakarta.annotation:jakarta.annotation-api, jakarta.transaction:jakarta.transaction-api					
GNU General Public License v2.0 w/Classpath exception	3	GPL-2.0-with-classpath-exception	Copyleft	https://spdx.org/licenses/GPL-2.0-with-classpath-exception.html	High

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 33

KIUWAN
REPORT

PERMISSIONS: -

LIMITATIONS: -

CONDITIONS: -

COMPONENTS:

jakarta.annotation:jakarta.annotation-api, org.eclipse.angus:jakarta.mail, jakarta.transaction:jakarta.transaction-api



NONE RISK LICENSES

Kiuwan Insights adheres to **SPDX** (Software Package Data Exchange®, <https://spdx.org>) to report the components' licensing name and related information.

A total of **12 Licenses** have been found with **None Risk**.

NAME	COMPONENTS	SPDX CODE	TYPE	URL	LICENSE RISK
Apache License 2.0	53	Apache-2.0	Permissive	https://spdx.org/licenses/Apache-2.0.html	None

PERMISSIONS: Place Warranty, Use Patent Claims, Modify, Sublicense, Private Use, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Use Trademark

CONDITIONS: Include Copyright, Include Notice, Include License, State Changes

COMPONENTS:

org.springframework:spring-aop, org.springframework:spring-web, org.springframework:spring-context, org.springframework:spring-webmvc, org.springframework:spring-tx, org.springframework.boot:spring-boot-starter-mail, org.springframework.boot:spring-boot-starter-jdbc, com.fasterxml.jackson.module:jackson-module-parameter-names, com.fasterxml.jackson.datatype:jackson-datatype-jdk8, org.springframework.boot:spring-boot, com.fasterxml.jackson.datatype:jackson-datatype-jsr310, org.springframework:spring-aspects, org.springframework.boot:spring-boot-starter-logging, org.springframework.boot:spring-boot-autoconfigure, org.springframework.boot:spring-boot-starter, org.apache.tomcat.embed:tomcat-embed-el, org.springframework:spring-expression, org.springframework.boot:spring-boot-starter-json, org.springframework:spring-core, org.springframework.boot:spring-boot-starter-tomcat, org.springframework:spring-jcl, org.apache.tomcat.embed:tomcat-embed-websocket, org.springframework:spring-context-support, org.springframework.boot:spring-boot-starter-security, org.springframework:spring-beans, org.springframework.boot:spring-boot-starter-web, com.fasterxml.jackson.core:jackson-core, org.yaml:snakeyaml, io.smallrye:jandex, io.micrometer:micrometer-commons, io.micrometer:micrometer-observation, org.springframework.boot:spring-boot-starter-data-jpa, jakarta.inject:jakarta.inject-api, org.springframework.data:spring-data-jpa, org.apache.logging.log4j:log4j-to-slf4j, com.zaxxer:HikariCP, com.fasterxml.jackson.core:jackson-databind, org.springframework.security:spring-security-crypto, org.apache.logging.log4j:log4j-api, org.jboss.logging:jboss-logging, org.springframework.security:spring-security-config, org.springframework.security:spring-security-core, org.springframework.security:spring-security-web, org.springframework:spring-orm, org.springframework:spring-jdbc, io.jsonwebtoken:jjwt-jackson, com.fasterxml.classmate, com.fasterxml.jackson.core:jackson-annotations, net.bytebuddy:byte-buddy, org.springframework.data:spring-data-commons, org.apache.tomcat.embed:tomcat-embed-core, io.jsonwebtoken:jjwt-api, io.jsonwebtoken:jjwt-impl

BSD 2-Clause Simplified License	1	BSD-2-Clause	Permissive	https://spdx.org/licenses/BSD-2-Clause.html	None
---------------------------------	---	--------------	------------	---	------

PERMISSIONS: -

LIMITATIONS: -

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 35

KIUWAN
REPORT

CONDITIONS: -

COMPONENTS:

org.antlr:antlr4-runtime

BSD 3-Clause New or Revised License	6	BSD-3-Clause	Permissive	https://spdx.org/licenses/BSD-3-Clause.html
-------------------------------------	---	--------------	------------	---

None

PERMISSIONS: Place Warranty, Modify, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Use Trademark

CONDITIONS: Include Copyright, Include License

COMPONENTS:

jakarta.activation:jakarta.activation-api, jakarta.xml.bind:jakarta.xml.bind-api, org.glassfish.jaxb:txw2, org.eclipse.angus:angus-activation, org.glassfish.jaxb:jaxb-runtime, org.glassfish.jaxb:jaxb-core

Educational Community License v2.0	3	ECL-2.0	Permissive	https://spdx.org/licenses/ECL-2.0.html
------------------------------------	---	---------	------------	---

None

PERMISSIONS: Place Warranty, Modify, Sublicense, Private Use, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Use Trademark

CONDITIONS: Include Copyright, Include Notice, Include License, State Changes

COMPONENTS:

jakarta.persistence:jakarta.persistence-api, com.sun.istack:istack-commons-runtime, org.eclipse.angus:angus-activation

Eclipse Public License 1.0	5	EPL-1.0	WeakCopyleft	https://spdx.org/licenses/EPL-1.0.html
----------------------------	---	---------	--------------	---

None

PERMISSIONS: Use Patent Claims, Modify, Sublicense, Private Use, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Use Trademark

CONDITIONS: Include Copyright, Disclose Source, Include License, Compensate for Damages, Include Install Instructions, Include Original

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 36

KIUWAN
REPORT

COMPONENTS:

com.h2database:h2, jakarta.annotation:jakarta.annotation-api, jakarta.transaction:jakarta.transaction-api, ch.qos.logback:logback-core, ch.qos.logback:logback-classic
Eclipse Public License 2.0 5 EPL-2.0 WeakCopyleft <https://spdx.org/licenses/EPL-2.0.html>

None

PERMISSIONS: -

LIMITATIONS: -

CONDITIONS: -

COMPONENTS:

jakarta.persistence:jakarta.persistence-api, jakarta.annotation:jakarta.annotation-api, org.eclipse.angus:jakarta.mail, jakarta.transaction:jakarta.transaction-api, org.aspectj:aspectjweaver
GNU Lesser General Public License v2.1 only 2 LGPL-2.1-only WeakCopyleft <https://spdx.org/licenses/LGPL-2.1-only.html>

None

PERMISSIONS: Modify, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Sublicense

CONDITIONS: Include Copyright, Include Notice, Disclose Source, Include License, State Changes, Include Original

COMPONENTS:

ch.qos.logback:logback-core, ch.qos.logback:logback-classic
MIT License 2 MIT Permissive <https://spdx.org/licenses/MIT.html>

None

PERMISSIONS: Modify, Sublicense, Private Use, Commercial Use, Distribute

LIMITATIONS: Hold Liable

CONDITIONS: Include Copyright, Include License

COMPONENTS:

org.slf4j:slf4j-api, org.slf4j:jul-to-slf4j
Mozilla Public License 2.0 1 MPL-2.0 WeakCopyleft <https://spdx.org/licenses/MPL-2.0.html>

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 37

KIUWAN
REPORT

None

PERMISSIONS: Place Warranty, Use Patent Claims, Modify, Sublicense, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Use Trademark

CONDITIONS: Include Copyright, Disclose Source, Include License, Include Original

COMPONENTS:

com.h2database:h2

PHP License v3.0

1

PHP-3.0

Permissive

<https://spdx.org/licenses/PHP-3.0.html>

None

PERMISSIONS: Modify, Sublicense, Commercial Use, Distribute

LIMITATIONS: Hold Liable, Use Trademark

CONDITIONS: Include Copyright, Include License

COMPONENTS:

org.eclipse.angus:jakarta.mail

eCos license version 2.0

1

eCos-2.0

WeakCopyleft

<https://spdx.org/licenses/eCos-2.0.html>

None

PERMISSIONS: -

LIMITATIONS: -

CONDITIONS: -

COMPONENTS:

org.hibernate.common:hibernate-commons-annotations

GNU Library General Public
License v2 or later

1

LGPL-2.1+

WeakCopyleft

<https://spdx.org/licenses/LGPL-2.1+.html>

None

INSIGHTS REPORT

Application: jVtiELjw1AoJoN4n0v10S9Zd0xVHMi8/5gLA/3TTv2M= | Analysis label: Defensoria-Quejoso | Analysis date: 2026/05/06 09:30 | Report date: 2026/05/06 01:40 | Filter Query:

Pag. 38

KIUWAN
REPORT

PERMISSIONS: -

LIMITATIONS: -

CONDITIONS: -

COMPONENTS:

org.hibernate.orm:hibernate-core



THANK YOU!

contact@kiuwan.com | Partnership: partners@kiuwan.com | +1 6176073353

© Kiuwan Software S.L. – All rights reserved

