

**SECRETARÍA DE EDUCACIÓN PÚBLICA
TECNOLÓGICO NACIONAL DE MÉXICO
INSTITUTO TECNOLÓGICO DE VERACRUZ**

ASIGNATURA: Administración de bases de datos

GRUPO: 6J3

ACTIVIDAD: Practica 3

ALUMNO:
Chagala Cobarruvias Suany

NUMERO DE CONTROL:
22020749

SEMESTRE: AGOSTO – DICIEMBRE 2026

Descargar Neo4J en mi maquina virtual

```
suani-tec@10: ~  
Warning: failed to start delayed item http://deb.debian.org/debian trixie/main amd64 openjdk-21-jre-headless amd64 21.0.12.1+1-1-deb13u1, but failed  
suani-tec@10:~$ java -version  
openjdk version "21.0.12.1" 2026-08-18  
OpenJDK Runtime Environment (build 21.0.12.1+1-1-deb13u1-Debian)  
OpenJDK 64-Bit Server VM (build 21.0.12.1+1-1-deb13u1-Debian, mixed mode, sharing)  
suani-tec@10:~$ curl -fsSL https://debian.neo4j.com/neotechnology.gpg.key | sudo gpg --dearmor -o /usr/share/keyrings/neo4j.gpg  
echo "deb [signed-by=/usr/share/keyrings/neo4j.gpg] https://debian.neo4j.com stable 5" | sudo tee /etc/apt/sources.list.d/neo4j.list  
sudo apt update  
sudo apt install -y neo4j  
bash: curl: command not found  
[sudo] password for suani-tec:  
gpg: no valid OpenPGP data found.  
deb [signed-by=/usr/share/keyrings/neo4j.gpg] https://debian.neo4j.com stable 5  
Get:1 https://debian.neo4j.com stable InRelease [44.3 kB]  
Hit:2 http://security.debian.org/debian-security trixie-security InRelease  
Hit:3 http://deb.debian.org/debian trixie InRelease  
Hit:4 http://deb.debian.org/debian trixie-updates InRelease  
Err:1 https://debian.neo4j.com stable InRelease  
Sub-process /usr/bin/sqv returned an error code (1), error message is: Missing key 1EEFB8767D4924B86EAD08A459D700E4D37F5F19, which is needed to verify signature.  
Warning: OpenPGP signature verification failed: https://debian.neo4j.com stable InRelease: Sub-process /usr/bin/sqv returned an error code (1), error message is: Missing key 1EEFB8767D4924B86EAD08A459D700E4D37F5F19, which is needed to verify signature.  
Error: The repository 'https://debian.neo4j.com stable InRelease' is not signed.  
Notice: Updating from such a repository can't be done securely, and is therefore disabled by default.  
Notice: See apt-secure(8) manpage for repository creation and user configuration details.  
Error: Unable to locate package neo4j  
suani-tec@10:~$ sudo apt update && sudo apt install -y gnupg curl  
Hit:1 http://security.debian.org/debian-security trixie-security InRelease  
Hit:2 http://deb.debian.org/debian trixie InRelease  
Hit:3 http://deb.debian.org/debian trixie-updates InRelease  
Get:4 https://debian.neo4j.com stable InRelease [44.3 kB]
```

1.- Asegurar la clave y el repositorio de Neo4J

```
suani-tec@10:~$ curl -fsSL https://debian.neo4j.com/neotechnology.gpg.key | sudo gpg --dearmor --overwrite -o /etc/
apt/keyrings/neo4j.gpg
gpg: invalid option "--overwrite"
suani-tec@10:~$ echo "deb [signed-by=/etc/apt/keyrings/neo4j.gpg] https://debian.neo4j.com stable 5" | sudo tee /et
c/apt/sources.list.d/neo4j.list
deb [signed-by=/etc/apt/keyrings/neo4j.gpg] https://debian.neo4j.com stable 5
```

2.- Actualizamos lista de repositorios

```
suani-tec@10:~$ sudo apt update
Hit:1 http://security.debian.org/debian-security trixie-security InRelease
Hit:2 http://deb.debian.org/debian trixie InRelease
Hit:3 http://deb.debian.org/debian trixie-updates InRelease
Get:4 https://debian.neo4j.com stable InRelease [44.3 kB]
Get:5 https://debian.neo4j.com stable/5 amd64 Packages [20.9 kB]
Fetched 65.2 kB in 1s (45.5 kB/s)
58 packages can be upgraded. Run 'apt list --upgradable' to see them.
```

3.- Instalar el paquete de Neo4J

```
suani-tec@10:~$ sudo apt install -y neo4j
Installing:
  neo4j

Installing dependencies:
  cypher-shell  daemon

Summary:
  Upgrading: 0, Installing: 3, Removing: 0, Not Upgrading: 58
  Download size: 200 MB
  Space needed: 222 MB / 51.8 GB available

Get:1 http://deb.debian.org/debian trixie/main amd64 daemon amd64 0.8.4-1 [95.2 kB]
Get:2 https://debian.neo4j.com stable/5 amd64 cypher-shell all 1:5.26.31 [39.0 MB]
Get:3 https://debian.neo4j.com stable/5 amd64 neo4j all 1:5.26.31 [161 MB]
Fetched 200 MB in 2min 28s (1,351 kB/s)
Preconfiguring packages ...
Selecting previously unselected package daemon.
(Reading database ... 163056 files and directories currently installed.)
```

4.- Iniciamos y activamos el servicio

```
suani-tec@10:~$ sudo systemctl enable --now neo4j
Synchronizing state of neo4j.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable neo4j
Created symlink '/etc/systemd/system/multi-user.target.wants/neo4j.service' -> '/usr/lib/systemd/system/neo4j.service'.
```

5.- Verificamos el estado

```
suani-tec@10:~$ sudo systemctl status neo4j
● neo4j.service - Neo4j Graph Database
   Loaded: loaded (/usr/lib/systemd/system/neo4j.service; enabled; preset: e
   Active: active (running) since Wed 2026-10-07 09:53:13 CST; 10s ago
  Invocation: 00b5e0a38ca44cbf8c4054159ddc617f
    Main PID: 4969 (java)
      Tasks: 19 (limit: 2296)
     Memory: 137M (peak: 137.5M)
        CPU: 7.686s
    CGroup: /system.slice/neo4j.service
            └─4969 /usr/bin/java -Xmx128m -classpath "/usr/share/neo4j/lib/*:"
```

```
● neo4j.service - Neo4j Graph Database
   Loaded: loaded (/usr/lib/systemd/system/neo4j.service; enabled; preset: e
   Active: active (running) since Wed 2026-10-07 09:53:13 CST; 10s ago
  Invocation: 00b5e0a38ca44cbf8c4054159ddc617f
    Main PID: 4969 (java)
      Tasks: 19 (limit: 2296)
     Memory: 137M (peak: 137.5M)
        CPU: 7.686s
    CGroup: /system.slice/neo4j.service
            └─4969 /usr/bin/java -Xmx128m -classpath "/usr/share/neo4j/lib/*:"

Oct 07 09:53:13 10 systemd[1]: Started neo4j.service - Neo4j Graph Database.
```