TECNOLÓGICO NACIONAL DE MÉXICO

INSTITUTO TECNOLÓGICO DE VERACRUZ

ING. EN SISTEMAS COMPUTACIONALES

ADMINISTRACION DE BASES DE DATOS

Grupo:

6J3

ACTIVIDAD:

Creación de Respaldos en una BD (Neo4j)


ALUMNO:

Ramírez Sánchez Luis Eduardo


NUMERO DE CONTROL:


22020500


1.-Accediendo a la carpeta bin (Debido a que aun no estaba en el path) se ejecuta el comando de “backup” el cual crea un respaldo de la bd a donde estemos apuntando y con ayuda de “to path ” seleccionamos la ruta donde queremos que este el archivo



2.-Los backups se pueden tomar desde dektop como se muestra a continuación o desde la terminal con el neo4j admin




Search
Created
Create instance
NorthWind_Backup
Aura
Connect
RUNNING
ID: e98da9fb-e75d-43f6-a9e2-229839ed2617
Version: 2026.09.0
Connection URI: neo4j://127.0.0.1:7687
Path: C:\Users\slade\.Neo4jDesktop2\Data\dbmss\dbms-e98da9fb-e75d-43f6-a9e2-229839ed2617
Open folder
Databases (1)
Last updated: 09:49:58 a.m.
Create database


Neo4j Desktop 2.2.1
File Edit View Window Help Developer
neo4j Desktop
Connect Aura account
Open Aura console
Feedb
Instance: NorthWind_Backup
Database: neo4j CYPHER 25
User: neo4j
Cloud
Try Neo4j Aura
Data services
Local instances
Remote connections
Studio
Import
Query
Bloom
Dashboards
About
Settings
Database information
Nodes (1,104)
* Category Customer Employee Order Product Region Shipper Supplier Territory
Relationships (4,909)
* IN_REGION IN_TERRITORY ORDERS PART_OF PURCHASED REPORTS_TO SHIPS SOLD SUPPLIES
Property keys
address birthDate categoryID categoryName city companyName contactName contactTitle country customerID description discontinued discount employeeID extension fax firstName freight hireDate homePage
Show all property keys (32 more)
neo4j$
$:welcome
GUIDE
Get to know the latest in Query/Browser
Take a quick tour to learn about the latest features to help you be productive.
DATASET

Mediante “neo4j-admin database restore --from-path="C:\respaldos\neo4j-2026-10-08T15-29-46.backup --overwrite-destination=true neo4j” insertamos el backup en la instancia de la BD en la que se saco especificando donde esta el backup

