Zurich ServiceNow AI Platform Capabilities

Last updated: January 16, 2026

PDF generated on January 16, 2026

Some examples and graphics depicted herein are provided for illustration only. No real association or connection to ServiceNow products or services is intended or should be inferred.

This PDF was created from content on docs.servicenow.com. The web site is updated frequently. For the most current ServiceNow product documentation, go to docs.servicenow.com.

Company Headquarters
2225 Lawson Lane
Santa Clara, CA 95054
United States
(408)501-8550

Service Graph Connector for Netskope

The Service Graph Connector for Netskope pulls in asset inventory data (hardware and software) from the Netskope database into the Configuration Management Database (CMDB) application in your ServiceNow AI Platform® instance.

Request apps on the Store

Visit the ServiceNow Store website to view all the available apps and for information about submitting requests to the store. For cumulative release notes information for all released apps, see the ServiceNow Store version history release notes.

Supported versions

- Netskope API version: Get Client Data v1.
- Netskope client version: 112.
- Washington, Xanadu, Yokohama ServiceNow® family releases.

Use cases

- Import Netskope Client information and store it in appropriate configuration item (CI) classes in your CMDB.
- Configure multiple instances of Netskope in the Service Graph Connector.

Guided setup

Use the guided setup feature to help you configure your integration in an organized sequence of tasks.

CMDB integrations dashboard

The Integration Commons for CMDB store app provides a dashboard with a central view of the status, processing results, and processing errors of all installed integrations. You can see metrics for all integration runs. You can filter the view to a specific CMDB integration, a specific time duration, or a specific integration run. For more details about monitoring SentinelOne integrations in the CMDB Integrations Dashboard, see Using the CMDB Integrations Dashboard.

Configure the Service Graph Connector for Netskope

The guided setup for the Service Graph Connector for Netskope provides an organized sequence of tasks to configure the integration on your ServiceNow AI Platform instance.

Before you begin

To use this Service Graph Connector, you need a subscription to a Subscription Unit that is based in the IT Operations Management (ITOM) Visibility application or in the ITOM Discovery application. As defined in the section titled "Managed IT Resource Types" in ServiceNow Subscription Unit Overview for your subscription, for managed IT resources that are created or modified in the CMDB by this Service Graph Connector, but that aren't yet managed by ITOM Visibility or ITOM Discovery, these resources will increase Subscription Unit consumption from that application. Review your current Subscription Unit consumption within ITOM Visibility or ITOM Discovery to ensure available capacity.

Dependencies and requirements:

- The Integration Commons for CMDB store app, which is automatically installed.
- The CMDB CI Class Models store app store app, which is automatically installed.
- Discovery Core plugin (com.snc.discovery.core), which is automatically installed by Discovery.
- The ITOM Discovery License plugin (com.snc.itom.discovery.license). You must activate this plugin.
- ITOM Licensing plugin (com.snc.itom.license). For more information, see Request Discovery.
- Guided Setup (com.sn.ads.setup).
- Data Stream (com.glide.hub.action_type.datastream).
- ITOM Patterns.

Roles required:

- Netskope Role - Viewer
- ServiceNow AI Platform® Role - admin

Procedure

1. Navigate to **Service Graph Connectors > Netskope > Setup**.
2. On the Home page, select **Continue**.
3. On the Experience page, select the **Best Experience** from it.
4. On the Service Graph Connector for Netskope page in the Configure the connection page, select the **Configure Netskope Authentication Credentials** task and follow these steps:
    a. In the API Key field, enter your Netskope API Key and update the credential record.
    b. Select the **Mark as Complete** checkbox and select **Continue**.
5. In the **Configure Netskope HTTP Connection** task follow these steps:
    a. Add the Netskope base URL (Uniform Resource Locator).
    b. Select the **Mark as Complete** checkbox and select **Continue**.
6. In the **Test Connection** task follow these steps:
    a. Select the **Test Connection** link.

        The Status code field displays 200 if the connection is successful.
    b. Select the **Mark as Complete** checkbox and select **Continue**.
7. (Optional) To create another connection, select the **Update Data Source Access** section and follow these steps:
    a. Give permission to create and update the data source.
    b. Select the **Mark as Complete** checkbox and select **Continue**.
    c. Give permission to create and update the Scheduled Import Sets.

   d. Select the **Mark as Complete** checkbox and select **Continue**.
   e. Clear the cache with the code snippet mentioned previously using Scripts-Background.
   f. Select the **Mark as Complete** checkbox and select **Continue**.
   g. Add a new connection by clicking the link.
   h. After you add a new connection, select the **Mark as Complete** checkbox and select **Continue**.
   i. Select the new connection record and select the **Test Connection link**.

      The Status code field displays 200 if the connection is successful.
   j. Select the **Mark as Complete** checkbox and select **Continue**.

8. Fill out the fields on the Scheduled Data Import form:

Field	Description
Name	Name of the scheduled job.
Data source	Data source record that defines the data to import, for example, SG-Netskope-Client.
Run as	Option to run the scheduled job with the credentials of the specified user.
Active	Option to activate the scheduled job. Select this option.
Concurrent Import	Function that loads the data from multiple import sets. The function then processes and transforms the data concurrently.

Field	Description
Partition Method	Partition method for the concurrent import set. Select **Custom Size**.
Partition Size	Import set size for early scheduling. Set 1000 as a value.
Execute pre-import script	Option to specify a script to run before the import is performed. Leave this field with its default setting.
Execute post-import script	Option to specify a script to run after the import is performed. Leave this field with its default setting.
Application	Application that contains this scheduled job.
Run	Frequency of running the import.
Conditional	Conditions under which this job is executed.

9. Click **Execute Now**.
10. In the Help task bar, select **Mark as Complete** and select **Continue**.