

Zurich ServiceNow AI Platform Capabilities

Last updated: January 16, 2026

Some examples and graphics depicted herein are provided for illustration only. No real association or connection to ServiceNow products or services is intended or should be inferred.

This PDF was created from content on docs.servicenow.com. The web site is updated frequently. For the most current ServiceNow product documentation, go to docs.servicenow.com.


Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408)501-8550

CMDB success advisor

The ServiceNow® CMDB success advisor is a data optimization feature that enables CMDB administrators to drive business outcomes for targeted applications like Hardware Asset Management (HAM) by improving Configuration Management Database (CMDB) data quality.

Get started



Reference



Troubleshoot and get help

- Ask questions and explore other resources for CMDB success advisor in the ServiceNow Community
- Asset and CI mapping guideline
- Search the Known Error Portal for known error articles
- Contact Customer Service and Support

Exploring CMDB success advisor

Learn about CMDB success advisor and review the benefits it can provide for different users in your organization.

CMDB success advisor overview

With the CMDB success advisor application, you can review and improve IT Asset Management (ITAM) rules, CMDB Data Manager policies, and Configuration Management Database (CMDB) settings tailored to specific applications like Hardware Asset Management (HAM). The advisor helps improve data quality for targeted configuration item (CI) classes using customized CMDB metrics designed to support your business outcomes.

CMDB success advisor users

Users

User	Description	Additional roles required
CMDB administrator	Users with the <code>sn_cmdb_admin</code> role can configure and improve CMDB data accuracy based on specific business use cases. With targeted CI tracking, practical data integration suggestions, and application-specific dashboards, the CMDB success advisor enables CMDB administrators to improve CMDB data accuracy and achieve key business outcomes like HAM.	<code>pa_viewer</code>: Required to filter data by model categories. <code>pa_data_collector</code>: Required to view the last updated data timestamp on the dashboard. Important: HAM dashboard specific required roles: <code>cmdb_inst_admin</code>: Required to manage Service Graph Connector connections in SGC Central through CMDB success advisor.

User	Description	Additional roles required
		pd_user: Required to view Discovery patterns through CMDB success advisor with read-only access. pd_mid: Required to view Discovery and Service Mapping Patterns through CMDB success advisor with read-only access. pd_admin: Required to manage Discovery patterns through CMDB success advisor with create and write access.

CMDB success advisor benefits

Benefit	Feature	Users
Focused CMDB setup for specific business outcomes.	Use-case-driven CMDB configuration	CMDB administrator
Improved visibility	Dashboard with consolidated insights and metrics	CMDB administrator
Continuous data quality improvement	KPI details access from the dashboard for metric monitoring, remediation tracking, and guided resolution steps	CMDB administrator

Benefit	Feature	Users
Data quality improvement suggestions	Remediation actions panel available for a chart in the dashboard	CMDB administrator
Better alignment of CMDB rules and policies	Settings summary for gap analysis and configuration guidance	CMDB administrator
Improved CMDB data coverage and accuracy	Data integrations summary for reviewing and evaluating integration sources	CMDB administrator

Use cases

You can use CMDB success advisor for the HAM business outcome. For more information, see [Set up CMDB success advisor for HAM](#).

What to explore next

To learn more about configuring and using CMDB success advisor, see:

- [Configuring CMDB success advisor](#)
- [Using CMDB success advisor for HAM](#)
- [CMDB success advisor reference](#)

Configuring CMDB success advisor

Complete the configuration tasks to start using the CMDB success advisor.

Configuration overview

1. Install CMDB success advisor.

Set up CMDB success advisor by installing the application.

2. Assign roles for CMDB success advisor users.

Assign roles to control access to features, capabilities, and data in the CMDB success advisor application.

3. Optional: Configure record count visibility in the CMDB success advisor dashboard for managing large datasets.

Improve the performance of the CMDB success advisor dashboards by hiding the record count on click-through from donut charts using a configurable system property.

Install CMDB success advisor

You can install the CMDB success advisor application (sn_cmdb_advisor) if you have the admin role. The application installs related ServiceNow® Store applications and plugins if they are not already installed.

Before you begin

- Ensure that the application and all of its associated ServiceNow Store applications have valid ServiceNow entitlements. For more information, see [Get entitlement for a ServiceNow product or application](#).
- Review the [CMDB success advisor](#) application listing in the ServiceNow Store for information on dependencies, licensing or subscription requirements, and release compatibility.

Role required: admin

About this task

The following items are installed with CMDB success advisor:

- Scheduled jobs
- Tables

For more information, see [Components installed with CMDB success advisor](#).

Procedure

1. Navigate to **All > System Applications > All Available Applications > All**.
2. Find the CMDB success advisor application (sn_cmdb_advisor) using the filter criteria and search bar.

You can search for the application by its name or ID. If you cannot find the application, you might have to request it from the ServiceNow Store.

In the list next to the **Install** button, the versions that are available to you are displayed.

3. Select a version from the list and select **Install**.

In the Review Installation Details dialog box that is displayed, any dependencies that are installed along with your application are listed.

4. If you're prompted, follow the links to the ServiceNow Store to get any additional entitlements for dependencies.
5. (Optional) If demo data is available and you want to install it, select the **Load demo data** check box.
Demo data are the sample records that describe application features for common use cases. Load the demo data when you first install the application on a development or test instance.
6. Select **Install**.

Assign roles for CMDB success advisor users

Assign roles to control access to features, capabilities, and data in the CMDB success advisor application.

Before you begin

Set the application scope to CMDB success advisor using the application picker. For more information, see [Application picker](#).

Role required: admin

About this task

Users with the following combination of roles can use the CMDB success advisor application.

Roles required

Role	Description
sn_cmdb_admin	Required to access the dashboard landing page. Users with the sn_cmdb_admin role can configure and improve CMDB data accuracy based on specific business use cases.
pa_data_collector	Required to view the last updated data timestamp on the dashboard.
pa_viewer	Required to filter data by model categories.
cmdb_inst_admin	Required to manage Service Graph Connector connections in SGC Central through CMDB success advisor. Important: HAM dashboard specific only.
pd_user	Required to view Discovery patterns with read-only access. Important: HAM dashboard specific only.
pd_mid	Required to view Discovery and Service Mapping Patterns with read-only access.

Role	Description
	Important: HAM dashboard specific only.
pd_admin	Required to manage Discovery patterns with create or write access. Important: HAM dashboard specific only.

For more information, see [Exploring CMDB success advisor](#).

Procedure

Assign roles to users and groups using the ServiceNow AI Platform user administration feature.

- To assign a role to a user, see [Assign a role to a user](#).
- To assign a role to a group, see [Assign a role to a group](#).

Configuring record count visibility in the CMDB success advisor dashboard to handle large datasets

Improve the performance of the CMDB success advisor dashboards for large datasets by hiding the record count on click-through from donut charts using a configurable system property.

Before you begin

Role required: admin

About this task

Selecting a segment in a donut chart on a CMDB success advisor dashboard displays a list page with records that match the criteria of the selected segment. By default, this list shows a record count in the header and a total count in the pagination area. In environments with large datasets, retrieving these counts can increase load time. To improve

page responsiveness, add the `hide_list_record_count` system property and set its value to `true`. Enabling this property hides the record count in the list header and the total count in the pagination area, reducing the data load during navigation from donut charts without affecting the functionality of the charts or the list results.

Before you begin

Set the application scope to CMDB success advisor using the application picker. For more information, see [Application picker](#).

Role required: admin

Procedure

1. In the navigation filter, enter `sys_properties.list`.
2. Select **New**.
3. In the **Name** field, enter `hide_list_record_count`.
4. From the Type list, select **true | false**.
5. In the **Choices** field, enter `true`.
6. Select **Submit**.

Access CMDB success advisor

You can access CMDB success advisor within the CMDB Workspace for both setting up and managing application-specific dashboards. Depending on your progress, you can either begin the setup or access the dashboard to monitor and manage targeted configuration items (CIs) for an application.

Before you begin

Role required: `sn_cmdb_admin`

About this task

You can access the CMDB success advisor tool from either the Home view or the Management view within CMDB Workspace.

Procedure

- From the Home view:
 - 1: Navigate to **Workspaces > CMDB Workspace**.
 - 2: In the Home view, locate the CMDB success advisor card.
 - 3: Select an action based on your progress.
 - To begin the setup process, select **Get started** and then on the Get started with CMDB success advisor dialog box, select **Continue**.
 - To access the dashboard, select **View dashboard**.

Tip: You can select the **Dismiss** link to remove the CMDB success advisor card from the Home view. However, you can still access the CMDB success advisor at any time from the Management view in the CMDB Workspace.
- From the Management view:
 - 1: Navigate to **Workspaces > CMDB Workspace**.
 - 2: Select **Management** from the CMDB Workspace menu bar.
 - 3: In the Management view, locate the **CMDB success advisor** link, available within the Optimize category in the Management tools section.
 - 4: Within the application-specific tile, select an action.
 - To begin the setup process, select **Begin setup**.
 - To access the dashboard, select **View dashboard**.

Result

The playbook experience with the guided activities for configuring CMDB success advisor for HAM opens.

Note: If at any time, you leave an activity incomplete, you can resume the activity by selecting **Resume setup** from either the CMDB success advisor card in the Home view or the link in the Management view.

Using CMDB success advisor for HAM

As a CMDB administrator, you can use the Hardware Asset Management (HAM) dashboard in CMDB success advisor to keep hardware asset data accurate and aligned with data quality guidelines.

1. [Set up CMDB success advisor for HAM.](#)

Set up the CMDB success advisor for HAM.

2. [Monitor CMDB data quality for HAM.](#)

Identify and address data quality issues specific to HAM in the CMDB.

3. [Improve CMDB data quality for HAM.](#)

Use the Remediation actions panel available for a data card in the success dashboard for HAM to improve the overall quality of your CMDB.

4. [Analyze data integrations for HAM.](#)

Improve HAM data coverage by analyzing existing and suggested data integrations, including Discovery patterns and Service Graph Connectors.

5. [Analyze CMDB settings for HAM.](#)

Monitor and optimize CMDB settings that support CI-to-asset synchronization, life cycle alignment, and HAM data quality.

Related topics

- [Hardware Asset Management](#)

Set up CMDB success advisor for HAM

Use the playbook available with the CMDB success advisor application to configure and manage the CMDB success advisor setup for Hardware Asset Management (HAM).

The playbook experience available with CMDB success advisor enables CMDB administrators to select key model categories for tracking and apply general guidelines to improve the data quality of hardware configuration items (CIs). These actions promote effective management of hardware assets. To learn how to interact with a playbook, see [Interact with Playbook](#).

Plugins and dependencies

- CMDB Workspace application (sn_cmdb_ws)

Required to access the CMDB success advisor landing page.

- SGC Central application (sn_sgc_central)

Required to manage Service Graph Connectors.

- Hardware Asset Management application (sn_hamp)

Required to access CMDB success advisor for HAM in the CMDB Workspace.

Important: By default, the CMDB success advisor landing page shows the option to configure a dashboard for HAM data.

- If the HAM application is installed, you can complete the setup by selecting model categories from the opted-in resource categories. Verify that you have opted in the correct resource categories for the model categories to appear. The opted-in resource categories are set to `true` in the HAM Resource Category [sn_hamp_resource_category] table. For more information, see [Opt-in or opt-out of HAM license resource categories](#).
- If the HAM isn't installed, you can still finish the setup by selecting model categories from the predefined resource categories.

Set up overview

1. [Get started with CMDB success advisor setup for HAM.](#)

Set up your HAM specific success dashboard by using the playbook available in CMDB success advisor.

2. [Expand HAM dashboard scope in CMDB success advisor.](#)

After completing the initial setup, you can continue to improve your CMDB data quality by adjusting model category selection for your current HAM goals.

Related topics

- [Hardware Asset Management](#)

Getting started with CMDB success advisor setup for HAM

Set up your Hardware Asset Management (HAM) specific success dashboard by using the playbook available in the CMDB success advisor.

Complete the following activities available within the CMDB success advisor for HAM playbook:

1. [Select model categories.](#)

Select key hardware model categories that are most critical to your organization to track initially.

2. [View suggested integrations.](#)

View suggestions for improving data coverage using Service Graph Connectors and Discovery patterns.

3. [Review CMDB settings.](#)

Review the Configuration Management Database (CMDB) integration settings to verify correct synchronization between hardware assets and configuration items (CIs).

Note: If at any time, you leave an activity incomplete, you can resume the activity by selecting **Resume setup** from either the CMDB success advisor card in the Home view or the link in the Management view.

Select model categories

Select key hardware model categories that are most critical to your organization to track initially. Expand gradually as CMDB data quality improves.

Before you begin

[Access CMDB success advisor.](#)

Access the guided activities for setting up and managing CMDB success advisor dashboard for HAM.

Role required: sn_cmdb_admin

About this task

The business outcome-driven approach enables you to manage data quality efforts and gain more meaningful insights into targeted model categories to focus on the CI dataset that drives your HAM outcomes. As the completeness and accuracy of your CMDB data improve over time, you can incrementally broaden the dashboard scope by adding additional model categories and refining your tracking.

Procedure

1. In the **Select model categories** activity, select resource categories and their corresponding model categories from the Available resource and model categories column.
To determine which model categories to select, review the count of operational assets under each category in the Hardware Asset Workspace, or consult with your IT Asset Management (ITAM) or HAM administrator for guidance. See [Hardware Asset Workspace](#).

Note: Selecting model categories is required to start the setup process.

2. Select **Next** to complete the activity.

What to do next

[View suggested integrations.](#)

View suggested integrations

View suggestions for improving data coverage using Service Graph Connectors and Discovery patterns.

Before you begin

Complete the [Select model categories](#) activity.

Role required: sn_cmdb_admin

Procedure

1. In the **View suggested integrations** activity, review the suggested Service Graph Connectors and Discovery patterns to identify potential data sources for improving hardware CI coverage. The suggested data integrations expand the data coverage for your selected model categories by automatically importing and synchronizing CIs and related asset information. All suggested data integration sources are accessible for setup via the dashboard at a later stage.
2. (Optional) View the supported attributes for each category related to a suggested data integration source.
 - a. Select the link in the Attribute coverage column to view the supported attributes for each category related to a suggested data integration source.

Note: If an upgraded version of the integration source is suggested, selecting the **View available versions** link opens the Application Manager, where users with the admin role can upgrade to the suggested version or a later one to improve attribute coverage. For more information, see [Application Manager](#).



b. Select the Close dialog icon or **Close** to return to the activity.

3. Select **Next** to complete the activity.

What to do next

[Review CMDB settings.](#)

Review CMDB settings

Review the integration settings including HAM business rules, CI to asset field mappings, and CMDB Data Manager policies that support synchronization and automation between hardware assets and CIs.

Before you begin

Complete the [Select model categories](#) and [View suggested integrations](#) activities.

Role required: sn_cmdb_admin

Procedure

1. In the **Review CMDB settings** activity, evaluate each setting that requires attention.

Setting	Description
Ideal	Indicates that the setting is active and correctly configured according to guidelines. No action is required.
Requires attention	Indicates that the setting is inactive, incorrectly configured, or missing. Review and remediate the setting to verify proper synchronization and

Setting	Description
	alignment with HAM business outcome.

For more information on settings, see [CMDB and HAM settings assessed in the CMDB success advisor](#).

2. (Optional) For a Data Manager policy, select the link in the **Classes with active policies** column to review the CI classes and their policy configuration.
3. Select **Finish** to complete the setup process.

Result

The CMDB success advisor setup for HAM is complete. The dashboard might take several minutes to generate. You can refresh the page or check back later to view the dashboard.

What to do next

Use [CMDB success advisor setup for HAM](#).

Expand HAM dashboard scope in CMDB success advisor

Expand the scope of your success dashboard for Hardware Asset Management (HAM) by editing model categories in CMDB success advisor to achieve your current HAM goals.

Before you begin

Role required: sn_cmdb_admin

About this task

Control which resource and model categories are included in your HAM dashboard in CMDB success advisor. You can add or remove entire resource categories or fine-tune the selection by including or excluding specific model categories within a resource category. Resource categories may be opted in or out based on your hardware

asset manager's preferences. This flexibility enables you to customize the dashboard to display only the most relevant HAM data.

Procedure

1. Select **View dashboard** for HAM in CMDB success advisor.
See [Access CMDB success advisor](#).
2. Select **Edit model categories**.
3. In the dialog box, select **Continue** to update your model category selection.
4. In the **Select model categories** activity, use the Available resource and model categories column to adjust the data coverage for the dashboard.

Model category selection actions

Purpose	Action	Data coverage
Add an opted-in resource category or an available resource category	Select the check box for the resource category to include all its model categories.	Includes all model categories associated with the selected resource category.
Expand model category selection	Select > to expand a resource category, then select check boxes for specific model categories.	Includes only the selected model categories associated with a resource category.
Remove an opted-out or available resource category	Clear the check box for the resource category.	Excludes all model categories associated with the removed resource category.
Narrow down model category selection	Select > to expand a resource category, then clear check boxes for specific model categories.	Excludes only the model categories cleared from a resource category.

Important:

- If the HAM application is installed, you can complete the setup by selecting model categories from the opted-in resource categories. Verify that you have opted in the correct resource categories for the model categories to appear. The opted-in resource categories are set to `true` in the HAM Resource Category [sn_hamp_resource_category] table. For more information, see [Opt-in or opt-out of HAM license resource categories](#).
- If the HAM isn't installed, you can still finish the setup by selecting model categories from the predefined resource categories.

5. Select **Next** to complete the activity.
6. In the **View suggested integrations** activity, review the suggested Service Graph Connectors and Discovery patterns and select **Next** to complete the activity.
7. In the **Review CMDB settings** activity, evaluate each setting that requires attention and select **Finish** to complete the activity. See [CMDB and HAM settings assessed in the CMDB success advisor](#).
8. In the message window, select **Refresh** to load the latest data in the dashboard.


Result

The HAM dashboard in CMDB success advisor is updated to reflect the data based on the model category selection.

Monitoring CMDB data quality using dashboard metrics in CMDB success advisor for HAM

The CMDB success advisor for HAM dashboard enables CMDB administrators to identify and address data quality issues specific to HAM in the Configuration Management Database (CMDB).

Important: When you select a segment or count on a chart from a CMDB success advisor dashboard, the KPI Details page opens. Where you can analyze how specific metric trends over time. Additionally, the Remediation actions panel might appear if there are actions related to that card. Use the panel to improve the quality of CMDB. To learn more, see [KPI Details](#) and [Improving CMDB data quality for HAM](#).



Access the dashboard

To open the dashboard, select **View dashboard** for HAM in the CMDB success advisor. See [Access CMDB success advisor](#).

Note: The CMDB success advisor for HAM dashboard is available only after the setup process is complete. For more information, see [Set up CMDB success advisor for HAM](#).

Required roles

Roles required for CMDB success advisor for HAM dashboard

Role	Description
sn_cmdb_admin	Required to access the dashboard.
pa_viewer	Required to filter data by model categories.
pa_data_collector	Required to view the last updated data timestamp on the dashboard.

Use cases

For examples of how different people in your organization would use this dashboard, see these use cases.

User	Dashboard use
CMDB administrator	- Gain real-time visibility into hardware asset data quality and completeness - Identify missing or incorrect CI attributes quickly - Detect duplicate CIs and unlinked assets

User	Dashboard use
	• Monitor asset life cycle status (installed, retired, inactive) • Prioritize and track data cleanup and remediation tasks • Verify that the CMDB stays accurate to support HAM

Dashboard features

The dashboard provides clear, consolidated insights into hardware asset data quality and asset status. Use the dashboard to identify and resolve data quality issues within the CMDB through dedicated sections, filters, indicators, and visual reports. Gain valuable insights into CMDB performance related to HAM.

Targeted CMDB metrics focus remediation efforts. Regularly monitor these metrics and follow suggested remediation actions to systematically improve CMDB data quality over time.

Important: The dashboard data is filtered based on the Selected model categories and Date range filters. See [Filters](#).

Feature description

Feature	Description
CIs by model category	Displays the breakdown of operational CIs by associated model category to highlight CI distribution in the CMDB.
CIs by data integration source	Displays the breakdown of operational CIs by data integration source to highlight their contribution to CMDB population.
CIs missing model data and other key attributes	Displays key metrics related to CIs missing model details, ownership,

Feature	Description
	and other key attributes, leading to incomplete records and operational inefficiencies.
CI data quality issues	Displays key metrics related to CIs that have not been updated or may have duplicate records, leading to outdated information and inconsistencies in the CMDB.
CI and asset-related issues	Displays key metrics related to mismatches and missing links between CIs and assets, leading to incomplete asset life cycle tracking and reporting issues.

Filters

Enables narrowing the data shown in graphs and metrics based on connector type, connection, data source, or date range.

Name	Type	Description
Selected model categories	List	Filters CIs based on the selected model categories. Note: You need the pa_viewer role to filter data by model categories.
Date range	Date	Filters the dashboard data based on the date range selected.
Stale CI	List	Filters stale CIs based on the selected number of days since their last update.

Name	Type	Description
		Available values are 7, 14, 30, 60, and 90 days.

CIs missing model data and other key attributes

Displays key metrics related to CIs missing model details, ownership, and other key attributes, leading to incomplete records and operational inefficiencies.

CIs missing model data and other key attributes section

Card	Description	Indicators
CIs missing model name	Operational CIs not associated with a model ID or associated with a model ID missing a name.	CIs missing model name
CIs missing model number	Operational CIs not associated with a model ID or associated with a model ID missing a model number.	CIs missing model number
CIs missing model manufacturer	Operational CIs not associated with a model ID or associated with a model ID missing a manufacturer.	CIs missing manufacturer
CIs missing model ID	Operational CIs not associated with a model ID.	CIs missing model ID
CIs missing assigned to	Operational CIs not assigned to a specific	CIs missing assigned to

Card	Description	Indicators
	user, leading to unclear ownership and delayed action.	
CIs missing location	Operational CIs not associated with a location, leading to gaps in asset tracking and service mapping.	CIs missing location
CIs missing owner	Operational CIs not associated with an owner, leading to unclear accountability and delayed issue resolution.	CIs missing owner
CIs missing managed by group	Operational CIs not managed by a specific ownership group, leading to inefficient support assignment and operational risk.	CIs missing managed by group
CIs missing serial number	Operational CIs missing a serial number, leading to issues with duplicate identification.	CIs missing serial number

CI data quality issues

Displays key metrics related to CIs that haven't been updated or may have duplicate records, leading to outdated information and inconsistencies in the CMDB.

CI data quality issues section

Card	Description	Indicators
CI's not updated	Operational CI's not updated, causing data gaps and inaccuracies in the CMDB.	CI's not updated in 7 days CI's not updated in 14 days CI's not updated in 30 days CI's not updated in last 60 days CI's not updated in last 90 days Note: The CI's not updated card data is additionally filtered based on the Stale CI filter. See Filters.
Duplicate CI's	Operational CI's identified as duplicates based on key matching attributes, causing data redundancy.	Hardware CI's group by

CI and asset-related issues

Displays key metrics related to mismatches and missing links between CI's and assets, leading to incomplete asset life cycle tracking and reporting issues.


CI and asset-related issues section

Card	Description	Indicators
CI's missing asset	Operational CIs not associated with an asset record, leading to incomplete asset life cycle tracking.	CI's missing asset
Virtual CIs with asset	Virtual assets created for virtual CIs that are operational, leading to misutilization of HAM licenses.	Assets created for virtual CIs
Assets missing CI	Assets without a matching CI, caused by CIs not being discoverable on the network.	Assets missing CI
CI install status vs. asset state	All CIs where the install status matches or differs from the corresponding asset state.	CI install status vs. asset state matched CI install status vs. asset state mismatched

Improving CMDB data quality for HAM

Use the Remediation actions panel available for a chart in the CMDB success advisor dashboard for Hardware Asset Management (HAM) to improve the overall quality of your Configuration Management Database (CMDB).

Remediation actions panel



If remediation actions are available for a chart, the Remediation actions panel might appear on the KPI Details page of the chart.

You can perform the actions suggested within the Remediation actions panel to address HAM data quality issues in the CMDB. These actions help improve the accuracy, consistency, and usability of configuration items (CIs), promoting better alignment with HAM.

- Improves CMDB data quality through guided actions
- Suggests context-aware actions
- Enables you to take quick, informed remediation steps
- Focuses your attention on meaningful tasks
- Appears only when actionable insights are available

Accessing the Remediation actions panel

To open the Remediation actions panel, select a segment or count on a chart in the CMDB success advisor dashboard for HAM. The KPI Details page opens. If the remediation actions are available for the selected data, the panel appears on the details page suggesting various remediation actions.

Available remediation actions

The Remediation actions panel provides relevant suggestions and actions based on the information in the selected chart. For example, if the chart shows CIs that weren't updated recently, the panel might suggest reviewing retirement policies.

The remediation actions are available for the improvement of the following issues:

CI's with invalid or unpopulated names

Identify and correct CI's that lack meaningful or complete naming, which can impact discovery and asset alignment.

CI's with missing model entries

Resolve CI's missing linked hardware model information in the CMDB, essential for normalization and life cycle tracking.

Stale CI's

Remove or update CI's that weren't updated or discovered for an extended period, helping maintain an accurate representation of your environment.

Duplicate CI's

Remove or merge duplicate records to avoid data fragmentation and promote a single source of truth.

Virtual assets

Identify and clean up non-physical or placeholder assets that might interfere with reporting, discovery, or asset reconciliation.

Analyzing data integrations for improving HAM data coverage

Improve HAM data coverage by analyzing existing and suggested data integrations, including Discovery patterns and Service Graph Connectors.

Use the **Data integrations** tab in the CMDB success advisor for HAM to assess the effectiveness of your current data integration sources in the Configuration Management Database (CMDB) and identify opportunities to improve HAM data coverage. The **Data integrations** tab provides a breakdown of active Discovery patterns and installed Service Graph Connectors, including how many key configuration item (CI) attributes each integration source is populating.

For a quick reference to improve HAM data coverage, see [Data integration checklist for HAM in CMDB success advisor](#).

Access data integrations

Navigate to the CMDB success advisor and on the HAM dashboard landing page, select the **Data integrations** tab. To access the dashboard, see [Access CMDB success advisor](#).

Note: The CMDB success advisor for HAM dashboard is available only after the setup process is complete. For more information, see [Set up CMDB success advisor for HAM](#).

Required roles

Roles required for accessing data integration sources in the CMDB success advisor for HAM

Role	Description
sn_cmdb_admin	Required to access the landing page for CMDB success advisor for HAM dashboard.
cmdb_inst_admin	Required to manage Service Graph Connector connections in SGC Central.
pd_admin	Required to manage Discovery patterns with create or write access.
pd_user	Required to view Discovery patterns with read-only access.
pd_mid	Required to view Discovery and Service Mapping Patterns with read-only access.

Use cases

For examples of how different people in your organization would use this feature, see these use cases.

User	Feature use
CMDB administrator	- Identify an inactive Discovery pattern that can populate attribute data for hardware assets. - Identify a Service Graph Connector relevant to hardware assets that is installed but without any active connections. - Prioritize which hardware-related integrations to improve to maximize CMDB data quality for improving the completeness, accuracy, and reconciliation of hardware asset records.

Data integration features

Feature description

Feature	Description
Integration overview	Displays the count of all Discovery patterns and Service Graph Connectors contributing hardware asset data to the CMDB.
Status indicators	Check whether Discovery patterns are active and Service Graph Connectors are installed with active connections. For more information, see Reviewing data integrations for HAM .
Attribute coverage insights	Select the Attribute coverage link next to the integration to review which hardware asset

Feature	Description
	attributes are populated by a Discovery pattern or Service Graph Connector. For more information, see Evaluate HAM data integration coverage .
Access integration details	Configure integrations to improve attribute coverage. For more information, see Evaluate HAM data integration coverage .

Reviewing data integrations for HAM

Review both existing and suggested Discovery patterns and Service Graph Connectors to improve your HAM data coverage.

The **Data integrations** tab in CMDB success advisor for HAM provides insight into current integration usage for Discovery patterns and Service Graph Connectors. To ensure your CMDB is being correctly populated with high-quality HAM data, check the status of both Discovery patterns and Service Graph Connectors.

Integration types

The **Data integrations** tab displays two key data sources that support HAM:

Discovery patterns

Discovery patterns enable identify IT infrastructure components through network-based discovery.

To evaluate Discovery pattern effectiveness for HAM, review the fields as described in the following table.

Fields to monitor for Discovery pattern

Field	Description
Status	Indicates whether a Discovery pattern is currently active. Only

Field	Description
	active patterns contribute data to the CMDB.
Attribute coverage	Displays how many HAM relevant attributes within a model category are being populated by each pattern.
View pattern	Opens the Discovery pattern configuration, enabling you to inspect or refine the logic, identification rules, and targeted CI classes.

Low attribute coverage might occur if the Discovery pattern is limited in scope, not collecting detailed CI information, or if its identification rules are not aligned with the actual devices in your network. In such cases, required hardware attributes may be missing from the resulting CI records.

Service Graph Connectors

Service Graph Connectors import asset and CI data from third-party platforms.

To evaluate Service Graph Connectors effectiveness, review the fields as described in the following table.

Field	Description
Installed	Indicates whether the connector is deployed. A value of Yes confirms it is installed and available for use.
Attribute coverage	Displays how many HAM relevant attributes within a model category are being populated by each connector.

Field	Description
Active connections	Represents the number of connections actively importing data into the CMDB.
Inactive connections	Displays connections that are configured but not currently importing data and may need troubleshooting.

If a Service Graph Connector shows low attribute coverage or no active connections, it may indicate that the specific version being evaluated has limited attribute coverage. This can happen if the connector is installed but not fully mapped to populate key attributes or if the data source is unavailable or misconfigured. As a result, critical hardware data, such as serial numbers, models, or manufacturers, may not be imported into the CMDB, affecting the completeness and reliability of asset records.

Evaluate HAM data integration coverage

Identify supported model categories and attributes from a Discovery pattern or Service Graph Connector to evaluate data coverage and upgrade requirements.

Before you begin

Role required: `sn_cmdb_admin`

Procedure

1. Navigate to the CMDB success advisor and on the HAM dashboard landing page, select the **Data integrations** tab.
To access the dashboard, see [Access CMDB success advisor](#).
2. Find the Discovery pattern or Service Graph Connector by selecting the respective cards.
3. Identify the status of your Discovery patterns and Service Graph Connectors to improve CMDB data coverage.
4. Select the **Attribute coverage** link for a data integration source.

5. In the Supported model categories and attributes dialog box, review the attribute coverage details for model categories. The following details are available:

- Integration suggested vs. installed version
- Supported CI classes identified as model categories
- List of attributes and whether each is supported by the selected data integration source

6. (Optional) When installed version is lower than the suggested version, select the **View available version** link to open the Application manager.

Note: The **View available version** link is available only when applicable for a data integration source. Also, only users with the admin role can install or upgrade an application. See [Application Manager](#).

7. Determine which hardware asset attributes are being populated by the integration and whether an upgrade is needed to improve the data coverage.

Available options for improving the data coverage are:

- For Discovery patterns, you can perform the following actions based on the applicable criteria:
 - If you have the pd_user or pd_mid role, you can select **View pattern** for a Discovery pattern to view the pattern. For more information, see [Patterns and horizontal discovery](#).
 - If you have the pd_admin role, you can select **View pattern** for a Discovery pattern to understand its contribution and modify the pattern to maximize the attribute coverage. For more information, see [Patterns and horizontal discovery](#).
- For Service Graph Connectors, if you have the cmdb_inst_admin role, you can perform the following actions based on the applicable criteria:
 - Select **Install connector** to add a connector from the ServiceNow Store.

- Select **Create connection** to configure a Service Graph Connector from SGC Central. For more information, see [Create a connection for a Service Graph Connector in SGC Central](#).
- Select **View connections** to open and review details of existing installed connections importing hardware asset data within SGC Central. For more information, see [Viewing connections for a Service Graph Connector in SGC Central](#).

Analyze CMDB settings for HAM

Monitor and optimize Configuration Management Database (CMDB) settings that support configuration item (CI) to hardware asset synchronization, life cycle alignment, and Hardware Asset Management (HAM) data quality.

Use the **Settings** tab in the CMDB success advisor for HAM to review configuration indicators and identify opportunities to improve CMDB alignment with HAM guidelines.

The CMDB success advisor for HAM evaluates your current configuration across key areas such as:

- Automatic asset and CI creation
- Field and model category mappings
- CI state and substate usage
- CMDB Data manager policy coverage

Settings are categorized as **Ideal** or **Requires attention**, enabling you to prioritize actions and maintain a healthy CMDB for HAM.

For a quick reference to validate CMDB settings for HAM, see [Data integration checklist for HAM in CMDB success advisor](#).

Access settings

Navigate to the CMDB success advisor and on the HAM dashboard landing page, select the **Settings** tab. To access the dashboard, see [Access CMDB success advisor](#).

Note: The CMDB success advisor for HAM landing page is available only after the setup process is complete. For more information, see [Set up CMDB success advisor for HAM](#).

Required roles

You need the `sn_cmdb_admin` role to access the landing page for CMDB success advisor for HAM dashboard.

To manage business rules, change the application scope from CMDB success advisor to Global.

Use cases

For examples of how different people in your organization would use this feature, see these use cases.

User	Feature use
CMDB administrator	• Improve the accuracy of asset reconciliation by aligning CI and asset record creation. • Promote consistent asset life cycle management through status field alignment across asset and CI records. • Automate policy-based workflows for asset retirement, deletion, certification, or archival using policy-driven rules. • Standardize hardware model categories to improve normalization processes and reporting accuracy.

Settings features

The **Settings** tab in the CMDB success advisor for HAM provides visibility into key configuration areas that promote accurate synchronization between hardware assets and CIs. These settings include business rules, field mappings, model categories, and Data Manager policies that support automated life cycle management and data integrity. To maintain CMDB data accuracy and HAM integration, regularly review and validate these settings. For more information, see [CMDB and HAM settings assessed in the CMDB success advisor](#).

Evaluate CMDB settings

Identify and evaluate settings including Hardware Asset Management (HAM) business rules, configuration item (CI) to asset field mappings, hardware model categories, and CMDB Data Manager policies that support synchronization and automation between hardware assets and CIs.

Before you begin

Role required: sn_cmdb_admin

Procedure

1. Navigate to the CMDB success advisor and on the HAM dashboard landing page, select the **Settings** tab.
To access the dashboard, see [Access CMDB success advisor](#).
2. Select a status tile to view settings by category.

Tile	Description
All	Total number of evaluated settings.
Ideal	Settings that follow general guidelines.
Requires attention	Settings that are inactive, incorrectly configured, or missing.

3. Evaluate each setting that requires attention and use the available actions to open the related configuration pages and make updates.

Action	Description
Manage rule	Opens the configuration page for the related business rule that automate tasks between assets and CIs.
Manage model categories	Opens the Model categories list page where you can select a model category to review and update mappings between asset model categories and CI classes.
Manage mappings	Opens the Asset CI Field Mappings list page where you can select a CI and review and change how asset fields connect to CI fields to keep data accurate.
Manage Data Manager policies	Opens the Data Manager overview page where you can create or update policies for different CI classes to automate asset management.
Create policy	Opens the New policy form to create a policy for a CI class. The Create policy action is available in the policy summary dialog box displayed after selecting the policy coverage count in the Classes with active policies column within the Review Data Manager policies section for a policy type.

Tip: Select **Learn more** next to a setting to open a related help topic in a new browser tab or window with additional details about that setting.

4. To view any updated configuration status on the **Settings** tab, select

the refresh icon .

Related concepts

- [Administer CMDB Data Manager](#)

Related topics

- [Asset and CI management](#)
- [Model categories](#)

CMDB success advisor reference

Reference topics provide additional information about CMDB success advisor components, configuration reviews, and data integration checklists.

- [Components installed with CMDB success advisor](#)

Several types of components are installed with activation of the CMDB success advisor plugin, including tables and scheduled jobs.

- [CMDB and HAM settings assessed in the CMDB success advisor](#)

The Configuration Management Database (CMDB) and Hardware Asset Management (HAM) settings review provides a configuration-level assessment of the CMDB configuration item (CI) classes and HAM assets for maintaining data accuracy.

- [Data integration checklist for HAM in CMDB success advisor](#)

Use the data integration checklist to verify that Discovery patterns and Service Graph Connectors are correctly configured and actively

contributing to your Configuration Management Database (CMDB), promoting high-quality hardware asset data.

- [Settings checklist for HAM in CMDB success advisor](#)

Use this checklist to review Configuration Management Database (CMDB) and Hardware Asset Management (HAM) settings in CMDB success advisor that directly affect HAM data quality, configuration item (CI) to asset synchronization, and life cycle alignment.

- [Indicators used in the CMDB success advisor for HAM dashboard](#)

Indicators enable viewing of high-level metrics that highlight data quality, completeness, and synchronization issues across hardware assets and configuration items (CIs).

Components installed with CMDB success advisor

Several types of components are installed with activation of the CMDB success advisor plugin, including tables and scheduled jobs.

Scheduled jobs installed

Scheduled job	Description
CMDB success advisor data collection for HAM	Identifies Hardware Asset Management CI records and collects data for their corresponding indicators.

Tables installed

Table	Description
CMDB Advisor CI attribute coverage	Details of configuration item (CI) attributes for a specific ingestion source, version, CI class, and selected attributes in CMDB

Table	Description
[sn_cmdb_advisor_ci_attribute_coverage]	success advisor using a Service Graph Connector or Discovery pattern.
CMDB Advisor Content Template [sn_cmdb_advisor_content_template]	Product-specific model categories used by CMDB success advisor to generate data quality insights.
CMDB Advisor settings [sn_cmdb_advisor_settings]	Details of CMDB success advisor settings, including product association, access roles, and remediation guidance.
CMDB Advisor suggested attribute [sn_cmdb_advisor_suggested_attribute]	Attribute suggestions for CMDB success advisor based on the selected product and CI class context.
CMDB Advisor suggested ingestion source [sn_cmdb_advisor_suggested_ingestion_source]	Ingestion source suggestions for CMDB success advisor based on the associated Service Graph Connectors, Discovery patterns, and product.
CMDB Advisor targeted product [sn_cmdb_advisor_targeted_product]	Targeted product definitions for CMDB success advisor, including icon, display name, and display order.

CMDB and HAM settings assessed in the CMDB success advisor

The Configuration Management Database (CMDB) and Hardware Asset Management (HAM) settings review provides a configuration-level assessment of the CMDB configuration item (CI) classes and HAM assets for maintaining data accuracy.

Settings overview

Each setting is checked for alignment with suggested business rules and mapping guidelines.

CMDB integration settings

Setting	Description
Create asset on CI insertion	Enables the automatic creation of an asset record when a CI is inserted into the CMDB. Requires the Create Asset on Insert business rule to be active for asset creation to occur during CI insertion.
Update asset fields on CI change	Enables automatic updates to asset records when a related CI is modified. Requires the Update Asset Fields on Change business rule to be active to synchronize CI changes with asset data.
Create CI on asset insertion	Enables the automatic creation of a configuration item when an asset record is added. Requires the Create CI on Insert business rule to be active to reflect asset data in the CMDB.
Update CI on asset update	Enables automatic updates to configuration item records when associated asset data is changed. Requires the Update CI Fields on

Setting	Description
	Change business rule to be active to maintain data consistency.
Review custom model categories	Validates that custom model categories are properly mapped to predefined model categories. Verifies accurate classification, consistent reporting, and standardized data alignment.
Review asset CI field mappings	Evaluates whether asset fields are correctly mapped to configuration item fields using standard mappings. Helps prevent data discrepancies caused by custom or incorrect mappings.
Review asset CI install status mappings	Checks that CI install status values are accurately mapped to the state and substate fields of the corresponding asset record. Verifies precise life cycle tracking and status reporting.
Review asset CI hardware status mappings	Verifies that CI hardware status values align with the state and substate fields of the corresponding asset record. Supports consistent representation of physical asset conditions.
Review Data Manager policies	Assesses the configuration of CMDB Data Manager policies, including archive, attestation, certification, delete, and retire, for the selected hardware CI classes. Each policy type manages a specific life cycle action:

Setting	Description
	Archive Archives inactive CIs without deleting them.
	Attestation Validates CI data or runs automated checks.
	Certificate Verifies CI data for accuracy and readiness.
	Delete Removes CIs based on defined criteria such as inactivity.
	Retire Marks CIs as retired when they're no longer in use.

Related concepts

- [Administer CMDB Data Manager](#)

Data integration checklist for HAM in CMDB success advisor

Use the data integration checklist to verify that Discovery patterns and Service Graph Connectors are correctly configured and actively contributing to your Configuration Management Database (CMDB), promoting high-quality hardware asset data.

Discovery patterns checklist

Confirm each Discovery pattern is enabled and effectively populating hardware-related attributes.

Discovery patterns configuration checks

Select	Check item (field)	Description	Action
☐	Pattern name	Name of the discovery pattern contributing Hardware Asset Management (HAM) data.	Confirm that the pattern is relevant for hardware asset discovery.
☐	Status	Current state of the pattern as active or inactive.	Verify that the pattern is active with Status set to Active to confirm it's contributing data.
☐	Attribute coverage	Number of hardware attributes populated by the pattern.	Check how many relevant CI attributes are being populated for each model category.

Select	Check item (field)	Description	Action
			Note: Low attribute coverage may suggest shallow discovery or misaligned pattern logic.
☐	Suggested version	Latest suggested version for optimal attribute coverage.	Plan and perform an upgrade to the suggested version or higher to improve coverage.
☐	Installed version	Version currently in use in your instance.	Compare with the suggested version and upgrade if necessary.
☐	View pattern	Link to inspect the pattern configuration.	Select the link to review or modify the pattern logic.

Service Graph Connectors checklist

Confirm Service Graph Connectors are installed and actively contributing hardware data.

Service Graph Connectors configuration checks

Select	Check item (field)	Description	Action
☐	Connector name	Name of the Service Graph Connector providing HAM data.	Confirm that the Service Graph Connector is required for your HAM processes.
☐	Status	Current state of the Service Graph Connector as active or inactive.	Activate Service Graph Connectors that are needed for HAM but currently inactive.
☐	Attribute coverage	Number of hardware attributes populated by the Service Graph Connector.	Check how many relevant CI attributes are being populated for each model category. Note: Low coverage may indicate incomplete mappings or missing source data.
☐	Suggested version	Latest suggested version for optimal attribute coverage.	Plan and perform an upgrade to the suggested version or higher

Select	Check item (field)	Description	Action
			to improve coverage.
☐	Installed version	Version currently in use in your instance.	Compare with the suggested version and upgrade if necessary.
☐	Active connections	Number of active connections.	Confirm that at least one connection is actively importing data into the CMDB.
☐	Inactive connections	Number of inactive connections.	Review and troubleshoot any configured connections that aren't currently active.

Optional checks for Discovery patterns and Service Graph Connectors

Optional data integration checks

Select	Check item	Description	Action
☐	No entitlements warning	Discovery patterns or Service Graph Connectors tile showing no entitlements, indicating missing access or licensing.	Verify licensing and entitlements with your administrator.

Select	Check item	Description	Action
☐	Suggested integrations reviewed	Some Discovery patterns are listed as suggestions because they aren't installed or active, and some Discovery patterns are listed but are not actively used.	Evaluate business need and consider implementing high-value suggested integrations.

Final validation

Once all data integration checks are complete:

- Attribute coverage across integrations supports your HAM business outcome.
- CMDB records for hardware assets are accurate and complete.

Settings checklist for HAM in CMDB success advisor

Use this checklist to review Configuration Management Database (CMDB) and Hardware Asset Management (HAM) settings in CMDB success advisor that directly affect HAM data quality, configuration item (CI) to asset synchronization, and life cycle alignment.

CMDB and HAM settings checklist

Confirm that each setting is configured to support accurate and consistent hardware asset records in the CMDB.

Settings configuration checks

Select	Check item (field)	Description	Action
☐	Create asset fields on CI insertion	Enables the automatic creation of an	Verify that rule is active and set to create asset

Select	Check item (field)	Description	Action
		asset record when a CI is inserted into the CMDB.	records on CI insertion.
☐	Update asset fields on CI change	Enables automatic updates to asset records when a related CI is modified.	Verify that rule is active and correctly updates asset fields on CI change.
☐	Create CI on asset insertion	Enables the automatic creation of a configuration item when an asset record is added.	Verify that rule is active and set to create CI records on asset insertion.
☐	Update CI on asset update	Enables automatic updates to configuration item records when associated asset data is changed.	Verify that rule is active and correctly updates CI fields on asset changes.
☐	Review custom model categories	Validates that custom model categories are properly mapped to predefined model categories	Map custom categories to predefined ones.

Select	Check item (field)	Description	Action
☐	Review asset CI field mappings	Evaluates whether asset fields are correctly mapped to configuration item fields using standard mappings.	Try using predefined mappings.
☐	Review asset CI install status mappings	Checks that CI install status values are accurately mapped to the state and substate fields of the corresponding asset record.	Try using predefined mappings.
☐	Review asset CI hardware status mappings	Verifies that CI hardware status values align with the state and substate fields of the corresponding asset record.	Try using predefined mappings.
☐	Review CMDB Data Manager policies	Assesses the configuration of Data Manager policies, including archive, attestation, certification, delete, and retire, for the selected	Enable and configure appropriate policies for the required CI classes.

Select	Check item (field)	Description	Action
		hardware CI classes.	

Final validation

Once all settings checks are complete:

- All business rules for automatic asset and CI creation or updates are **Active**.
- Custom model categories are correctly mapped to predefined categories.
- Data Manager policies are configured for all required CI classes.
- No **Requires attention** status is displayed for any setting in the **Settings** tab.

Indicators used in the CMDB success advisor for HAM dashboard

Indicators enable viewing of high-level metrics that highlight data quality, completeness, and synchronization issues across hardware assets and configuration items (CIs).

CMDB success advisor for HAM dashboard Indicators

Assets created for virtual CIs

Total number of virtual CI assets in the Hardware [alm_hardware] table created daily, where the life cycle stage of CI is operational, the asset field is not empty, and the CI is marked as virtual.

Assets missing CI

Total number of hardware assets in the Hardware [alm_hardware] table missing a linked CI from the Hardware [cmdb_ci_hardware] class, measured daily, where the CI is operational, the asset is actively in use, and no CI is linked to the asset.

CI install status vs. asset state matched

All CI records from the Hardware [cmdb_ci_hardware] class where the installation status correctly aligns with the expected asset state, promoting accurate and reliable asset management.

CI install status vs. asset state mismatched

All CI records from the Hardware [cmdb_ci_hardware] class with an installation status that doesn't align with the expected asset state, resulting in erroneous asset management.

CIs missing asset

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a linked asset, measured daily, where the life cycle stage of CI is operational and no asset is associated with the CI.

CIs missing assigned to

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing an assigned owner, measured daily, where the CI lacks an assigned owner.

CIs missing location

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a location, measured daily, where the CI doesn't have a location assigned.

CIs missing managed by group

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a managed by group, measured daily, where the CI doesn't have a managed by group assigned.

CIs missing manufacturer

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a manufacturer, measured daily, where the CI doesn't have a manufacturer specified.

CIs missing model ID

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a model ID, measured daily, where the CI doesn't have a model ID or model display name specified.

CIs missing model name

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a model name, measured daily, where the CI doesn't have a model name specified, with or without a model ID

CIs missing model number

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing a model number, measured daily, where the CI doesn't have either a model ID or a model name specified.

CIs missing owner

Total number of CI records from the Hardware [cmdb_ci_hardware] class missing an owner, measured daily, where the CI doesn't have an owner assigned.

CIs missing serial number

Total number of CIs missing a serial number, measured daily, where the CI doesn't have a serial number assigned.

CIs not updated in 7 days

Total number of CI records from the Hardware [cmdb_ci_hardware] class not updated in the last seven days, measured daily, where the update timestamp is older than seven days.

CIs not updated in 14 days

Total number of CI records from the Hardware [cmdb_ci_hardware] class not updated in the last 14 days, measured daily, where the update timestamp is older than 14 days.

CIs not updated in 30 days

Total number of CI records from the Hardware [cmdb_ci_hardware] class not updated in the last 30 days, measured daily, where the update timestamp is older than 30 days.

CIs not updated in last 60 days

Total number of CI records from the Hardware [cmdb_ci_hardware] class not updated in the last 60 days, measured daily, where the update timestamp is older than 60 days.

CIs not updated in last 90 days

Total number of CI records from the Hardware [cmdb_ci_hardware] class not updated in the last 90 days, measured daily, where the update timestamp is older than 90 days.

Hardware CIs group by

Total number of CI records from the Hardware [cmdb_ci_hardware] class, measured daily and grouped by model category and discovery source.