

Zurich ServiceNow AI Platform Capabilities

Last updated: January 16, 2026

Some examples and graphics depicted herein are provided for illustration only. No real association or connection to ServiceNow products or services is intended or should be inferred.

This PDF was created from content on docs.servicenow.com. The web site is updated frequently. For the most current ServiceNow product documentation, go to docs.servicenow.com.

Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408)501-8550

Now Assist for Configuration Management Database (CMDB)

Use ServiceNow® Now Assist for Configuration Management Database (CMDB) to improve the quality of CMDB data, search the CMDB quickly, find and remedy issues with Service Graph Connector import sets, view comprehensive summaries for CIs, manually create CIs, and accelerate the process of remediating duplicate CIs.

Get started



Explore
Now Assist for CMDB

Learn about



Configure
Assist for CMDB

Activate Now



Use
workflows to accelerate results.

Apply AI agentic



Use
CMDB skills to view a concise
summary of key CI data, to help
you to resolve de-duplication tasks,
or to reduce debugging and
resolution time for failed Service
Graph Connector import sets.

Use Now Assist for



Reference
topics provide additional
information about the property

/> Reference

settings that you use to configure and administer Now Assist for CMDB.

Important:

- Not all model providers are available for customers with in-country SKUs, and some Now Assist products/features are currently unavailable for in-country customers. For more information, see the [KB1584492](#) article in the Now Support Knowledge Base. Be sure to check for model provider availability updates in future releases.
- Some Now Assist products/features are currently unavailable for customers in the FedRAMP, NSC DOD IL5, or Australia IRAP-Protected data centers, self-hosted customers, or in other restricted environments. For more information, see the [KB0743854](#) article in the Now Support Knowledge Base. Be sure to check for availability updates in future releases.
- Some Now Assist products/features are currently available only for customers in some regions. Be sure to check for availability updates in future releases.

Troubleshoot and get help

- [Ask questions and explore other resources for in the ServiceNow Community](#)
- [Search the Known Error Portal for known error articles](#)
- [Contact Customer Service and Support](#)

AI limitations

This application uses artificial intelligence (AI) and machine learning, which are rapidly evolving fields of study that generate predictions based on patterns in data. As a result, this application may not always produce accurate, complete, or appropriate information. Furthermore, there is no guarantee that this application has been fully trained or tested for your use case. To mitigate these issues, it is your responsibility to test and evaluate your use of this application for accuracy, harm, and appropriateness for your use case, employ human oversight of

output, and refrain from relying solely on AI-generated outputs for decision-making purposes. This is especially important if you choose to deploy this application in areas with consequential impacts such as healthcare, finance, legal, employment, security, or infrastructure. You agree to abide by [ServiceNow's AI Acceptable Use Policy](#), which may be updated by ServiceNow.

Data processing

This application requires data to be transferred from ServiceNow customers' individual instances to a centralized ServiceNow environment, which may be located in a different data center region from the one where your instance is, and potentially to a third-party cloud provider, such as Microsoft Azure. This data is handled per ServiceNow's internal policies and procedures, including our policies available through our [CORE Compliance Portal](#).

Data collection

ServiceNow collects and uses the inputs, outputs, and edits to outputs of this application to develop and improve ServiceNow technologies including ServiceNow models and AI products. In addition, this application will collect incident data (for Incident Assist and Knowledge Assist) and chat transcripts (for Chat Assist). Customers can opt out of future data collection at any time, as described in the [Now Assist Opt-Out page](#).

For more information, see the [Now Assist documentation](#).

Available LLMs

You can use Now LLM Service, Now LLM Long Term Stable models (LTS), Azure OpenAI, Google Gemini or Anthropic Claude on AWS as the AI model provider for all Now Assist skills and AI agents. Use the Configuration Controls in [AI Control Tower](#) to define which options are available, then set the skill-level preferences in the [Now Assist Admin console](#). For more information, see [Large language models on the ServiceNow AI Platform®](#).

Exploring Now Assist for CMDB

With the Now Assist for Configuration Management Database (CMDB) application, you can use Agentic AI to search the CMDB, summarize

discovery, ownership and related information for a CI, and fix failed SGC import sets. You can also follow step-by-step guidance to help you remediate duplicate CIs, improve CMDB data accuracy, completeness, and health .

Supporting information for Now Assist for CMDB

Now Assist for CMDB is supported starting with Xanadu patch 3.

Now Assist for CMDB supports the following LLM models:

- Gemini
- Claude

Now Assist for CMDB agentic workflows

Now Assist for CMDB provides the following abilities:

Create configuration item agentic workflow

Occasionally, you might need to create a CI manually. To help you, the Create configuration item agentic workflow accepts your natural language request and verifies that it understands which class the new CI should belong to. The workflow then checks Identification and Reconciliation engine (IRE) rules to determine the required attributes for the CI and requests that information. After you provide sufficient data, the workflow ensures that the proposed CI includes the attributes that you requested, complies with IRE rules, and is not a duplicate. The workflow then creates the CI.

The Create configuration item agentic workflow is particularly useful for adding CIs to tables accessed by Operational Technology because users might add physical CIs while unaware of the need to manage CI data in the CMDB.

To learn more, see [Create a CI using Now Assist](#).

Provide advice on CMDB governance agentic workflow

Data governance can be an overwhelming task. The Provide advice on CMDB governance agentic workflow supports data admins and owners by methodically working through the many-faceted process of improving

CMDB data accuracy, completeness, and health. The objective is to ensure that users can trust the data that they use for their work.

To learn more, see [Getting advice from Now Assist on CMDB governance](#).

Search CMDB agentic workflow

The Search CMDB agentic workflow enables you to search for CIs by specifying any of several attributes of the CI of interest. The workflow accepts your natural language request, verifies your search goal, and then generates a keyword search, a single-table search with dot walks, or a multi-table searches that involve relationship navigation, depending on the information you provided. The workflow can infer CI relationship data to generate an appropriate query.

To learn more, see [Use Now Assist to search the CMDB for CIs](#).

Now Assist for CMDB skills

CI summarization skill

View a concise summary of key CI data. You can select the CI on a CI form, in a workspace page, or on any list view. The summary can include discovery data, ownership, and key related items such as open incidents, alerts, problems, upcoming change requests, and security vulnerabilities. Additionally, the summary lists the service instances that the CI is part of. Summary information is useful while working in applications such as Incident Management, Change Management, and Event Management.

Configuration Item summarized by Now Assist

Summary:

The CI ' ' is an AIX Server, last discovered on 2021-12-01 13:28:02 by ' 't'. It is owned by Capacity Mgmt and is associated with the service 'Manual 0'. There are 3 change requests, all of which are of '3 - Moderate' priority.

Updated 2025-10-16 12:00:10

Be sure to check AI-generated summaries for accuracy.


To learn more, see [View CI information with the Now Assist CI summarization skill](#).

Manage duplicate CIs skill

Duplicate CIs interfere with the integrity, reliability, and general health of CMDB. Resolve de-duplication tasks with support from the Now Assist Manage duplicate CIs skill. CMDB administrators follow step-by-step guidance to perform remediation, and can preview remediation results before applying a template. The manage duplicate CIs skill accelerates the work that you normally perform manually.

In this example, the manage duplicate CIs skill presents a list of classes with duplicate CIs and suggests possible actions. You can select an option or enter the action text in your own words:

- Review de-duplication tasks, create de-duplication templates, assign tasks to templates, and run the templates.
- Preview the results of applying a de-duplication template before you decide to apply it.
- Identify the root cause of duplications so that you can review the groups of de-duplication tasks that share a common cause and possibly avoid the issue in the future.



To learn more, see [Let Now Assist help you to manage duplicate CIs](#).

Service Graph Connector diagnosis skill

Service Graph Connectors are integrations that facilitate data ingestion from third-party sources into the CMDB. Errors in Service Graph Connectors can disrupt the flow of configuration item (CI) data resulting in inconsistencies between the actual state of CIs and their CMDB records.

The Service Graph Connector diagnosis skill automates error diagnosis and recommendation generation, enabling CMDB installation administrators to identify and resolve the issues. This automation reduces

manual effort and saves time in debugging Service Graph Connectors issues.

To learn more, see the following topics:

- [Fix SGC import set issues with the Now Assist SGC diagnosis skill](#)
- [Getting started with Service Graph Connectors](#)
- [Learn how IRE detects duplicate CIs and creates de-duplication tasks](#)
- [Learn how CMDB Health uses the duplicate metric to track duplicate CIs.](#)
- [Learn how to manage and remediate de-duplication tasks by using de-duplication templates in CMDB Workspace.](#)
- [Supporting information for Now Assist for CMDB](#)

Get a quick overview of the important information that is related to the Now Assist for CMDB application.

Supporting information for Now Assist for CMDB

Get a quick overview of the important information that is related to the Now Assist for CMDB application.

Supported versions

Now Assist for CMDB is supported starting with Xanadu patch 3.

For more information, see [Configuring Now Assist for CMDB](#).

Supported LLMs

You can use Now LLM Service, Now LLM Long Term Stable models (LTS), Azure OpenAI, Google Gemini or Anthropic Claude on AWS as the AI model provider for all Now Assist skills and AI agents. Use the Configuration Controls in [AI Control Tower](#) to define which options are available, then set the skill-level preferences in the [Now Assist Admin console](#). For more information, see [Large language models on the ServiceNow AI Platform®](#).

Supported languages

Now Assist for CMDB supports the following languages across all skills:

- German
- French
- Japanese
- Dutch
- French Canadian
- Spanish
- Brazilian Portuguese
- Italian

For more info, see [Multilingual service for Now Assist applications](#)

Configuring Now Assist for CMDB

Configure Now Assist for CMDB.

Roles

Agentic workflows and their AI agents use [role masking](#) to determine which users can access them. Ones installed with Now Assist applications have specific roles that come included with the application. If you select Users with specific roles for user access, you must configure the security controls to include these roles. Data access settings must also include these roles. For the instructions to change the security controls, see [Define security controls for an agentic workflow](#).

Skill activation

Important: Some Now Assist skills, agents, and agentic workflows are now turned on by default. The new default behavior works as follows:

New customers

When you install a Now Assist product, designated skills, agents, or agentic workflows are turned on automatically.

Existing customers who are upgrading (starting with Zurich Patch 4)

There is no change to skills, agents, or agentic workflows that are currently enabled and customized.

An AI asset is turned on if:

- The Now Assist plugin is installed, but the asset was never turned on.
- An admin has never adjusted roles for the skill.

An AI asset is not turned on if:

- The asset was previously turned on, and then turned off again.
- An admin has adjusted roles for the asset.

For more information, see [Now Assist skills, agents, and agentic workflows on by default](#).

Skill reuse in a domain-separated environment

By default, all skills exist in the global domain. When you use Now Assist in a domain-separated environment, users are only able to access data in their domain. For example, if a user uses the summarization skill, Now Assist only uses material that exists in the user's domain when generating that summary. Additionally, there is no co-mingling of data for domain-separated instances when using generative AI skills. The data resides only on the instance, and the shared services used for generative AI do not persist any requests (prompts) and responses. For more information, see [Domain separation in the Now Assist Admin console](#). (Note that global domain is not the same as global scope. For more information, see [Exploring Next Experience pickers](#).)

Procedures

Follow these procedures to set up and configure Now Assist for Configuration Management Database (CMDB).

- [Configure Now Assist for CMDB](#)

Configure the Now Assist for CMDB application so users can benefit from Agentic workflows, agents, and skills.

- [Configure the Search CMDB agentic workflow](#)

Review and configure the settings of the Search CMDB agentic workflow.

- [Configure the CI summarization skill](#)

Review and configure the settings of the Now Assist for Configuration Management Database (CMDB) CI summarization skill to restrict the availability of the skill to certain users or conditions.

- [Configure the manage duplicate CIs skill](#)

Enable and configure scheduled jobs that support the manage duplicate CIs skill.

- [Configure the Service Graph Connector diagnosis skill](#)

Review and configure the settings of the Service Graph Connector diagnosis skill.

Configure Now Assist for CMDB

Configure the Now Assist for CMDB application so users can benefit from Agentic workflows, agents, and skills.

Before you begin

Agentic workflows and their AI agents use [role masking](#) to determine which users can access them. Ones installed with Now Assist applications have specific roles that come included with the application. If you select Users with specific roles for user access, you must configure the security controls to include these roles. Data access settings must also include


these roles. For the instructions to change the security controls, see [Define security controls for an agentic workflow](#).

Role required: sn_nowassist_admin.nsa_admin

Procedure

1. Navigate to **Admin > Now Assist Admin** and then select the **Settings** tab.
2. In the list, select **Plugins**.
Plugins that have already been activated are listed on the **Installed** tab.
3. Uninstall Now Assist for Service Graph Connectors (SGC).
4. On the Now Assist for Configuration Management Database (CMDB) card, select **Get plugins** and then in the pop-up window, select **Install Plugin**.

You install the Now Assist for CMDB (com.snc.cmdb.gen.ai) plugin.




You are redirected to the ServiceNow Store in a new browser tab so you can get the plugin.

5. Install the Now Assist for CMDB plugin.


For instructions on the installation process, see [Install Now Assist plugins](#).

6. Confirm that Now Assist for CMDB is installed.
 - a. On the **Now Assist Admin** console, select the **Settings** tab and then select **Plugins** in the list.
 - b. On the **Installed** tab, verify that the **Status** value is **Installed**.



Now that you have installed the plugin, you set up the skills for Now Assist for CMDB.

7. On the **Now Assist Skills** tab, expand **Technology** and then select **CMDB**.



8. On the Now Assist skills for CMDB page, select **Turn on** for the Manage duplicate CIs skill.
No configuration is required for the skill. On the pop-up, select **Back to skills** to set up the other skills.
9. On the Now Assist skills for CMDB page, select **Activate skill** for the CI summarization skill.
The skill requires configuration as described in [Configure the CI summarization skill](#).
10. On the Now Assist skills for CMDB page, select **Activate skill** for the Service Graph Connector diagnosis skill.
The skill requires configuration as described in [Configure the Service Graph Connector diagnosis skill](#).
11. Configure property settings.
See [Property settings for Now Assist for CMDB](#).

What to do next

To start using Now Assist for CMDB skills, see [Using agentic workflows in Now Assist for CMDB](#).



To deactivate a skill, select the menu icon for the skill and then select **Deactivate skill**.

Admins might be interested in Query Generation. Query Generation is an AI-powered service that translates user questions into an executable query. An executable query contains the data source, filter, aggregation, and visualization instructions that best answer the user's question. For more information, see [Exploring Query Generation](#).

Related concepts

- [CMDB Workspace store app](#)

Configure the Search CMDB agentic workflow

Review and configure the settings of the Search CMDB agentic workflow.

Before you begin

Agentic workflows and their AI agents use [role masking](#) to determine which users can access them. Ones installed with Now Assist applications have specific roles that come included with the application. If you select Users with specific roles for user access, you must configure the security controls to include these roles. Data access settings must also include these roles. For the instructions to change the security controls, see [Define security controls for an agentic workflow](#).

Role required: admin

Procedure

1. Activate the Query Generation skills as described in [Query Generation skills](#).
2. Index the CI data.
 - a. Navigate to **Query Generation > Indexed Sources**.
 - b. Open the two records and select **Index all tables** or **Index table**.

Related tasks

- [Use Now Assist to search the CMDB for CIs](#)

Configure the CI summarization skill

Review and configure the settings of the Now Assist for Configuration Management Database (CMDB) CI summarization skill to restrict the availability of the skill to certain users or conditions.

Before you begin

Role required: admin

About this task

The CI summarization skill might scan activated plugins, activated applications, and CMDB tables. The skill uses the Now LLM Service to generate summaries.

Requirements and dependencies for the skill

Detail type	Requirements and dependencies
Discovery	The CI summarization skill extracts details from the Discovery source and Most recent discovery CI attributes. If CMDB 360 is enabled, the summary can show additional discovery sources for the CI. For more information, see CMDB 360/Multisource CMDB.
Alerts	Event Management must be activated for the CI summarization skill. For more information, see Event Management.

Detail type	Requirements and dependencies
Security vulnerabilities	Security Operations must be activated for the CI summarization skill. For more information, see Security Operations .
CI ownership	The CI summarization skill determines the CI ownership based on the attribute that is specified in the <code>glide.cmdb.health.ci_ownership_field</code> system property. For more information, see CMDB Health system properties and CMDB Health.
Data on the CMDB Health Dashboard	The Correctness Score Calculation scheduled job improves the accuracy of the summary details on the CMDB Health Dashboard. For more information, see Enable and configure a CMDB Health Dashboard job.

By default, all skills exist in the global domain. When you use Now Assist in a domain-separated environment, users are only able to access data in their domain. For example, if a user uses the summarization skill, Now Assist only uses material that exists in the user's domain when generating that summary. Additionally, there is no co-mingling of data for domain-separated instances when using generative AI skills. The data resides only on the instance, and the shared services used for generative AI do not persist any requests (prompts) and responses. For more information, see [Domain separation in the Now Assist Admin console](#). (Note that global domain is not the same as global scope. For more information, see [Exploring Next Experience pickers](#).)

Procedure

1. (Optional) Access the setting tabs for the CI summarization skill.

- a. Navigate to **All > Now Assist Admin**.
 - b. On the **Now Assist Features** tab, expand **Technology** and then select **CMDB**.
 - c. On the Now Assist Skills for CMDB page, review the skills and then select **View details**.
 - d. On the **Active skills** card on the Configuration Management Database (CMDB) page, select the context menu for the CI summarization skill and then select **Edit**.
2. Review and configure the settings.

Setting tabs for the CI summarization skill

Tab	Action
General details	Review general information on the CI summarization skill.
Choose inputs	Note: In this release of the skill, all configuration settings on this section are read-only. Review the tables and fields that the Now LLM Service uses to gather details for the CI summary.
Define availability	Select Customize skill availability to restrict the availability of the skill to certain conditions or particular users or groups. Use the condition builder to specify the field conditions that must be met for the skill to be available and then select Save and continue.

Tab	Action
Select display	a. Toggle the Display switch to expose the CI summarization skill on CI forms. When the Display toggle is in the off state, the CI summarization skill isn't available even when the skill itself is activated. b. Specify the user roles that can use the CI summarization skill by selecting the drop-down list icon  and then selecting the user roles in the User roles field. c. Select Save and continue.
Review and activate	Review the summary of settings for the skill (each card displays a different category of settings). Select Activate or Done. Important: Confirm that the answer is Yes on the card titled Will CI summarization display in product?. Otherwise, the CI summarization function won't be available to users even if the skill itself is activated.

The **Summarize** button appears when a user with the appropriate role views a CI.

✦ Configuration Item summary by Now Assist

✦ Summarize

What to do next

Use the CI summarization skill.

Configure the manage duplicate CIs skill

Enable and configure scheduled jobs that support the manage duplicate CIs skill.

Before you begin

In this procedure, you enable scheduled jobs that support the manage duplicate CIs skill.

By default, all skills exist in the global domain. When you use Now Assist in a domain-separated environment, users are only able to access data in their domain. For example, if a user uses the summarization skill, Now Assist only uses material that exists in the user's domain when generating that summary. Additionally, there is no co-mingling of data for domain-separated instances when using generative AI skills. The data resides only on the instance, and the shared services used for generative AI do not persist any requests (prompts) and responses. For more information, see [Domain separation in the Now Assist Admin console](#). (Note that global domain is not the same as global scope. For more information, see [Exploring Next Experience pickers](#).)

Role required: admin

Procedure

1. Enable the De-duplication: Populate Duplicate Task Data scheduled job.
For instructions, see [Components installed for duplicate CI remediation](#).
2. Enable the PopulateDuplicate Task Group Daily scheduled job to provide analysis of the root cause of remediation tasks.
For instructions, see [Components installed with CMDB Workspace](#).

3. Enable the CMDB Health Dashboard - Correctness Score Calculation scheduled job.
The job improves the accuracy of summary details on the CMDB Health Dashboard. For instructions, see [Enable and configure a CMDB Health Dashboard job](#).

Related tasks

- [Use Now Assist to search the CMDB for CIs](#)

Configure the Service Graph Connector diagnosis skill

Review and configure the settings of the Service Graph Connector diagnosis skill.

Before you begin


By default, all skills exist in the global domain. When you use Now Assist in a domain-separated environment, users are only able to access data in their domain. For example, if a user uses the summarization skill, Now Assist only uses material that exists in the user's domain when generating that summary. Additionally, there is no co-mingling of data for domain-separated instances when using generative AI skills. The data resides only on the instance, and the shared services used for generative AI do not persist any requests (prompts) and responses. For more information, see [Domain separation in the Now Assist Admin console](#). (Note that global domain is not the same as global scope. For more information, see [Exploring Next Experience pickers](#).)

Role required: admin

Procedure

1. In the Select display section, review where the skill appears and then select **Save and continue**.
2. In the Review and activate section, review your selections and then select **Activate**.
3. On the Successfully activated pop-up, select **Return to Service Graph Connector**.

4. In the Active skills section of the Service Graph Connector page, see the **Status** column to verify that the skill is active.
Active skills section



Using agentic workflows in Now Assist for CMDB

Users with the `sn_cmdb_user` role can access several Now Assist for CMDB agentic workflows.

Agentic workflows

Available agentic workflows for Now Assist for CMDB

Agentic workflow name	Description	Available AI agents
Create configuration item	Occasionally, you might need to create a CI manually. To help you, the Create configuration item agentic workflow accepts your natural language request and verifies that it understands which class the new CI should belong to. The workflow then checks Identification	CMDB CI creator

Agentic workflow name	Description	Available AI agents
	and Reconciliation engine (IRE) rules to determine the required attributes for the CI and requests that information. After you provide sufficient data, the workflow ensures that the proposed CI includes the attributes that you requested, complies with IRE rules, and is not a duplicate. The workflow then creates the CI. For more information, see Create a CI using Now Assist	
Provide advice on CMDB governance	Data governance can be an overwhelming task. The Provide advice on CMDB governance agentic workflow supports data admins and owners by methodically working through the many-faceted process of improving CMDB data accuracy, completeness, and health. The objective is to ensure that users can trust the data that they use for their work. For more information, see Getting advice	• CMDB data manager • CMDB data certification and attestation manager • CMDB data ownership manager • CMDB health metrics manager • CMDB life cycle manager • CMDB principal class manager

Agentic workflow name	Description	Available AI agents
	from Now Assist on CMDB governance.	
Search CMDB	The Search CMDB agentic workflow enables you to search for CIs by specifying any of several attributes of the CI of interest. The workflow accepts your natural language request, verifies your search goal, and then generates a keyword search, a single-table search with dot walks, or a multi-table searches that involve relationship navigation, depending on the information you provided. The workflow can infer CI relationship data to generate an appropriate query. For more information, see Use Now Assist to search the CMDB for CIs.	CMDB CI search

AI agents used by Now Assist for CMDB

Looking for an AI agent?

- There might be AI agents installed with the Now Assist application that are not used in agentic workflows. To learn how to see all agents that are available on your instance, see [Find AI agents](#).

- To find agents that might not be installed on your instance, visit the [AI Agent Marketplace](#) on the ServiceNow Store.

CMDB CI creator AI agent

The CMDB CI creator AI agent creates a new configuration item (CI) record in the CMDB.

CMDB data certification and attestation manager AI agent

The CMDB data certification and attestation manager AI agent retrieves the data certification and attestation policies for a CI class and for similar classes. It can also create a data certification and an attestation policy. For more information, see [Data Certification](#).

CMDB data manager AI agent

The CMDB life cycle manager AI agent helps admins to ensure that CMDB life-cycle policies are in place for principal classes or for specified classes. For more information, see [Working with CMDB Data Manager](#).

CMDB data certification and attestation manager AI agent

The CMDB data certification and attestation manager AI agent retrieves and applies data certification and attestation policies to manage the data certification and attestation of CI classes.

CMDB data ownership manager AI agent

The CMDB data ownership manager AI agent helps you to assess the quality of CI ownership data for a CI class to determine ownership, validate ownership, and evaluate ownership quality. You can validate fields that reference sys_user or sys_user_group like **Assigned To**, **Managed by Group** (default), **Support Group**, and so on. The agent answers the following questions:

- Is CI ownership specified? Is the **Managed by group** attribute value set for the CI? Does it point to an active and correctly configured record? The value of the system property for ownership is a default field for the evaluation. For the **Managed by group** CI attribute, you can specify the percentage values that classify the result as Poor, Average, or Healthy. For more information, see [Property settings for Now Assist for CMDB](#).

- If you provide a user referencing value: Does the **User Referencing** value point to an active record? This evaluation identifies CIs that have inactive users and CIs with no **User** value.
- If you provide a user referencing value: Does the **Group Referencing** value point to an active record? This evaluation identifies CIs that have inactive groups, empty groups (no users), and CIs with no **Group** value.

CMDB health metrics manager AI agent

The CMDB health metrics manager AI agent displays information on CMDB Health Dashboard jobs, health metrics status, and health scores. If the jobs are not configured, the workflow provides a link to the setup instructions. For more information, see [CMDB Health](#).

CMDB life cycle manager AI agent

The CMDB life cycle manager AI agent performs actions related to life-cycle management of CI classes: retrieve the life-cycle management policy and retirement definition for a CI class and create a life-cycle policy.

CMDB principal class manager AI agent

The CMDB principal class manager AI agent determines whether you can set CI classes as principal, suggests principal classes, and can set or unset a class as principal. Setting a class as a principal class is a practical way to save time because you can configure ServiceNow AI Platform products to display only principal classes in list views. The workflow helps you to decide which CIs you are most likely to work with day-to-day and then provides a link to enable you to set the associated classes as principal classes. For more information, see [Update class list in the Principal Class filter](#).

CMDB search AI agent

The CMDB search AI agent searches the CMDB for a particular CI using single table query search or keyword query search and then displays a link to search results.

CI summarizer AI agent

View a concise summary of key CI data. You can select the CI on a CI form, in a workspace page, or on any list view. The summary can include discovery data, ownership, and key related items such as open incidents,

alerts, problems, upcoming change requests, and security vulnerabilities. Additionally, the summary lists the service instances that the CI is part of.

Note:

You can use Now LLM Service, Now LLM Long Term Stable models (LTS), Azure OpenAI, Google Gemini or Anthropic Claude on AWS as the AI model provider for all Now Assist skills and AI agents. Use the Configuration Controls in [AI Control Tower](#) to define which options are available, then set the skill-level preferences in the [Now Assist Admin console](#). For more information, see [Large language models on the ServiceNow AI Platform®](#).

Enable security implementation to execute AI agents and agentic workflows through Access Control Lists (ACLs) and user identities. ACLs provide the Run As capability to let agents and agentic workflows execute actions either as a dynamic user or as an AI user. For more information, see [Implement access control in Now Assist AI agents](#)

Running AI agents autonomously

Important: By default, all agentic workflow and AI agent records are read only.

To run the AI agents autonomously, you must first duplicate the agentic workflow and then proceed with the following steps:

- Activate the agentic workflow.
- Activate all agents within the agentic workflow.
- Activate the trigger to invoke the agentic workflow automatically. If you prefer to invoke it manually, activating the trigger isn't necessary.
- [Create a CI using Now Assist](#)

The Create configuration item agentic workflow accepts your natural language request to manually generate a valid CI in the class that you specify.

- [Getting advice from Now Assist on CMDB governance](#)

Data governance can be an overwhelming task. The Provide advice on CMDB governance agentic workflow supports data admins and owners by methodically working through the many-faceted process of improving CMDB data accuracy, completeness, and health. The objective is to ensure that users can trust the data that they use for their work.

- [Use Now Assist to search the CMDB for CIs](#)

The Search CMDB agentic workflow enables you to search for CIs by specifying any of several attributes of the CI of interest. The workflow accepts your natural language request, verifies your search goal, and then generates a keyword search, a single-table search with dot walks, or a multi-table searches that involve relationship navigation, depending on the information you provided. The workflow can infer CI relationship data to generate an appropriate query.

Create a CI using Now Assist

The Create configuration item agentic workflow accepts your natural language request to manually generate a valid CI in the class that you specify.

Before you begin

Role required: sn_cmdb_admin

About this task

Occasionally, you might need to create a CI manually. To help you, the Create configuration item agentic workflow accepts your natural language request and verifies that it understands which class the new CI should belong to. The workflow then checks Identification and Reconciliation engine (IRE) rules to determine the required attributes for the CI and requests that information. After you provide sufficient data, the workflow ensures that the proposed CI includes the attributes that you requested, complies with IRE rules, and is not a duplicate. The workflow then creates the CI.

The Create configuration item agentic workflow is particularly useful for adding CIs to tables accessed by Operational Technology because users

might add physical CIs while unaware of the need to manage CI data in the CMDB.

Note: The workflow prevents creation of a CI whose class does not have an identification rule. For more information, see [Identification rules](#).

To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

Procedure

1. Use either of the following methods to start the process.
 - While working in the CMDB Workspace, select **Create CI** in the Quick Links section.
 - While working in the CMDB Workspace, select the Now Assist icon  and then enter `create a ci`.
2. Enter the class of CI to create and then continue by answering the Now Assist questions.

Getting advice from Now Assist on CMDB governance

Data governance can be an overwhelming task. The Provide advice on CMDB governance agentic workflow supports data admins and owners by methodically working through the many-faceted process of improving CMDB data accuracy, completeness, and health. The objective is to ensure that users can trust the data that they use for their work.

Access the workflow


See [Get advice on CMDB governance from Now Assist](#) for information on accessing the workflow.

Provide advice on CMDB governance agentic workflow

The Configuration Management Database (CMDB) is the central repository of your organization's IT assets, services, and their relationships. The Provide advice on CMDB governance agentic workflow helps to ensure CMDB accuracy, completeness, and integrity to maximize the

value and performance of your ServiceNow AI Platform products. The results are faster incident resolution, enhanced compliance, and a reduced risk of service disruption. The agentic workflow evaluates CIs updated in the last 90 days.

The Provide advice on CMDB governance agentic workflow supports admins and owners with information on data health and ongoing guidance for governance as data models and integrations grow. The workflow calls on AI agents.



AI agents

This section presents overviews of the actions of the AI agents that the agentic workflow uses.

Looking for an AI agent?

- There might be AI agents installed with the Now Assist application that are not used in agentic workflows. To learn how to see all agents that are available on your instance, see [Find AI agents](#).
- To find agents that might not be installed on your instance, visit the [AI Agent Marketplace](#) on the ServiceNow Store.

CMDB principal class manager AI agent

The CMDB principal class manager AI agent determines whether you can set CI classes as principal, suggests principal classes, and can set or unset a class as principal. Setting a class as a principal class is a practical way to save time because you can configure ServiceNow AI Platform products to display only principal classes in list views. The workflow helps you to decide which CIs you are most likely to work with day-to-day and then provides a link to enable you to set the associated classes as principal classes. For more information, see [Update class list in the Principal Class filter](#).

CMDB life cycle manager AI agent

The CMDB life cycle manager AI agent helps admins to ensure that CMDB life-cycle policies are in place for principal classes or for specified classes. For more information, see [Working with CMDB Data Manager](#).

CMDB data certification and attestation manager AI agent

The CMDB data certification and attestation manager AI agent retrieves the data certification and attestation policies for a CI class and for similar classes. It can also create a data certification and an attestation policy. For more information, see [Data Certification](#).

CMDB health metrics manager AI agent

The CMDB health metrics manager AI agent displays information on CMDB Health Dashboard jobs, health metrics status, and health scores.

If the jobs are not configured, the workflow provides a link to the setup instructions. For more information, see [CMDB Health](#).

CMDB data ownership manager AI agent

The CMDB data ownership manager AI agent helps you to assess the quality of CI ownership data for a CI class to determine ownership, validate ownership, and evaluate ownership quality. You can validate fields that reference sys_user or sys_user_group like **Assigned To**, **Managed by Group** (default), **Support Group**, and so on. The agent answers the following questions:

- Is CI ownership specified? Is the **Managed by group** attribute value set for the CI? Does it point to an active and correctly configured record? The value of the system property for ownership is a default field for the evaluation. For the **Managed by group** CI attribute, you can specify the percentage values that classify the result as Poor, Average, or Healthy. For more information, see [Property settings for Now Assist for CMDB](#).
- If you provide a user referencing value: Does the **User Referencing** value point to an active record? This evaluation identifies CIs that have inactive users and CIs with no **User** value.
- If you provide a user referencing value: Does the **Group Referencing** value point to an active record? This evaluation identifies CIs that have inactive groups, empty groups (no users), and CIs with no **Group** value.
- [Get advice on CMDB governance from Now Assist](#)

Work through the process of improving CMDB data accuracy, completeness, and health. The objective is to ensure that users can trust the data that they use for their work.

Get advice on CMDB governance from Now Assist

Work through the process of improving CMDB data accuracy, completeness, and health. The objective is to ensure that users can trust the data that they use for their work.

Before you begin

Role required: sn_cmdb_admin

About this task

To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

Procedure

1. Use either of the following methods to start the process.
 - While working in the CMDB Workspace, select **Provide advice on CMDB governance** in the Quick Links section.
 - While working in the CMDB Workspace, select the Now Assist icon  and then enter **Provide advice on CMDB governance**.
2. Enter the class of CI to create and then continue by answering the Now Assist questions.

Related reference

- [Property settings for Now Assist for CMDB](#)

Use Now Assist to search the CMDB for CIs

The Search CMDB agentic workflow enables you to search for CIs by specifying any of several attributes of the CI of interest. The workflow accepts your natural language request, verifies your search goal, and then generates a keyword search, a single-table search with dot walks, or a multi-table searches that involve relationship navigation, depending on the information you provided. The workflow can infer CI relationship data to generate an appropriate query.

Before you begin

Important: This agentic workflow is now turned on by default. The new default behavior works as follows:

New customers

When you install a Now Assist product, designated agentic workflows are turned on automatically.

Existing customers who are upgrading (starting with Zurich Patch 4)

There is no change to agentic workflows that are currently enabled and customized.

An agentic workflow is turned on if:

- The Now Assist plugin is installed, but the agentic workflow was never turned on.
- An admin has never adjusted roles for the agentic workflow.

An agentic workflow is not turned on if:

- The agentic workflow was previously turned on, and then turned off again.
- An admin has adjusted roles for the agentic workflow.

For more information, see [Now Assist skills, agents, and agentic workflows on by default](#).

Ensure that Query Generation skills are activated. For instructions, see [Configuring Query Generation](#).

Note: Because activation configures a large amount of data, wait one day after activation to use the Search CMDB agentic workflow.

Role required: sn_cmdb_user

About this task

The Search CMDB agentic workflow can perform the following types of search:

- CMDB searches that are keyword searches for a specific CI. You can search using name, IP address, serial number, MAC address, or asset tag. For example, "Search the CMDB for Linux Servers", or "List all IPs".
- CMDB searches that are single-table queries (including dot walk conditions for one level). For example, "What servers does Wile E. Coyote own?" or "Search the CMDB for operational windows servers that aren't assigned to anyone".

Procedure

1. On the CMDB Workspace or in any form or list view, select the Now Assist icon .
2. Start a Now Assist query with "Search the CMDB for " and then enter the search criteria as described in the next step.
3. Enter the information that describes the searched-for CI.
 - Provide as much as you know about the CI. Ideally provide the class type followed by other search values and conditions. For example, name, IP address, serial number, MAC address, or asset tag.
 - If a query fails, you can check query generation events to determine the cause. Select **All > Query Generation > Event Queue** to view events. In some cases, a log will exist for the query. Select **All > Query Generation > Logs** to view the logs. For more information, see [Query Generation logs](#).
4. Refine the query if Now Assist returns a CI, but not the CI that you're interested in.
For example, you might have specified an IP address that is duplicated in multiple tables. In such cases, provide details that narrow the search.

Result

If fewer than five search results are returned, they are summarized. If more results are returned, they appear in a linked list (limited to 100 records).

To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

Using AI skills in Now Assist for CMDB

Use Now Assist for CMDB skills to view a concise summary of key CI data, to help you to resolve de-duplication tasks, or to reduce debugging and resolution time for failed Service Graph Connector import sets.

Skill reuse in a domain-separated environment

By default, all skills exist in the global domain. When you use Now Assist in a domain-separated environment, users are only able to access data in their domain. For example, if a user uses the summarization skill, Now Assist only uses material that exists in the user's domain when generating that summary. Additionally, there is no co-mingling of data for domain-separated instances when using generative AI skills. The data resides only on the instance, and the shared services used for generative AI do not persist any requests (prompts) and responses. For more information, see [Domain separation in the Now Assist Admin console](#). (Note that global domain is not the same as global scope. For more information, see [Exploring Next Experience pickers](#).)

Now Assist skills used by Now Assist for CMDB

Note: To enable a subset of users to access Now Assist for CMDB skills, create a role or a group for the users. For more information, see [Create a new role or a group to access Now Assist skills](#).

CI summarization skill

View a concise summary of key CI data. You can select the CI on a CI form, in a workspace page, or on any list view. The summary can include discovery data, ownership, and key related items such as open incidents, alerts, problems, upcoming change requests, and security vulnerabilities. Additionally, the summary lists the service instances that the CI is part of. For more information, see [View CI information with the Now Assist CI summarization skill](#).

Manage duplicate CIs skill

Resolve de-duplication tasks with support from the Now Assist Manage duplicate CIs skill. CMDB administrators follow step-by-step guidance to perform remediation, and can preview remediation results before

applying a template. For more information, see [Let Now Assist help you to manage duplicate CIs](#).

Service Graph Connector diagnosis skill

To reduce debugging and resolution time and effort, the Service Graph Connector diagnosis skill generates summaries of errors and recommendations for resolving processing errors with SGC import sets. For more information, see [Fix SGC import set issues with the Now Assist SGC diagnosis skill](#)

View CI information with the Now Assist CI summarization skill

View a concise summary of key CI data. You can select the CI on a CI form, in a workspace page, or on any list view. The summary can include discovery data, ownership, and key related items such as open incidents, alerts, problems, upcoming change requests, and security vulnerabilities. Additionally, the summary lists the service instances that the CI is part of.

Before you begin

Role required: sn_cmdb_user

About this task

This procedure describes how you can manually access the skill in Core UI or in the CMDB Workspace. In addition, any agentic workflow can use the skill.

To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

Important: This Now Assist skill is now turned on by default. The skill will be automatically available to appropriate role users for the application. The new default behavior works as follows:

New customers

When you install a Now Assist product, designated skills are turned on automatically.

Existing customers who are upgrading (starting with Zurich Patch 4)

There is no change to skills that are currently enabled and customized.

A skill is turned on if:

- The Now Assist plugin is installed, but the skill was never turned on.
- An admin has never adjusted roles for the skill.

A skill is not turned on if:

- The skill was previously turned on, and then turned off again.
- An admin has adjusted roles for the skill.

For more information, see [Now Assist skills, agents, and agentic workflows on by default](#).

Procedure

1. Select a CI from the workspace or from any list view.

For example, select **All** and enter `cmdb_ci.list` in the search filter. Select a CI to open its CI form.

2. Select **Summarize** in the Now Assist box.



Now Assist generates and displays summary information for the CI, as in this example.

Configuration Item summarized by Now Assist

Summary:

The CI ' ' is an AIX Server, last discovered on 2021-12-01 13:28:02 by ' '. It is owned by Capacity Mgmt and is associated with the service 'Manual O'. There are 3 change requests, all of which are of '3 - Moderate' priority.

Updated 2025-10-16 12:00:10

Be sure to check AI-generated summaries for accuracy.

- (Optional) Provide feedback, copy the summary text to the clipboard, or refresh the summary.

Option	Procedure
Provide feedback for the summary	If you think that the summary was helpful, select thumbs-up . If you think that the summary wasn't helpful, select thumbs-down . This feedback improves the Agentic AI model and can help to improve the future versions of this skill. The system gathers the feedback on each generated summary and stores it in the Agentic AI logs (sys_generative_ai_log_list.do).
Copy the summary	Select the copy to clipboard icon to use the summary information for another purpose, such as pasting into an email.

Option	Procedure
Refresh the summary	If you think that data might have changed after you viewed the summary, select the redo icon  to refresh the summary information.

Related tasks

- [Configure the CI summarization skill](#)

Let Now Assist help you to manage duplicate CIs

Resolve de-duplication tasks with support from the Now Assist Manage duplicate CIs skill. CMDB administrators follow step-by-step guidance to perform remediation, and can preview remediation results before applying a template.

Before you begin

Role required: cmdb_dedup_admin

About this task

To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

Important: This Now Assist skill is now turned on by default. The skill will be automatically available to appropriate role users for the application. The new default behavior works as follows:

New customers

When you install a Now Assist product, designated skills are turned on automatically.

Existing customers who are upgrading (starting with Zurich Patch 4)

There is no change to skills that are currently enabled and customized.

A skill is turned on if:

- The Now Assist plugin is installed, but the skill was never turned on.
- An admin has never adjusted roles for the skill.


A skill is not turned on if:

- The skill was previously turned on, and then turned off again.
- An admin has adjusted roles for the skill.

For more information, see [Now Assist skills, agents, and agentic workflows on by default](#).

Procedure

1. On the CMDB Workspace or in any form or list view, select the Now Assist icon  and then select **Manage duplicate CIs** in the Now Assist panel.
2. Follow the guidance on the Now Assist panel to remediate duplication.





- Select an option in the Now Assist panel or enter text that resembles one of the options. As you select options to remediate duplication, the skill adjusts the options and guides you through the process.

- Review root causes for duplication: The analysis surveys IRE identification rules (including criterion attributes) and discovery sources and responds by grouping causes to suggest related groups of tasks.

Tip: Use this information to help prevent further creation of duplicate CIs.

- Decide which de-duplication template to apply: Select **Review existing templates** and then follow the suggestions to preview the results of applying the template. Now Assist generates a preview of the results of applying a template without actually running the remediation process. You can preview the results for any existing template. When you see the desired result in a preview, you can specify that template and proceed with the de-duplication process.





What to do next

- To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).
- To start over, select **Reset conversation** in the More menu ().

Warning: If you reset the conversation, all existing messages are deleted and an entirely new conversation starts. To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

- See how IRE detects duplicate CIs and generates de-duplication tasks.
- See how to manage and remediate the de-duplication tasks by using de-duplication templates.

Related concepts

- [Duplicate CIs remediation](#)
- [Detecting duplicate CIs](#)
- [View CMDB Health Dashboard](#)

Related topics

- [Now Assist panel](#)

Fix SGC import set issues with the Now Assist SGC diagnosis skill

To reduce debugging and resolution time and effort, the Service Graph Connector diagnosis skill generates summaries of errors and recommendations for resolving processing errors with SGC import sets.

Before you begin

Enable the Service Graph Connector diagnosis skill as described in [Configure the Service Graph Connector diagnosis skill](#).

Role required: cmdb_inst_admin and now_assist_panel_user

About this task

When a Now Assist for SGC skill is enabled, the Now Assist icon  appears in the SGC Central view of the CMDB Workspace. To learn more, see [Diagnose a processing error in SGC Central](#).

To learn more about using the Now Assist panel, see [Working in the Now Assist panel](#).

Important: This Now Assist skill is now turned on by default. The skill will be automatically available to appropriate role users for the application. The new default behavior works as follows:

New customers

When you install a Now Assist product, designated skills are turned on automatically.

Existing customers who are upgrading (starting with Zurich Patch 4)

There is no change to skills that are currently enabled and customized.

A skill is turned on if:

- The Now Assist plugin is installed, but the skill was never turned on.
- An admin has never adjusted roles for the skill.

A skill is not turned on if:


- The skill was previously turned on, and then turned off again.
- An admin has adjusted roles for the skill.

For more information, see [Now Assist skills, agents, and agentic workflows on by default](#).

Procedure

1. Navigate to **Workspaces > CMDB Workspace**.


2. Select the Now Assist icon  to open the Now Assist panel and then select or enter **Diagnose a Service Graph Connector**.



3. Begin the diagnostic process by entering the connector name, specific data source, or import-set number of a Service Graph Connector.

Note: If Now Assist doesn't recognize the entered text, it displays a list of the Service Graph Connectors installed on your instance by their discovery source names, such as SG-Infoblox. You can then select a connector for further diagnosis.


Option	Description
Connector name	Service Graph Connector name to diagnose. The Now Assist for SGC displays the connector name in the discovery source format, such as SG-Infoblox. However, you can enter any text that is associated with the connector name, for example, Service Graph Connector for Infoblox, Infoblox, or SG-Infoblox. After you enter a connector name, you can select a data source that is associated with the connector, followed by a failed import set that is associated with the data source. Based on the inputs, the latest failed import set number is displayed. Alternatively, you can select to view other failed import sets, if available. If no failed import sets are available, you can enter a different connector name, data source, or import set number.

Option	Description
	
Data source name	Data source name for a connector to diagnose. For example, SG-Infoblox IP Address. After entering a data source that is associated with a connector, you can select a failed import set that is associated with the data source. Based on the inputs, the import set number that


Option	Description
	was last processed with errors is displayed. Alternatively, you can choose to view other failed import sets. If no failed import sets are available, you can select a different data source for the connector. Now Assist ✦ To begin the diagnostic process, enter the connector name, specific data source, or a particular import set number you require help with. SG-Infoblox IP Address ✦ I've reviewed the import runs for SG-Infoblox IP Address and found that the latest failure was with import set Ciset0010075 that was processed 22 hours ago. I could not find any other failed import sets for this data source. Diagnose Ciset0010075
Import set	Import set number to diagnose. For example, Ciset0010075.

Option	Description
	Now Assist Diagnose a Service Graph Connector To begin the diagnostic process, enter the connector name, specific data source, or a particular import set number you require help with. CISET0010075 I'm diagnosing CISET0010075 and will update you shortly. After entering an import set number, you can view the error summary that is associated with that import set. If the import set was processed without errors, a message indicating no errors is displayed.

4. (Optional) Analyze other issues for the import set or other import set failures for the selected data source.



5. (Optional) If no other import set issues are observed within a data source, analyze a different data source for the connector.



Result

Now Assist triggers the diagnosis process for the failed import sets. The Now Assist panel includes two key sections: Issue and Diagnosis recommendation, focused on the latest issue. The recommendation for

an issue is based on a knowledge article matched using AI Search. A link to the knowledge article is provided in the Source section for additional guidance.

For issues related to Identification and Reconciliation engine (IRE), the panel provides a detailed summary of errors, including import errors, flow errors, partial payloads, and incomplete payloads.

Diagnosis results for the failed import set with processing errors

Now Assist

Here's the quick summary of the processing errors:

Data was not loaded properly with data source: SG-Infoblox IP Address

Issue


The data source is unable to load data properly due to a denied access to the sys_data_source table via web services. This is indicated by the 'WebServicePolicyValidator: Table access denied by WebService Access Policy' message.

Diagnosis recommendation

Ensure the 'Allow access to this table via web services' field is set to true in the table [sys_db_object] record for sys_data_source.

Source:
No response from Mid server when test load data using JDBC data source

Diagnosis results for the failed import set with IRE issues



Tip: To restart the conversation, select the reset icon (⋮). If you reset the conversation, the existing messages are deleted, and a new conversation is started. You won't be able to access the previous messages after you reset the conversation. To learn more about how to use the Now Assist panel, see [Now Assist panel](#).

What to do next

You can hover over the diagnosis recommendation and select an option to provide feedback or copy the summary text to the clipboard.

Optional actions

Action	Procedure
Provide feedback	If you think that the summary was helpful, select thumbs-up 👍. If

Action	Procedure
	you think that the summary wasn't helpful, select thumbs-down  . This feedback improves the Agentic AI model and can help to improve the future versions of this skill. The system gathers the feedback on each generated summary and stores it in the Agentic AI logs (sys_generative_ai_log_list.do).
Copy the summary	Select the copy to clipboard icon  to use the content for another purpose, such as pasting into an email.

Related concepts

- [CMDB Workspace store app](#)

Now Assist for CMDB reference

Reference topics provide additional information about the property settings that you use to configure and administer Now Assist for CMDB.

- [Property settings for Now Assist for CMDB](#)

List of system properties for the agents used by Now Assist for CMDB agents.

Property settings for Now Assist for CMDB

List of system properties for the agents used by Now Assist for CMDB agents.

Property settings

Note: All properties are in the System Property [sys_properties] table. To open the sys_properties table, enter `sys_properties.list` in the navigation filter.

System properties for Now Assist for CMDB

Property	Description
sn_cmdb_gen_ai.principal_class_suggestion_period	The CMDB data governance manager agentic workflow collects and aggregates Change Management, Incident Management, and Problem Management data for the specified CI class. If the workflow collects too much data, the process might fail. This property limits the duration in days (integer starting at zero) for the query. For instances with little data, set the property to a high value like 36000 (10 years). For instances with a large store of data, experiment to determine a practical value. - Type: integer - Default value: 90 (Query all tasks that were updated in the last 90 days.)
sn_cmdb_gen_ai.suggested_principal_classes_limit	Specifies the maximum number of principal classes that are suggested to the user. Type: integer

Property	Description
sn_cmdb_gen_ai.health_ownership_evaluation_period	If the CMDB data governance manager agentic workflow collects too much health data, the process might fail. This property limits the duration in days (integer starting at zero) for the query. - Type: integer - Default value: 90 (Query all tasks that were updated in the last 90 days.)
sn_cmdb_gen_ai.ownership_evaluation_health_score_thresholds	The CMDB data governance agentic workflow determines the percentage of CIs in the specified class that have values for the Managed by group attribute. The process returns health scores of Poor, Average, or Healthy. The default setting of 40,60,80 returns a score of Poor for less than 40%, Average for 60%-79%, and Healthy for 80% and above. Default: 40,60,80
sn_nowassist_sgc.ai_search_kb_score_threshold	Enter the relevancy score threshold for AI Search, used when retrieving knowledge articles with Now Assist for SGC. - Type: integer - Default value: 5

Property	Description
sn_nowassist_sgc.kb_filtering_strategy	Set the knowledge article filtering strategy for retrieving articles with Now Assist for SGC. - Type: choice list - Default value: <code>strict</code> Choices: strict Retrieves knowledge articles from the selected connector category only. non-strict Retrieves knowledge articles from other connector categories, in addition to the selected connector category.