

# Zurich ServiceNow AI Platform Capabilities

Last updated: January 16, 2026

Some examples and graphics depicted herein are provided for illustration only. No real association or connection to ServiceNow products or services is intended or should be inferred.

This PDF was created from content on [docs.servicenow.com](https://docs.servicenow.com). The web site is updated frequently. For the most current ServiceNow product documentation, go to [docs.servicenow.com](https://docs.servicenow.com).

**Company Headquarters**

2225 Lawson Lane  
Santa Clara, CA 95054  
United States  
(408)501-8550

## SGC Central

The ServiceNow® Service Graph Connector Central view also called as the SGC Central view in the CMDB Workspace enables you to discover and install connectors, and then effectively manage the full life cycle of creating, editing, monitoring, and debugging connections.

### Get started




Explore  
the benefits of SGC  
it is used.

Learn about the  
benefits of SGC Central and how  
it is used.



Configure

Plan and  
configure your implementation.



Onboard

Service Graph Connectors to  
import third-part data into CMDB.

Onboard



Reference  
about installed components.

Get details

### Troubleshoot and get help

- Search the Known Error Portal for known error articles
- Contact Customer Service and Support

## Exploring SGC Central

Learn about the SGC Central application with a sample workflow and review the benefits it can provide for different users in your organization.

## SGC Central overview

With the SGC Central application you can discover and install integration-ready Service Graph Connectors, monitor their connection performance and insights, ensure complete visibility into discovered sources and processed data, and access tools and resources for diagnosing and resolving connection issues. You access the application from the SGC Central view in the CMDB Workspace.

## SGC Central users

### Users

| User                            | Description                                                                                                                                                                                                                                                                                                |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Administrator                   | Users with the admin role can install and upgrade Service Graph Connectors, create a connection and configure connection properties, monitor connections and data imports, and manage connections.                                                                                                         |
| CMDB installation administrator | Users with the cmdb_inst_admin role can access the SGC Central view in CMDB Workspace to view a list of Service Graph Connectors installed on a ServiceNow instance. They can also create a connection and configure connection properties, monitor connections and data imports, and manage connections.. |

## SGC Central workflow

Example workflow for the SGC Central users

### Install connector

Based on the connection type, searches for a Service Graph Connector in SGC Central.



### Create connection and configure its properties

Selects a connector type and creates the connection using the connector's playbook.

- a. Configures the properties for the connector.
- b. Sets up import schedules for targeted data sources.



### Monitor connection and data imports

Tracks third-party data imported into CMDB through the connection.

Monitors the SGC central dashboard to look for connection and data processing errors, records being imported, data processing rate, CI being added or updated.



### Manage connection

Makes edits to the configuration or import schedules as needed.



A user with the admin or cmdb\_inst\_admin role uses SGC Central to perform the following tasks:

1. Based on the connection type, searches for a Service Graph Connector within the SGC Central view in CMDB Workspace.
2. Selects a connector type and creates the connection using the playbook available for the connector.
  - a. Configures the properties for the connection.
  - b. Sets up import schedules for targeted data sources.
3. Tracks the third-party data imported by the system using the connection into CMDB.
4. Monitors the SGC Central dashboard for any errors in the connection or the data processing pipeline.
5. Makes edits to the configuration or import schedules if needed.

## SGC Central benefits

### SGC Central benefits

| Benefit                     | Feature                                                                                                                                                                                                      | Users                                          |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Visualize connection status | Integrated dashboard to gain instant insights into the connection status of your connectors and performance, keeping your connections running smoothly. In addition, quickly debug for seamless integration. | Administrator, CMDB installation administrator |

| Benefit                               | Feature                                                                                                                                                  | Users                                          |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Discover integration-ready connectors | Explore and install connectors based on the connection type requirements. See which connectors have new versions available and are eligible for upgrade. | Administrator                                  |
| Manage connections intuitively        | Create or modify connections to your needs.                                                                                                              | Administrator, CMDB installation administrator |

### What to explore next

To learn more about configuring and using SGC Central, see:

- [Configuring SGC Central](#)
- [Managing connections added for Service Graph Connectors in SGC Central](#)
- [SGC Central reference](#)

## Configuring SGC Central

Set up the SGC Central application for onboarding and maintaining Service Graph Connectors and monitoring the errors related to connections added using Service Graph Connectors.

### Configuration checklist

1. [Install SGC Central](#).

**Note:** If you don't see the SGC Central view in the CMDB Workspace, clear the browser cache and try accessing the view again.

## 2. [Configure scheduled jobs for data collection.](#)

**Note:** If you don't see data on the SGC Central dashboard, run scheduled jobs to display data on the SGC Central dashboard.

## 3. [Onboard Service Graph Connectors within SGC Central.](#)

## 4. [Configure the Service Graph Connector settings within SGC Central.](#)

# Install SGC Central

You can install the SGC Central application (sn\_sgc\_central) if you have the admin role. The application installs related ServiceNow® Store applications and plugins if they are not already installed.

## Before you begin

- Ensure that the application and all of its associated ServiceNow Store applications have valid ServiceNow entitlements. For more information, see [Get entitlement for a ServiceNow product or application](#).
- Review the [SGC Central](#) application listing in the ServiceNow Store for information on dependencies, licensing or subscription requirements, and release compatibility.
- Review the supported CMDB Workspace versions for the corresponding ServiceNow versions as listed in the following table.

## ServiceNow versions and supported CMDB Workspace versions

| ServiceNow versions | Supported CMDB Workspace versions |
|---------------------|-----------------------------------|
| Xanadu              | 7.0.9 or later                    |
| Washington DC       | 6.2.0 or later                    |
| Vancouver           | 5.5.0 or later                    |



Role required: admin

## About this task

The following items are installed with SGC Central:

- Plugins
- Store applications
- Scheduled jobs
- Tables

For more information, see [Components installed with SGC Central](#).

## Procedure

1. Navigate to **All > System Applications > All Available Applications > All**.
2. Find the SGC Central application ((sn\_sgc\_central)) using the filter criteria and search bar.

You can search for the application by its name or ID. If you cannot find the application, you might have to request it from the ServiceNow Store.

In the list next to the **Install** button, the versions that are available to you are displayed.

3. Select a version from the list and select **Install**.

In the Review Installation Details dialog box that is displayed, any dependencies that are installed along with your application are listed.

4. If you're prompted, follow the links to the ServiceNow Store to get any additional entitlements for dependencies.
5. (Optional) If demo data is available and you want to install it, select the **Load demo data** check box.  
Demo data are the sample records that describe application features for common use cases. Load the demo data when you first install the application on a development or test instance.

6. Select **Install**.

## Configuring scheduled jobs for SGC Central

You can configure scheduled jobs to automate data collection for tracking integration performance, errors, and processing status of Service Graph Connectors within the SGC Central application.

Scheduled jobs ensure that integration performance data is consistently gathered and available for reporting and analysis within SGC Central. For more information on configuring a scheduled job, see [Scheduled jobs](#).

### Types of scheduled jobs in SGC Central

SGC Central provides different scheduled jobs to meet various data collection needs:

#### SGC central collection

Collects score and metric data displayed on the SGC Central dashboard for the latest integration activity. This job runs daily automatically or as configured.

**Note:** As a user with the admin role, you must run this scheduled job immediately after installing SGC Central and update its schedule based on your preferences to reflect the latest integration activity.

#### SGC central collection onDemand with lookback

Enables on-demand collection of historical integration data for analysis. The job collects scores for a lookback period of 30 days, meaning it gathers data from 30 days ago to today (0 days ago), enabling historical data collection for performance analysis.

**Note:** As a user with the admin role, you can run this scheduled job on demand, rather than on a daily schedule.

## Exploring Service Graph Connectors in SGC Central

You can explore available options for onboarding and maintaining Service Graph Connectors within the SGC Central view of the CMDB Workspace.

Service Graph Connectors are integrations that facilitate data ingestion into the Configuration Management Database (CMDB) from various third-party sources. To learn more, see [Getting started with Service Graph Connectors](#).

Options for maintaining Service Graph Connectors in SGC Central include:

- [Updating an installed Service Graph Connector](#).
- [Installing a Service Graph Connector using an available entitlement](#).
- [Installing a Service Graph Connector from the ServiceNow Store](#).

## Update an installed Service Graph Connector in SGC Central

Keep a Service Graph Connector up-to-date within SGC Central.

### Before you begin

Role required: admin

### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
  2. In the CMDB Workspace, select **SGC Central**.
  3. Select **Explore connectors**.
  4. In the Updates available section, review the updates that are available for a Service Graph Connector.
  5. Update the connector.
    - Select a connector to access the connector in Application Manager and then install any updates.
    - Select **Install updates** to open Application Manager, and then view and install updates for a connector from the **Updates** tab.
- For more information, see [Application Manager](#).

## Install a Service Graph Connector with an available entitlement in SGC Central

Install a Service Graph Connector that matches an entitlement available in Application Manager from within the SGC Central view of the CMDB Workspace.

### Before you begin

Role required: admin

### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. Select **Explore connectors**.
4. In the Entitlements available section, select **Explore in Application Manager**.
5. In Application Manager, review the entitlements and install a connector.  
For more information, see [Application Manager](#).

## Install a Service Graph Connector from ServiceNow Store in SGC Central

Explore ServiceNow Store to request and use a Service Graph Connector with no available entitlements from within the SGC Central view of the CMDB Workspace.

### Before you begin

Role required: admin

### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.

3. Select **Explore connectors**.
4. In the Available from ServiceNow Store section, select **Explore in ServiceNow Store**.
5. On ServiceNow Store, review the list of Service Graph Connectors and install a connector.  
For more information, see the [ServiceNow Store](#) website.

## Configuring Service Graph Connector settings in SGC Central

You can view and configure settings for your Service Graph Connectors within the SGC Central view of the CMDB Workspace.

In SGC Central, you can configure Service Graph Connector settings related to system properties. See [Configure system properties for a Service Graph Connector in SGC Central](#).

### Configure system properties for a Service Graph Connector in SGC Central

Configure system properties for a Service Graph Connector within the SGC Central view of the CMDB Workspace.

#### Before you begin

Role required: admin

#### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. Select **Settings**.
4. In the Browse system properties by connector section, select an available Service Graph Connector.

**Note:** When you select a connector type, the application scope changes to the selected type.

5. On the system properties page of the Service Graph Connector, select a property from the **Name** column.
6. Review and modify the system property.
7. Select **Save**.
8. Repeat steps from 5 to 7 for any other property.

## Managing connections added for Service Graph Connectors in SGC Central

You can create and update connections added for Service Graph Connectors within the SGC Central view of the CMDB Workspace to ingest data into Configuration Management Database (CMDB) from third-party sources.

You can create and manage the connections for the following connectors:

- API Service Graph Connector for Apigee X
- API Service Graph Connector for AWS API Gateway
- API Service Graph Connector for Azure API Management
- API Service Graph Connector for Kong Gateway
- API Service Graph Connector for Kong Konnect
- Service Graph Connector for Akamai API Security
- Service Graph Connector for AWS
- Service Graph Connector for GCP
- Service Graph Connector for Infoblox
- Service Graph Connector for Jamf
- Service Graph Connector for Microsoft Azure
- Service Graph Connector for Microsoft Defender Endpoint
- Service Graph Connector for Microsoft Intune

- Service Graph Connector for Microsoft SCCM
- Service Graph Connector for Observability - AppDynamics
- Service Graph Connector for Observability - Dynatrace
- Service Graph Connector for Observability - New Relic
- Service Graph Connector for SolarWinds
- Service Graph Connector for Tanium
- Service Graph Connector for Trellix
- Service Graph Connector for Wiz

### What to do next

- [Create a connection.](#)

Create a connection added for a Service Graph Connector within SGC Central.

- [Update a connection.](#)

Update a connection using a Service Graph Connector within SGC Central.

- [View a connection.](#)

View installed and draft connections that were added using Service Graph Connectors within SGC Central.

- [Monitor and analyze connections.](#)

Monitor the installation, performance, and error handling of Service Graph Connectors from the Overview page in the Service Graph Connector Central view of the CMDB Workspace.

- [Access IntegrationHub ETL to create and manage ETL transform maps.](#)

Access the IntegrationHub ETL dashboard within SGC Central to manage ETL transform maps.

## Perform initial setup tasks when creating a connection in SGC Central

Complete the prerequisites for setting up a connection for the first time using a Service Graph Connector within the SGC Central view of the CMDB Workspace.

### Before you begin

Role required: admin

### About this task

During the initial connection setup with a Service Graph Connector, a few tasks appear in the Prerequisites stage. Complete these tasks before proceeding to the next steps.

### Procedure

1. Create data sources for the connection.
  - a. Ensure that you have edit permissions for the Datasource [sys\_data\_source] table.
  - b. In the **Prerequisites** stage of the playbook, select the **Update data source access** activity.
  - c. Select **Update access**.
  - d. To edit the record, select the **Global** application scope from the application picker.
  - e. In the Application Access related list of the Data Source form, select the **Can create**, **Can update**, and **Can delete** check boxes.
  - f. Select **Update**.
  - g. From the application picker, select the application scope of the connector.
  - h. After completing the **Update data source access** activity, select **Continue**.



2. Clear the cache on the Data Source [sys\_data\_source] table.
  - a. In the **Prerequisites** stage of the playbook, select the **Clear cache** activity.
  - b. Select **Run clear cache**.
  - c. In the **Run script** text box of the background script page, enter the following script:
 

```

GlideTableManager.invalidateTable("sys_data_source");
GlideCacheManager.flushTable("sys_data_source");
GlideTableManager.invalidateTable("sys_db_object");
GlideCacheManager.flushTable("sys_db_object");
          
```
  - d. Select **Run Script** to run the background script in the **global** scope.
 

The script may take several minutes to execute.
  - e. After the script is executed, select **Close**.
  - f. From the application picker, select the application scope of the connector.
  - g. After completing the **Clear cache** activity, select **Continue**.

## Create a connection for a Service Graph Connector in SGC Central

Create a connection added for a Service Graph Connector within the SGC Central view of the CMDB Workspace.

### Before you begin

Role required: cmdb\_inst\_admin or admin

### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.

3. On the Dashboard page, select **Create connection**.

**Tip:** Alternatively, you can select **Create connection** on the All connections page.

4. On the Create connection window, select a connector type and then follow the playbook instructions to create a connection.

If the playbook experience isn't supported for a connector, follow the guided setup instructions.

**Note:**

- When you select a connector type, the application scope changes to the selected type.
- When setting up a connection using a Service Graph Connector for the first time, you might need to complete the initial setup tasks. See [Perform initial setup tasks when creating a connection in SGC Central](#).

## Update a connection for a Service Graph Connector in SGC Central

Update a connection configured for a Service Graph Connector within the SGC Central view of the CMDB Workspace.

### Before you begin

Role required: cmdb\_inst\_admin or admin

### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. Select **All connections**.
4. Select the **Installed** tab.
5. Select a connection from the **Connection** column.

**Note:** When you select a connection, the application scope changes to the selected connector type.

6. On the **Details** tab, review and modify the details for a connection.
7. Select **Update and test connection**.
8. (Optional) Select a tab to view further details of the connection, such as data sources, import schedules, and any errors.  
Additional tabs might appear depending on the connector type.

### What to do next

If there are any errors and the Service Graph Connector diagnosis skill is enabled, you can diagnose the error using Now Assist. To learn more, see [Diagnose a processing error in SGC Central](#);

## Viewing connections for a Service Graph Connector in SGC Central

You can view installed and draft connections that were added using Service Graph Connectors within the SGC Central view of the CMDB Workspace.

The following connection types are available for viewing:

- Installed connection (see [View an installed connection in SGC Central](#).)
- Draft connection (see [View a draft connection in SGC Central](#).)

### View an installed connection in SGC Central

View the details of an installed connection that was added using a Service Graph Connector within the SGC Central view of the CMDB Workspace.

### Before you begin

Role required: cmdb\_inst\_admin or admin

## Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. Select **All connections**.
4. Select the **Installed** tab.
5. Review the list of installed connections.
6. Select a connection from the **Connection** column to view the details, data sources, import schedules, and errors associated with the connection.

**Note:** When you select a connection, the application scope changes to the selected connector type.

## View a draft connection in SGC Central

View the details and resume setting up draft connections.

## Before you begin

Role required: cmdb\_inst\_admin or admin

## Procedure


1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. Select **All connections**.
4. Select the **Drafts** tab.
5. Review the list of draft connections.
6. Complete setting up the draft connections.
  - Select **Configure** to continue where a Service Graph Connector was last configured within SGC Central.

- Select **Resume setup** to set up a single instance connector for the first time.

**Note:** When you select a connection, the application scope changes to the selected connector type.

## Monitoring and analyzing connections added for Service Graph Connectors in SGC Central

The Overview page in the Service Graph Connector Central (SGC Central) view of the CMDB Workspace provides a centralized dashboard view for administrators to monitor the installation, performance, and error handling of Service Graph Connectors.



## Access the SGC Central Overview page

To open the dashboard, navigate to **CMDB Workspace > SGC Central**.

### Required roles

- admin
- cmdb\_inst\_admin

### Use cases

For examples of how different people in your organization would use this dashboard, see these use cases.

| User                                              | Dashboard use                                                                                     |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Administrators or CMDB installation administrator | Proactively monitor, analyze, and optimize data imports to identify issues and track performance. |

## Overview page features

Use the Overview page to monitor and troubleshoot your Service Graph Connectors connections through dedicated sections, filters, indicators, and visual reports and gain insights on the performance of Service Graph Connectors.

### Feature description

| Feature                              | Description                                                                                                                                  |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Connections overview</a> | Displays the current state of your configured Service Graph Connector connections, including status, execution results, and error summaries. |

| Feature                     | Description                                                                                                                                                              |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ingested and processed data | Displays key metrics related to the data imported and processed from third-party applications.                                                                           |
| Data processing performance | Displays how many configuration items (CIs) were added or updated over time, in addition to the number of processing errors.                                             |
| Filters                     | Enables narrowing the data shown in graphs and metrics based on connector type, connection, data source, or date range.                                                  |
| Indicators                  | Enables viewing of high-level metrics that reflect the volume and quality of imported data and help identify issues such as incomplete or failed import set processing.  |
| Reports                     | Enables real-time visualizations that provide insights into data ingestion, processing trends, and error categorization across your Service Graph Connector connections. |

## Connections overview

Displays the current state of your configured Service Graph Connector connections, including status, execution results, and error summaries.

### Connections overview section

| Card              | Description                                                               | Card summary table                                                  |
|-------------------|---------------------------------------------------------------------------|---------------------------------------------------------------------|
| Connection status | Percentage of connections tested successfully based on connection status, | The connection status summary table displays the following details: |



| Card | Description                                             | Card summary table                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | with the count of success, error, and unknown statuses. | <p><b>Connection</b></p> <p>Displays the name of the configured Service Graph Connector. Each entry links to more details about the connection.</p> <p><b>Connector type</b></p> <p>Displays the Service Graph Connector type as the integration source or platform for the connection.</p> <p><b>Connection status</b></p> <p>Displays the current state of each connection. Valid values include:</p> <p><b>Success</b></p> <p>All connections were configured and tested without errors.</p> <p><b>Error</b></p> <p>Connection configuration issues encountered during setup.</p> <p><b>Error summary</b></p> <p>Provides a short description of the most recent connection error, if any.</p> |

| Card              | Description                                                                                                                                                                                                                                                                                                         | Card summary table                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                     | <b>Updated on</b><br><br>Displays the timestamp of the last connection status update for each connection in the following format: YYYY-MM-DD HH:MM:SS.                                                                                                                                                                                                                                                                             |
| Processing status | <p>Percentage of connections for which all data import runs in the last import execution were successful, with the count of success and error statuses.</p> <p><b>Note:</b></p> <p>Only import sets that encountered errors during their last execution are counted as processing errors and shown on the card.</p> | <p>The processing status summary table displays the following details:</p> <p><b>Connection</b></p> <p>Displays the name of the configured Service Graph Connector. Each entry links to more details about the connection.</p> <p><b>Last processing status</b></p> <p>Indicates the result of the most recent processing run. Valid values include:</p> <p><b>Success</b></p> <p>All scheduled jobs completed without errors.</p> |

| Card | Description | Card summary table                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |             | <p><b>Error</b></p> <p>One or more jobs encountered issues during processing.</p> <p><b>Activated schedules</b></p> <p>Indicates the number of scheduled jobs that are activated for importing the data using the connection.</p> <p><b>Processed</b></p> <p>Indicates the total number of import set runs that were executed for the connection.</p> <p><b>Success</b></p> <p>Indicates how many of the processed import set runs completed successfully.</p> <p><b>Error</b></p> <p>Displays the number of import set runs that ended in an error, including those import sets that were canceled.</p> <p><b>Error summary</b></p> <p>Provides a short description of the most recent error, if any.</p> |

| Card               | Description                                                       | Card summary table                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    |                                                                   | <p>The summary includes error type and cause. A <b>View details</b> link may be available for diagnosing a processing error. To learn more, see <a href="#">Diagnose a processing error in SGC Central</a>.</p> <p><b>Last processed on</b></p> <p>Displays the timestamp of the last processing activity for the import set of the connection, including both successful and failed runs in the following format: YYYY-MM-DD HH:MM:SS.</p> |
| Ongoing executions | Number of connections where data import execution is in progress. | <p>The ongoing execution status summary table displays the following details:</p> <p><b>Connection</b></p> <p>Displays the name of the configured Service Graph Connector. Each entry links to more details about the connection.</p>                                                                                                                                                                                                       |

| Card | Description | Card summary table                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |             | <p><b>Activated schedules</b></p> <p>Indicates the number of scheduled jobs that are activated for importing the data using the connection.</p> <p><b>In progress</b></p> <p>Displays how many scheduled jobs are currently running for the connection.</p> <p><b>Processed</b></p> <p>Displays the number of completed executions, where data has been collected and processed according to the configured scheduled job.</p> <p><b>Processing time</b></p> <p>Indicates the total duration taken by the most recent completed import set execution in the following format YYYY-MM-DD HH:MM:SS.</p> |

### Ingested and processed data

Displays key metrics related to the data imported and processed from third-party applications.

### Ingested and processed data section

| Card          | Description                                                                                                                                                                                                                                                        | Indicators                                                                                                                                                                                                 |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Import sets   | <p>Number of import sets processed by data sources based on the <a href="#">selected filters</a>, with the count of success, partial, and error statuses.</p> <p>Select the <b>View all import sets</b> link to view a complete list of processed import sets.</p> | <p><a href="#">SGC.Integrations.ImportSet</a></p> <p><a href="#">SGC.Fully.successful.ImportSet</a></p> <p><a href="#">SGC.Part.success.ImportSet</a></p> <p><a href="#">SGC.Fully.error.ImportSet</a></p> |
| Imported rows | <p>Count of rows imported across all import sets based on the <a href="#">selected filters</a>.</p> <p>Select the <b>View all latest import set rows ingested</b> link to view a complete list of import set rows ingested.</p>                                    | <p><a href="#">SGC.Integrations.Importset.rows.ingested</a></p>                                                                                                                                            |
| CIs           | <p>Total CIs processed based on the <a href="#">selected filters</a>, with the count of added and updated CIs.</p> <p>Select the <b>View all inserted and updated records</b> link to view a complete list of inserted and updated CIs.</p>                        | <p>None</p>                                                                                                                                                                                                |

| Card                      | Description                                                                                                                                                                                                                                                                 | Indicators |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Partial or incomplete CIs | <p>Total CIs that are partial payloads based on the <a href="#">selected filters</a>, with the count of partial and incomplete categories.</p> <p>Select the <b>View all partial and incomplete records</b> link to view a complete list of partial and incomplete CIs.</p> | None       |

## Data processing performance

Displays how many configuration items (CIs) were added or updated over time, in addition to the number of processing errors.

### Data processing performance section

| Card                  | Description                                                                                                                                                           | Indicators                                                                                 |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| CIs and errors trends | Daily trends for CIs that were added, updated, and any data processing errors occurred during data import process based on the <a href="#">selected filters</a> .     | <a href="#">Records added</a><br><a href="#">Records updated</a><br><a href="#">Errors</a> |
| Processing time       | <p>Top 10 connections by the latest import set processing time.</p> <p>Select the <b>View all latest import sets</b> link to view a complete list of import sets.</p> | None                                                                                       |

| Card              | Description                                                                                                                                                                                                                                       | Indicators |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Processing errors | <p>Top 10 connections with the highest number of data processing errors, with a breakup by data source, connection, and credential issues.</p> <p>Select the <b>View all latest errors</b> link to view a complete list of processing errors.</p> | None       |

## Filters

Enables narrowing the data shown in graphs and metrics based on connector type, connection, data source, or date range.

| Name           | Type | Description                                                              |
|----------------|------|--------------------------------------------------------------------------|
| Connector type | List | Filters a list of installed Service Graph Connectors.                    |
| Connection     | List | Filters a list of connection records for the Service Graph Connectors.   |
| Data source    | List | Filters a list of data sources for the Service Graph Connectors.         |
| Date range     | Date | Filters the SGC Central dashboard data based on the date range selected. |



## Indicators

Enables viewing of high-level metrics that reflect the volume and quality of imported data and help identify issues such as incomplete or failed import set processing.

### Records added

Total number of records that were inserted into the system on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_audit` table. The score is calculated by counting the number of records updated on the specified day, based on operations that were marked as inserted in the audit log.

### Records updated

Total number of records that were updated in the system on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_audit` table. The score is calculated by counting the number of records updated on the specified day, based on operations that were marked as Updated in the audit log.

### Records added or updated

Total number of records that were added or updated in the system on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_audit` table. The score is calculated by counting the number of records inserted or updated on the specified day, based on operations that were marked as Inserted or Updated in the audit log.

## Errors

Total number of errors categorized under credentials, data source, or connection issues that occurred during integration executions on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_error` table. The score is calculated by counting the number of errors on the specified day.

### SGC.processing.errors

Number of processing errors categorized under data source issues that occurred during integration executions on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_error` table. The

score is calculated by counting the number of errors on the specified day.

### **SGC.connection.errors**

Total number of errors categorized under credentials or connection issues that occurred during integration executions on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_error` table. The score is calculated by counting the number of errors on the specified day.

### **SGC.Integrations.ImportSet**

Total number of import sets that were either completed successfully or encountered errors during their transformation process on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_import_set` table. The score is calculated by counting the total number of import sets on the specified day.

### **SGC.Fully.successful.ImportSet**

Total number of import sets that were completed successfully during their transformation process on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_import_set` table. The score is calculated according to this formula: Count of import sets with Errors = 0.

### **SGC.Fully.error.ImportSet**

Total number of import sets that completed with errors during their transformation process on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_import_set` table. The score is calculated according to this formula: Count of import sets with Errors  $\neq$  0 and Rows = Errors.

### **SGC.Part.success.ImportSet**

Total number of import sets that completed with some errors where the number of rows processed differs from the number of errors reported on the previous day, as recorded in the `sn_cmdb_int_util_cmdb_integration_execution_import_set` table. The score is calculated according to this formula: Count of import sets with Errors  $\neq$  0 and Rows  $\neq$  Errors.

### SGC.Integrations.Importset.rows.ingested


Total number of rows ingested for the import sets on the previous day, as recorded in the sn\_cmdb\_int\_util\_cmdb\_integration\_execution table. The score is calculated according to this formula: Sum of rows ingested.

### SGC.Integrations.Processing Rate

Average processing rate of import sets based on the total number of rows processed and the total processing time (in hours) for the import sets that either completed successfully or encountered errors on the previous day, as recorded in the sn\_cmdb\_int\_util\_cmdb\_integration\_execution table. The score is calculated according to this formula: Sum of rows processed/Total time (in hours).

### Reports

Enables real-time visualizations that provide insights into data ingestion, processing trends, and error categorization across your Service Graph Connector connections.

| Title                   | Type                                                                                                    | Source table                                                                         | Description                                                                                                         |
|-------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Affected CIs and errors | Relative compare<br> | CMDB Integration Execution Error [sn_cmdb_int_util_cmdb_integration_execution_error] | Displays configuration items (CIs) added, CIs updated, and cumulative errors occurred during data import over time. |
| Error breakdown         | Column<br>           | CMDB Integration Execution Error [sn_cmdb_int_util_cmdb_integration_execution_error] | Displays the count of errors grouped over time.                                                                     |

| Title                      | Type                                                                                                       | Source table                                                                                               | Description                                                                                                                                      |
|----------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Import set rows ingested   | Single score<br><br>( )   | CMDB<br>Integration<br>Execution Import<br>Set<br>[sn_cmdb_int_util_cmdb_integration_execution_import_set] | Displays the number of import set rows ingested in a day.                                                                                        |
| Import set processing rate | Single score<br><br>( )  | CMDB<br>Integration<br>Execution<br>[sn_cmdb_int_util_cmdb_integration_execution]                          | Displays the average rate at which an import set processes data within an hour.                                                                  |
| Records added or updated   | Single score<br><br>( ) | CMDB<br>Integration<br>Execution Audit<br>[sn_cmdb_int_util_cmdb_integration_execution_audit]              | Displays the number of records that were updated or added for CI classes.                                                                        |
| Total import sets          | Single score<br><br>( ) | CMDB<br>Integration<br>Execution Import<br>Set<br>[sn_cmdb_int_util_cmdb_integration_execution_import_set] | Displays the number of import sets initialized by data sources in the given time frame and the count of import sets categorized by their status. |

| Title           | Type                                                                              | Source table                                                                                  | Description                                                     |
|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| Updated classes |  | CMDB<br>Integration<br>Execution Audit<br>[sn_cmdb_int_util_cmdb_integration_execution_audit] | Displays the breakdown of updated and inserted CIs for a class. |

## Diagnose a processing error in SGC Central

Diagnose processing errors in connections configured for a Service Graph Connector and resolve them within the SGC Central view of the CMDB Workspace using recommendations from Now Assist.

### Before you begin

Verify that the Service Graph Connector diagnosis skill is enabled. For more information, see [Configure the Service Graph Connector diagnosis skill](#).

Role required: cmdb\_inst\_admin or admin

### Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. On the Overview page, select the **Processing status** card.

**Note:** On the **Processing status** card, only import sets with errors in the last import execution are counted as processing errors, and their count is displayed. However, the Error column in the summary table, which displays more details about the processing status, also includes canceled import sets. As a result, the error count on the Processing status card might not match the number of errors displayed in the summary table.

4. When an error count is displayed on the **Processing status** card, select the **View details** link from the error summary for the connection.

5. On the **Errors** tab, select an error for a failed import set.

**Note:** You can diagnose only one error at a time. The **Diagnose Error** button is enabled only when you select an error from the list.

### Diagnose a processing error

SGC Central > AppDynamics Default Connection

**AppDynamics Default Connection**

Connector type: Observability - AppDynamics | Last run on: 2025-03-31 21:00:02 | Connection state: Success | Processing state: Error | Parent import schedule: Active

Details | Duplicate detection rules | Data sources | Import schedules | **Errors**

Errors 6 | Last refreshed 24m ago. | [+ Diagnose error](#) | [Last run](#)

|                                     | Data Source                         | Import Set   | Category   | Error Message                                                                                                                                                                             | Count | Updated             |
|-------------------------------------|-------------------------------------|--------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------|
| <input checked="" type="checkbox"/> | SG-AppDynamics Application Services | ISSET0010396 | Datasource | /v1.0/deviceManagement/managedDevices([managedDeviceId]) with code: 401 - Invalid username/password                                                                                       | 1     | 2025-04-07 06:30:46 |
| <input type="checkbox"/>            | SG-AppDynamics Application Services | ISSET0010396 | Datasource | Cannot decode: java.io.StringReader@xxxx                                                                                                                                                  | 1     | 2025-04-07 06:31:05 |
| <input type="checkbox"/>            | SG-AppDynamics Application Services | ISSET0010396 | Datasource | { "error": { "message": "The request had some invalid properties", "code": "BadArgumentError", "correlationId": "7ce02f23-6592-428d-8d8f-14e59e0661ee", "innererror": "" } }              | 3     | 2025-04-07 06:32:03 |
| <input type="checkbox"/>            | SG-AppDynamics Application Services | ISSET0010396 | Datasource | WebServicePolicyValidator: Table access denied by WebService Access Policy. [tableName= sys_data_source]                                                                                  | 3     | 2025-04-07 06:32:23 |
| <input type="checkbox"/>            | SG-AppDynamics Application Services | ISSET0010396 | Datasource | Identification Reconciliation Engine(IRE) Processing errors-> 1: INSERT_FAILED: Insertion failed with error: Commit was not attempted due to other errors...                              | 1     | 2025-03-31 21:01:08 |
| <input type="checkbox"/>            | SG-AppDynamics Application Services | ISSET0010396 | Datasource | Identification Reconciliation Engine(IRE) Processing errors-> 1: Insertion failed with error: Operation against file 'cmdb_ci_service_calculated' was aborted by Business Rule 'Check ... | 1     | 2025-03-31 21:01:08 |


Showing 1-6 of 6 | 1 | 20 rows per page

6. Select **Diagnose error**.

## Result

Now Assist triggers the diagnosis process for the processing error. The Error diagnosis window includes two key sections: Explanation and Recommendation, each focused on explaining the error and providing a solution to resolve it. The recommendation is based on a knowledge article matched using AI Search. A link to the knowledge article is provided in the Source section for additional guidance.

## Error diagnosis result



## Accessing the IntegrationHub ETL dashboard in SGC Central

You can access the IntegrationHub ETL dashboard within the SGC Central view of the CMDB Workspace to manage ETL transform maps.

IntegrationHub ETL is a tool for creating and managing ETL transform maps to integrate third-party data into the CMDB or non-CMDB tables. Select **Go to IntegrationHub ETL Home** to view the IntegrationHub ETL home page.

To learn about the IntegrationHub ETL store app, see [IntegrationHub ETL](#).

### Access IntegrationHub ETL in SGC Central

The IntegrationHub ETL dashboard provides a centralized platform for monitoring ETL processes within the SGC Central view of the CMDB Workspace.

## Before you begin

Role required: admin

## Procedure

1. Navigate to **Workspaces > CMDB Workspace**.
2. In the CMDB Workspace, select **SGC Central**.
3. Select **IntegrationHub ETL**.
4. In the ETL definitions section of the IntegrationHub ETL page, select a category to view more details about the selected ETL definition.

### ETL definitions

| Category  | Description                                                      |
|-----------|------------------------------------------------------------------|
| Total     | Total number of ETL definitions configured within the system.    |
| Active    | Number of ETL processes that are currently active and running.   |
| Scheduled | Number of ETL processes that are scheduled for future execution. |

5. To open the home page of the IntegrationHub ETL store app, select **Go to IntegrationHub ETL Home**.

## SGC Central reference

Reference topics provide additional information about SGC Central components.

- [Components installed with SGC Central](#)

Several types of components are installed with activation of the SGC Central (sn\_sgc\_central) plugin, including tables, user roles, and scheduled jobs.

- [Domain separation and SGC Central](#)



Domain separation is unsupported for SGC Central. Domain separation enables you to separate data, processes, and administrative tasks into logical groupings called domains. You can control several aspects of this separation, including which users can see and access data.

## Components installed with SGC Central

Several types of components are installed with activation of the SGC Central (sn\_sgc\_central) plugin, including tables, user roles, and scheduled jobs.

### Scheduled jobs installed

| Scheduled job                                 | Description                                                                                                                                     |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| SGC central collection                        | Reads from the imports brought in by the connectors and updates the dashboard data.                                                             |
| SGC central collection onDemand with lookback | Collects historical data for the lookback period from when the data is retrieved for connectors. The default lookback period is set to 30 days. |

### Tables installed

| Table                                                             | Description                                                                                                                                                                |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Connection Record Tabs<br>[sn_sgc_central_connection_record_tabs] | Includes the tabs displayed on the page to edit connection, including default tabs like Details, Data Sources, Scheduled Imports, and Errors, and additional tabs specific |

| Table                                                                                 | Description                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                       | to individual connectors, arranged by order.                                                                                                                                                                                                              |
| Connection property config<br>[sn_sgc_central_conn_prop_config]                       | Stores the connection property fields for the Connection Properties tab displayed on the page to create or edit a connection, including group ordering, descriptions, mandatory fields, and default values for auto-population.                           |
| Service Graph Connection Trigger<br>[sn_sgc_central_service_graph_connection_trigger] | Stores the trigger record to initialize playbook context in the create connection flow when a new record is inserted. The playbook is selected based on the referred metadata record's application scope field that is the Service Graph Connector scope. |
| Service Graph Connector<br>[sn_sgc_central_service_graph_connector]                   | Stores Service Graph Connector details such as scope, app ID, and associated provider.                                                                                                                                                                    |
| SGC Installed Connection<br>[sn_sgc_central_st_installed_connection]                  | Stores all installed or draft connections, including details such as connection, processing status, last run, and import frequency information.                                                                                                           |

| Table                                                            | Description                                                                                                     |
|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| SGC IntegrationHub ETL<br>[sn_sgc_central_st_integrationhub_etl] | Stores the Extract Transform Load (ETL) list for display under the IntegrationHub ETL list view in SGC Central. |

### ServiceNow Store applications installed

| Application                                     | Description                                                                                                         |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Integration Commons for CMDB (sn_cmdb_int_util) | Contains the CMDB Integrations Dashboard and a set of Robust Transform Engine (RTE) transforms and script includes. |
| CMDB Workspace (sn_cmdb_ws)                     | Provides a single place to access CMDB-focused features including SGC Central.                                      |

## Domain separation and SGC Central

Domain separation is unsupported for SGC Central. Domain separation enables you to separate data, processes, and administrative tasks into logical groupings called domains. You can control several aspects of this separation, including which users can see and access data.

### Support level: No support

- The domain field may exist on data tables but there is no business logic to manage the data.
- This level is not considered domain-separated.

For more information on support levels, see [Application support for domain separation](#).

#### Related topics

- [Domain separation for service providers](#)