

chrome_tab_organiser

Two Python tools (standard library only — no installs): `chrome_report_v1.1.py` generates an HTML report of your open Chrome tabs by tab group, and `chrome_report_edit_v1.3.py` is a local web app for editing that report.

1 Requirements

- **Python:** version 3, plus the two files `chrome_report_v1.1.py` and `chrome_report_edit_v1.3.py` in the same folder.
- **No Python?** Use the pre-built executables `chrome_report_v1.1.exe` and `chrome_report_edit_v1.3.exe` (same folder) instead — same commands, no install needed.
- Chrome needs to have logged-in/session data in its **Default** profile on this machine.

2 Generate the report

```
python chrome_report_v1.1.py           # -> chrome_tabs_Default_v1.1.html
chrome_report_v1.1.exe                 # same, no Python needed (double-click works)
python chrome_report_v1.1.py --json --outdir reports # also JSON, into .\reports
```

- Chrome may keep running — the report is read from its session files on disk.
- `--data-dir PATH` — non-standard Chrome data directory.
- If a `warning: skipped (... in use by Chrome)` appears, wait a few seconds and re-run.

3 Run the editor

```
python chrome_report_edit_v1.3.py --dir reports # browser opens at http://127.0.0.1:8765/
chrome_report_edit_v1.3.exe --dir reports      # same, no Python needed
```

- `--dir PATH` folder of `*.html` reports to manage (default: the script's folder).
- `--port N` / `--host ADDR` — default `8765` / `127.0.0.1`. Use `--port 9000` if 8765 is busy.
- `--no-browser` — print the URL instead of auto-opening.
- Stop the server with `Ctrl+C` in the terminal.

4 Editor options at a glance

Control	What it does
Dropdown + Load	Pick a report from the managed folder and load it.
Open...	Load any <code>.html</code> report file from anywhere.
Click a tab title , URL , group chip or "Window N" heading	Rename it in place. Editing a URL also updates the link; clearing a group name ungroups the tab.
+ on a row / Add tab in a window header	Insert a tab after that row / at the end of the window. Dialog asks: Window , Position , Group (optional), Tab name , URL .
× on a row	Delete that tab. (<code>Ctrl+Backspace</code> also works while a row is focused.)
"sort groups alphabetically" tick-box	Rearrange the <i>current</i> report: within each window, ungrouped rows first, then tab groups A–Z (case-insensitive). Untick → restores the previous order. Inserting while sorted keeps the row where you placed it.

Name box + Save

Write the report to disk under that `*.html` name (Enter also saves). Nothing is saved until you press Save.

5 One-minute workflow

```
python chrome_report_v1.1.py --outdir reports
python chrome_report_edit_v1.3.py --dir reports
# Load chrome_tabs_Default_v1.1.html - rename / insert / delete / tick the sort box as you like
# type a new name, press Save -> reports/<name>.html
```

Remember: reports always load in their original order — the sort tick-box never runs by itself. Opening a new report resets it.

chrome_tab_organiser — chrome_report_v1.1.py · chrome_report_edit_v1.3.py — Python 3, no external dependencies