# Assignment 3

Import libraries and define common helper functions

In [32]:

```
import os
import sys
import gzip
import json
from pathlib import Path
import csv

import pandas as pd
import s3fs
import pyarrow as pa
from pyarrow.json import read_json
import pyarrow.parquet as pq
import fastavro
import pygeohash
import snappy
import jsonschema
from jsonschema.exceptions import ValidationError

endpoint_url='https://storage.budsc.midwest-datascience.com'

current_dir = Path(os.getcwd()).absolute()
schema_dir = current_dir.joinpath('schemas')
results_dir = current_dir.joinpath('results')
results_dir.mkdir(parents=True, exist_ok=True)

def build_schema(datastore):

    builder = SchemaBuilder()
    builder.add_object(datastore )

    with open("schemas/routes-schema.json", "w") as schema_file:
        json.dump(builder.to_schema(), schema_file)


def read_jsonl_data():
    s3 = s3fs.S3FileSystem(
        anon=True,
        client_kwargs={
            'endpoint_url': endpoint_url
        }
```

```
    )
    src_data_path = 'data/processed/openflights/routes.jsonl.gz'
    with s3.open(src_data_path, 'rb') as f_gz:
        with gzip.open(f_gz, 'rb') as f:
            records = [json.loads(line) for line in f.readlines()]


    return records
```

Load the records from https://storage.budsc.midwest-datascience.com/data/processed/openflights/routes.jsonl.gz

In [33]:

```
records = read_jsonl_data()
```

# 3.1

## 3.1.a JSON Schema

In [34]:

```
def validate_jsonl_data(records):
    schema_path = schema_dir.joinpath('routes-schema.json')
    validation_csv_path = results_dir.joinpath('validation-results.csv')
    with open(schema_path) as f:
        schema = json.load(f)

    with open(validation_csv_path, 'w') as f:
           for i, record in enumerate(records):
            try:
                ## TODO: Validate record
                jsonschema.validate(instance=record, schema=schema)
                pass
            except ValidationError as e:
                ## Print message if invalid record
                f.write(str(e))
                pass

validate_jsonl_data(records)
```

## 3.1.b Avro

In [16]:

```
def create_avro_dataset(records):
    schema_path = schema_dir.joinpath('routes.avsc')
    data_path = results_dir.joinpath('routes.avro')
    ## TODO: Use fastavro to create Avro dataset
    with open(schema_path) as fo:
        schema = json.loads(fo.read())
```

```
    parsed_schema = fastavro.parse_schema(schema)


    with open(data_path, 'wb') as out:
        fastavro.writer(out, parsed_schema, records)

create_avro_dataset(records)
```

In [17]:

```
#validate check
with open('results/routes.avro', 'rb') as fo:
    for record in fastavro.reader(fo):
        print(record)
```

```
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2965, 'name': 'Soc
hi International Airport', 'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS', 'l
atitude': 43.449902, 'longitude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2990, 'name': 'Kazan International Airport', 'city': 'Kaza
n', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201171875, 'longitude':
49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2966, 'name': 'Ast
rakhan Airport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitud
e': 46.2832984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', '
tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2990, 'name': 'Kazan International Airport', 'city': '
Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201171875, 'longitud
e': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2966, 'name': 'Ast
rakhan Airport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitud
e': 46.2832984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', '
tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2962, 'name': 'Mineralnyye Vody Airport', 'city': 'Min
eralnye Vody', 'iata': 'MRV', 'icao': 'URMM', 'latitude': 44.22510147094727,
'longitude': 43.08190155029297, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
```

/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2968, 'name': 'Che
lyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'U
SCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2990, 'name': 'Kazan International Airport',
'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201171875,
'longitude': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2968, 'name': 'Che
lyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'U
SCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': '
Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'lo
ngitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasno
yarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2990, 'name': 'Kazan International
Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.6062
01171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6969, 'name': 'Begishevo Airport',
'city': 'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latitude': 55.56470108
032226, 'longitude': 52.09249877929688, 'timezone': 3.0, 'dst': 'N', 'tz_id':

'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment'
: ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6160, 'name': 'Bugulma Airport', '
city': 'Bugulma', 'iata': 'UUA', 'icao': 'UWKB', 'latitude': 54.6399993896484
4, 'longitude': 52.80170059204102, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6156, 'name': 'Bel
gorod International Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUO
B', 'latitude': 50.643798828125, 'longitude': 36.5900993347168, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2952, 'name': 'Khrabrovo Airport', 'c
ity': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latitude': 54.8899993896
4844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'dst': 'N', 'tz_id':
'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6156, 'name': 'Bel
gorod International Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUO
B', 'latitude': 50.643798828125, 'longitude': 36.5900993347168, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2990, 'name': 'Kazan International Ai
rport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201
171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Hey
dar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UB
BB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone
': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6969, 'name': 'Begishevo Airport', 'c
ity': 'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latitude': 55.5647010803
2226, 'longitude': 52.09249877929688, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2952, 'name': 'Khr
abrovo Airport', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latit
ude': 54.88999938964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'd
st': 'N', 'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6156, 'name': 'Belgorod International
Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUOB', 'latitude': 50.6
43798828125, 'longitude': 36.5900993347168, 'timezone': 3.0, 'dst': 'N', 'tz_
id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2965, 'name': 'Sochi International Airport',
'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS', 'latitude': 43.449902, 'longi
tude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2966, 'name': 'Astrakhan Airport', 'city': '
Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.2832984924, 'longit
ude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airport
', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.30580
1, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekateri
nburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airp
ort', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982
1777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 6156, 'name': 'Belgorod International Airpor
t', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUOB', 'latitude': 50.6437988
28125, 'longitude': 36.5900993347168, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St
. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453,
'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Y
ekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'l
ongitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekat
erinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2990, 'name': 'Kazan International Airport'
, 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201171875
, 'longitude': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6969, 'name': 'Begishevo Airport', 'city':
'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latitude': 55.56470108032226,
'longitude': 52.09249877929688, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6160, 'name': 'Bugulma Airport', 'city': 'B
ugulma', 'iata': 'UUA', 'icao': 'UWKB', 'latitude': 54.63999938964844, 'longi
tude': 52.80170059204102, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosco
w', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2962, 'name': 'Min
eralnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'UR
MM', 'latitude': 44.22510147094727, 'longitude': 43.08190155029297, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2966, 'name': 'Astrakhan Airport'
, 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.28329849
24, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe
/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6969, 'name': 'Beg
ishevo Airport', 'city': 'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latit
ude': 55.56470108032226, 'longitude': 52.09249877929688, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airp
ort', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982
1777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6969, 'name': 'Beg
ishevo Airport', 'city': 'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latit
ude': 55.56470108032226, 'longitude': 52.09249877929688, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International A
irport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.467498
77929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id
': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6969, 'name': 'Beg
ishevo Airport', 'city': 'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latit
ude': 55.56470108032226, 'longitude': 52.09249877929688, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St
. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453,
'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6969, 'name': 'Beg
ishevo Airport', 'city': 'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latit
ude': 55.56470108032226, 'longitude': 52.09249877929688, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Y
ekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'l
ongitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekat
erinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2972, 'name': 'Niz
hnevartovsk Airport', 'city': 'Nizhnevartovsk', 'iata': 'NJC', 'icao': 'USNN'
, 'latitude': 60.94929885864258, 'longitude': 76.48359680175781, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport
', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743
099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2972, 'name': 'Niz
hnevartovsk Airport', 'city': 'Nizhnevartovsk', 'iata': 'NJC', 'icao': 'USNN'
, 'latitude': 60.94929885864258, 'longitude': 76.48359680175781, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6160, 'name': 'Bugulma Airport'
, 'city': 'Bugulma', 'iata': 'UUA', 'icao': 'UWKB', 'latitude': 54.6399993896
4844, 'longitude': 52.80170059204102, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4364, 'name': 'Nov
y Urengoy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'l
atitude': 66.06939697265625, 'longitude': 76.52030181884766, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'c
ity': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.74309921
2646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'As
ia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airport'
, 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.305801
, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterin
burg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Ye
katerinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'lo
ngitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekate
rinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2990, 'name': 'Kazan International Airport'
, 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201171875
, 'longitude': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6969, 'name': 'Begishevo Airport', 'city':
'Nizhnekamsk', 'iata': 'NBC', 'icao': 'UWKE', 'latitude': 55.56470108032226,
'longitude': 52.09249877929688, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2972, 'name': 'Nizhnevartovsk Airport', 'ci
ty': 'Nizhnevartovsk', 'iata': 'NJC', 'icao': 'USNN', 'latitude': 60.94929885
864258, 'longitude': 76.48359680175781, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4364, 'name': 'Novy Urengoy Airport', 'city
': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitude': 66.069396972656
25, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'As
ia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city':
'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'l
ongitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasn
oyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id
': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata'
: 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629
959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippo
n Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country':
'Portugal', 'active': True}, 'src_airport': {'airport_id': 6160, 'name': 'Bug

ulma Airport', 'city': 'Bugulma', 'iata': 'UUA', 'icao': 'UWKB', 'latitude': 54.63999938964844, 'longitude': 52.80170059204102, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippon Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 6160, 'name': 'Bugulma Airport', 'city': 'Bugulma', 'iata': 'UUA', 'icao': 'UWKB', 'latitude': 54.63999938964844, 'longitude': 52.80170059204102, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 410, 'name': 'Aerocondor', 'alias': 'ANA All Nippon Airways', 'iata': '2B', 'icao': 'ARD', 'callsign': 'AEROCONDOR', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 6160, 'name': 'Bugulma Airport', 'city': 'Bugulma', 'iata': 'UUA', 'icao': 'UWKB', 'latitude': 54.63999938964844, 'longitude': 52.80170059204102, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2972, 'name': 'Nizhnevartovsk Airport', 'city': 'Nizhnevartovsk', 'iata': 'NJC', 'icao': 'USNN', 'latitude': 60.94929885864258, 'longitude': 76.48359680175781, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2936, 'name': 'Bratsk Airport', 'city': 'Bratsk', 'iata': 'BTK', 'icao': 'UIBB', 'latitude': 56.37060165405274, 'longitude': 101.697998046875, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2936, 'name': 'Br

atsk Airport', 'city': 'Bratsk', 'iata': 'BTK', 'icao': 'UIBB', 'latitude': 5
6.37060165405274, 'longitude': 101.697998046875, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibir
sk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude':
82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2968, 'name': 'Ch
elyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': '
USCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': '
N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city':
'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'l
ongitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasn
oyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2935, 'name': 'Ch
ita-Kadala Airport', 'city': 'Chita', 'iata': 'HTA', 'icao': 'UIAA', 'latitud
e': 52.026299, 'longitude': 113.306, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'A
sia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT'
, 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Ir
kutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2936, 'name': 'Bratsk Airport', 'city': 'Bratsk', 'iata
': 'BTK', 'icao': 'UIBB', 'latitude': 56.37060165405274, 'longitude': 101.697
998046875, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Ir
kutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':

52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2935, 'name': 'Chita-Kadala Airport', 'city': 'Chita',
'iata': 'HTA', 'icao': 'UIAA', 'latitude': 52.026299, 'longitude': 113.306, '
timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Ir
kutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': None, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Ir
kutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 8944, 'name': 'Bodaybo Airport', 'city': 'Bodaibo', 'ia
ta': 'ODO', 'icao': 'UIKB', 'latitude': 57.8661003113, 'longitude': 114.24299
621600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Ir
kutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirs
k', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude':
82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Ir
kutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 6924, 'name': 'Ust-Kut Airport', 'city': 'Ust-Kut', 'ia
ta': 'UKX', 'icao': 'UITT', 'latitude': 56.8567008972168, 'longitude': 105.73
00033569336, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 9026, 'name': 'Lensk Airport', 'city': 'Lensk', 'iata': 'ULK', 'icao': 'UERL', 'latitude': 60.7206001282, 'longitude': 114.82599639899999, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': None, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country

': 'Italy', 'active': False}, 'src_airport': {'airport_id': 8944, 'name': 'Bo
daybo Airport', 'city': 'Bodaibo', 'iata': 'ODO', 'icao': 'UIKB', 'latitude':
57.8661003113, 'longitude': 114.24299621600001, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'i
ata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38
899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 4078, 'name': 'To
lmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lat
itude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst'
: 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2936, 'name': 'Bratsk Airport', 'city': 'Br
atsk', 'iata': 'BTK', 'icao': 'UIBB', 'latitude': 56.37060165405274, 'longitu
de': 101.697998046875, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 4078, 'name': 'To
lmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lat
itude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst'
: 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airpor
t', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.3058
01, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekater
inburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country
': 'Italy', 'active': False}, 'src_airport': {'airport_id': 4078, 'name': 'To
lmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lat
itude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst'
: 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'I
rkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitu
de': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['A81']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels
Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country

': 'Italy', 'active': False}, 'src_airport': {'airport_id': 6924, 'name': 'Ust-Kut Airport', 'city': 'Ust-Kut', 'iata': 'UKX', 'icao': 'UITT', 'latitude': 56.8567008972168, 'longitude': 105.7300033569336, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 9026, 'name': 'Lensk Airport', 'city': 'Lensk', 'iata': 'ULK', 'icao': 'UERL', 'latitude': 60.7206001282, 'longitude': 114.82599639899999, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1654, 'name': 'Cargoitalia', 'alias': 'SN Brussels Airlines', 'iata': '2G', 'icao': 'CRG', 'callsign': 'WHITE PELICAN', 'country': 'Italy', 'active': False}, 'src_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['A81']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'iata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 2786, 'name': 'Coronel FAP Alfredo Mendivil Duarte Airport', 'city': 'Ayacucho', 'iata': 'AYP', 'icao': 'SPHO', 'latitude': -13.154800415039062, 'longitude': -74.20439910888672, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['142']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'iata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr

ue}, 'src_airport': {'airport_id': 2812, 'name': 'Alejandro Velasco Astete In
ternational Airport', 'city': 'Cuzco', 'iata': 'CUZ', 'icao': 'SPZO', 'latitu
de': -13.535699844400003, 'longitude': -71.9387969971, 'timezone': -5.0, 'dst
': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International Airpo
rt', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219, 'lo
ngitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['142', '141']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2812, 'name': 'Alejandro Velasco Astete In
ternational Airport', 'city': 'Cuzco', 'iata': 'CUZ', 'icao': 'SPZO', 'latitu
de': -13.535699844400003, 'longitude': -71.9387969971, 'timezone': -5.0, 'dst
': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2808, 'name': 'Padre Aldamiz International Airp
ort', 'city': 'Puerto Maldonado', 'iata': 'PEM', 'icao': 'SPTU', 'latitude':
-12.613599777200001, 'longitude': -69.2285995483, 'timezone': -5.0, 'dst': 'U
', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['142']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 6067, 'name': 'Alferez Fap David Figueroa
Fernandini Airport', 'city': 'Huánuco', 'iata': 'HUU', 'icao': 'SPNC', 'latit
ude': -9.878809928894043, 'longitude': -76.20480346679688, 'timezone': -5.0,
'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International
Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219
, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['141']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2801, 'name': 'Coronel FAP Francisco Secad
a Vignetta International Airport', 'city': 'Iquitos', 'iata': 'IQT', 'icao':
'SPQT', 'latitude': -3.7847399711608887, 'longitude': -73.30879974365234, 'ti
mezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2781, 'name': 'Cap FAP Davi
d Abenzur Rengifo International Airport', 'city': 'Pucallpa', 'iata': 'PCL',
'icao': 'SPCL', 'latitude': -8.37794017791748, 'longitude': -74.5743026733398
4, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['143'
]}

{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2801, 'name': 'Coronel FAP Francisco Secad
a Vignetta International Airport', 'city': 'Iquitos', 'iata': 'IQT', 'icao':
'SPQT', 'latitude': -3.7847399711608887, 'longitude': -73.30879974365234, 'ti
mezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2806, 'name': 'Cadete FAP G
uillermo Del Castillo Paredes Airport', 'city': 'Tarapoto', 'iata': 'TPP', 'i
cao': 'SPST', 'latitude': -6.508739948272705, 'longitude': -76.37319946289062
, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['142']
}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International
Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219
, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 2786, 'name': 'Coronel FAP Alfredo Mendivil Duarte Airport', 'city': 'Ayac
ucho', 'iata': 'AYP', 'icao': 'SPHO', 'latitude': -13.154800415039062, 'longi
tude': -74.20439910888672, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['142']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International
Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219
, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 2812, 'name': 'Alejandro Velasco Astete International Airport', 'city': 'C
uzco', 'iata': 'CUZ', 'icao': 'SPZO', 'latitude': -13.535699844400003, 'longi
tude': -71.9387969971, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['142', '141']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International
Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219
, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 6067, 'name': 'Alferez Fap David Figueroa Fernandini Airport', 'city': 'Hu
ánuco', 'iata': 'HUU', 'icao': 'SPNC', 'latitude': -9.878809928894043, 'longi
tude': -76.20480346679688, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li

ma', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['141']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International
Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219
, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 2781, 'name': 'Cap FAP David Abenzur Rengifo International Airport', 'city
': 'Pucallpa', 'iata': 'PCL', 'icao': 'SPCL', 'latitude': -8.37794017791748,
'longitude': -74.57430267333984, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Amer
ica/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['143', '146']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International
Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219
, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Li
ma', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 2806, 'name': 'Cadete FAP Guillermo Del Castillo Paredes Airport', 'city':
'Tarapoto', 'iata': 'TPP', 'icao': 'SPST', 'latitude': -6.508739948272705, 'l
ongitude': -76.37319946289062, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Americ
a/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['142', '146']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2781, 'name': 'Cap FAP David Abenzur Rengi
fo International Airport', 'city': 'Pucallpa', 'iata': 'PCL', 'icao': 'SPCL',
'latitude': -8.37794017791748, 'longitude': -74.57430267333984, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2801, 'name': 'Coronel FAP Francisco
Secada Vignetta International Airport', 'city': 'Iquitos', 'iata': 'IQT', 'ic
ao': 'SPQT', 'latitude': -3.7847399711608887, 'longitude': -73.30879974365234
, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['143']
}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2781, 'name': 'Cap FAP David Abenzur Rengi
fo International Airport', 'city': 'Pucallpa', 'iata': 'PCL', 'icao': 'SPCL',
'latitude': -8.37794017791748, 'longitude': -74.57430267333984, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2789, 'name': 'Jorge Chávez Internati
onal Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12

.0219, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Ameri
ca/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['143', '146']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2781, 'name': 'Cap FAP David Abenzur Rengi
fo International Airport', 'city': 'Pucallpa', 'iata': 'PCL', 'icao': 'SPCL',
'latitude': -8.37794017791748, 'longitude': -74.57430267333984, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2806, 'name': 'Cadete FAP Guillermo D
el Castillo Paredes Airport', 'city': 'Tarapoto', 'iata': 'TPP', 'icao': 'SPS
T', 'latitude': -6.508739948272705, 'longitude': -76.37319946289062, 'timezon
e': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['146']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2808, 'name': 'Padre Aldamiz International
Airport', 'city': 'Puerto Maldonado', 'iata': 'PEM', 'icao': 'SPTU', 'latitud
e': -12.613599777200001, 'longitude': -69.2285995483, 'timezone': -5.0, 'dst'
: 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2812, 'name': 'Alejandro Velasco Astete Interna
tional Airport', 'city': 'Cuzco', 'iata': 'CUZ', 'icao': 'SPZO', 'latitude':
-13.535699844400003, 'longitude': -71.9387969971, 'timezone': -5.0, 'dst': 'U
', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['142']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2806, 'name': 'Cadete FAP Guillermo Del Ca
stillo Paredes Airport', 'city': 'Tarapoto', 'iata': 'TPP', 'icao': 'SPST', '
latitude': -6.508739948272705, 'longitude': -76.37319946289062, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2801, 'name': 'Coronel FAP Francisco
Secada Vignetta International Airport', 'city': 'Iquitos', 'iata': 'IQT', 'ic
ao': 'SPQT', 'latitude': -3.7847399711608887, 'longitude': -73.30879974365234
, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['142']
}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2806, 'name': 'Cadete FAP Guillermo Del Ca
stillo Paredes Airport', 'city': 'Tarapoto', 'iata': 'TPP', 'icao': 'SPST', '
latitude': -6.508739948272705, 'longitude': -76.37319946289062, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2789, 'name': 'Jorge Chávez Internati

onal Airport', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12
.0219, 'longitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Ameri
ca/Lima', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['142', '146']}
{'airline': {'airline_id': 8359, 'name': 'Star Peru (2I)', 'alias': 'nan', 'i
ata': '2I', 'icao': 'FOF', 'callsign': 'nan', 'country': 'Peru', 'active': Tr
ue}, 'src_airport': {'airport_id': 2806, 'name': 'Cadete FAP Guillermo Del Ca
stillo Paredes Airport', 'city': 'Tarapoto', 'iata': 'TPP', 'icao': 'SPST', '
latitude': -6.508739948272705, 'longitude': -76.37319946289062, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2781, 'name': 'Cap FAP David Abenzur
Rengifo International Airport', 'city': 'Pucallpa', 'iata': 'PCL', 'icao': 'S
PCL', 'latitude': -8.37794017791748, 'longitude': -74.57430267333984, 'timezo
ne': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['146']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 253, 'name': 'P
ort Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitu
de': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'd
st': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 247, 'name': 'Bobo Dioulasso Airport', 'ci
ty': 'Bobo-dioulasso', 'iata': 'BOY', 'icao': 'DFOO', 'latitude': 11.16009998
3215332, 'longitude': -4.33096981048584, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 253, 'name': 'P
ort Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitu
de': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'd
st': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city'
: 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitu
de': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['E70', 'CRJ', 'M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 248, 'name': 'K
otoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA',
'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone':
0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', '

city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'lo
ngitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 1044, 'name': '
Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao':
'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidj
an', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude
': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 1044, 'name': '
Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao':
'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor Internationa
l Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.73
9700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 1044, 'name': '
Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao':
'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city': 'Ouag
adougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitude': -1
.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 247, 'name': 'B
obo Dioulasso Airport', 'city': 'Bobo-dioulasso', 'iata': 'BOY', 'icao': 'DFO
O', 'latitude': 11.160099983215332, 'longitude': -4.33096981048584, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bouet Air

port', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390
209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz
_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 247, 'name': 'B
obo Dioulasso Airport', 'city': 'Bobo-dioulasso', 'iata': 'BOY', 'icao': 'DFO
O', 'latitude': 11.160099983215332, 'longitude': -4.33096981048584, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Ai
rport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.
3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ou
agadougou', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 245, 'name': 'C
adjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitud
e': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst'
: 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city'
: 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'long
itude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lom
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 245, 'name': 'C
adjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitud
e': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst'
: 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city'
: 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitu
de': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': '
Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR',
'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.490200042724
61, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1044, 'name': 'Modibo

Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao': 'GABS'
, 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst': 'N', 't
z_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': '
Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR',
'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.490200042724
61, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagado
ugou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitud
e': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Af
rica/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 298, 'name': 'L
omé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude
': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst'
: 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city': 'Oua
gadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitude': -
1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['M87', 'CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 280, 'name': 'D
iori Hamani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao':
'DRRN', 'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city': 'Ouaga
dougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitude': -1.
51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan',

'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude': -3
.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['E70', 'CRJ', 'M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': '
Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longit
ude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Acc
ra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1044, 'name': 'Modibo Keita International Airport', 'c
ity': 'Bamako', 'iata': 'BKO', 'icao': 'GABS', 'latitude': 12.5335, 'longitud
e': -7.94994, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bamako', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['M87', 'CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 247, 'name': 'Bobo Dioulasso Airport', 'city': 'Bobo-d
ioulasso', 'iata': 'BOY', 'icao': 'DFOO', 'latitude': 11.160099983215332, 'lo
ngitude': -4.33096981048584, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ou
agadougou', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', '

iata': 'COO', 'icao': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.3
84350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor International Air
port', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.7397003
17382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_i
d': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['M87']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city': 'Lome', 'i
ata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'longitude': 1.25
45100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['CRJ']}
{'airline': {'airline_id': 470, 'name': 'Air Burkina', 'alias': 'ANA All Nipp
on Airways', 'iata': '2J', 'icao': 'VBW', 'callsign': 'BURKINA', 'country': '
Burkina Faso', 'active': True}, 'src_airport': {'airport_id': 246, 'name': 'O
uagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'l
atitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 280, 'name': 'Diori Hamani International Airport', 'ci
ty': 'Niamey', 'iata': 'NIM', 'icao': 'DRRN', 'latitude': 13.4815, 'longitude
': 2.18361, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Niamey', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota', 'iata
': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 'timezo
ne': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2673, 'name': 'José Joaquín d

e Olmedo International Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao':
'SEGU', 'latitude': -2.15741991997, 'longitude': -79.88359832760001, 'timezon
e': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota', 'iata
': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 'timezo
ne': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre
International Airport', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'lati
tude': -0.129166666667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U',
'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2715, 'name': 'Alfonso Bonilla Aragon International Airport', 'city': 'C
ali', 'iata': 'CLO', 'icao': 'SKCL', 'latitude': 3.54322, 'longitude': -76.38
16, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2673, 'name': 'Jos
é Joaquín de Olmedo International Airport', 'city': 'Guayaquil', 'iata': 'GYE
', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longitude': -79.8835983276000
1, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'G
uayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longit
ude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Gua
yaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota', 'ia
ta': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 'time
zone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'G
uayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longit
ude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Gua

yaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2715, 'name': 'Alfonso Bonilla Aragon International Airport', 'city':
'Cali', 'iata': 'CLO', 'icao': 'SKCL', 'latitude': 3.54322, 'longitude': -76.
3816, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'G
uayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longit
ude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Gua
yaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 6045, 'name': 'San Cristóbal Airport', 'city': 'San Cristóbal', 'iata'
: 'SCY', 'icao': 'SEST', 'latitude': -0.910206, 'longitude': -89.617401, 'tim
ezone': -6.0, 'dst': 'U', 'tz_id': 'Pacific/Galapagos', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319',
'320']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'G
uayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longit
ude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Gua
yaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city': 'Quito',
'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.
3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320', '319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_
id': 2670, 'name': 'Francisco De Orellana Airport', 'city': 'Coca', 'iata': '
OCC', 'icao': 'SECO', 'latitude': -0.4628860056400299, 'longitude': -76.98680
114746094, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2688, 'n
ame': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO',
'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone
': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'a
lias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign'
: 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_

id': 6045, 'name': 'San Cristóbal Airport', 'city': 'San Cristóbal', 'iata': 'SCY', 'icao': 'SEST', 'latitude': -0.910206, 'longitude': -89.617401, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Pacific/Galapagos', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign': 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota', 'iata': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign': 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1338, 'name': 'Aerolineas Galapagos (Aerogal)', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2K', 'icao': 'GLG', 'callsign': 'AEROGAL', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2670, 'name': 'Francisco De Orellana Airport', 'city': 'Coca', 'iata': 'OCC', 'icao': 'SECO', 'latitude': -0.4628860056400299, 'longitude': -76.98680114746094, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1506, 'name': 'Brindisi – Sa
lento Airport', 'city': 'Brindisi', 'iata': 'BDS', 'icao': 'LIBR', 'latitude'
: 40.6576, 'longitude': 17.947001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'ic
ao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1264, 'name': 'Bordeaux-Méri
gnac Airport', 'city': 'Bordeaux', 'iata': 'BOD', 'icao': 'LFBD', 'latitude':
44.8283004761, 'longitude': -0.7155560255050001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iat
a': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.549
17, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100'
]}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 490, 'name': 'Bristol Airpor
t', 'city': 'Bristol', 'iata': 'BRS', 'icao': 'EGGD', 'latitude': 51.382702,
'longitude': -2.71909, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16
78, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH'
, 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'c
ity': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024
414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id'
: 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'

, 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca Inter
national Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitud
e': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich
', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude'
: 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria
Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude':
27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich
', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude'
: 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 4197, 'name': 'Marsa Alam In
ternational Airport', 'city': 'Marsa Alam', 'iata': 'RMF', 'icao': 'HEMA', 'l
atitude': 25.557100295999998, 'longitude': 34.5836982727, 'timezone': 2.0, 'd
st': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zur
ich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitu
de': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife Sout
h Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28
.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id'
: 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'ci
ty': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125,
'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'

, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1506, 'name': 'Brindisi – Salento Airport', 'city': 'Brindisi', 'iata':
'BDS', 'icao': 'LIBR', 'latitude': 40.6576, 'longitude': 17.947001, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1264, 'name': 'Bordeaux-Mérignac Airport', 'city': 'Bordeaux', 'iata':
'BOD', 'icao': 'LFBD', 'latitude': 44.8283004761, 'longitude': -0.71555602550
50001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['1
00']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 490, 'name': 'Bristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'icao
': 'EGGD', 'latitude': 51.382702, 'longitude': -2.71909, 'timezone': 0.0, 'ds
t': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata
': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.624
90081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999

999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': '
LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.386599
54071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2750, 'name': 'Helvetic Airways', 'alias': 'TACA',
'iata': '2L', 'icao': 'OAW', 'callsign': 'HELVETIC', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4197, 'name': 'Marsa Alam International Airport', 'city': 'Marsa Alam',
'iata': 'RMF', 'icao': 'HEMA', 'latitude': 25.557100295999998, 'longitude': 3
4.5836982727, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 730, 'name': 'Arvidsjaur Airport', 'city':
'Arvidsjaur', 'iata': 'AJR', 'icao': 'ESNX', 'latitude': 65.59030151367189, '
longitude': 19.28190040588379, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 719, 'name': 'Lycksele Airport', 'city': 'Lycksele', 'iata': 'LYC',
'icao': 'ESNL', 'latitude': 64.54830169677734, 'longitude': 18.71619987487793
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
P']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 715, 'name': 'Gällivare Airport', 'city': 'Gallivare', 'iata':
'GEV', 'icao': 'ESNG', 'latitude': 67.13240051269531, 'longitude': 20.8145999
90844727, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511

6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 709, 'name': 'Halmstad Airport', 'city': 'Halmstad', 'iata': '
HAD', 'icao': 'ESMT', 'latitude': 56.69110107421875, 'longitude': 12.82019996
6430664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 688, 'name': 'Jönköping Airport', 'city': 'Joenkoeping', 'iata
': 'JKG', 'icao': 'ESGJ', 'latitude': 57.75759887695313, 'longitude': 14.0686
99836730955, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['ATP', 'SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 718, 'name': 'Kramfors Sollefteå Airport', 'city': 'Kramfors',
'iata': 'KRF', 'icao': 'ESNK', 'latitude': 63.04859924316406, 'longitude': 17
.76889991760254, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 5595, 'name': 'Karlstad Airport', 'city': 'Karlstad', 'iata':
'KSD', 'icao': 'ESOK', 'latitude': 59.444698333699996, 'longitude': 13.337400
436400001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511

6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 719, 'name': 'Lycksele Airport', 'city': 'Lycksele', 'iata': '
LYC', 'icao': 'ESNL', 'latitude': 64.54830169677734, 'longitude': 18.71619987
487793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 442, 'name': 'Mariehamn Airport', 'city': 'Mariehamn', 'iata':
'MHQ', 'icao': 'EFMA', 'latitude': 60.122200012207, 'longitude': 19.898199081
421, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Mariehamn', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 722, 'name': 'Örnsköldsvik Airport', 'city': 'Ornskoldsvik', '
iata': 'OER', 'icao': 'ESNO', 'latitude': 63.40829849243164, 'longitude': 18.
989999771118164, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['ATR']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 448, 'name': 'Pori Airport', 'city': 'Pori', 'iata': 'POR', 'i
cao': 'EFPO', 'latitude': 61.461700439453004, 'longitude': 21.799999237061, '
timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu

rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefjord',
'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude': 10.258
600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S
F3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 746, 'name': 'Visby Airport', 'city': 'Visby', 'iata': 'VBY',
'icao': 'ESSV', 'latitude': 57.662799835205, 'longitude': 18.346200942993, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3',
'ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 729, 'name': 'Vilhelmina Airport', 'city': 'Vilhelmina', 'iata
': 'VHM', 'icao': 'ESNV', 'latitude': 64.5791015625, 'longitude': 16.83359909
0576172, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 711, 'name': 'Växjö Kronoberg Airport', 'city': 'Vaxjo', 'iata
': 'VXO', 'icao': 'ESMX', 'latitude': 56.929100036621094, 'longitude': 14.727
999687194824, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 715, 'name': 'Gällivare Airport', 'city': '
Gallivare', 'iata': 'GEV', 'icao': 'ESNG', 'latitude': 67.13240051269531, 'lo
ngitude': 20.814599990844727, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/S

tockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata
': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918
600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 715, 'name': 'Gällivare Airport', 'city': '
Gallivare', 'iata': 'GEV', 'icao': 'ESNG', 'latitude': 67.13240051269531, 'lo
ngitude': 20.814599990844727, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/S
tockholm', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 718, 'name': 'Kramfors Sollefteå Airport', 'city': 'Kramfors', 'iata
': 'KRF', 'icao': 'ESNK', 'latitude': 63.04859924316406, 'longitude': 17.7688
9991760254, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 709, 'name': 'Halmstad Airport', 'city': 'H
almstad', 'iata': 'HAD', 'icao': 'ESMT', 'latitude': 56.69110107421875, 'long
itude': 12.820199966430664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata':
'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600
082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['SF3', 'ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 709, 'name': 'Halmstad Airport', 'city': 'H
almstad', 'iata': 'HAD', 'icao': 'ESMT', 'latitude': 56.69110107421875, 'long
itude': 12.820199966430664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 688, 'name': 'Jönköping Airport', 'city': 'Joenkoeping', 'iata': 'JKG'
, 'icao': 'ESGJ', 'latitude': 57.75759887695313, 'longitude': 14.068699836730
955, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'ATP', 'SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 709, 'name': 'Halmstad Airport', 'city': 'H
almstad', 'iata': 'HAD', 'icao': 'ESMT', 'latitude': 56.69110107421875, 'long
itude': 12.820199966430664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto

ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 711, 'name': 'Växjö Kronoberg Airport', 'city': 'Vaxjo', 'iata': 'VXO'
, 'icao': 'ESMX', 'latitude': 56.929100036621094, 'longitude': 14.72799968719
4824, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 5599, 'name': 'Hemavan Airport', 'city': 'H
emavan', 'iata': 'HMV', 'icao': 'ESUT', 'latitude': 65.80609893798828, 'longi
tude': 15.082799911499025, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stoc
kholm', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 729, 'name': 'Vilhelmina Airport', 'city': 'Vilhelmina', 'iata': 'VHM',
'icao': 'ESNV', 'latitude': 64.5791015625, 'longitude': 16.833599090576172, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']
}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 688, 'name': 'Jönköping Airport', 'city': '
Joenkoeping', 'iata': 'JKG', 'icao': 'ESGJ', 'latitude': 57.75759887695313, '
longitude': 14.068699836730955, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'ia
ta': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.9
18600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['ATP', 'SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 688, 'name': 'Jönköping Airport', 'city': '
Joenkoeping', 'iata': 'JKG', 'icao': 'ESGJ', 'latitude': 57.75759887695313, '
longitude': 14.068699836730955, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 709, 'name': 'Halmstad Airport', 'city': 'Halmstad', 'iata': 'HAD'
, 'icao': 'ESMT', 'latitude': 56.69110107421875, 'longitude': 12.820199966430
664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'ATP', 'SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 435, 'name': 'Kokkola-Pietarsaari Airport',
'city': 'Kruunupyy', 'iata': 'KOK', 'icao': 'EFKK', 'latitude': 63.7211990356
45, 'longitude': 23.143100738525, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Euro

pe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 448, 'name': 'Pori Airport', 'city': 'Pori', 'iata': 'POR', 'icao': 'EFPO', 'latitude': 61.461700439453004, 'longitude': 21.799999237061, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 718, 'name': 'Kramfors Sollefteå Airport', 'city': 'Kramfors', 'iata': 'KRF', 'icao': 'ESNK', 'latitude': 63.04859924316406, 'longitude': 17.76889991760254, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 718, 'name': 'Kramfors Sollefteå Airport', 'city': 'Kramfors', 'iata': 'KRF', 'icao': 'ESNK', 'latitude': 63.04859924316406, 'longitude': 17.76889991760254, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 715, 'name': 'Gällivare Airport', 'city': 'Gallivare', 'iata': 'GEV', 'icao': 'ESNG', 'latitude': 67.13240051269531, 'longitude': 20.814599990844727, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 5595, 'name': 'Karlstad Airport', 'city': 'Karlstad', 'iata': 'KSD', 'icao': 'ESOK', 'latitude': 59.444698333699996, 'longitude': 13.337400436400001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 719, 'name': 'Lycksele Airport', 'city': 'Lycksele', 'iata': 'LYC', 'icao': 'ESNL', 'latitude': 64.54830169677734, 'longitude': 18.71619987487793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport

_id': 730, 'name': 'Arvidsjaur Airport', 'city': 'Arvidsjaur', 'iata': 'AJR', 'icao': 'ESNX', 'latitude': 65.59030151367189, 'longitude': 19.28190040588379, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 719, 'name': 'Lycksele Airport', 'city': 'Lycksele', 'iata': 'LYC', 'icao': 'ESNL', 'latitude': 64.54830169677734, 'longitude': 18.71619987487793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 442, 'name': 'Mariehamn Airport', 'city': 'Mariehamn', 'iata': 'MHQ', 'icao': 'EFMA', 'latitude': 60.122200012207, 'longitude': 19.898199081421, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Mariehamn', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 442, 'name': 'Mariehamn Airport', 'city': 'Mariehamn', 'iata': 'MHQ', 'icao': 'EFMA', 'latitude': 60.122200012207, 'longitude': 19.898199081421, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Mariehamn', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 460, 'name': 'Turku Airport', 'city': 'Turku', 'iata': 'TKU', 'icao': 'EFTU', 'latitude': 60.514099121094, 'longitude': 22.262800216675, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 722, 'name': 'Örnsköldsvik Airport', 'city': 'Ornskoldsvik', 'iata': 'OER', 'icao': 'ESNO', 'latitude': 63.40829849243164, 'longitude': 18.989999771118164, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm',

'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 711, 'name': 'Växjö Kronoberg Airport', 'city': 'Vaxjo', 'iata': 'VXO', 'icao': 'ESMX', 'latitude': 56.929100036621094, 'longitude': 14.727999687194824, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 448, 'name': 'Pori Airport', 'city': 'Pori', 'iata': 'POR', 'icao': 'EFPO', 'latitude': 61.461700439453004, 'longitude': 21.799999237061, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 448, 'name': 'Pori Airport', 'city': 'Pori', 'iata': 'POR', 'icao': 'EFPO', 'latitude': 61.461700439453004, 'longitude': 21.799999237061, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 435, 'name': 'Kokkola-Pietarsaari Airport', 'city': 'Kruunupyy', 'iata': 'KOK', 'icao': 'EFKK', 'latitude': 63.721199035645, 'longitude': 23.143100738525, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 460, 'name': 'Turku Airport', 'city': 'Turku', 'iata': 'TKU', 'icao': 'EFTU', 'latitude': 60.514099121094, 'longitude': 22.262800216675, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 442, 'name': 'Mariehamn Airport', 'city': 'Mariehamn', 'iata': 'MHQ', 'icao': 'EFMA', 'latitude': 60.122200012207, 'longitude': 19.898199081421, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Mariehamn', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}

{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'c
ity': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136,
'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN',
'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3'
]}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 746, 'name': 'Visby Airport', 'city': 'Visb
y', 'iata': 'VBY', 'icao': 'ESSV', 'latitude': 57.662799835205, 'longitude':
18.346200942993, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737,
'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'ica
o': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3', '
ATP']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 729, 'name': 'Vilhelmina Airport', 'city':
'Vilhelmina', 'iata': 'VHM', 'icao': 'ESNV', 'latitude': 64.5791015625, 'long
itude': 16.833599090576172, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata':
'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600
082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 729, 'name': 'Vilhelmina Airport', 'city':
'Vilhelmina', 'iata': 'VHM', 'icao': 'ESNV', 'latitude': 64.5791015625, 'long
itude': 16.833599090576172, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 5599, 'name': 'Hemavan Airport', 'city': 'Hemavan', 'iata': 'HMV', 'ic
ao': 'ESUT', 'latitude': 65.80609893798828, 'longitude': 15.082799911499025,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3'
]}

{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 711, 'name': 'Växjö Kronoberg Airport', 'ci
ty': 'Vaxjo', 'iata': 'VXO', 'icao': 'ESMX', 'latitude': 56.929100036621094,
'longitude': 14.727999687194824, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'i
ata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.
918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['SF3']}
{'airline': {'airline_id': 3652, 'name': 'NextJet', 'alias': 'nan', 'iata': '
2N', 'icao': 'NTJ', 'callsign': 'NEXTJET', 'country': 'Sweden', 'active': Tru
e}, 'src_airport': {'airport_id': 711, 'name': 'Växjö Kronoberg Airport', 'ci
ty': 'Vaxjo', 'iata': 'VXO', 'icao': 'ESMX', 'latitude': 56.929100036621094,
'longitude': 14.727999687194824, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'ica
o': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city':
'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152
.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False,
'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city':
'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152
.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False,
'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city':
'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152
.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7162, 'nam
e': 'Larsen Bay Airport', 'city': 'Larsen Bay', 'iata': 'KLN', 'icao': 'PALB'
, 'latitude': 57.535099029499996, 'longitude': -153.977996826, 'timezone': -9

.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city':
'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152
.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False,
'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city':
'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152
.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False,
'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': None, 'dst_airport': None, 'codeshare': False, 'stops':
0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': None, 'dst_airport': None, 'codeshare': False, 'stops':
0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': {'airport_id': 7162, 'name': 'Larsen Bay Airport', 'cit
y': 'Larsen Bay', 'iata': 'KLN', 'icao': 'PALB', 'latitude': 57.5350990294999
96, 'longitude': -153.977996826, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Amer
ica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 7161, 'name': 'Karluk Airport', 'city': 'Karluk', 'iata': 'KYK'
, 'icao': 'PAKY', 'latitude': 57.5671005249, 'longitude': -154.449996948, 'ti
mezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BNI']
}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': None, 'dst_airport': None, 'codeshare': False, 'stops':
0, 'equipment': ['BNI']}
{'airline': {'airline_id': 146, 'name': 'Air Salone', 'alias': '\\N', 'iata':
'2O', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sierra Leone', 'active':
True}, 'src_airport': None, 'dst_airport': None, 'codeshare': False, 'stops':
0, 'equipment': ['BNI']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6019, 'name': 'Basco Airport', 'city': 'Basco', 'iata': 'BSO', 'icao': 'RPUO', 'latitude': 20.4513, 'longitude': 121.980003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4200, 'name': 'Bancasi Airport', 'city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude': 8.9515, 'longitude': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2399, 'name': 'Awang Airport', 'city': 'Cotabato', 'iata': 'CBO', 'icao': 'RPMC', 'latitude': 7.165239810943604, 'longitude': 124.20999908447266, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2400, 'name': 'Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6024, 'name': 'Catarman National Airport', 'city': 'Catarman', 'iata': 'CRM', 'icao': 'RPVF', 'latitude': 12.502400398254395, 'longitude': 124.63600158691406, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', 'city': 'Dumaguete', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168, 'longitude': 123.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 8076, 'name': 'Al Maktoum International Airport', 'city': 'Dubai', 'iata': 'DWC', 'icao': 'OMDW', 'latitude': 24.896356, 'longitude': 55.161389, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4203, 'name': 'Legazpi City International Airport', 'city': 'Legazpi', 'iata': 'LGP', 'icao': 'RPLP', 'latitude': 13.1575, 'longitude': 123.735, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6019, 'name': 'Basco Airport', 'city': 'Basco', 'iata': 'BSO', 'icao': 'RPUO', 'latitude': 20.4513, 'longitude': 121.980003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4200, 'name': 'Bancasi Airport', 'city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude': 8.9515, 'longitude': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2399, 'name': 'Awang Airport', 'city': 'Cotabato', 'iata': 'CBO', 'icao': 'RPMC', 'latitude': 7.165239810943604, 'longitude': 124.20999908447266, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2400, 'name': 'Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6024, 'name': 'Catarman National Airport', 'city': 'Catarman', 'iata': 'CRM', 'icao': 'RPVF', 'latitude': 12.502400398254395, 'longitude': 124.63600158691406, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', 'city': 'Dumaguete', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168, 'longitude': 123.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFI
C', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id':
2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 8076, 'name': 'Al Maktoum Internat
ional Airport', 'city': 'Dubai', 'iata': 'DWC', 'icao': 'OMDW', 'latitude': 2
4.896356, 'longitude': 55.161389, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia
/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFI
C', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id':
2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2402, 'name': 'General Santos Inte
rnational Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitu
de': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFI
C', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id':
2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo Internationa
l Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.6
79400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFI
C', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id':
2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4203, 'name': 'Legazpi City Intern
ational Airport', 'city': 'Legazpi', 'iata': 'LGP', 'icao': 'RPLP', 'latitude
': 13.1575, 'longitude': 123.735, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia
/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2426, 'name': 'Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4204, 'name': 'Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6026, 'name': 'Roxas Airport', 'city': 'Roxas City', 'iata': 'RXS', 'icao': 'RPVR', 'latitude': 11.597700119018555, 'longitude': 122.7519989013672, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6016, 'name': 'Surigao Airport', 'city': 'Sangley Point', 'iata': 'SUG', 'icao': 'RPMS', 'latitude': 9.755838325629998, 'longitude': 125.480947495, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6021, 'name': 'Tuguegarao Airport', 'city': 'Tuguegarao', 'iata': 'TUG', 'icao': 'RPUT', 'latitude': 17.6433676823, 'longitude': 121.73315048200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2404, 'name': 'Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2426, 'name': 'Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4204, 'name': 'Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6026, 'name': 'Roxas Airport', 'city': 'Roxas City', 'iata': 'RXS', 'icao': 'RPVR', 'latitude': 11.597700119018555, 'longitude': 122.7519989013672, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6016, 'name': 'Surigao Airport', 'city': 'Sangley Point', 'iata': 'SUG', 'icao': 'RPMS', 'latitude': 9.755838325629998, 'longitude': 125.480947495, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}

{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6021, 'name': 'Tuguegarao Airport', 'city': 'Tuguegarao', 'iata': 'TUG', 'icao': 'RPUT', 'latitude': 17.6433676823, 'longitude': 121.73315048200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 897, 'name': 'Air Philippines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '2P', 'icao': 'GAP', 'callsign': 'ORIENT PACIFIC', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2404, 'name': 'Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Brussels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country': 'China', 'active': False}, 'src_airport': {'airport_id': 7376, 'name': 'Araguaína Airport', 'city': 'Araguaina', 'iata': 'AUX', 'icao': 'SWGN', 'latitude': -7.227869999999999, 'longitude': -48.240501, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4214, 'name': 'Brigadeiro Lysias Rodrigues Airport', 'city': 'Palmas', 'iata': 'PMW', 'icao': 'SBPJ', 'latitude': -10.2915000916, 'longitude': -48.3569984436, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Brussels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country': 'China', 'active': False}, 'src_airport': {'airport_id': 7373, 'name': 'Barreiras Airport', 'city': 'Barreiras', 'iata': 'BRA', 'icao': 'SNBR', 'latitude': -12.078900337219238, 'longitude': -45.00899887084961, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2531, 'name': 'Presidente Juscelino Kubistschek International Airport', 'city': 'Brasilia', 'iata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -47.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 7373, 'name': 'Ba
rreiras Airport', 'city': 'Barreiras', 'iata': 'BRA', 'icao': 'SNBR', 'latitu
de': -12.078900337219238, 'longitude': -45.00899887084961, 'timezone': -3.0,
'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2621, 'name': 'Deputado Luiz Eduardo
Magalhães International Airport', 'city': 'Salvador', 'iata': 'SSA', 'icao':
'SBSV', 'latitude': -12.9086112976, 'longitude': -38.3224983215, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2531, 'name': 'Pr
esidente Juscelino Kubistschek International Airport', 'city': 'Brasilia', 'i
ata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -47
.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 73
73, 'name': 'Barreiras Airport', 'city': 'Barreiras', 'iata': 'BRA', 'icao':
'SNBR', 'latitude': -12.078900337219238, 'longitude': -45.00899887084961, 'ti
mezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2531, 'name': 'Pr
esidente Juscelino Kubistschek International Airport', 'city': 'Brasilia', 'i
ata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -47
.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 73
67, 'name': 'Presidente João Batista Figueiredo Airport', 'city': 'Sinop', 'i
ata': 'OPS', 'icao': 'SWSI', 'latitude': -11.885000228881836, 'longitude': -5
5.58610916137695, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grand
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2531, 'name': 'Pr
esidente Juscelino Kubistschek International Airport', 'city': 'Brasilia', 'i
ata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -47
.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 26
13, 'name': 'Leite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', '
icao': 'SBRP', 'latitude': -21.136388778686523, 'longitude': -47.776668548583

98, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2535, 'name': 'Ca
scavel Airport', 'city': 'Cascavel', 'iata': 'CAC', 'icao': 'SBCA', 'latitude
': -25.0002994537, 'longitude': -53.5008010864, 'timezone': -3.0, 'dst': 'S',
'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franc
o Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao':
'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'ti
mezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2548, 'name': 'Ma
rechal Rondon Airport', 'city': 'Cuiaba', 'iata': 'CGB', 'icao': 'SBCY', 'lat
itude': -15.6528997421, 'longitude': -56.1166992188, 'timezone': -4.0, 'dst':
'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2562, 'name': 'Santa Genoveva Airport', '
city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'latitude': -16.631999969482
422, 'longitude': -49.22069931030274, 'timezone': -3.0, 'dst': 'S', 'tz_id':
'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2548, 'name': 'Ma
rechal Rondon Airport', 'city': 'Cuiaba', 'iata': 'CGB', 'icao': 'SBCY', 'lat
itude': -15.6528997421, 'longitude': -56.1166992188, 'timezone': -4.0, 'dst':
'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 7367, 'name': 'Presidente João Batista Fi
gueiredo Airport', 'city': 'Sinop', 'iata': 'OPS', 'icao': 'SWSI', 'latitude'
: -11.885000228881836, 'longitude': -55.58610916137695, 'timezone': -4.0, 'ds
t': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2538, 'name': 'Ca
mpo Grande Airport', 'city': 'Campo Grande', 'iata': 'CGR', 'icao': 'SBCG', '
latitude': -20.468700408900002, 'longitude': -54.6725006104, 'timezone': -4.0
, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 7380, 'name': 'Dourados Airport'

, 'city': 'Dourados', 'iata': 'DOU', 'icao': 'SSDO', 'latitude': -22.2019, 'l
ongitude': -54.926601, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_
Grande', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 7380, 'name': 'Do
urados Airport', 'city': 'Dourados', 'iata': 'DOU', 'icao': 'SSDO', 'latitude
': -22.2019, 'longitude': -54.926601, 'timezone': -4.0, 'dst': 'S', 'tz_id':
'America/Campo_Grande', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2538, 'name': 'Campo Grande Airport', 'city': 'Campo Gr
ande', 'iata': 'CGR', 'icao': 'SBCG', 'latitude': -20.468700408900002, 'longi
tude': -54.6725006104, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_
Grande', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 7380, 'name': 'Do
urados Airport', 'city': 'Dourados', 'iata': 'DOU', 'icao': 'SSDO', 'latitude
': -22.2019, 'longitude': -54.926601, 'timezone': -4.0, 'dst': 'S', 'tz_id':
'America/Campo_Grande', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Mont
oro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR
', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezon
e': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2560, 'name': 'Ri
o Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'iata'
: 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.25
05569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2613, 'nam
e': 'Leite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': '
SBRP', 'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'tim
ezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2564, 'name': 'Gu
arulhos - Governador André Franco Montoro International Airport', 'city': 'Sa
o Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'lo
ngitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai

rport_id': 2535, 'name': 'Cascavel Airport', 'city': 'Cascavel', 'iata': 'CAC
', 'icao': 'SBCA', 'latitude': -25.0002994537, 'longitude': -53.5008010864, '
timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7'
]}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2564, 'name': 'Gu
arulhos - Governador André Franco Montoro International Airport', 'city': 'Sa
o Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'lo
ngitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7380, 'name': 'Dourados Airport', 'city': 'Dourados', 'iata': 'DOU
', 'icao': 'SSDO', 'latitude': -22.2019, 'longitude': -54.926601, 'timezone':
-4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2564, 'name': 'Gu
arulhos - Governador André Franco Montoro International Airport', 'city': 'Sa
o Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'lo
ngitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2613, 'name': 'Leite Lopes Airport', 'city': 'Ribeirao Preto', 'ia
ta': 'RAO', 'icao': 'SBRP', 'latitude': -21.136388778686523, 'longitude': -47
.77666854858398, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2564, 'name': 'Gu
arulhos - Governador André Franco Montoro International Airport', 'city': 'Sa
o Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'lo
ngitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2635, 'name': 'Mário de Almeida Franco Airport', 'city': 'Uberaba'
, 'iata': 'UBA', 'icao': 'SBUR', 'latitude': -19.764722824097, 'longitude': -
47.966110229491996, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2564, 'name': 'Gu
arulhos - Governador André Franco Montoro International Airport', 'city': 'Sa

o Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'lo
ngitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2633, 'name': 'Ten. Cel. Aviador César Bombonato Airport', 'city':
'Uberlandia', 'iata': 'UDI', 'icao': 'SBUL', 'latitude': -18.883612, 'longitu
de': -48.225277, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2564, 'name': 'Gu
arulhos - Governador André Franco Montoro International Airport', 'city': 'Sa
o Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'lo
ngitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 6039, 'name': 'Vitória da Conquista Airport', 'city': 'Vitória Da
Conquista', 'iata': 'VDC', 'icao': 'SBQV', 'latitude': -14.8627996445, 'longi
tude': -40.8630981445, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortal
eza', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2562, 'name': 'Sa
nta Genoveva Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'lat
itude': -16.631999969482422, 'longitude': -49.22069931030274, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2548, 'name': 'Marechal Rondon Air
port', 'city': 'Cuiaba', 'iata': 'CGB', 'icao': 'SBCY', 'latitude': -15.65289
97421, 'longitude': -56.1166992188, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'A
merica/Campo_Grande', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2562, 'name': 'Sa
nta Genoveva Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'lat
itude': -16.631999969482422, 'longitude': -49.22069931030274, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4214, 'name': 'Brigadeiro Lysias R
odrigues Airport', 'city': 'Palmas', 'iata': 'PMW', 'icao': 'SBPJ', 'latitude
': -10.2915000916, 'longitude': -48.3569984436, 'timezone': -3.0, 'dst': 'S',
'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country

': 'China', 'active': False}, 'src_airport': {'airport_id': 2562, 'name': 'Sa
nta Genoveva Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'lat
itude': -16.631999969482422, 'longitude': -49.22069931030274, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2613, 'name': 'Leite Lopes Airport
', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP', 'latitude': -21.1
36388778686523, 'longitude': -47.77666854858398, 'timezone': -3.0, 'dst': 'S'
, 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2562, 'name': 'Sa
nta Genoveva Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'lat
itude': -16.631999969482422, 'longitude': -49.22069931030274, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2633, 'name': 'Ten. Cel. Aviador C
ésar Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI', 'icao': 'SBUL',
'latitude': -18.883612, 'longitude': -48.225277, 'timezone': -3.0, 'dst': 'S'
, 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 7367, 'name': 'Pr
esidente João Batista Figueiredo Airport', 'city': 'Sinop', 'iata': 'OPS', 'i
cao': 'SWSI', 'latitude': -11.885000228881836, 'longitude': -55.5861091613769
5, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2531, 'name':
'Presidente Juscelino Kubistschek International Airport', 'city': 'Brasilia',
'iata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -
47.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 7367, 'name': 'Pr
esidente João Batista Figueiredo Airport', 'city': 'Sinop', 'iata': 'OPS', 'i
cao': 'SWSI', 'latitude': -11.885000228881836, 'longitude': -55.5861091613769
5, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2548, 'name':
'Marechal Rondon Airport', 'city': 'Cuiaba', 'iata': 'CGB', 'icao': 'SBCY', '
latitude': -15.6528997421, 'longitude': -56.1166992188, 'timezone': -4.0, 'ds
t': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Brussels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country': 'China', 'active': False}, 'src_airport': {'airport_id': 2528, 'name': 'Pampulha - Carlos Drummond de Andrade Airport', 'city': 'Belo Horizonte', 'iata': 'PLU', 'icao': 'SBBH', 'latitude': -19.851200103759766, 'longitude': -43.950599670410156, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2613, 'name': 'Leite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP', 'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Brussels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country': 'China', 'active': False}, 'src_airport': {'airport_id': 4214, 'name': 'Brigadeiro Lysias Rodrigues Airport', 'city': 'Palmas', 'iata': 'PMW', 'icao': 'SBPJ', 'latitude': -10.2915000916, 'longitude': -48.3569984436, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7376, 'name': 'Araguaína Airport', 'city': 'Araguaina', 'iata': 'AUX', 'icao': 'SWGN', 'latitude': -7.227869999999999, 'longitude': -48.240501, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Brussels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country': 'China', 'active': False}, 'src_airport': {'airport_id': 4214, 'name': 'Brigadeiro Lysias Rodrigues Airport', 'city': 'Palmas', 'iata': 'PMW', 'icao': 'SBPJ', 'latitude': -10.2915000916, 'longitude': -48.3569984436, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2562, 'name': 'Santa Genoveva Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'latitude': -16.631999969482422, 'longitude': -49.22069931030274, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Brussels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Leite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP', 'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2531, 'name': 'Presidente Juscelino Kubistschek International Airport', 'city': 'Brasilia', 'iata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -47.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Le
ite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP',
'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2560, 'name': 'Rio Galeão - Tom
Jobim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'icao'
: 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458, 'time
zone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Le
ite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP',
'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Gove
rnador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iat
a': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.
47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Le
ite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP',
'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2562, 'name': 'Santa Genoveva A
irport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'latitude': -16.63
1999969482422, 'longitude': -49.22069931030274, 'timezone': -3.0, 'dst': 'S',
'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Le
ite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP',
'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2528, 'name': 'Pampulha - Carlo
s Drummond de Andrade Airport', 'city': 'Belo Horizonte', 'iata': 'PLU', 'ica

o': 'SBBH', 'latitude': -19.851200103759766, 'longitude': -43.950599670410156
, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Le
ite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP',
'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2619, 'name': 'Prof. Eribelto M
anoel Reino State Airport', 'city': 'Sao Jose Do Rio Preto', 'iata': 'SJP', '
icao': 'SBSR', 'latitude': -20.8166007996, 'longitude': -49.40650177, 'timezo
ne': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2613, 'name': 'Le
ite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP',
'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2633, 'name': 'Ten. Cel. Aviado
r César Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI', 'icao': 'SBU
L', 'latitude': -18.883612, 'longitude': -48.225277, 'timezone': -3.0, 'dst':
'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2619, 'name': 'Pr
of. Eribelto Manoel Reino State Airport', 'city': 'Sao Jose Do Rio Preto', 'i
ata': 'SJP', 'icao': 'SBSR', 'latitude': -20.8166007996, 'longitude': -49.406
50177, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2613, 'name'
: 'Leite Lopes Airport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SB
RP', 'latitude': -21.136388778686523, 'longitude': -47.77666854858398, 'timez
one': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2621, 'name': 'De
putado Luiz Eduardo Magalhães International Airport', 'city': 'Salvador', 'ia
ta': 'SSA', 'icao': 'SBSV', 'latitude': -12.9086112976, 'longitude': -38.3224
983215, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7373, 'name

': 'Barreiras Airport', 'city': 'Barreiras', 'iata': 'BRA', 'icao': 'SNBR', '
latitude': -12.078900337219238, 'longitude': -45.00899887084961, 'timezone':
-3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2621, 'name': 'De
putado Luiz Eduardo Magalhães International Airport', 'city': 'Salvador', 'ia
ta': 'SSA', 'icao': 'SBSV', 'latitude': -12.9086112976, 'longitude': -38.3224
983215, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6039, 'name
': 'Vitória da Conquista Airport', 'city': 'Vitória Da Conquista', 'iata': 'V
DC', 'icao': 'SBQV', 'latitude': -14.8627996445, 'longitude': -40.8630981445,
'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2635, 'name': 'Má
rio de Almeida Franco Airport', 'city': 'Uberaba', 'iata': 'UBA', 'icao': 'SB
UR', 'latitude': -19.764722824097, 'longitude': -47.966110229491996, 'timezon
e': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos -
Governador André Franco Montoro International Airport', 'city': 'Sao Paulo',
'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude':
-46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2635, 'name': 'Má
rio de Almeida Franco Airport', 'city': 'Uberaba', 'iata': 'UBA', 'icao': 'SB
UR', 'latitude': -19.764722824097, 'longitude': -47.966110229491996, 'timezon
e': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2633, 'name': 'Ten. Cel. Av
iador César Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI', 'icao':
'SBUL', 'latitude': -18.883612, 'longitude': -48.225277, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2633, 'name': 'Te
n. Cel. Aviador César Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI'
, 'icao': 'SBUL', 'latitude': -18.883612, 'longitude': -48.225277, 'timezone'

: -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Go
vernador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'i
ata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -4
6.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2633, 'name': 'Te
n. Cel. Aviador César Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI'
, 'icao': 'SBUL', 'latitude': -18.883612, 'longitude': -48.225277, 'timezone'
: -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2562, 'name': 'Santa Genoveva
Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao': 'SBGO', 'latitude': -16.6
31999969482422, 'longitude': -49.22069931030274, 'timezone': -3.0, 'dst': 'S'
, 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2633, 'name': 'Te
n. Cel. Aviador César Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI'
, 'icao': 'SBUL', 'latitude': -18.883612, 'longitude': -48.225277, 'timezone'
: -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2613, 'name': 'Leite Lopes Ai
rport', 'city': 'Ribeirao Preto', 'iata': 'RAO', 'icao': 'SBRP', 'latitude':
-21.136388778686523, 'longitude': -47.77666854858398, 'timezone': -3.0, 'dst'
: 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 2633, 'name': 'Te
n. Cel. Aviador César Bombonato Airport', 'city': 'Uberlandia', 'iata': 'UDI'
, 'icao': 'SBUL', 'latitude': -18.883612, 'longitude': -48.225277, 'timezone'
: -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2635, 'name': 'Mário de Almei
da Franco Airport', 'city': 'Uberaba', 'iata': 'UBA', 'icao': 'SBUR', 'latitu
de': -19.764722824097, 'longitude': -47.966110229491996, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 6039, 'name': 'Vi
tória da Conquista Airport', 'city': 'Vitória Da Conquista', 'iata': 'VDC', '

icao': 'SBQV', 'latitude': -14.8627996445, 'longitude': -40.8630981445, 'time
zone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos
- Governador André Franco Montoro International Airport', 'city': 'Sao Paulo'
, 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude'
: -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Pau
lo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 1729, 'name': 'Changan Airlines', 'alias': 'SN Bru
ssels Airlines', 'iata': '2Z', 'icao': 'CGN', 'callsign': 'CHANGAN', 'country
': 'China', 'active': False}, 'src_airport': {'airport_id': 6039, 'name': 'Vi
tória da Conquista Airport', 'city': 'Vitória Da Conquista', 'iata': 'VDC', '
icao': 'SBQV', 'latitude': -14.8627996445, 'longitude': -40.8630981445, 'time
zone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2621, 'name': 'Deputado
Luiz Eduardo Magalhães International Airport', 'city': 'Salvador', 'iata': 'S
SA', 'icao': 'SBSV', 'latitude': -12.9086112976, 'longitude': -38.3224983215,
'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
7']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', '
iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a
ctive': True}, 'src_airport': {'airport_id': 5726, 'name': 'Southeast Iowa Re
gional Airport', 'city': 'Burlington', 'iata': 'BRL', 'icao': 'KBRL', 'latitu
de': 40.783199310302734, 'longitude': -91.12550354003906, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare Internatio
nal Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 4
1.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Americ
a/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', '
iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a
ctive': True}, 'src_airport': {'airport_id': 5726, 'name': 'Southeast Iowa Re
gional Airport', 'city': 'Burlington', 'iata': 'BRL', 'icao': 'KBRL', 'latitu
de': 40.783199310302734, 'longitude': -91.12550354003906, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3678, 'name': 'St Louis Lambert Internat
ional Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', 'latitude
': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A', 'tz_id':
'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', '
iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a

ctive': True}, 'src_airport': {'airport_id': 4042, 'name': 'Decatur Airport', 'city': 'Decatur', 'iata': 'DEC', 'icao': 'KDEC', 'latitude': 39.834598541259 77, 'longitude': -88.8656997680664, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'A merica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'a irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment ': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', ' iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a ctive': True}, 'src_airport': {'airport_id': 4042, 'name': 'Decatur Airport', 'city': 'Decatur', 'iata': 'DEC', 'icao': 'KDEC', 'latitude': 39.834598541259 77, 'longitude': -88.8656997680664, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'A merica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3678, 'name': 'St Louis Lambert International Airport', 'city' : 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitu de': -90.370003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 't ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e quipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', ' iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a ctive': True}, 'src_airport': {'airport_id': 3591, 'name': 'Jonesboro Municip al Airport', 'city': 'Jonesboro', 'iata': 'JBR', 'icao': 'KJBR', 'latitude': 35.83169937133789, 'longitude': -90.64640045166016, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3678, 'name': 'St Louis Lambert International A irport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', 'latitude': 38.7 48697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Ameri ca/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', ' iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a ctive': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare In ternational Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'lati tude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport' : {'airport_id': 5726, 'name': 'Southeast Iowa Regional Airport', 'city': 'Bu rlington', 'iata': 'BRL', 'icao': 'KBRL', 'latitude': 40.783199310302734, 'lo ngitude': -91.12550354003906, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America /Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, ' stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', ' iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a

ctive': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare In
ternational Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'lati
tude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id':
'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 4042, 'name': 'Decatur Airport', 'city': 'Decatur', 'iata':
'DEC', 'icao': 'KDEC', 'latitude': 39.83459854125977, 'longitude': -88.865699
7680664, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', '
iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a
ctive': True}, 'src_airport': {'airport_id': 3678, 'name': 'St Louis Lambert
International Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', '
latitude': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 5726, 'name': 'Southeast Iowa Regional Airport', 'c
ity': 'Burlington', 'iata': 'BRL', 'icao': 'KBRL', 'latitude': 40.78319931030
2734, 'longitude': -91.12550354003906, 'timezone': -6.0, 'dst': 'A', 'tz_id':
'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', '
iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a
ctive': True}, 'src_airport': {'airport_id': 3678, 'name': 'St Louis Lambert
International Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', '
latitude': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4042, 'name': 'Decatur Airport', 'city': 'Decatur',
'iata': 'DEC', 'icao': 'KDEC', 'latitude': 39.83459854125977, 'longitude': -8
8.8656997680664, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['CNC']}
{'airline': {'airline_id': 10739, 'name': 'Air Choice One', 'alias': 'nan', '
iata': '3E', 'icao': 'WE1', 'callsign': 'nan', 'country': 'United States', 'a
ctive': True}, 'src_airport': {'airport_id': 3678, 'name': 'St Louis Lambert
International Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', '
latitude': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3591, 'name': 'Jonesboro Municipal Airport', 'city'
: 'Jonesboro', 'iata': 'JBR', 'icao': 'KJBR', 'latitude': 35.83169937133789,
'longitude': -90.64640045166016, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Amer
ica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'

: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'cod
eshare': False, 'stops': 0, 'equipment': ['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_
id': 3808, 'name': 'Ketchikan International Airport', 'city': 'Ketchikan', 'i
ata': 'KTN', 'icao': 'PAKT', 'latitude': 55.35559845, 'longitude': -131.71400
45, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'cod
eshare': False, 'stops': 0, 'equipment': ['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'cod
eshare': False, 'stops': 0, 'equipment': ['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_
id': 3808, 'name': 'Ketchikan International Airport', 'city': 'Ketchikan', 'i
ata': 'KTN', 'icao': 'PAKT', 'latitude': 55.35559845, 'longitude': -131.71400
45, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'cod
eshare': False, 'stops': 0, 'equipment': ['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_
id': 3808, 'name': 'Ketchikan International Airport', 'city': 'Ketchikan', 'i
ata': 'KTN', 'icao': 'PAKT', 'latitude': 55.35559845, 'longitude': -131.71400
45, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': {'airport_id': 3808, 'name': 'K
etchikan International Airport', 'city': 'Ketchikan', 'iata': 'KTN', 'icao':
'PAKT', 'latitude': 55.35559845, 'longitude': -131.7140045, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': {'airport_id': 3808, 'name': 'K
etchikan International Airport', 'city': 'Ketchikan', 'iata': 'KTN', 'icao':
'PAKT', 'latitude': 55.35559845, 'longitude': -131.7140045, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': {'airport_id': 3808, 'name': 'K
etchikan International Airport', 'city': 'Ketchikan', 'iata': 'KTN', 'icao':
'PAKT', 'latitude': 55.35559845, 'longitude': -131.7140045, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': {'airport_id': 3808, 'name': 'K
etchikan International Airport', 'city': 'Ketchikan', 'iata': 'KTN', 'icao':
'PAKT', 'latitude': 55.35559845, 'longitude': -131.7140045, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 7146, 'name': 'Metlakatla Seaplane Ba
se', 'city': 'Metakatla', 'iata': 'MTM', 'icao': 'PAMM', 'latitude': 55.13100
1, 'longitude': -131.578003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DHP']}
{'airline': {'airline_id': 16262, 'name': 'Fly Colombia ( Interliging Flights
)', 'alias': 'nan', 'iata': '3F', 'icao': '3FF', 'callsign': 'nan', 'country'
: 'Colombia', 'active': True}, 'src_airport': {'airport_id': 7146, 'name': 'M
etlakatla Seaplane Base', 'city': 'Metakatla', 'iata': 'MTM', 'icao': 'PAMM',
'latitude': 55.131001, 'longitude': -131.578003, 'timezone': -9.0, 'dst': 'A'
, 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3808, 'name': 'Ketchikan International Airport'
, 'city': 'Ketchikan', 'iata': 'KTN', 'icao': 'PAKT', 'latitude': 55.35559845
, 'longitude': -131.7140045, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DHP']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka
International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'lati

tude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 273, 'name': 'Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1063, 'name': 'Roberts International Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude': 6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1050, 'name': 'Banjul International Airport', 'city': 'Banjul', 'iata': 'BJL', 'icao': 'GBYD', 'latitude': 13.338000297546387, 'longitude': -16.65220069885254, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Banjul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1050, 'name': 'Banjul International Airport', 'city': 'Banjul', 'iata': 'BJL', 'icao': 'GBYD', 'l

atitude': 13.338000297546387, 'longitude': -16.65220069885254, 'timezone': 0.
0, 'dst': 'N', 'tz_id': 'Africa/Banjul', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International
Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.
2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1050, 'name': 'Banju
l International Airport', 'city': 'Banjul', 'iata': 'BJL', 'icao': 'GBYD', 'l
atitude': 13.338000297546387, 'longitude': -16.65220069885254, 'timezone': 0.
0, 'dst': 'N', 'tz_id': 'Africa/Banjul', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor I
nternational Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latit
ude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1050, 'name': 'Banju
l International Airport', 'city': 'Banjul', 'iata': 'BJL', 'icao': 'GBYD', 'l
atitude': 13.338000297546387, 'longitude': -16.65220069885254, 'timezone': 0.
0, 'dst': 'N', 'tz_id': 'Africa/Banjul', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1059, 'name': 'Lungi International Air
port', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.61643
9999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Afr
ica/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 4162, 'name': 'Conak
ry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY',
'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5665, 'name': 'Osvaldo Vieira International Air
port', 'city': 'Bissau', 'iata': 'OXB', 'icao': 'GGOV', 'latitude': 11.894800
186157227, 'longitude': -15.65369987487793, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Bissau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopo
ld Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'ica

o': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka Inte
rnational Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude
': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'ds
t': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopo
ld Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'ica
o': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1050, 'name': 'Banjul Int
ernational Airport', 'city': 'Banjul', 'iata': 'BJL', 'icao': 'GBYD', 'latitu
de': 13.338000297546387, 'longitude': -16.65220069885254, 'timezone': 0.0, 'd
st': 'N', 'tz_id': 'Africa/Banjul', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopo
ld Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'ica
o': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala Inte
rnational Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitud
e': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 't
z_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopo
ld Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'ica
o': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1059, 'name': 'Lungi Inte
rnational Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latit
ude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopo
ld Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'ica

o': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 273, 'name': 'Murtala Muh
ammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM',
'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1
.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopo
ld Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'ica
o': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 5665, 'name': 'Osvaldo Vi
eira International Airport', 'city': 'Bissau', 'iata': 'OXB', 'icao': 'GGOV',
'latitude': 11.894800186157227, 'longitude': -15.65369987487793, 'timezone':
0.0, 'dst': 'N', 'tz_id': 'Africa/Bissau', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': 'Douala
International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'lat
itude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor International
Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.7397
00317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N', 't
z_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': 'Douala
International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'lat
itude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 273, 'name': 'Murtala Muhammed International Airpor
t', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.57737016677
85645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi
International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'l

atitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1050, 'name': 'Banjul International Airport', '
city': 'Banjul', 'iata': 'BJL', 'icao': 'GBYD', 'latitude': 13.33800029754638
7, 'longitude': -16.65220069885254, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Af
rica/Banjul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi
International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'l
atitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor Internatio
nal Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.
739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N'
, 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi
International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'l
atitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city':
'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude':
-0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi
International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'l
atitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1063, 'name': 'Roberts International Airport',
'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude': 6.23379, 'long
itude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London
Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude'

: 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'E
urope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freetown',
'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitude': -1
3.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': 'Murtal
a Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'D
NMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka Internation
al Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.60
5189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N'
, 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': 'Murtal
a Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'D
NMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Sen
ghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY',
'latitude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone':
0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': 'Murtal
a Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'D
NMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala Internation
al Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0
060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': 'Murtal
a Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'D

NMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1063, 'name': 'Roberts International Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude': 6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 5665, 'name': 'Osvaldo Vieira International Airport', 'city': 'Bissau', 'iata': 'OXB', 'icao': 'GGOV', 'latitude': 11.894800186157227, 'longitude': -15.65369987487793, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bissau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4162, 'name': 'Conakry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY', 'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 5665, 'name': 'Osvaldo Vieira International Airport', 'city': 'Bissau', 'iata': 'OXB', 'icao': 'GGOV', 'latitude': 11.894800186157227, 'longitude': -15.65369987487793, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bissau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1063, 'name': 'Roberts International Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude': 6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Air Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1063, 'name': 'Roberts International Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB',

'latitude': 6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'F
reetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'long
itude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 595, 'name': 'Atlant-Soyuz Airlines', 'alias': 'Ai
r Asia', 'iata': '3G', 'icao': 'AYZ', 'callsign': 'ATLANT-SOYUZ', 'country':
'Russia', 'active': True}, 'src_airport': {'airport_id': 1063, 'name': 'Rober
ts International Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB',
'latitude': 6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 273, 'name': 'Murtala Muhammed International Airport',
'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.577370166778564
5, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Afr
ica/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5506, 'name': 'Akulivik Airport', 'city': 'Akulivik',
'iata': 'AKV', 'icao': 'CYKO', 'latitude': 60.81859970092773, 'longitude': -7
8.14859771728516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 550
4, 'name': 'Ivujivik Airport', 'city': 'Ivujivik', 'iata': 'YIK', 'icao': 'CY
IK', 'latitude': 62.41730117797852, 'longitude': -77.92530059814453, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5506, 'name': 'Akulivik Airport', 'city': 'Akulivik',
'iata': 'AKV', 'icao': 'CYKO', 'latitude': 60.81859970092773, 'longitude': -7
8.14859771728516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 672
7, 'name': 'Puvirnituq Airport', 'city': 'Puvirnituq', 'iata': 'YPX', 'icao':
'CYPX', 'latitude': 60.05059814453125, 'longitude': -77.28690338134766, 'time
zone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5512, 'name': 'Kangiqsualujjuaq (Georges River) Airpo
rt', 'city': 'Kangiqsualujjuaq', 'iata': 'XGR', 'icao': 'CYLU', 'latitude': 5
8.71139907836914, 'longitude': -65.9927978515625, 'timezone': -5.0, 'dst': 'A
', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, '

dst_airport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujju
aq', 'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude
': -68.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toront
o', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DHT', 'BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 62, 'name': 'La Grande Rivière Airport', 'city': 'La
Grande Riviere', 'iata': 'YGL', 'icao': 'CYGL', 'latitude': 53.62530136108398
, 'longitude': -77.7042007446289, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ame
rica/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujjuarapik', 'i
ata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'longitude': -77
.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 62, 'name': 'La Grande Rivière Airport', 'city': 'La
Grande Riviere', 'iata': 'YGL', 'icao': 'CYGL', 'latitude': 53.62530136108398
, 'longitude': -77.7042007446289, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ame
rica/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 6727, 'name': 'Puvirnituq Airport', 'city': 'Puvirnituq', 'iata'
: 'YPX', 'icao': 'CYPX', 'latitude': 60.05059814453125, 'longitude': -77.2869
0338134766, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73M']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 62, 'name': 'La Grande Rivière Airport', 'city': 'La
Grande Riviere', 'iata': 'YGL', 'icao': 'CYGL', 'latitude': 53.62530136108398
, 'longitude': -77.7042007446289, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ame
rica/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Ai
rport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.470
6001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujju
arapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'long
itude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/T
oronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor

t_id': 62, 'name': 'La Grande Rivière Airport', 'city': 'La Grande Riviere',
'iata': 'YGL', 'icao': 'CYGL', 'latitude': 53.62530136108398, 'longitude': -7
7.7042007446289, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujju
arapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'long
itude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/T
oronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 5520, 'name': 'Inukjuak Airport', 'city': 'Inukjuak', 'iata': 'YPH', '
icao': 'CYPH', 'latitude': 58.471900939941406, 'longitude': -78.0768966674804
7, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['B
ET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujju
arapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'long
itude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/T
oronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 5529, 'name': 'Sanikiluaq Airport', 'city': 'Sanikiluaq', 'iata': 'YSK
', 'icao': 'CYSK', 'latitude': 56.537799835200005, 'longitude': -79.246696472
2, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Regina', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH
8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujju
arapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'long
itude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/T
oronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 5515, 'name': 'Umiujaq Airport', 'city': 'Umiujaq', 'iata': 'YUD', 'ic
ao': 'CYMU', 'latitude': 56.53609848022461, 'longitude': -76.51830291748047,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujju
arapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'long
itude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/T
oronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor

t_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport'
, 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.470600128
2, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujju
arapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, 'long
itude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/T
oronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 149, 'name': 'Rouyn Noranda Airport', 'city': 'Rouyn', 'iata': 'YUY',
'icao': 'CYUY', 'latitude': 48.20610046386719, 'longitude': -78.8356018066406
2, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5504, 'name': 'Ivujivik Airport', 'city': 'Ivujivik',
'iata': 'YIK', 'icao': 'CYIK', 'latitude': 62.41730117797852, 'longitude': -7
7.92530059814453, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 550
6, 'name': 'Akulivik Airport', 'city': 'Akulivik', 'iata': 'AKV', 'icao': 'CY
KO', 'latitude': 60.81859970092773, 'longitude': -78.14859771728516, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5504, 'name': 'Ivujivik Airport', 'city': 'Ivujivik',
'iata': 'YIK', 'icao': 'CYIK', 'latitude': 62.41730117797852, 'longitude': -7
7.92530059814453, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 553
5, 'name': 'Salluit Airport', 'city': 'Salluit', 'iata': 'YZG', 'icao': 'CYZG
', 'latitude': 62.17940139770508, 'longitude': -75.66719818115234, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5481, 'name': 'Kangirsuk Airport', 'city': 'Kangirsuk
', 'iata': 'YKG', 'icao': 'CYAS', 'latitude': 60.027198791503906, 'longitude'
: -69.99919891357422, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
5508, 'name': 'Aupaluk Airport', 'city': 'Aupaluk', 'iata': 'YPJ', 'icao': 'C
YLA', 'latitude': 59.29669952392578, 'longitude': -69.59970092773439, 'timezo

ne': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT', 'DH8'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5481, 'name': 'Kangirsuk Airport', 'city': 'Kangirsuk
', 'iata': 'YKG', 'icao': 'CYAS', 'latitude': 60.027198791503906, 'longitude'
: -69.99919891357422, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
5499, 'name': 'Quaqtaq Airport', 'city': 'Quaqtaq', 'iata': 'YQC', 'icao': 'C
YHA', 'latitude': 61.0463981628418, 'longitude': -69.6177978515625, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5481, 'name': 'Kangirsuk Airport', 'city': 'Kangirsuk
', 'iata': 'YKG', 'icao': 'CYAS', 'latitude': 60.027198791503906, 'longitude'
: -69.99919891357422, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao': '
CYVP', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'DHT
']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 80, 'name': 'Schefferville Airport', 'city': 'Scheffe
rville', 'iata': 'YKL', 'icao': 'CYKL', 'latitude': 54.80530166625977, 'longi
tude': -66.8052978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Tor
onto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 111, 'name': 'Quebec Jean Lesage International Airport', 'city': 'Quebec
', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.7911, 'longitude': -71.39330
3, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 80, 'name': 'Schefferville Airport', 'city': 'Scheffe
rville', 'iata': 'YKL', 'icao': 'CYKL', 'latitude': 54.80530166625977, 'longi
tude': -66.8052978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Tor
onto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'ica
o': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', '

source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 80, 'name': 'Schefferville Airport', 'city': 'Schefferville', 'iata': 'YKL', 'icao': 'CYKL', 'latitude': 54.80530166625977, 'longitude': -66.8052978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 161, 'name': 'Wabush Airport', 'city': 'Wabush', 'iata': 'YWK', 'icao': 'CYWK', 'latitude': 52.92190170288086, 'longitude': -66.86440277099611, 'timezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifax', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 80, 'name': 'Schefferville Airport', 'city': 'Schefferville', 'iata': 'YKL', 'icao': 'CYKL', 'latitude': 54.80530166625977, 'longitude': -66.8052978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET', 'DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 5520, 'name': 'Inukjuak Airport', 'city': 'Inukjuak', 'iata': 'YPH', 'icao': 'CYPH', 'latitude': 58.471900939941406, 'longitude': -78.07689666748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6727, 'name': 'Puvirnituq Airport', 'city': 'Puvirnituq', 'iata': 'YPX', 'icao': 'CYPX', 'latitude': 60.05059814453125, 'longitude': -77.28690338134766, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 5520, 'name': 'Inukjuak Airport', 'city': 'Inukjuak', 'iata': 'YPH', 'icao': 'CYPH', 'latitude': 58.471900939941406, 'longitude': -78.07689666748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5515, 'name': 'Umiujaq Airport', 'city': 'Umiujaq', 'iata': 'YUD', 'icao': 'CYMU', 'latitude': 56.53609848022461, 'longitude': -76.51830291748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}

{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5520, 'name': 'Inukjuak Airport', 'city': 'Inukjuak',
'iata': 'YPH', 'icao': 'CYPH', 'latitude': 58.471900939941406, 'longitude': -
78.07689666748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 15
4, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CY
VP', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5508, 'name': 'Aupaluk Airport', 'city': 'Aupaluk', '
iata': 'YPJ', 'icao': 'CYLA', 'latitude': 59.29669952392578, 'longitude': -69
.59970092773439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5481
, 'name': 'Kangirsuk Airport', 'city': 'Kangirsuk', 'iata': 'YKG', 'icao': 'C
YAS', 'latitude': 60.027198791503906, 'longitude': -69.99919891357422, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT', 'DH8
']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5508, 'name': 'Aupaluk Airport', 'city': 'Aupaluk', '
iata': 'YPJ', 'icao': 'CYLA', 'latitude': 59.29669952392578, 'longitude': -69
.59970092773439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6728
, 'name': 'Tasiujaq Airport', 'city': 'Tasiujaq', 'iata': 'YTQ', 'icao': 'CYT
Q', 'latitude': 58.66780090332031, 'longitude': -69.95580291748047, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT', 'DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5508, 'name': 'Aupaluk Airport', 'city': 'Aupaluk', '
iata': 'YPJ', 'icao': 'CYLA', 'latitude': 59.29669952392578, 'longitude': -69
.59970092773439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 154,
'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CYVP'
, 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6727, 'name': 'Puvirnituq Airport', 'city': 'Puvirnit

uq', 'iata': 'YPX', 'icao': 'CYPX', 'latitude': 60.05059814453125, 'longitude
': -77.28690338134766, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toront
o', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 5506, 'name': 'Akulivik Airport', 'city': 'Akulivik', 'iata': 'AKV', 'icao'
: 'CYKO', 'latitude': 60.81859970092773, 'longitude': -78.14859771728516, 'ti
mezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6727, 'name': 'Puvirnituq Airport', 'city': 'Puvirnit
uq', 'iata': 'YPX', 'icao': 'CYPX', 'latitude': 60.05059814453125, 'longitude
': -77.28690338134766, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toront
o', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 62, 'name': 'La Grande Rivière Airport', 'city': 'La Grande Riviere', 'iata
': 'YGL', 'icao': 'CYGL', 'latitude': 53.62530136108398, 'longitude': -77.704
2007446289, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73M']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6727, 'name': 'Puvirnituq Airport', 'city': 'Puvirnit
uq', 'iata': 'YPX', 'icao': 'CYPX', 'latitude': 60.05059814453125, 'longitude
': -77.28690338134766, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toront
o', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 5520, 'name': 'Inukjuak Airport', 'city': 'Inukjuak', 'iata': 'YPH', 'icao'
: 'CYPH', 'latitude': 58.471900939941406, 'longitude': -78.07689666748047, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6727, 'name': 'Puvirnituq Airport', 'city': 'Puvirnit
uq', 'iata': 'YPX', 'icao': 'CYPX', 'latitude': 60.05059814453125, 'longitude
': -77.28690338134766, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toront
o', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao':
'CYVP', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'time
zone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 111, 'name': 'Quebec Jean Lesage International Airpor
t', 'city': 'Quebec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.7911, 'lo
ngitude': -71.393303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':

80, 'name': 'Schefferville Airport', 'city': 'Schefferville', 'iata': 'YKL',
'icao': 'CYKL', 'latitude': 54.80530166625977, 'longitude': -66.8052978515625
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH
8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 111, 'name': 'Quebec Jean Lesage International Airpor
t', 'city': 'Quebec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.7911, 'lo
ngitude': -71.393303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city
': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'lon
gitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toro
nto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5499, 'name': 'Quaqtaq Airport', 'city': 'Quaqtaq', '
iata': 'YQC', 'icao': 'CYHA', 'latitude': 61.0463981628418, 'longitude': -69.
6177978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5481,
'name': 'Kangirsuk Airport', 'city': 'Kangirsuk', 'iata': 'YKG', 'icao': 'CYA
S', 'latitude': 60.027198791503906, 'longitude': -69.99919891357422, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5499, 'name': 'Quaqtaq Airport', 'city': 'Quaqtaq', '
iata': 'YQC', 'icao': 'CYHA', 'latitude': 61.0463981628418, 'longitude': -69.
6177978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7253,
'name': 'Kangiqsujuaq (Wakeham Bay) Airport', 'city': 'Kangiqsujuaq', 'iata':
'YWB', 'icao': 'CYKG', 'latitude': 61.5886001587, 'longitude': -71.929397583,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5529, 'name': 'Sanikiluaq Airport', 'city': 'Sanikilu
aq', 'iata': 'YSK', 'icao': 'CYSK', 'latitude': 56.537799835200005, 'longitud
e': -79.2466964722, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Regina',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 54
96, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujjuarapik', 'iata': 'YGW', 'i

cao': 'CYGW', 'latitude': 55.281898498535156, 'longitude': -77.76529693603516
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH
8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5529, 'name': 'Sanikiluaq Airport', 'city': 'Sanikilu
aq', 'iata': 'YSK', 'icao': 'CYSK', 'latitude': 56.537799835200005, 'longitud
e': -79.2466964722, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Regina',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55
15, 'name': 'Umiujaq Airport', 'city': 'Umiujaq', 'iata': 'YUD', 'icao': 'CYM
U', 'latitude': 56.53609848022461, 'longitude': -76.51830291748047, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6728, 'name': 'Tasiujaq Airport', 'city': 'Tasiujaq',
'iata': 'YTQ', 'icao': 'CYTQ', 'latitude': 58.66780090332031, 'longitude': -6
9.95580291748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 550
8, 'name': 'Aupaluk Airport', 'city': 'Aupaluk', 'iata': 'YPJ', 'icao': 'CYLA
', 'latitude': 59.29669952392578, 'longitude': -69.59970092773439, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT', 'DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6728, 'name': 'Tasiujaq Airport', 'city': 'Tasiujaq',
'iata': 'YTQ', 'icao': 'CYTQ', 'latitude': 58.66780090332031, 'longitude': -6
9.95580291748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 154
, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CYV
P', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT', 'DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5515, 'name': 'Umiujaq Airport', 'city': 'Umiujaq', '
iata': 'YUD', 'icao': 'CYMU', 'latitude': 56.53609848022461, 'longitude': -76
.51830291748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5496
, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujjuarapik', 'iata': 'YGW', 'ica
o': 'CYGW', 'latitude': 55.281898498535156, 'longitude': -77.76529693603516,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5515, 'name': 'Umiujaq Airport', 'city': 'Umiujaq', '
iata': 'YUD', 'icao': 'CYMU', 'latitude': 56.53609848022461, 'longitude': -76
.51830291748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5520
, 'name': 'Inukjuak Airport', 'city': 'Inukjuak', 'iata': 'YPH', 'icao': 'CYP
H', 'latitude': 58.471900939941406, 'longitude': -78.07689666748047, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5515, 'name': 'Umiujaq Airport', 'city': 'Umiujaq', '
iata': 'YUD', 'icao': 'CYMU', 'latitude': 56.53609848022461, 'longitude': -76
.51830291748047, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5529
, 'name': 'Sanikiluaq Airport', 'city': 'Sanikiluaq', 'iata': 'YSK', 'icao':
'CYSK', 'latitude': 56.537799835200005, 'longitude': -79.2466964722, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Regina', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau Inter
national Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitu
de': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 62, 'name': 'La Grande Rivière Airport', 'city':
'La Grande Riviere', 'iata': 'YGL', 'icao': 'CYGL', 'latitude': 53.6253013610
8398, 'longitude': -77.7042007446289, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau Inter
national Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitu
de': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 5496, 'name': 'Kuujjuarapik Airport', 'city': 'Ku
ujjuarapik', 'iata': 'YGW', 'icao': 'CYGW', 'latitude': 55.281898498535156, '
longitude': -77.76529693603516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH8']}

{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau Inter
national Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitu
de': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 111, 'name': 'Quebec Jean Lesage International Ai
rport', 'city': 'Quebec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.7911,
'longitude': -71.393303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toro
nto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau Inter
national Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitu
de': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 149, 'name': 'Rouyn Noranda Airport', 'city': 'Ro
uyn', 'iata': 'YUY', 'icao': 'CYUY', 'latitude': 48.20610046386719, 'longitud
e': -78.83560180664062, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toron
to', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 149, 'name': 'Rouyn Noranda Airport', 'city': 'Rouyn'
, 'iata': 'YUY', 'icao': 'CYUY', 'latitude': 48.20610046386719, 'longitude':
-78.83560180664062, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 54
96, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujjuarapik', 'iata': 'YGW', 'i
cao': 'CYGW', 'latitude': 55.281898498535156, 'longitude': -77.76529693603516
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH
8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 149, 'name': 'Rouyn Noranda Airport', 'city': 'Rouyn'
, 'iata': 'YUY', 'icao': 'CYUY', 'latitude': 48.20610046386719, 'longitude':
-78.83560180664062, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 14
6, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city':
'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longit
ude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH8']}

{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 551
2, 'name': 'Kangiqsualujjuaq (Georges River) Airport', 'city': 'Kangiqsualujj
uaq', 'iata': 'XGR', 'icao': 'CYLU', 'latitude': 58.71139907836914, 'longitud
e': -65.9927978515625, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toront
o', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DHT', 'BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 549
6, 'name': 'Kuujjuarapik Airport', 'city': 'Kuujjuarapik', 'iata': 'YGW', 'ic
ao': 'CYGW', 'latitude': 55.281898498535156, 'longitude': -77.76529693603516,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 548
1, 'name': 'Kangirsuk Airport', 'city': 'Kangirsuk', 'iata': 'YKG', 'icao': '
CYAS', 'latitude': 60.027198791503906, 'longitude': -69.99919891357422, 'time
zone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 80,
'name': 'Schefferville Airport', 'city': 'Schefferville', 'iata': 'YKL', 'ica
o': 'CYKL', 'latitude': 54.80530166625977, 'longitude': -66.8052978515625, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8',
'BET']}

{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 552
0, 'name': 'Inukjuak Airport', 'city': 'Inukjuak', 'iata': 'YPH', 'icao': 'CY
PH', 'latitude': 58.471900939941406, 'longitude': -78.07689666748047, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 550
8, 'name': 'Aupaluk Airport', 'city': 'Aupaluk', 'iata': 'YPJ', 'icao': 'CYLA
', 'latitude': 59.29669952392578, 'longitude': -69.59970092773439, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 672
7, 'name': 'Puvirnituq Airport', 'city': 'Puvirnituq', 'iata': 'YPX', 'icao':
'CYPX', 'latitude': 60.05059814453125, 'longitude': -77.28690338134766, 'time
zone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq',
'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -6
8.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 672
8, 'name': 'Tasiujaq Airport', 'city': 'Tasiujaq', 'iata': 'YTQ', 'icao': 'CY
TQ', 'latitude': 58.66780090332031, 'longitude': -69.95580291748047, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT', 'DH8']
}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7253, 'name': 'Kangiqsujuaq (Wakeham Bay) Airport', '

city': 'Kangiqsujuaq', 'iata': 'YWB', 'icao': 'CYKG', 'latitude': 61.58860015
87, 'longitude': -71.929397583, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 5499, 'name': 'Quaqtaq Airport', 'city': 'Quaqtaq', 'iata': 'YQC',
'icao': 'CYHA', 'latitude': 61.0463981628418, 'longitude': -69.6177978515625,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7253, 'name': 'Kangiqsujuaq (Wakeham Bay) Airport', '
city': 'Kangiqsujuaq', 'iata': 'YWB', 'icao': 'CYKG', 'latitude': 61.58860015
87, 'longitude': -71.929397583, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 5535, 'name': 'Salluit Airport', 'city': 'Salluit', 'iata': 'YZG',
'icao': 'CYZG', 'latitude': 62.17940139770508, 'longitude': -75.6671981811523
4, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 161, 'name': 'Wabush Airport', 'city': 'Wabush', 'iat
a': 'YWK', 'icao': 'CYWK', 'latitude': 52.92190170288086, 'longitude': -66.86
440277099611, 'timezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifax', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 80, 'na
me': 'Schefferville Airport', 'city': 'Schefferville', 'iata': 'YKL', 'icao':
'CYKL', 'latitude': 54.80530166625977, 'longitude': -66.8052978515625, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 161, 'name': 'Wabush Airport', 'city': 'Wabush', 'iat
a': 'YWK', 'icao': 'CYWK', 'latitude': 52.92190170288086, 'longitude': -66.86
440277099611, 'timezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifax', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 202, 'n
ame': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV', 'icao': 'CYZV'
, 'latitude': 50.22330093383789, 'longitude': -66.26560211181639, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5535, 'name': 'Salluit Airport', 'city': 'Salluit', '
iata': 'YZG', 'icao': 'CYZG', 'latitude': 62.17940139770508, 'longitude': -75
.66719818115234, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't

ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5504
, 'name': 'Ivujivik Airport', 'city': 'Ivujivik', 'iata': 'YIK', 'icao': 'CYI
K', 'latitude': 62.41730117797852, 'longitude': -77.92530059814453, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5535, 'name': 'Salluit Airport', 'city': 'Salluit', '
iata': 'YZG', 'icao': 'CYZG', 'latitude': 62.17940139770508, 'longitude': -75
.66719818115234, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7253
, 'name': 'Kangiqsujuaq (Wakeham Bay) Airport', 'city': 'Kangiqsujuaq', 'iata
': 'YWB', 'icao': 'CYKG', 'latitude': 61.5886001587, 'longitude': -71.9293975
83, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles'
, 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude':
-66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 80
, 'name': 'Schefferville Airport', 'city': 'Schefferville', 'iata': 'YKL', 'i
cao': 'CYKL', 'latitude': 54.80530166625977, 'longitude': -66.8052978515625,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET'
, 'DH8']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles'
, 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude':
-66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16
1, 'name': 'Wabush Airport', 'city': 'Wabush', 'iata': 'YWK', 'icao': 'CYWK',
'latitude': 52.92190170288086, 'longitude': -66.86440277099611, 'timezone': -
4.0, 'dst': 'A', 'tz_id': 'America/Halifax', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BET']}
{'airline': {'airline_id': 5521, 'name': 'Zip', 'alias': 'Varig', 'iata': '3J
', 'icao': 'WZP', 'callsign': 'ZIPPER', 'country': 'Canada', 'active': False}
, 'src_airport': {'airport_id': 4119, 'name': 'Djibouti-Ambouli Airport', 'ci
ty': 'Djibouti', 'iata': 'JIB', 'icao': 'HDAM', 'latitude': 11.54730033874511
5, 'longitude': 43.15950012207031, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afr
ica/Djibouti', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'i

ata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.
3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['737']}
{'airline': {'airline_id': 5521, 'name': 'Zip', 'alias': 'Varig', 'iata': '3J
', 'icao': 'WZP', 'callsign': 'ZIPPER', 'country': 'Canada', 'active': False}
, 'src_airport': {'airport_id': 4119, 'name': 'Djibouti-Ambouli Airport', 'ci
ty': 'Djibouti', 'iata': 'JIB', 'icao': 'HDAM', 'latitude': 11.54730033874511
5, 'longitude': 43.15950012207031, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afr
ica/Djibouti', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'J
eddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.1
56502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
7']}
{'airline': {'airline_id': 5521, 'name': 'Zip', 'alias': 'Varig', 'iata': '3J
', 'icao': 'WZP', 'callsign': 'ZIPPER', 'country': 'Canada', 'active': False}
, 'src_airport': {'airport_id': 4119, 'name': 'Djibouti-Ambouli Airport', 'ci
ty': 'Djibouti', 'iata': 'JIB', 'icao': 'HDAM', 'latitude': 11.54730033874511
5, 'longitude': 43.15950012207031, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afr
ica/Djibouti', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 5687, 'name': 'Aden Adde International Airport', 'city': 'Mogadi
shu', 'iata': 'MGQ', 'icao': 'HCMM', 'latitude': 2.014440059661865, 'longitud
e': 45.3046989440918, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Mogadishu
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['737']}
{'airline': {'airline_id': 5521, 'name': 'Zip', 'alias': 'Varig', 'iata': '3J
', 'icao': 'WZP', 'callsign': 'ZIPPER', 'country': 'Canada', 'active': False}
, 'src_airport': {'airport_id': 5687, 'name': 'Aden Adde International Airpor
t', 'city': 'Mogadishu', 'iata': 'MGQ', 'icao': 'HCMM', 'latitude': 2.0144400
59661865, 'longitude': 45.3046989440918, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Mogadishu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'cit
y': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'lo
ngitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairob
i', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['737']}
{'airline': {'airline_id': 5521, 'name': 'Zip', 'alias': 'Varig', 'iata': '3J
', 'icao': 'WZP', 'callsign': 'ZIPPER', 'country': 'Canada', 'active': False}
, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta International Ai
rport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.3192
3997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'A
frica/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 5687, 'name': 'Aden Adde International Airport', 'city': 'Mogad

ishu', 'iata': 'MGQ', 'icao': 'HCMM', 'latitude': 2.014440059661865, 'longitu
de': 45.3046989440918, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Mogadish
u', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['737']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3885, '
name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTB
S', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezon
e': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi A
irport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35
019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Sin
gapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3999, '
name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao
': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, '
timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapo
re Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'lati
tude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 4120, '
name': 'Haikou Meilan International Airport', 'city': 'Haikou', 'iata': 'HAK'
, 'icao': 'ZJHK', 'latitude': 19.93490028381348, 'longitude': 110.45899963378
906, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Sing
apore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'l
atitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3386, '
name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata':
'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.433998
10791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name':

'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3077, '
name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG',
'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Ch
angi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude'
: 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3179, '
name': 'Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao
': 'VTSP', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city
': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitud
e': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3992, '
name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao'
: 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'ti
mezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Int
ernational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitu
de': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3992, '
name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao'
: 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'ti
mezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan I

nternational Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'lati
tude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3304, '
name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata':
'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999
908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'nam
e': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': '
WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 2397, '
name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL',
'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3992, 'name': 'Kansai International Airpo
rt', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.427299499
51172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 2397, '
name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL',
'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport',
'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'lon
gitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3308, '
name': 'Penang International Airport', 'city': 'Penang', 'iata': 'PEN', 'icao
': 'WMKP', 'latitude': 5.297140121459961, 'longitude': 100.2770004272461, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapor

e Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latit
ude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3351, '
name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao':
'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'tim
ezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore C
hangi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude
': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3034, '
name': 'Phnom Penh International Airport', 'city': 'Phnom-penh', 'iata': 'PNH
', 'icao': 'VDPP', 'latitude': 11.546600341796875, 'longitude': 104.844001770
01952, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3035, '
name': 'Siem Reap International Airport', 'city': 'Siem-reap', 'iata': 'REP',
'icao': 'VDSR', 'latitude': 13.410699844400003, 'longitude': 103.81300354, 't
imezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore
Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitud
e': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3239, '
name': 'Yangon International Airport', 'city': 'Yangon', 'iata': 'RGN', 'icao
': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.1332015991, 'timez
one': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi

Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3205, '
name': 'Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iat
a': 'SGN', 'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000
427, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singap
ore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'lat
itude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id
': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city'
: 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, '
longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/B
angkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport'
, 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.4146995544
4336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id':
'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan International A

irport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude': 19.9349
0028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan Internation
al Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 3
0.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airpo
rt', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.30890
1000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airport'
, 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longi
tude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Ai

rport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.
7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Ai
rport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086,
'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3308, 'name': 'Penang International Airport'
, 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP', 'latitude': 5.297140121459
961, 'longitude': 100.2770004272461, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Kuala_Lumpur', type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport',
'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.9402999877929
7, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Au
stralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3034, 'name': 'Phnom Penh International Airp

ort', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao': 'VDPP', 'latitude': 11.546
600341796875, 'longitude': 104.84400177001952, 'timezone': 7.0, 'dst': 'U', '
tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3035, 'name': 'Siem Reap International Airpo
rt', 'city': 'Siem-reap', 'iata': 'REP', 'icao': 'VDSR', 'latitude': 13.41069
9844400003, 'longitude': 103.81300354, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3239, 'name': 'Yangon International Airport'
, 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.90730094909
9998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia
/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat International Ai
rport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude'
: 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 'tz
_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4302, 'name': 'Jieyang Chaoshan Internationa

l Airport', 'city': 'Shantou', 'iata': 'SWA', 'icao': 'ZGOW', 'latitude': 23.
552, 'longitude': 116.5033, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 3316, '
name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao'
: 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International
Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.077
7, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipe
i', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 4302, '
name': 'Jieyang Chaoshan International Airport', 'city': 'Shantou', 'iata': '
SWA', 'icao': 'ZGOW', 'latitude': 23.552, 'longitude': 116.5033, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airp
ort', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019
, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singap
ore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 2276, '
name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE
', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3992, 'name': 'Kansai International Ai
rport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.427299
49951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3021, 'name': 'Jetstar Asia Airways', 'alias': 'JA
L Japan Airlines', 'iata': '3K', 'icao': 'JSA', 'callsign': 'JETSTAR ASIA', '
country': 'Singapore', 'active': True}, 'src_airport': {'airport_id': 2276, '
name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE
', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpor

t', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 1679, 'name': 'St Gallen Altenrhein Airport', 'city': 'Altenrhein', 'iata': 'ACH', 'icao': 'LSZR', 'latitude': 47.4850006104, 'longitude': 9.560770034789998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1558, 'name': 'Marina Di Campo Airport', 'city': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'latitude': 42.7603, 'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 338, 'name': 'Dresden Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.1328010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 382, 'name': 'Friedrichshafen Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latitude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 1558, 'name': 'Marina Di Campo Airport', 'city': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'latitude': 42.7603, 'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1679, 'name': 'St Gallen Altenrhein Airport', 'city': 'Altenrhein', 'iata': 'ACH', 'icao': 'LSZR', 'latitude': 47.4850006104, 'longitude': 9.5

60770034789998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1558, 'name': 'Marina Di Ca
mpo Airport', 'city': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'lati
tude': 42.7603, 'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 382, 'name': 'Friedrichshafen Airport', 'city': 'Friedrichshafen'
, 'iata': 'FDH', 'icao': 'EDNY', 'latitude': 47.671298980699994, 'longitude':
9.511489868160002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1558, 'name': 'Marina Di Ca
mpo Airport', 'city': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'lati
tude': 42.7603, 'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', '
icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1558, 'name': 'Marina Di Ca
mpo Airport', 'city': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'lati
tude': 42.7603, 'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH',
'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedrichshaf
en Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latit
ude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city':
'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitu
de': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'

, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedrichshaf
en Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latit
ude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1558, 'name': 'Marina Di Campo Airport', 'c
ity': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'latitude': 42.7603,
'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedrichshaf
en Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latit
ude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Ha
mburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longi
tude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedrichshaf
en Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latit
ude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport
', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'lo
ngitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedrichshaf
en Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latit
ude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city'
: 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude':
13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp

ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedrichshaf
en Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latit
ude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zad
ar', 'iata': 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.34
67, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7'
]}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 3986, 'name': 'Memmingen Al
lgau Airport', 'city': 'Memmingen', 'iata': 'FMM', 'icao': 'EDJA', 'latitude'
: 47.9888000488, 'longitude': 10.2395000458, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1561, 'name': 'Naples International Airport', 'city': 'N
aples', 'iata': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'longi
tude': 14.2908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1609, 'name': 'Graz Airport
', 'city': 'Graz', 'iata': 'GRZ', 'icao': 'LOWG', 'latitude': 46.991100311279
3, 'longitude': 15.439599990844727, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH',
'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Airpo
rt', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.6304016
11328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 382, 'name': 'Friedrichshafen Airport', 'city': 'Friedrichs
hafen', 'iata': 'FDH', 'icao': 'EDNY', 'latitude': 47.671298980699994, 'longi
tude': 9.511489868160002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli

n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1558, 'name': 'Marina Di Campo Airport', 'city': 'Marina Di Campo', 'iata': 'EBA', 'icao': 'LIRJ', 'latitude': 42.7603, 'longitude': 10.2394, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 1561, 'name': 'Naples International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3986, 'name': 'Memmingen Allgau Airport', 'city': 'Memmingen', 'iata': 'FMM', 'icao': 'EDJA', 'latitude': 47.9888000488, 'longitude': 10.2395000458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 382, 'name': 'Friedrichshafen Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latitude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlines', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria', 'active': True}, 'src_airport': {'airport_id': 1612, 'name': 'Salzburg Airport', 'city': 'Salzburg', 'iata': 'SZG', 'icao': 'LOWS', 'latitude': 47.793300628699996, 'longitude': 13.0043001175, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}

{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-Tegel
Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.559
7, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
382, 'name': 'Friedrichshafen Airport', 'city': 'Friedrichshafen', 'iata': 'F
DH', 'icao': 'EDNY', 'latitude': 47.671298980699994, 'longitude': 9.511489868
160002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'AT7']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1209, 'name': 'Zadar Airpor
t', 'city': 'Zadar', 'iata': 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'l
ongitude': 15.3467, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 382,
'name': 'Friedrichshafen Airport', 'city': 'Friedrichshafen', 'iata': 'FDH',
'icao': 'EDNY', 'latitude': 47.671298980699994, 'longitude': 9.51148986816000
2, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7'
]}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpo
rt', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.46469899
9999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 338, 'name': 'Dresden Airport', 'city': 'Dresden', 'iata': 'DRS', 'ica
o': 'EDDC', 'latitude': 51.1328010559082, 'longitude': 13.767200469970705, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpo
rt', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.46469899
9999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 1558, 'name': 'Marina Di Campo Airport', 'city': 'Marina Di Campo', 'i
ata': 'EBA', 'icao': 'LIRJ', 'latitude': 42.7603, 'longitude': 10.2394, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria

', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpo
rt', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.46469899
9999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 1609, 'name': 'Graz Airport', 'city': 'Graz', 'iata': 'GRZ', 'icao': '
LOWG', 'latitude': 46.9911003112793, 'longitude': 15.439599990844727, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 2916, 'name': 'Intersky', 'alias': 'Horizon Airlin
es', 'iata': '3L', 'icao': 'ISK', 'callsign': 'INTERSKY', 'country': 'Austria
', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpo
rt', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.46469899
9999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 1612, 'name': 'Salzburg Airport', 'city': 'Salzburg', 'iata': 'SZG', '
icao': 'LOWS', 'latitude': 47.793300628699996, 'longitude': 13.0043001175, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Har
tsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'A
TL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6958, 'name': 'Greenbrier Valle
y Airport', 'city': 'Lewisburg', 'iata': 'LWB', 'icao': 'KLWB', 'latitude': 3
7.8582992554, 'longitude': -80.3994979858, 'timezone': -5.0, 'dst': 'U', 'tz_
id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Har
tsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'A
TL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3754, 'name': 'Middle Georgia R
egional Airport', 'city': 'Macon', 'iata': 'MCN', 'icao': 'KMCN', 'latitude':
32.692798614501946, 'longitude': -83.64920043945312, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Har
tsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'A

TL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4335, 'name': 'Key Field', 'cit
y': 'Meridian', 'iata': 'MEI', 'icao': 'KMEI', 'latitude': 32.33259963989258,
'longitude': -88.75189971923828, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Amer
ica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Har
tsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'A
TL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5756, 'name': 'Northwest Alabam
a Regional Airport', 'city': 'Muscle Shoals', 'iata': 'MSL', 'icao': 'KMSL',
'latitude': 34.74530029, 'longitude': -87.61019897, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Har
tsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'A
TL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5759, 'name': 'Hattiesburg Laur
el Regional Airport', 'city': 'Hattiesburg/Laurel', 'iata': 'PIB', 'icao': 'K
PIB', 'latitude': 31.467100143432614, 'longitude': -89.33709716796875, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Har
tsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'A
TL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5773, 'name': 'Tupelo Regional
Airport', 'city': 'Tupelo', 'iata': 'TUP', 'icao': 'KTUP', 'latitude': 34.268
10073852539, 'longitude': -88.7698974609375, 'timezone': -6.0, 'dst': 'A', 't
z_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1937, 'name': 'Sou
th Bimini Airport', 'city': 'Alice Town', 'iata': 'BIM', 'icao': 'MYBS', 'lat

itude': 25.6998996735, 'longitude': -79.2647018433, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1943, 'name': 'North Eleuthera Airport', 'city': 'North Eleuthera', 'iata': 'ELH', 'icao': 'MYEH', 'latitude': 25.474899291999996, 'longitude': -76.6835021973, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1943, 'name': 'North Eleuthera Airport', 'city': 'North Eleuthera', 'iata': 'ELH', 'icao': 'MYEH', 'latitude': 25.474899291999996, 'longitude': -76.6835021973, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3722, 'name': 'Palm Beach International Airport', 'city': 'West Palm Beach', 'iata': 'PBI', 'icao': 'KPBI', 'latitude': 26.68320083618164, 'longitude': -80.09559631347656, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3875, 'name': 'Key West International Airport', 'city': 'Key West', 'iata': 'EYW', 'icao': 'KEYW', 'latitude': 24.556100845336914, 'longitude': -81.75959777832031, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3875, 'name': 'Key West International Airport', 'city': 'Key West', 'iata': 'EYW', 'icao': 'KEYW

', 'latitude': 24.556100845336914, 'longitude': -81.75959777832031, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3793, 'name': 'Southwest Flor
ida International Airport', 'city': 'Fort Myers', 'iata': 'RSW', 'icao': 'KRS
W', 'latitude': 26.53619956970215, 'longitude': -81.75520324707031, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3875, 'name': 'Key
West International Airport', 'city': 'Key West', 'iata': 'EYW', 'icao': 'KEYW
', 'latitude': 24.556100845336914, 'longitude': -81.75959777832031, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa Internat
ional Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude': 2
7.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1937, 'name': 'South
Bimini Airport', 'city': 'Alice Town', 'iata': 'BIM', 'icao': 'MYBS', 'latitu
de': 25.6998996735, 'longitude': -79.2647018433, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1943, 'name': 'North
Eleuthera Airport', 'city': 'North Eleuthera', 'iata': 'ELH', 'icao': 'MYEH',
'latitude': 25.474899291999996, 'longitude': -76.6835021973, 'timezone': -5.0
, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia

ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3875, 'name': 'Key We
st International Airport', 'city': 'Key West', 'iata': 'EYW', 'icao': 'KEYW',
'latitude': 24.556100845336914, 'longitude': -81.75959777832031, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1948, 'name': 'Grand
Bahama International Airport', 'city': 'Freeport', 'iata': 'FPO', 'icao': 'MY
GF', 'latitude': 26.5587005615, 'longitude': -78.695602417, 'timezone': -5.0,
'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1941, 'name': 'Exuma
International Airport', 'city': 'Great Exuma', 'iata': 'GGT', 'icao': 'MYEF',
'latitude': 23.5625991821, 'longitude': -75.8779983521, 'timezone': -5.0, 'ds
t': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1944, 'name': "Govern
or's Harbour Airport", 'city': "Governor's Harbor", 'iata': 'GHB', 'icao': 'M
YEM', 'latitude': 25.2847003937, 'longitude': -76.3310012817, 'timezone': -5.
0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia

ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orland
o International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', '
latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -
5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1930, 'name': 'Leonar
d M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', '
icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezon
e': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1934, 'name': 'Treasu
re Cay Airport', 'city': 'Treasure Cay', 'iata': 'TCB', 'icao': 'MYAT', 'lati
tude': 26.745300293000003, 'longitude': -77.3912963867, 'timezone': -5.0, 'ds
t': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'For
t Lauderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'ia
ta': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa
International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'lati
tude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1948, 'name': 'Gra
nd Bahama International Airport', 'city': 'Freeport', 'iata': 'FPO', 'icao':

'MYGF', 'latitude': 26.5587005615, 'longitude': -78.695602417, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Holly
wood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao'
: 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1941, 'name': 'Exu
ma International Airport', 'city': 'Great Exuma', 'iata': 'GGT', 'icao': 'MYE
F', 'latitude': 23.5625991821, 'longitude': -75.8779983521, 'timezone': -5.0,
'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood
International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KF
LL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1941, 'name': 'Exu
ma International Airport', 'city': 'Great Exuma', 'iata': 'GGT', 'icao': 'MYE
F', 'latitude': 23.5625991821, 'longitude': -75.8779983521, 'timezone': -5.0,
'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1944, 'name': "Governor's Harbour Airpor
t", 'city': "Governor's Harbor", 'iata': 'GHB', 'icao': 'MYEM', 'latitude': 2
5.2847003937, 'longitude': -76.3310012817, 'timezone': -5.0, 'dst': 'U', 'tz_
id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1944, 'name': "Gov
ernor's Harbour Airport", 'city': "Governor's Harbor", 'iata': 'GHB', 'icao':
'MYEM', 'latitude': 25.2847003937, 'longitude': -76.3310012817, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Holl
ywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao
': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0,
'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 6130, 'name': 'Mid
Delta Regional Airport', 'city': 'Greenville', 'iata': 'GLH', 'icao': 'KGLH',

'latitude': 33.482898712158196, 'longitude': -90.98560333251952, 'timezone':
-6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 5773, 'name': 'Tupelo Regional Ai
rport', 'city': 'Tupelo', 'iata': 'TUP', 'icao': 'KTUP', 'latitude': 34.26810
073852539, 'longitude': -88.7698974609375, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3472, 'name': 'Gai
nesville Regional Airport', 'city': 'Gainesville', 'iata': 'GNV', 'icao': 'KG
NV', 'latitude': 29.6900997162, 'longitude': -82.27179718020001, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Internati
onal Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitude':
28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3472, 'name': 'Gai
nesville Regional Airport', 'city': 'Gainesville', 'iata': 'GNV', 'icao': 'KG
NV', 'latitude': 29.6900997162, 'longitude': -82.27179718020001, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa Internation
al Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude': 27.9
75500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A', 'tz
_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3712, 'name': 'Jac
ksonville International Airport', 'city': 'Jacksonville', 'iata': 'JAX', 'ica
o': 'KJAX', 'latitude': 30.49410057067871, 'longitude': -81.68789672851562, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1930, 'name': 'Leonar
d M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', '
icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezon
e': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3712, 'name': 'Jac
ksonville International Airport', 'city': 'Jacksonville', 'iata': 'JAX', 'ica

o': 'KJAX', 'latitude': 30.49410057067871, 'longitude': -81.68789672851562, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa
International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'lati
tude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 6958, 'name': 'Gre
enbrier Valley Airport', 'city': 'Lewisburg', 'iata': 'LWB', 'icao': 'KLWB',
'latitude': 37.8582992554, 'longitude': -80.3994979858, 'timezone': -5.0, 'ds
t': 'U', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta
International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'la
titude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_
id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3754, 'name': 'Mid
dle Georgia Regional Airport', 'city': 'Macon', 'iata': 'MCN', 'icao': 'KMCN'
, 'latitude': 32.692798614501946, 'longitude': -83.64920043945312, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jacks
on Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao':
'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst'
: 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3754, 'name': 'Mid
dle Georgia Regional Airport', 'city': 'Macon', 'iata': 'MCN', 'icao': 'KMCN'
, 'latitude': 32.692798614501946, 'longitude': -83.64920043945312, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Internat
ional Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitude':
28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'

, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale
Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', '
icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5
.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'
, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3472, 'name': 'Gainesville Regi
onal Airport', 'city': 'Gainesville', 'iata': 'GNV', 'icao': 'KGNV', 'latitud
e': 29.6900997162, 'longitude': -82.27179718020001, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'
, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3754, 'name': 'Middle Georgia R
egional Airport', 'city': 'Macon', 'iata': 'MCN', 'icao': 'KMCN', 'latitude':
32.692798614501946, 'longitude': -83.64920043945312, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'
, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1930, 'name': 'Leonard M Thomps
on International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', 'icao': 'MY
AM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezone': -5.0,
'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'

, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3564, 'name': 'Pensacola Region
al Airport', 'city': 'Pensacola', 'iata': 'PNS', 'icao': 'KPNS', 'latitude':
30.473400115967003, 'longitude': -87.18659973144501, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'
, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3793, 'name': 'Southwest Florid
a International Airport', 'city': 'Fort Myers', 'iata': 'RSW', 'icao': 'KRSW'
, 'latitude': 26.53619956970215, 'longitude': -81.75520324707031, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'
, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3698, 'name': 'Tallahassee Regi
onal Airport', 'city': 'Tallahassee', 'iata': 'TLH', 'icao': 'KTLH', 'latitud
e': 30.396499633789066, 'longitude': -84.35030364990234, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 4335, 'name': 'Key
Field', 'city': 'Meridian', 'iata': 'MEI', 'icao': 'KMEI', 'latitude': 32.332
59963989258, 'longitude': -88.75189971923828, 'timezone': -6.0, 'dst': 'A', '
tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta Internatio
nal Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 3
3.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Amer
ica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1930, 'name': 'Leo
nard M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH'

, 'icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'time
zone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderd
ale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL
', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1930, 'name': 'Leo
nard M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH'
, 'icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'time
zone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3712, 'name': 'Jacksonville
International Airport', 'city': 'Jacksonville', 'iata': 'JAX', 'icao': 'KJAX'
, 'latitude': 30.49410057067871, 'longitude': -81.68789672851562, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1930, 'name': 'Leo
nard M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH'
, 'icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'time
zone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Inte
rnational Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitu
de': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1930, 'name': 'Leo
nard M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH'
, 'icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'time
zone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3722, 'name': 'Palm Beach I
nternational Airport', 'city': 'West Palm Beach', 'iata': 'PBI', 'icao': 'KPB
I', 'latitude': 26.68320083618164, 'longitude': -80.09559631347656, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 5756, 'name': 'Nor
thwest Alabama Regional Airport', 'city': 'Muscle Shoals', 'iata': 'MSL', 'ic

ao': 'KMSL', 'latitude': 34.74530029, 'longitude': -87.61019897, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3722, 'name': 'Palm Beach International Airport', 'city': 'West Palm Beach', 'iata': 'PBI', 'icao': 'KPBI', 'latitude': 26.68320083618164, 'longitude': -80.09559631347656, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1943, 'name': 'North Eleuthera Airport', 'city': 'North Eleuthera', 'iata': 'ELH', 'icao': 'MYEH', 'latitude': 25.474899291999996, 'longitude': -76.6835021973, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3722, 'name': 'Palm Beach International Airport', 'city': 'West Palm Beach', 'iata': 'PBI', 'icao': 'KPBI', 'latitude': 26.68320083618164, 'longitude': -80.09559631347656, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1930, 'name': 'Leonard M Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', 'icao': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3722, 'name': 'Palm Beach International Airport', 'city': 'West Palm Beach', 'iata': 'PBI', 'icao': 'KPBI', 'latitude': 26.68320083618164, 'longitude': -80.09559631347656, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'nan', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 5759, 'name': 'Hattiesburg Laurel Regional Airport', 'city': 'Hattiesburg/Laurel', 'iata': 'PIB

', 'icao': 'KPIB', 'latitude': 31.467100143432614, 'longitude': -89.337097167
96875, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name':
'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata'
: 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3', '']
}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3564, 'name': 'Pen
sacola Regional Airport', 'city': 'Pensacola', 'iata': 'PNS', 'icao': 'KPNS',
'latitude': 30.473400115967003, 'longitude': -87.18659973144501, 'timezone':
-6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Internatio
nal Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitude': 2
8.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3564, 'name': 'Pen
sacola Regional Airport', 'city': 'Pensacola', 'iata': 'PNS', 'icao': 'KPNS',
'latitude': 30.473400115967003, 'longitude': -87.18659973144501, 'timezone':
-6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa Internationa
l Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude': 27.97
5500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A', 'tz_
id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3793, 'name': 'Sou
thwest Florida International Airport', 'city': 'Fort Myers', 'iata': 'RSW', '
icao': 'KRSW', 'latitude': 26.53619956970215, 'longitude': -81.75520324707031
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3875, 'name': 'Key
West International Airport', 'city': 'Key West', 'iata': 'EYW', 'icao': 'KEYW
', 'latitude': 24.556100845336914, 'longitude': -81.75959777832031, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3793, 'name': 'Sou

thwest Florida International Airport', 'city': 'Fort Myers', 'iata': 'RSW', '
icao': 'KRSW', 'latitude': 26.53619956970215, 'longitude': -81.75520324707031
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orl
ando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO'
, 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 1934, 'name': 'Tre
asure Cay Airport', 'city': 'Treasure Cay', 'iata': 'TCB', 'icao': 'MYAT', 'l
atitude': 26.745300293000003, 'longitude': -77.3912963867, 'timezone': -5.0,
'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood
International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KF
LL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3698, 'name': 'Tal
lahassee Regional Airport', 'city': 'Tallahassee', 'iata': 'TLH', 'icao': 'KT
LH', 'latitude': 30.396499633789066, 'longitude': -84.35030364990234, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Inte
rnational Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitu
de': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3698, 'name': 'Tal
lahassee Regional Airport', 'city': 'Tallahassee', 'iata': 'TLH', 'icao': 'KT
LH', 'latitude': 30.396499633789066, 'longitude': -84.35030364990234, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa Intern
ational Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude':
27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam

pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3875, 'name': 'Key West International A
irport', 'city': 'Key West', 'iata': 'EYW', 'icao': 'KEYW', 'latitude': 24.55
6100845336914, 'longitude': -81.75959777832031, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam
pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywoo
d International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': '
KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam
pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3472, 'name': 'Gainesville Regional Air
port', 'city': 'Gainesville', 'iata': 'GNV', 'icao': 'KGNV', 'latitude': 29.6
900997162, 'longitude': -82.27179718020001, 'timezone': -5.0, 'dst': 'A', 'tz
_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam
pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3712, 'name': 'Jacksonville Internation
al Airport', 'city': 'Jacksonville', 'iata': 'JAX', 'icao': 'KJAX', 'latitude
': 30.49410057067871, 'longitude': -81.68789672851562, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam

pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3722, 'name': 'Palm Beach International
Airport', 'city': 'West Palm Beach', 'iata': 'PBI', 'icao': 'KPBI', 'latitude
': 26.68320083618164, 'longitude': -80.09559631347656, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam
pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3564, 'name': 'Pensacola Regional Airpo
rt', 'city': 'Pensacola', 'iata': 'PNS', 'icao': 'KPNS', 'latitude': 30.47340
0115967003, 'longitude': -87.18659973144501, 'timezone': -6.0, 'dst': 'A', 't
z_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 3646, 'name': 'Tam
pa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'l
atitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3698, 'name': 'Tallahassee Regional Air
port', 'city': 'Tallahassee', 'iata': 'TLH', 'icao': 'KTLH', 'latitude': 30.3
96499633789066, 'longitude': -84.35030364990234, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 5773, 'name': 'Tup
elo Regional Airport', 'city': 'Tupelo', 'iata': 'TUP', 'icao': 'KTUP', 'lati
tude': 34.26810073852539, 'longitude': -88.7698974609375, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlant
a International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', '
latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['SF3', '']}
{'airline': {'airline_id': 20710, 'name': 'Silver Airways (3M)', 'alias': 'na
n', 'iata': '3M', 'icao': 'DAK', 'callsign': 'Silver Wings', 'country': 'Unit
ed States', 'active': True}, 'src_airport': {'airport_id': 5773, 'name': 'Tup

elo Regional Airport', 'city': 'Tupelo', 'iata': 'TUP', 'icao': 'KTUP', 'lati
tude': 34.26810073852539, 'longitude': -88.7698974609375, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 6130, 'name': 'Mid Delta Regional Airpor
t', 'city': 'Greenville', 'iata': 'GLH', 'icao': 'KGLH', 'latitude': 33.48289
8712158196, 'longitude': -90.98560333251952, 'timezone': -6.0, 'dst': 'A', 't
z_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airpor
t Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude':
52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 5673, 'name': 'Nador International Airport', 'city': 'El Aroui',
'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -
3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airpor
t Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude':
52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1080, 'name': 'Ibn Batouta Airport', 'city': 'Tanger', 'iata': 'T
NG', 'icao': 'GMTT', 'latitude': 35.726898193400004, 'longitude': -5.91689014
4349999, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona Inter
national Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latit
ude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1074, 'name': 'Mohammed V International Airport', 'ci
ty': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.367500305175
78, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'A
frica/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona Inter

national Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latit
ude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5673, 'name': 'Nador International Airport', 'city':
'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'l
ongitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa
/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona Inter
national Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latit
ude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1080, 'name': 'Ibn Batouta Airport', 'city': 'Tanger'
, 'iata': 'TNG', 'icao': 'GMTT', 'latitude': 35.726898193400004, 'longitude':
-5.916890144349999, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1525, 'name': 'Il Caravaggio I
nternational Airport', 'city': 'Bergamo', 'iata': 'BGY', 'icao': 'LIME', 'lat
itude': 45.673901, 'longitude': 9.70417, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Cas
ablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'long
itude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Cas
ablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1538, 'name': 'Bologna Gugliel
mo Marconi Airport', 'city': 'Bologna', 'iata': 'BLQ', 'icao': 'LIPE', 'latit
ude': 44.5354, 'longitude': 11.2887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casabla
nca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitud
e': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casabla
nca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport

', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.90140151
98, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casablan
ca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude
': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablan
ca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport
', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.90140151
98, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 5673, 'name': 'Nador International Airport', 'city': 'El Aroui', 'i
ata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.
0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport
', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.90140151
98, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1080, 'name': 'Ibn Batouta Airport', 'city': 'Tanger', 'iata': 'TNG
', 'icao': 'GMTT', 'latitude': 35.726898193400004, 'longitude': -5.9168901443
49999, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Air
port', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.86589
8132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 5673, 'name': 'Nador International Airport', 'city': 'El Aroui
', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude'
: -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablan
ca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte

rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona Internationa
l Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 4
1.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1525, 'name': 'Il Caravaggio Internat
ional Airport', 'city': 'Bergamo', 'iata': 'BGY', 'icao': 'LIME', 'latitude':
45.673901, 'longitude': 9.70417, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1538, 'name': 'Bologna Guglielmo Marc
oni Airport', 'city': 'Bologna', 'iata': 'BLQ', 'icao': 'LIPE', 'latitude': 4
4.5354, 'longitude': 11.2887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/R
ome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'cit
y': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'lo
ngitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brusse
ls', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte

rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1534, 'name': 'Cuneo International Ai
rport', 'city': 'Cuneo', 'iata': 'CUF', 'icao': 'LIMZ', 'latitude': 44.547001
, 'longitude': 7.62322, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport'
, 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'lo
ngitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1335, 'name': 'Lyon Saint-Exupéry Air
port', 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL', 'latitude': 45.725556,
'longitude': 5.081111, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1359, 'name': 'Montpellier-Méditerran
ée Airport', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'latitude'
: 43.57619857788086, 'longitude': 3.96301007270813, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte

rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4317, 'name': 'Sabiha Gökçen Internat
ional Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'latitude'
: 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, 'dst': 'E', 'tz_
id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1273, 'name': 'Toulouse-Blagnac Airpo
rt', 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101
, 'longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V Inte
rnational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'lat
itude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1539, 'name': "Treviso-Sant'Angelo Ai
rport", 'city': 'Treviso', 'iata': 'TSF', 'icao': 'LIPH', 'latitude': 45.6483
99, 'longitude': 12.1944, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1534, 'name': 'Cuneo Internati
onal Airport', 'city': 'Cuneo', 'iata': 'CUF', 'icao': 'LIMZ', 'latitude': 44
.547001, 'longitude': 7.62322, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casablanca',
'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7
.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1066, 'name': 'Saïss Airport',

'city': 'Fes', 'iata': 'FEZ', 'icao': 'GMFF', 'latitude': 33.927299499499995, 'longitude': -4.977960109709999, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1359, 'name': 'Montpellier-Méditerranée Airport', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'latitude': 43.57619857788086, 'longitude': 3.96301007270813, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1080, 'name': 'Ibn Batouta Airport', 'city': 'Tanger', 'iata': 'TNG', 'icao': 'GMTT', 'latitude': 35.726898193400004, 'longitude': -5.916890144349999, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 1335, 'name': 'Lyon Saint-Exupéry Airport', 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL', 'latitude': 45.725556, 'longitude': 5.081111, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 1359, 'name': 'Montpellier-Méd

iterranée Airport', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'la
titude': 43.57619857788086, 'longitude': 3.96301007270813, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1074, 'name': 'Mohammed V International Air
port', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36
750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', '
tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1359, 'name': 'Montpellier-Méd
iterranée Airport', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'la
titude': 43.57619857788086, 'longitude': 3.96301007270813, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1066, 'name': 'Saïss Airport', 'city': 'Fes
', 'iata': 'FEZ', 'icao': 'GMFF', 'latitude': 33.927299499499995, 'longitude'
: -4.977960109709999, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanc
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1359, 'name': 'Montpellier-Méd
iterranée Airport', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'la
titude': 43.57619857788086, 'longitude': 3.96301007270813, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 5673, 'name': 'Nador International Airport'
, 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048
799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador Internati
onal Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude':
34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', '
city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'lo
ngitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador Internati

onal Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Airpo rt', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ e/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, ' stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador Internati onal Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Br ussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude ': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 't ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e quipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador Internati onal Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'lo ngitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin' , 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0 , 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador Internati onal Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 1359, 'name': 'Montpellier-Méditerranée Airp ort', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'latitude': 43.57 619857788086, 'longitude': 3.96301007270813, 'timezone': 1.0, 'dst': 'E', 'tz _id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare ': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador Internati

onal Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', ' city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551 700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id ': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De Mallor ca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'lat itude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst ': 'E', 'tz_id': 'Europe/Madrid', type': 'airport', 'source': 'OurAirports'} , 'dst_airport': {'airport_id': 5673, 'name': 'Nador International Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.98880004879 9995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare' : False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha Gökçen I nternational Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'la titude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, 'dst': 'E ', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, ' dst_airport': {'airport_id': 1074, 'name': 'Mohammed V International Airport' , 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.3675003 0517578, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id ': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codesha re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 1273, 'name': 'Toulouse-Blagna c Airport', 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43 .629101, 'longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/ Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport _id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7 .589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan', 'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco', 'active': True}, 'src_airport': {'airport_id': 1080, 'name': 'Ibn Batouta Air

port', 'city': 'Tanger', 'iata': 'TNG', 'icao': 'GMTT', 'latitude': 35.726898
193400004, 'longitude': -5.916890144349999, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'A
msterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude':
4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1080, 'name': 'Ibn Batouta Air
port', 'city': 'Tanger', 'iata': 'TNG', 'icao': 'GMTT', 'latitude': 35.726898
193400004, 'longitude': -5.916890144349999, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'cit
y': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitu
de': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1080, 'name': 'Ibn Batouta Air
port', 'city': 'Tanger', 'iata': 'TNG', 'icao': 'GMTT', 'latitude': 35.726898
193400004, 'longitude': -5.916890144349999, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels',
'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.4844
3984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1080, 'name': 'Ibn Batouta Air
port', 'city': 'Tanger', 'iata': 'TNG', 'icao': 'GMTT', 'latitude': 35.726898
193400004, 'longitude': -5.916890144349999, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'Londo
n', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190
278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 9818, 'name': 'Air Arabia Maroc', 'alias': 'nan',
'iata': '3O', 'icao': 'KW1', 'callsign': 'Air Arabia', 'country': 'Morocco',
'active': True}, 'src_airport': {'airport_id': 1539, 'name': "Treviso-Sant'An

gelo Airport", 'city': 'Treviso', 'iata': 'TSF', 'icao': 'LIPH', 'latitude': 45.648399, 'longitude': 12.1944, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5002, 'name': 'Tiara Air', 'alias': 'Thai Air Asia', 'iata': '3P', 'icao': 'TNM', 'callsign': 'TIARA', 'country': 'Aruba', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2844, 'name': 'Josefa Camejo International Airport', 'city': 'Paraguana', 'iata': 'LSP', 'icao': 'SVJC', 'latitude': 11.78077507019043, 'longitude': -70.15149688720703, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SH6']}
{'airline': {'airline_id': 5002, 'name': 'Tiara Air', 'alias': 'Thai Air Asia', 'iata': '3P', 'icao': 'TNM', 'callsign': 'TIARA', 'country': 'Aruba', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2848, 'name': 'La Chinita International Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SH6']}
{'airline': {'airline_id': 5002, 'name': 'Tiara Air', 'alias': 'Thai Air Asia', 'iata': '3P', 'icao': 'TNM', 'callsign': 'TIARA', 'country': 'Aruba', 'active': True}, 'src_airport': {'airport_id': 2896, 'name': 'Flamingo International Airport', 'city': 'Kralendijk', 'iata': 'BON', 'icao': 'TNCB', 'latitude': 12.130999565124512, 'longitude': -68.26850128173828, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SH6']}
{'airline': {'airline_id': 5002, 'name': 'Tiara Air', 'alias': 'Thai Air Asia', 'iata': '3P', 'icao': 'TNM', 'callsign': 'TIARA', 'country': 'Aruba', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International

Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12
.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Ameri
ca/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oran
jestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70
.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['SH6']}
{'airline': {'airline_id': 5002, 'name': 'Tiara Air', 'alias': 'Thai Air Asia
', 'iata': '3P', 'icao': 'TNM', 'callsign': 'TIARA', 'country': 'Aruba', 'act
ive': True}, 'src_airport': {'airport_id': 2844, 'name': 'Josefa Camejo Inter
national Airport', 'city': 'Paraguana', 'iata': 'LSP', 'icao': 'SVJC', 'latit
ude': 11.78077507019043, 'longitude': -70.15149688720703, 'timezone': -4.0, '
dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix Internation
al Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude':
12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Ame
rica/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['SH6']}
{'airline': {'airline_id': 5002, 'name': 'Tiara Air', 'alias': 'Thai Air Asia
', 'iata': '3P', 'icao': 'TNM', 'callsign': 'TIARA', 'country': 'Aruba', 'act
ive': True}, 'src_airport': {'airport_id': 2848, 'name': 'La Chinita Internat
ional Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude
': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport'
, 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, '
longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['SH6']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 2966, 'name': 'Astrakhan Ai
rport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.28
32984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': '
Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Mosc
ow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude
': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['SU9']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 2966, 'name': 'Astrakhan Ai

rport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.28
32984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': '
Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iat
a': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.262
50076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['SU9']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 2980, 'name': 'Bukhara Airp
ort', 'city': 'Bukhara', 'iata': 'BHK', 'icao': 'UTSB', 'latitude': 39.775001
525878906, 'longitude': 64.48329925537111, 'timezone': 5.0, 'dst': 'U', 'tz_i
d': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city':
'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'long
itude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2966, 'name': 'Astrakhan Airport', 'city':
'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.2832984924, 'longi
tude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['SU9']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2980, 'name': 'Bukhara Airport', 'city': 'B
ukhara', 'iata': 'BHK', 'icao': 'UTSB', 'latitude': 39.775001525878906, 'long
itude': 64.48329925537111, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samark
and', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I

nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6156, 'name': 'Belgorod International Airpo
rt', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUOB', 'latitude': 50.643798
828125, 'longitude': 36.5900993347168, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6149, 'name': 'Fergana International Airpor
t', 'city': 'Fergana', 'iata': 'FEG', 'icao': 'UTKF', 'latitude': 40.35879898
07, 'longitude': 71.7450027466, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/S
amarkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6153, 'name': 'Karshi Khanabad Airport', 'c
ity': 'Khanabad', 'iata': 'KSQ', 'icao': 'UTSL', 'latitude': 38.8335990905999
96, 'longitude': 65.9215011597, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/S
amarkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6150, 'name': 'Namangan Airport', 'city': '
Namangan', 'iata': 'NMA', 'icao': 'UTKN', 'latitude': 40.9846000671, 'longitu
de': 71.5567016602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I

nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6485, 'name': 'Navoi Airport', 'city': 'Nav
oi', 'iata': 'NVI', 'icao': 'UTSA', 'latitude': 40.1171989440918, 'longitude'
: 65.17079925537111, 'timezone': 5.0, 'dst': 'E', 'tz_id': 'Asia/Samarkand',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2981, 'name': 'Samarkand Airport', 'city':
'Samarkand', 'iata': 'SKD', 'icao': 'UTSS', 'latitude': 39.70050048828125, 'l
ongitude': 66.98380279541016, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Sam
arkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo I
nternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lati
tude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1743, 'name': 'Tivat Airport', 'city': 'Tiv
at', 'iata': 'TIV', 'icao': 'LYTV', 'latitude': 42.404701232910156, 'longitud
e': 18.72330093383789, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Podgoric
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['SU9', '73G']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 6156, 'name': 'Belgorod Int
ernational Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUOB', 'lati
tude': 50.643798828125, 'longitude': 36.5900993347168, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport
', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177
7344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 6149, 'name': 'Fergana Inte

rnational Airport', 'city': 'Fergana', 'iata': 'FEG', 'icao': 'UTKF', 'latitu
de': 40.3587989807, 'longitude': 71.7450027466, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'c
ity': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344,
'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 6153, 'name': 'Karshi Khana
bad Airport', 'city': 'Khanabad', 'iata': 'KSQ', 'icao': 'UTSL', 'latitude':
38.833599090599996, 'longitude': 65.9215011597, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'c
ity': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344,
'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airp
ort', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59
.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2966, 'name': 'Astrakhan Airport', 'city': 'Astrakhan
', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.2832984924, 'longitude': 48.
0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['SU9']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 6150, 'name': 'Namangan Air
port', 'city': 'Namangan', 'iata': 'NMA', 'icao': 'UTKN', 'latitude': 40.9846
000671, 'longitude': 71.5567016602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'As
ia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Mosco
w', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude'
: 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 6485, 'name': 'Navoi Airpor

t', 'city': 'Navoi', 'iata': 'NVI', 'icao': 'UTSA', 'latitude': 40.1171989440
918, 'longitude': 65.17079925537111, 'timezone': 5.0, 'dst': 'E', 'tz_id': 'A
sia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Mosc
ow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude
': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 2981, 'name': 'Samarkand Ai
rport', 'city': 'Samarkand', 'iata': 'SKD', 'icao': 'UTSS', 'latitude': 39.70
050048828125, 'longitude': 66.98380279541016, 'timezone': 5.0, 'dst': 'U', 't
z_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'cit
y': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, '
longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/
Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 3545, 'name': 'Moskovia Airlines', 'alias': 'nan',
'iata': '3R', 'icao': 'GAI', 'callsign': 'GROMOV AIRLINE', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 1743, 'name': 'Tivat Airpor
t', 'city': 'Tivat', 'iata': 'TIV', 'icao': 'LYTV', 'latitude': 42.4047012329
10156, 'longitude': 18.72330093383789, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Podgorica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': '
Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longi
tude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosco
w', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['SU9', '73G']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2874, 'name': 'V.C. Bi
rd International Airport', 'city': 'Antigua', 'iata': 'ANU', 'icao': 'TAPA',
'latitude': 17.1367, 'longitude': -61.792702, 'timezone': -4.0, 'dst': 'U', '
tz_id': 'America/Antigua', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'P
ointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longit
ude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2774, 'name': 'Cayenne

-Rochambeau Airport', 'city': 'Cayenne', 'iata': 'CAY', 'icao': 'SOCA', 'lati
tude': 4.819809913639999, 'longitude': -52.360401153599994, 'timezone': -3.0,
'dst': 'U', 'tz_id': 'America/Cayenne', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2878, 'name': 'Martinique Aimé Césaire
International Airport', 'city': 'Fort-de-france', 'iata': 'FDF', 'icao': 'TFF
F', 'latitude': 14.590999603271484, 'longitude': -61.00320053100586, 'timezon
e': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato In
ternational Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'l
atitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1762, 'name': 'Las Américas International Airport', 'c
ity': 'Santo Domingo', 'iata': 'SDQ', 'icao': 'MDSD', 'latitude': 18.42970085
144, 'longitude': -69.668899536133, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'A
merica/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2877, 'name': 'Douglas
-Charles Airport', 'city': 'Dominica', 'iata': 'DOM', 'icao': 'TDPD', 'latitu
de': 15.547, 'longitude': -61.299999, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Dominica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a
-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -
61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2877, 'name': 'Douglas
-Charles Airport', 'city': 'Dominica', 'iata': 'DOM', 'icao': 'TDPD', 'latitu
de': 15.547, 'longitude': -61.299999, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Dominica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2899, 'name': 'Princess Juliana International Airport', 'ci
ty': 'Philipsburg', 'iata': 'SXM', 'icao': 'TNCM', 'latitude': 18.0410003662,
'longitude': -63.108898162799996, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Ame
rica/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2878, 'name': 'Martini

que Aimé Césaire International Airport', 'city': 'Fort-de-france', 'iata': 'F
DF', 'icao': 'TFFF', 'latitude': 14.590999603271484, 'longitude': -61.0032005
3100586, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2774, 'nam
e': 'Cayenne-Rochambeau Airport', 'city': 'Cayenne', 'iata': 'CAY', 'icao': '
SOCA', 'latitude': 4.819809913639999, 'longitude': -52.360401153599994, 'time
zone': -3.0, 'dst': 'U', 'tz_id': 'America/Cayenne', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2878, 'name': 'Martini
que Aimé Césaire International Airport', 'city': 'Fort-de-france', 'iata': 'F
DF', 'icao': 'TFFF', 'latitude': 14.590999603271484, 'longitude': -61.0032005
3100586, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2881, 'nam
e': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'ica
o': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0,
'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5', '320']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2878, 'name': 'Martini
que Aimé Césaire International Airport', 'city': 'Fort-de-france', 'iata': 'F
DF', 'icao': 'TFFF', 'latitude': 14.590999603271484, 'longitude': -61.0032005
3100586, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1762, 'nam
e': 'Las Américas International Airport', 'city': 'Santo Domingo', 'iata': 'S
DQ', 'icao': 'MDSD', 'latitude': 18.42970085144, 'longitude': -69.66889953613
3, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2878, 'name': 'Martini
que Aimé Césaire International Airport', 'city': 'Fort-de-france', 'iata': 'F
DF', 'icao': 'TFFF', 'latitude': 14.590999603271484, 'longitude': -61.0032005
3100586, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2893, 'nam
e': 'George F. L. Charles Airport', 'city': 'Castries', 'iata': 'SLU', 'icao'
: 'TLPC', 'latitude': 14.0202, 'longitude': -60.992901, 'timezone': -4.0, 'ds
t': 'U', 'tz_id': 'America/St_Lucia', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade

loupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2874, 'name': 'V.C. Bird International Airport', 'city': 'Antigua', 'iata': 'ANU', 'icao': 'TAPA', 'latitude': 17.1367, 'longitude': -61.792702, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Antigua', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guadeloupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2877, 'name': 'Douglas-Charles Airport', 'city': 'Dominica', 'iata': 'DOM', 'icao': 'TDPD', 'latitude': 15.547, 'longitude': -61.299999, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Dominica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guadeloupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2878, 'name': 'Martinique Aimé Césaire International Airport', 'city': 'Fort-de-france', 'iata': 'FDF', 'icao': 'TFFF', 'latitude': 14.590999603271484, 'longitude': -61.00320053100586, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5', '320']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guadeloupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6460, 'name': 'Gustaf III Airport', 'city': 'Gustavia', 'iata': 'SBH', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'longitude': -62.84360122680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Brunei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade

loupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1762, 'name': 'Las Américas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ', 'icao': 'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guadeloupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2879, 'name': "L'Espérance Airport", 'city': 'St. Martin', 'iata': 'SFG', 'icao': 'TFFG', 'latitude': 18.099899291992, 'longitude': -63.047199249268, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guadeloupe', 'active': True}, 'src_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2899, 'name': 'Princess Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guadeloupe', 'active': True}, 'src_airport': {'airport_id': 6460, 'name': 'Gustaf III Airport', 'city': 'Gustavia', 'iata': 'SBH', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'longitude': -62.84360122680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Brunei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'nan', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade

loupe', 'active': True}, 'src_airport': {'airport_id': 1762, 'name': 'Las Amé
ricas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ', 'icao':
'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 'timezone'
: -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2881, 'name': 'Pointe-à-P
itre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'la
titude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 't
z_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 1762, 'name': 'Las Amé
ricas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ', 'icao':
'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 'timezone'
: -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2899, 'name': 'Princess J
uliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao':
'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'timezon
e': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2879, 'name': "L'Espér
ance Airport", 'city': 'St. Martin', 'iata': 'SFG', 'icao': 'TFFG', 'latitude
': 18.099899291992, 'longitude': -63.047199249268, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Martinique', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pitre Le Raizet', 'c
ity': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'latitude': 16.265301,
'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guad
eloupe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2893, 'name': 'George
F. L. Charles Airport', 'city': 'Castries', 'iata': 'SLU', 'icao': 'TLPC', 'l
atitude': 14.0202, 'longitude': -60.992901, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/St_Lucia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2878, 'name': 'Martinique Aimé Césaire International
Airport', 'city': 'Fort-de-france', 'iata': 'FDF', 'icao': 'TFFF', 'latitude'
: 14.590999603271484, 'longitude': -61.00320053100586, 'timezone': -4.0, 'dst
': 'U', 'tz_id': 'America/Martinique', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade

loupe', 'active': True}, 'src_airport': {'airport_id': 2899, 'name': 'Princes
s Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao
': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'time
zone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2877, 'name': 'Douglas-Cha
rles Airport', 'city': 'Dominica', 'iata': 'DOM', 'icao': 'TDPD', 'latitude':
15.547, 'longitude': -61.299999, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Amer
ica/Dominica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2899, 'name': 'Princes
s Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao
': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'time
zone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2881, 'name': 'Pointe-à-Pi
tre Le Raizet', 'city': 'Pointe-a-pitre', 'iata': 'PTP', 'icao': 'TFFR', 'lat
itude': 16.265301, 'longitude': -61.531799, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Guadeloupe', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 11741, 'name': 'Air Antilles Express', 'alias': 'n
an', 'iata': '3S', 'icao': 'CEY', 'callsign': 'GREEN BIRD', 'country': 'Guade
loupe', 'active': True}, 'src_airport': {'airport_id': 2899, 'name': 'Princes
s Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao
': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'time
zone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1762, 'name': 'Las América
s International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ', 'icao': 'MD
SD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6351, 'name': 'Beihai A
irport', 'city': 'Beihai', 'iata': 'BHY', 'icao': 'ZGBH', 'latitude': 21.5394
, 'longitude': 109.293999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shangh
ai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'ia
ta': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, '
timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzho

u Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao':
'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jian
gbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUC
K', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzho
u Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao':
'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuang
liu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU',
'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320', '330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzho
u Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao':
'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2244, 'name': 'Saipan Interna
tional Airport', 'city': 'Saipan', 'iata': 'SPN', 'icao': 'PGSN', 'latitude':
15.119000000000002, 'longitude': 145.729004, 'timezone': 10.0, 'dst': 'U', 't
z_id': 'Pacific/Saipan', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho
u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4380, 'name': 'Longjia Air
port', 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.996
2005615, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho

u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing J
iangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': '
ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho
u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shu
angliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUU
U', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho
u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xi
aoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZS
HC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho
u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping Air
port', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.623401
6418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho

u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Cha
ngshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPP
P', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzho
u Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao'
: 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwo
pu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', '
latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4380, 'name': 'Longjia
Airport', 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.
9962005615, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'cit
y': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.51969909669999
5, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4380, 'name': 'Longjia
Airport', 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.
9962005615, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iat
a': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.8
6199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4380, 'name': 'Longjia

Airport', 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.
9962005615, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TN
A', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341
796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4380, 'name': 'Longjia
Airport', 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.
9962005615, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city':
'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitu
de': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou B
aiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZG
GG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou X
inzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': '
ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin

g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Hu
anghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZG
HA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shu
angliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUU
U', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4109, 'name': 'Changzhou B
enniu Airport', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latitude
': 31.919701, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3404, 'name': 'Zhoushuizi
Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.965
6982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin

g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6353, 'name': 'Dayong Airp
ort', 'city': 'Dayong', 'iata': 'DYG', 'icao': 'ZGDY', 'latitude': 29.1028, '
longitude': 110.443001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meil
an International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', '
latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xi
aoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZS
HC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket Inte
rnational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitud
e': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin

g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4085, 'name': 'Yinchuan Ai
rport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.481
899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3384, 'name': 'Nanchang Ch
angbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZS
CN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Cha
ngshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPP
P', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3378, 'name': 'Lanzhou Zho
ngchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude
': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin

g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lijiang Air
port', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.68000
03052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4097, 'name': 'Lhasa Gongg
ar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2
978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lish
e International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'la
titude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Luk
ou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31
.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin

g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nanning Wux
u Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22.
60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Cap
ital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA'
, 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '319', '320']
}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shanghai Pu
dong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD
', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6435, 'name': "Bao'anying
Airport", 'city': 'Panzhihua', 'iata': 'PZI', 'icao': 'ZUZH', 'latitude': 26.
54, 'longitude': 101.79852, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4302, 'name': 'Jieyang Cha
oshan International Airport', 'city': 'Shantou', 'iata': 'SWA', 'icao': 'ZGOW
', 'latitude': 23.552, 'longitude': 116.5033, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney King
sford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao':
'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timez
one': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoen
ix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'l
atitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3374, 'name': "Shenzhen Ba
o'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ
', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Ai
rport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200
622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2275, 'name': 'Taipei Song
shan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude': 2
5.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Bin
hai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ',
'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wus
u Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.
74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwo
pu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', '
latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianh
e International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'la
titude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6390, 'name': 'Sunan Shuof
ang International Airport', 'city': 'Wuxi', 'iata': 'WUX', 'icao': 'ZSWX', 'l
atitude': 31.4944000244, 'longitude': 120.429000854, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xiany
ang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', '
latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6366, 'name': 'Xining Caoj
iabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude': 3
6.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6361, 'name': 'Yichang San
xia Airport', 'city': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitude': 3
0.55655, 'longitude': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6357, 'name': 'Zhanjiang A
irport', 'city': 'Zhanjiang', 'iata': 'ZHA', 'icao': 'ZGZJ', 'latitude': 21.2
14399, 'longitude': 110.358002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha
Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': '
ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle International Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitude': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6392, 'name': 'Wenzhou Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZSWZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320', '330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangb
ei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK'
, 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghu
a International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA',
'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 9310, 'name': 'Daocheng Yading
Airport', 'city': 'Daocheng', 'iata': 'DCY', 'icao': 'ZUDC', 'latitude': 29.3
23056, 'longitude': 100.053333, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6434, 'name': 'Ordos Ejin Horo
Airport', 'city': 'Dongsheng', 'iata': 'DSN', 'icao': 'ZBDS', 'latitude': 39.
49, 'longitude': 109.861388889, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 8407, 'name': 'Handan Airport', 'city': 'Handan', 'iata': 'HDG', 'icao': 'ZBHD', 'latitude': 36.5258333333, 'longitude': 114.425555556, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6345, 'name': 'Baita International Airport', 'city': 'Hohhot', 'iata': 'HET', 'icao': 'ZBHH', 'latitude': 40.851397999999996, 'longitude': 111.82399699999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3389, 'name': 'Hefei Luogang International Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaosha
n International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC',
'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Intern
ational Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitu
de': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket Internati
onal Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8
.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ba
ngkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internat
ional Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 3
7.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U
', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4085, 'name': 'Yinchuan Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.481899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 8781, 'name': 'Qianjiang Wulingshan Airport', 'city': 'Qianjiang', 'iata': 'JIQ', 'icao': 'ZUQJ', 'latitude': 29.5133333333, 'longitude': 108.831111111, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4301, 'name': 'Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'icao': 'ZUJZ', 'latitude': 32.8533333333, 'longitude': 103.68222222200001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6379, 'name': 'Ganzhou Airport', 'city': 'Ganzhou', 'iata': 'KOW', 'icao': 'ZSGZ', 'latitude': 25.853333, 'longitude': 114.77888899999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6376, 'name': 'Mangshi Airport', 'city': 'Luxi', 'iata': 'LUM', 'icao': 'ZPLX', 'latitude': 24.4011, 'longitude': 98.5317, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6402, 'name': 'Nyingchi Airport', 'city': 'Nyingchi', 'iata': 'LZY', 'icao': 'ZUNZ', 'latitude': 29.303300857543945, 'longitude': 94.33529663085938, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nanning Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22.608299255371094, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '321', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6435, 'name': "Bao'anying Airport", 'city': 'Panzhihua', 'iata': 'PZI', 'icao': 'ZUZH', 'latitude': 26.54, 'longitude': 101.79852, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6347, 'name': 'Shijiazhuang Daguocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW', 'icao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2275, 'name': 'Taipei Songshan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude': 25.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6392, 'name': 'Wenzhou Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZSWZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6390, 'name': 'Sunan Shuofang International Airport', 'city': 'Wuxi', 'iata': 'WUX', 'icao': 'ZSWX', 'latitude': 31.4944000244, 'longitude': 120.429000854, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6403, 'name': 'Wanxian Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.8017, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3396, 'name': 'Xichang Qingshan Airport', 'city': 'Xichang', 'iata': 'XIC', 'icao': 'ZUXC', 'latitude': 27.98909950256348, 'longitude': 102.18399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6366, 'name': 'Xining Caojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude': 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4149, 'name': 'Xuzhou Guanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6361, 'name': 'Yichang Sanxia Airport', 'city': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitude': 30.55655, 'longitude': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 8876, 'name': 'Yangzhou Taizhou Airport', 'city': 'Yangzhou', 'iata': 'YTY', 'icao': 'ZSYA', 'latitude': 32.5634, 'longitude': 119.7198, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4109, 'name': 'Changzho
u Benniu Airport', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latit
ude': 31.919701, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', '
city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.71920013427
7344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4109, 'name': 'Changzho
u Benniu Airport', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latit
ude': 31.919701, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata':
'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'ti
mezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4109, 'name': 'Changzho
u Benniu Airport', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latit
ude': 31.919701, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city':
'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'long
itude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4109, 'name': 'Changzho
u Benniu Airport', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latit
ude': 31.919701, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport', 'city': 'Zhuhai', 'i
ata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'longitude': 113.375999,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6344, 'name': 'Datong A
irport', 'city': 'Datong', 'iata': 'DAT', 'icao': 'ZBDT', 'latitude': 40.0602

99, 'longitude': 113.48200200000001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata':
'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.627998
35205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 9310, 'name': 'Daocheng
Yading Airport', 'city': 'Daocheng', 'iata': 'DCY', 'icao': 'ZUDC', 'latitude
': 29.323056, 'longitude': 100.053333, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city
': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664,
'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushui
zi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.
9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airpo
rt', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.71920
0134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushui
zi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.
9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airpor
t', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.2294998
1689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushui
zi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.

9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'i
ata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.2
5, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushui
zi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.
9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'i
ata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117
.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushui
zi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.
9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4149, 'name': 'Xuzhou Guanyin Airport', 'city': 'Xuzh
ou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.5
55278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4308, 'name': 'Dunhuang
Airport', 'city': 'Dunhuang', 'iata': 'DNH', 'icao': 'ZLDH', 'latitude': 40.1
6109848022461, 'longitude': 94.80919647216795, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'L
anzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude
': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6434, 'name': 'Ordos Ej
in Horo Airport', 'city': 'Dongsheng', 'iata': 'DSN', 'icao': 'ZBDS', 'latitu

de': 39.49, 'longitude': 109.861388889, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6434, 'name': 'Ordos Ejin Horo Airport', 'city': 'Dongsheng', 'iata': 'DSN', 'icao': 'ZBDS', 'latitude': 39.49, 'longitude': 109.861388889, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6353, 'name': 'Dayong Airport', 'city': 'Dayong', 'iata': 'DYG', 'icao': 'ZGDY', 'latitude': 29.1028, 'longitude': 110.443001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6353, 'name': 'Dayong Airport', 'city': 'Dayong', 'iata': 'DYG', 'icao': 'ZGDY', 'latitude': 29.1028, 'longitude': 110.443001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle International Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ

', 'latitude': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua
International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'l
atitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3385, 'name': 'Fuzhou C
hangle International Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ
', 'latitude': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang Int
ernational Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitud
e': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 9311, 'name': 'Gannan X
iahe Airport', 'city': 'Xiahe city', 'iata': 'GXH', 'icao': 'ZLXH', 'latitude
': 34.8105, 'longitude': 102.6447, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': 'L
XA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813, '
timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 9311, 'name': 'Gannan X
iahe Airport', 'city': 'Xiahe city', 'iata': 'GXH', 'icao': 'ZLXH', 'latitude
': 34.8105, 'longitude': 102.6447, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'
an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.7
51999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4120, 'name': 'Haikou M
eilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK'
, 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone':

8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei In
ternational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'la
titude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4120, 'name': 'Haikou M
eilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK'
, 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Int
ernational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latit
ude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4120, 'name': 'Haikou M
eilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK'
, 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan Int
ernational Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'lati
tude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4120, 'name': 'Haikou M
eilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK'
, 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Internat
ional Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 2
9.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4120, 'name': 'Haikou M
eilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK'
, 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone':

8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport
', 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'l
ongitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 8407, 'name': 'Handan A
irport', 'city': 'Handan', 'iata': 'HDG', 'icao': 'ZBHD', 'latitude': 36.5258
333333, 'longitude': 114.425555556, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city':
'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'lo
ngitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6345, 'name': 'Baita In
ternational Airport', 'city': 'Hohhot', 'iata': 'HET', 'icao': 'ZBHH', 'latit
ude': 40.851397999999996, 'longitude': 111.82399699999999, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Internati
onal Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude':
30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3389, 'name': 'Hefei Lu
ogang International Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF',
'latitude': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Inter
national Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitud
e': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou
Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': '
ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timez

one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3404, 'name': 'Zhoushuizi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timez

one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'ds

t': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Internatio
nal Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 3
0.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kon
g International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH',
'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6361, 'name': 'Yichang Sanxia Airport', 'ci
ty': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitude': 30.55655, 'longitu
de': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kon
g International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH',
'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6357, 'name': 'Zhanjiang Airport', 'city':
'Zhanjiang', 'iata': 'ZHA', 'icao': 'ZGZJ', 'latitude': 21.214399, 'longitude
': 110.358002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket I
nternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'lati
tude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city
': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344
, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket I
nternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'lati
tude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id':

'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city'
: 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, '
longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sh
anghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping
Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.623
4016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Z
hengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'lo
ngitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping
Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.623
4016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 4109, 'name': 'Changzhou Benniu Airport', 'city': 'Changzhou', 'iata
': 'CZX', 'icao': 'ZSCG', 'latitude': 31.919701, 'longitude': 119.778999, 'ti
mezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping
Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.623
4016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3404, 'name': 'Zhoushuizi Airport', 'city': 'Dalian', 'iata': 'DLC',
'icao': 'ZYTL', 'latitude': 38.9656982421875, 'longitude': 121.53900146484376
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping
Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.623
4016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp

ort_id': 4085, 'name': 'Yinchuan Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.481899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6954, 'name': 'Manzhouli Xijiao Airport', 'city': 'Manzhouli', 'iata': 'NZH', 'icao': 'ZBMZ', 'latitude': 49.566666999999995, 'longitude': 117.33, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6347, 'name': 'Shijiazhuang Daguocun International Airport', 'city':

'Shijiazhuang', 'iata': 'SJW', 'icao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6392, 'name': 'Wenzhou Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZSWZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan',

'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4149, 'name': 'Xuzhou Guanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4085, 'name': 'Yinchuan Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.481899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan

ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4085, 'name': 'Yinchuan
Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.4
81899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Che
ngdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longit
ude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4085, 'name': 'Yinchuan
Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.4
81899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'ic
ao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4085, 'name': 'Yinchuan
Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.4
81899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3372, 'name': 'Guilin Liangjiang International Airport', 'city': 'Gui
lin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitude': 25.21809959411621, 'longitud
e': 110.03900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6432, 'name': 'Jiayugua
n Airport', 'city': 'Jiayuguan', 'iata': 'JGN', 'icao': 'ZLJQ', 'latitude': 3
9.856899, 'longitude': 98.3414, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata'
: 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.62000274
7, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3381, 'name': 'Xishuang
banna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', '
latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Inte
rnational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitu
de': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3381, 'name': 'Xishuang
banna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', '
latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Inte
rnational Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitu
de': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 8781, 'name': 'Qianjian
g Wulingshan Airport', 'city': 'Qianjiang', 'iata': 'JIQ', 'icao': 'ZUQJ', 'l
atitude': 29.5133333333, 'longitude': 108.831111111, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International A
irport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578
500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6386, 'name': 'Quanzhou
Jinjiang International Airport', 'city': 'Quanzhou', 'iata': 'JJN', 'icao': '
ZSQZ', 'latitude': 24.7964, 'longitude': 118.589996, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Gu
iyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longit
ude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6386, 'name': 'Quanzhou Jinjiang International Airport', 'city': 'Quanzhou', 'iata': 'JJN', 'icao': 'ZSQZ', 'latitude': 24.7964, 'longitude': 118.589996, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4301, 'name': 'Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'icao': 'ZUJZ', 'latitude': 32.8533333333, 'longitude': 103.68222222200001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3397, 'name': 'Kashgar Airport', 'city': 'Kashi', 'iata': 'KHG', 'icao': 'ZWSH', 'latitude': 39.5429000854, 'longitude': 76.0199966431, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone'

: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3384, 'name': 'Nanchang
Changbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': '
ZSCN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangli
u International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', '
latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3384, 'name': 'Nanchang
Changbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': '
ZSCN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshu
i International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', '
latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3384, 'name': 'Nanchang
Changbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': '
ZSCN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Int
ernational Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitud
e': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng In
ternational Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'la
titude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0

, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei In
ternational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'la
titude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua Int
ernational Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'lati
tude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Int
ernational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latit
ude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa Ai
rport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21
.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst': 'U

', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei Int
ernational Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'lati
tude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport',
'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.538499832153
32, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 6376, 'name': 'Mangshi Airport', 'ci
ty': 'Luxi', 'iata': 'LUM', 'icao': 'ZPLX', 'latitude': 24.4011, 'longitude':
98.5317, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Internat
ional Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 2
9.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U

', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport
', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579
833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'ci
ty': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'lo
ngitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'c
ity': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594,
'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan Intern
ational Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude'
: 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As

ia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6403, 'name': 'Wanxian Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.8017, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4149, 'name': 'Xuzhou Guanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'

, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6379, 'name': 'Ganzhou
Airport', 'city': 'Ganzhou', 'iata': 'KOW', 'icao': 'ZSGZ', 'latitude': 25.85
3333, 'longitude': 114.77888899999999, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city
': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664,
'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6379, 'name': 'Ganzhou
Airport', 'city': 'Ganzhou', 'iata': 'KOW', 'icao': 'ZSGZ', 'latitude': 25.85
3333, 'longitude': 114.77888899999999, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'X
iamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longit
ude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shangha
i', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airp
ort', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500
747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airp
ort', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949
981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_

id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6386, 'name': 'Quanzhou Jinjiang International Airp
ort', 'city': 'Quanzhou', 'iata': 'JJN', 'icao': 'ZSQZ', 'latitude': 24.7964,
'longitude': 118.589996, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airp
ort', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944
399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city':
'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitu
de': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airport'
, 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.302900314331
05, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A

sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6392, 'name': 'Wenzhou Longwan International Airpor
t', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZSWZ', 'latitude': 27.912201,
'longitude': 120.851997, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdong
bao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 2
6.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4149, 'name': 'Xuzhou Guanyin Airport', 'city': 'Xu
zhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117
.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3372, 'name': 'Guilin L
iangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'Z
GKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4085, 'name': 'Yinchuan Airport
', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.481899,
'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3372, 'name': 'Guilin L
iangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'Z
GKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6347, 'name': 'Shijiazhuang Dag
uocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW', 'icao':
'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914, 'timez

one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4308, 'name': 'Dunhuang Airport', 'city': 'Dunhuang', 'iata': 'DNH', 'icao': 'ZLDH', 'latitude': 40.16109848022461, 'longitude': 94.80919647216795, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6432, 'name': 'Jiayuguan Airport', 'city': 'Jiayuguan', 'iata': 'JGN', 'icao': 'ZLJQ', 'latitude': 39.856899, 'longitude': 98.3414, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4033, 'name': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id':

'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4033, 'name': 'Lijiang
Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.68
00003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', '
city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.5785007476806
64, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4033, 'name': 'Lijiang
Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.68
00003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 6400, 'name': 'Mianyang Airport', 'city': 'Mianyang', 'iat
a': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4281005859375, 'longitude': 104.740
99731445312, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6376, 'name': 'Mangshi
Airport', 'city': 'Luxi', 'iata': 'LUM', 'icao': 'ZPLX', 'latitude': 24.4011,
'longitude': 98.5317, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 33
95, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'ia
ta': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.
9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6376, 'name': 'Mangshi
Airport', 'city': 'Luxi', 'iata': 'LUM', 'icao': 'ZPLX', 'latitude': 24.4011,
'longitude': 98.5317, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 33
82, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'ia
ta': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.
9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airp

ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 9311, 'name': 'Gannan Xiahe Airport', 'city': 'Xiahe city', 'iata': 'GXH', 'icao': 'ZLXH', 'latitude': 34.8105, 'longitude': 102.6447, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4097, 'name': 'Lhasa Go
nggar Airport', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 2
9.2978000641, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 6366, 'name': 'Xining Caojiabu Airport', 'city': 'Xining',
'iata': 'XNN', 'icao': 'ZLXN', 'latitude': 36.5275, 'longitude': 102.042999,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6385, 'name': 'Shubulin
g Airport', 'city': 'Linyi', 'iata': 'LYI', 'icao': 'ZSLY', 'latitude': 35.04
610061645508, 'longitude': 118.41200256347656, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport",
'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longi
tude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6402, 'name': 'Nyingchi
Airport', 'city': 'Nyingchi', 'iata': 'LZY', 'icao': 'ZUNZ', 'latitude': 29.3
03300857543945, 'longitude': 94.33529663085938, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airpor
t', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.57850074
7680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourn
e International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML',
'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International A
irport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578
500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 't

z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6400, 'name': 'Mianyang
Airport', 'city': 'Mianyang', 'iata': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4
281005859375, 'longitude': 104.74099731445312, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4033, 'name': 'Lijiang Airport', 'city': 'Lijiang', 'i
ata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052, 'longitude': 100.2460
0219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6400, 'name': 'Mianyang
Airport', 'city': 'Mianyang', 'iata': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4
281005859375, 'longitude': 104.74099731445312, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjin
g', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude
': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6400, 'name': 'Mianyang
Airport', 'city': 'Mianyang', 'iata': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4
281005859375, 'longitude': 104.74099731445312, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airport', '
city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105,
'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6400, 'name': 'Mianyang
Airport', 'city': 'Mianyang', 'iata': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4
281005859375, 'longitude': 104.74099731445312, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 6366, 'name': 'Xining Caojiabu Airport', 'city': 'Xini
ng', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude': 36.5275, 'longitude': 102.042
999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport'

, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Int
ernational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'lat
itude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan Internat
ional Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude':
19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'cit
y': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'l
ongitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei Inte
rnational Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'latit
ude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0, 'd

st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Inte
rnational Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitu
de': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'cit
y': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063,
'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo L
ishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB',
'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix Internat
ional Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 1
8.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4380, 'name': 'Longjia Airport', 'city': 'Changc
hun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.9962005615, 'longitude':
125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International
Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.
719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International A
irport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578
500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 6353, 'name': 'Dayong Airport', 'city': 'Dayong'
, 'iata': 'DYG', 'icao': 'ZGDY', 'latitude': 29.1028, 'longitude': 110.443001
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']
}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin
', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude':
126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International A
irport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101
944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 6400, 'name': 'Mianyang Airport', 'city': 'Miany
ang', 'iata': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4281005859375, 'longitude
': 104.74099731445312, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing
Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude':
31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airpo
rt', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.302900314
33105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3373, 'name': 'Nanning
Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude':
22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Ai
rport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.71
9200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U',

'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3373, 'name': 'Nanning
Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude':
22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Air
port', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.57850
0747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3373, 'name': 'Nanning
Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude':
22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat International Airport'
, 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude': 10.8
187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3373, 'name': 'Nanning
Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude':
22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport'
, 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longi
tude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 33
76, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'W
UH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 6954, 'name': 'Manzhoul
i Xijiao Airport', 'city': 'Manzhouli', 'iata': 'NZH', 'icao': 'ZBMZ', 'latit
ude': 49.566666999999995, 'longitude': 117.33, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'ia
ta': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']
}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing
Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZB
AA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '321', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing
Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZB
AA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu
International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'la
titude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320', '330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing
Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZB
AA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 6403, 'name': 'Wanxian Airport',
'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.8017, 'longi
tude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shangh
ai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 8043, 'name': 'Zhongwei Shapotou Airport', 'city': 'Zhongwei', 'iata': 'ZHY', 'icao': 'ZLZW', 'latitude': 37.573125, 'longitude': 105.154454, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2244, 'name': 'Saipan International Airport', 'city': 'Saipan', 'iata': 'SPN', 'icao': 'PGSN', 'latitude': 15.119000000000002, 'longitude': 145.729004, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Saipan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 6435, 'name': "Bao'anyi
ng Airport", 'city': 'Panzhihua', 'iata': 'PZI', 'icao': 'ZUZH', 'latitude':
26.54, 'longitude': 101.79852, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Sh
anghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Cho
ngqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'long
itude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6435, 'name': "Bao'anyi
ng Airport", 'city': 'Panzhihua', 'iata': 'PZI', 'icao': 'ZUZH', 'latitude':
26.54, 'longitude': 101.79852, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Sh
anghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chen
gdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitu
de': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3205, 'name': 'Tan Son
Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao
': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nanning Wuxu Airport',
'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22.608299255371
09, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian
Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.6
3980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airpor
t', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.1891994
47600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6434, 'name': 'Ordos Ejin Horo Airport', 'city': 'Dongsheng', 'iata': 'DSN', 'icao': 'ZBDS', 'latitude': 39.49, 'longitude': 109.861388889, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian
Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.6
3980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4149, 'name': 'Xuzhou Guanyin Airport', 'city': 'Xuzh
ou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.5
55278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian
Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.6
3980102539063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 156, 'name': 'Vancouver International Airport', 'city
': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', 'latitude': 49.193901061999995
, 'longitude': -123.183998108, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'Americ
a/Vancouver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6347, 'name': 'Shijiazh
uang Daguocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW',
'icao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6347, 'name': 'Shijiazh
uang Daguocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW',
'icao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping
Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.623
4016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 6347, 'name': 'Shijiazh
uang Daguocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW',
'icao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3372, 'name': 'Guilin
Liangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': '
ZGKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 2244, 'name': 'Saipan I
nternational Airport', 'city': 'Saipan', 'iata': 'SPN', 'icao': 'PGSN', 'lati
tude': 15.119000000000002, 'longitude': 145.729004, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Saipan', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun International A
irport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.3
9240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 2244, 'name': 'Saipan I
nternational Airport', 'city': 'Saipan', 'iata': 'SPN', 'icao': 'PGSN', 'lati
tude': 15.119000000000002, 'longitude': 145.729004, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Saipan', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Ai
rport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143
400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4302, 'name': 'Jieyang
Chaoshan International Airport', 'city': 'Shantou', 'iata': 'SWA', 'icao': 'Z
GOW', 'latitude': 23.552, 'longitude': 116.5033, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airpo
rt', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.71920
0134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney K
ingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao
': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'ti
mezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqin
g Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao'
: 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Int
ernational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'lat
itude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Inte
rnational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitu
de': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport',
'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.538499832153
32, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang Inte
rnational Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitud
e': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6400, 'name': 'Mianyang Airport', 'ci
ty': 'Mianyang', 'iata': 'MIG', 'icao': 'ZUMY', 'latitude': 31.4281005859375,
'longitude': 104.74099731445312, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Internati
onal Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29
.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport'
, 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.7420005798
33984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'ci
ty': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594,
'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6392, 'name': 'Wenzhou Longwan Intern
ational Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZSWZ', 'latitude
': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Ph
oenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY',
'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4110, 'name': 'Yibin Caiba Airport',
'city': 'Yibin', 'iata': 'YBP', 'icao': 'ZUYB', 'latitude': 28.8005555556, 'l
ongitude': 104.545, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3374, 'name': "Shenzhen
Bao'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZG
SZ', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangb
ei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK'
, 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6403, 'name': 'Wanxian Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.8017, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4380, 'name': 'Longjia Airport', 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.9962005615, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3404, 'name': 'Zhoushuizi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 2276, 'name': 'Taiwan T
aoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP
', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport'
, 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.1019443999
99997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 2275, 'name': 'Taipei S
ongshan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude'
: 25.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Air
port', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719
200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 2275, 'name': 'Taipei S
ongshan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude'
: 25.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airp
ort', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500
747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin
Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBT
J', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4380, 'name': 'Longjia Airport', 'city': '
Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.9962005615, 'longit
ude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C

hina', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'd

st_airport': {'airport_id': 6344, 'name': 'Datong Airport', 'city': 'Datong', 'iata': 'DAT', 'icao': 'ZBDT', 'latitude': 40.060299, 'longitude': 113.482002 00000001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': ' U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'd st_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International Ai rport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.229 49981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 't z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': ' U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'd st_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyan g', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude' : 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': ' U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'd st_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi D iwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW' , 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA irports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng In ternational Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'la titude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0

, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi D
iwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW'
, 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei In
ternational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'la
titude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi D
iwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW'
, 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Int
ernational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latit
ude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi D
iwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW'
, 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3397, 'name': 'Kashgar Airport', 'ci
ty': 'Kashi', 'iata': 'KHG', 'icao': 'ZWSH', 'latitude': 39.5429000854, 'long
itude': 76.0199966431, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi D
iwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW'
, 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang Intern
ational Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude':
34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As

ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6368, 'name': 'Yulin Yu
yang Airport', 'city': 'Yulin', 'iata': 'UYN', 'icao': 'ZLYL', 'latitude': 38
.35971, 'longitude': 109.59092700000001, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city'
: "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude':
108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6392, 'name': 'Wenzhou
Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZS
WZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International A
irport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.18
9199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6392, 'name': 'Wenzhou
Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZS
WZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International A
irport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578
500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6392, 'name': 'Wenzhou
Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZS
WZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin
', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude':
126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6392, 'name': 'Wenzhou
Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZS
WZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Gu
iyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longit
ude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6392, 'name': 'Wenzhou
Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZS
WZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix International Airpo
rt', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.302900314
33105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Ti
anhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH',
'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport',
'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.7192001342
77344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Ti
anhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH',
'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', '
city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.5785007476806
64, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As

ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Ti
anhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH',
'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata':
'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'ti
mezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Ti
anhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH',
'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 6386, 'name': 'Quanzhou Jinjiang International Airport', '
city': 'Quanzhou', 'iata': 'JJN', 'icao': 'ZSQZ', 'latitude': 24.7964, 'longi
tude': 118.589996, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Ti
anhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH',
'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3373, 'name': 'Nanning Wuxu Airport', 'city': 'Nanning', '
iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22.60829925537109, 'longitude': 108
.1719970703125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Ti
anhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH',
'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': None, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6390, 'name': 'Sunan Sh

uofang International Airport', 'city': 'Wuxi', 'iata': 'WUX', 'icao': 'ZSWX', 'latitude': 31.4944000244, 'longitude': 120.429000854, 'timezone': 8.0, 'dst' : 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29. 719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U' , 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod eshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6390, 'name': 'Sunan Sh uofang International Airport', 'city': 'Wuxi', 'iata': 'WUX', 'icao': 'ZSWX', 'latitude': 31.4944000244, 'longitude': 120.429000854, 'timezone': 8.0, 'dst' : 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.57 8500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', ' tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6403, 'name': 'Wanxian Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.80 17, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {' airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'lo ngitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6403, 'name': 'Wanxian Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.80 17, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {' airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'lo ngitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6403, 'name': 'Wanxian

Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.80
17, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': '
Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longi
tude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shangh
ai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6403, 'name': 'Wanxian
Airport', 'city': 'Wanxian', 'iata': 'WXN', 'icao': 'ZUWX', 'latitude': 30.80
17, 'longitude': 108.43299999999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3374, 'name': "Shenzhen Bao'an International Airport", 'city': '
Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'lo
ngitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3396, 'name': 'Xichang
Qingshan Airport', 'city': 'Xichang', 'iata': 'XIC', 'icao': 'ZUXC', 'latitud
e': 27.98909950256348, 'longitude': 102.18399810791016, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Internationa
l Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.
578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6351, 'name': 'Beihai Airport', 'city': 'Beihai', '
iata': 'BHY', 'icao': 'ZGBH', 'latitude': 21.5394, 'longitude': 109.293999, '
timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'

, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Air
port', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719
200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airp
ort', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500
747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle International Airport
', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitude': 25.9351005554
19922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 9311, 'name': 'Gannan Xiahe Airport', 'city': 'Xiah
e city', 'iata': 'GXH', 'icao': 'ZLXH', 'latitude': 34.8105, 'longitude': 102
.6447, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'

, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin',
'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126
.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
1']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airp
ort', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944
399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lha
sa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 9
0.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6385, 'name': 'Shubuling Airport', 'city': 'Linyi',
'iata': 'LYI', 'icao': 'ZSLY', 'latitude': 35.04610061645508, 'longitude': 11
8.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319', '320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'

, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan',
'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 1
17.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport'
, 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749
024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6368, 'name': 'Yulin Yuyang Airport', 'city': 'Yuli
n', 'iata': 'UYN', 'icao': 'ZLYL', 'latitude': 38.35971, 'longitude': 109.590
92700000001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport',
'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.5440006256103
5, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'

, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6366, 'name': 'Xining Caojiabu Airport', 'city': 'X
ining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude': 36.5275, 'longitude': 102.
042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xi
anyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY'
, 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4110, 'name': 'Yibin Caiba Airport', 'city': 'Yibin
', 'iata': 'YBP', 'icao': 'ZUYB', 'latitude': 28.8005555556, 'longitude': 104
.545, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen G
aoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM',
'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua Inte
rnational Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latit
ude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen G
aoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM',
'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Inte
rnational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitu
de': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen G
aoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM',

'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4109, 'name': 'Changzhou Benniu Airpo
rt', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latitude': 31.91970
1, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen G
aoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM',
'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Inte
rnational Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitu
de': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen G
aoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM',
'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6379, 'name': 'Ganzhou Airport', 'cit
y': 'Ganzhou', 'iata': 'KOW', 'icao': 'ZSGZ', 'latitude': 25.853333, 'longitu
de': 114.77888899999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen G
aoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM',
'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang Interna
tional Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude':
34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6366, 'name': 'Xining C
aojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude'

: 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city':
'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, '
longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6366, 'name': 'Xining C
aojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude'
: 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city':
'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'lo
ngitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6366, 'name': 'Xining C
aojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude'
: 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 4097, 'name': 'Lhasa Gonggar Airport', 'city': 'Lhasa', 'iata': '
LXA', 'icao': 'ZULS', 'latitude': 29.2978000641, 'longitude': 90.9119033813,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6366, 'name': 'Xining C
aojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude'
: 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 6400, 'name': 'Mianyang Airport', 'city': 'Mianyang', 'iata': 'MI
G', 'icao': 'ZUMY', 'latitude': 31.4281005859375, 'longitude': 104.7409973144
5312, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6366, 'name': 'Xining C
aojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude'
: 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As

ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi
'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.
751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6366, 'name': 'Xining C
aojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude'
: 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 8043, 'name': 'Zhongwei Shapotou Airport', 'city': 'Zhongwei', 'i
ata': 'ZHY', 'icao': 'ZLZW', 'latitude': 37.573125, 'longitude': 105.154454,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4149, 'name': 'Xuzhou G
uanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude':
34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city':
'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'lo
ngitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4149, 'name': 'Xuzhou G
uanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude':
34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3404, 'name': 'Zhoushuizi Airport', 'city': 'Dalian', 'iata': 'DL
C', 'icao': 'ZYTL', 'latitude': 38.9656982421875, 'longitude': 121.5390014648
4376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 4149, 'name': 'Xuzhou G
uanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude':
34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a

irport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone' : 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 4149, 'name': 'Xuzhou G uanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a irport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'lo ngitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 4149, 'name': 'Xuzhou G uanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a irport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': ' KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025 024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [ '321']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 4149, 'name': 'Xuzhou G uanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ', 'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a irport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE ', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.4830017089 8438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport ', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3 20']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 4110, 'name': 'Yibin Ca iba Airport', 'city': 'Yibin', 'iata': 'YBP', 'icao': 'ZUYB', 'latitude': 28. 8005555556, 'longitude': 104.545, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia /Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air port_id': 4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya

', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e quipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 4110, 'name': 'Yibin Ca iba Airport', 'city': 'Yibin', 'iata': 'YBP', 'icao': 'ZUYB', 'latitude': 28. 8005555556, 'longitude': 104.545, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia /Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air port_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'a n", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.75 1999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport ', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3 19']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6361, 'name': 'Yichang Sanxia Airport', 'city': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitude' : 30.55655, 'longitude': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', 'tz _id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp ort': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport' , 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.71920013 4277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id ': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6361, 'name': 'Yichang Sanxia Airport', 'city': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitude' : 30.55655, 'longitude': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', 'tz _id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp ort': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680 664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C hina', 'active': True}, 'src_airport': {'airport_id': 6361, 'name': 'Yichang Sanxia Airport', 'city': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitude' : 30.55655, 'longitude': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', 'tz _id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp ort': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city':

'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, '
longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 8876, 'name': 'Yangzhou
Taizhou Airport', 'city': 'Yangzhou', 'iata': 'YTY', 'icao': 'ZSYA', 'latitud
e': 32.5634, 'longitude': 119.7198, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city':
'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'lo
ngitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 156, 'name': 'Vancouver
International Airport', 'city': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', '
latitude': 49.193901061999995, 'longitude': -123.183998108, 'timezone': -8.0,
'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'cit
y': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063,
'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6357, 'name': 'Zhanjian
g Airport', 'city': 'Zhanjiang', 'iata': 'ZHA', 'icao': 'ZGZJ', 'latitude': 2
1.214399, 'longitude': 110.358002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city':
'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, '
longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss
European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'C
hina', 'active': True}, 'src_airport': {'airport_id': 6357, 'name': 'Zhanjian
g Airport', 'city': 'Zhanjiang', 'iata': 'ZHA', 'icao': 'ZGZJ', 'latitude': 2
1.214399, 'longitude': 110.358002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kon

g', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 8043, 'name': 'Zhongwei Shapotou Airport', 'city': 'Zhongwei', 'iata': 'ZHY', 'icao': 'ZLZW', 'latitude': 37.573125, 'longitude': 105.154454, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 8043, 'name': 'Zhongwei Shapotou Airport', 'city': 'Zhongwei', 'iata': 'ZHY', 'icao': 'ZLZW', 'latitude': 37.573125, 'longitude': 105.154454, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6366, 'name': 'Xining Caojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude': 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport', 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'longitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4109, 'name': 'Changzhou Benniu Airport', 'city': 'Changzhou', 'iata': 'CZX', 'icao': 'ZSCG', 'latitude': 31.919701, 'longitude': 119.778999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4608, 'name': 'Sichuan Airlines', 'alias': 'Swiss European', 'iata': '3U', 'icao': 'CSC', 'callsign': 'SI CHUAN', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport', 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'longitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'

, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 20565, 'name': 'Boutique Air (Priv)', 'alias': 'na
n', 'iata': '4B', 'icao': 'BTQ', 'callsign': 'nan', 'country': 'United States
', 'active': True}, 'src_airport': {'airport_id': 3877, 'name': 'McCarran Int
ernational Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'lat
itude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst
': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles Internationa
l Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude':
33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A',
'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['PL2']}
{'airline': {'airline_id': 20565, 'name': 'Boutique Air (Priv)', 'alias': 'na
n', 'iata': '4B', 'icao': 'BTQ', 'callsign': 'nan', 'country': 'United States
', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles
International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX',
'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0,
'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3877, 'name': 'McCarran Internation
al Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'latitude':
36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst': 'A',
'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['PL2']}
{'airline': {'airline_id': 442, 'name': 'Air Sinai', 'alias': 'ANA All Nippon
Airways', 'iata': '4D', 'icao': 'ASD', 'callsign': 'AIR SINAI', 'country': 'E
gypt', 'active': True}, 'src_airport': {'airport_id': 1128, 'name': 'Cairo In
ternational Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitu
de': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst
': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport
', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.01139831
5429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 442, 'name': 'Air Sinai', 'alias': 'ANA All Nippon
Airways', 'iata': '4D', 'icao': 'ASD', 'callsign': 'AIR SINAI', 'country': 'E
gypt', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Guri
on International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG',
'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2
.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo International A
irport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190
055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_i

d': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 5965, 'name': 'McGrath Airport', 'city': 'Mcgrath', 'iata': 'MCG', 'icao': 'PAMC', 'latitude': 62.95289993, 'longitude': -155.60600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7214, 'name': 'Nikolai Airport', 'city': 'Nikolai', 'iata': 'NIB', 'icao': 'PAFS', 'latitude': 63.0186, 'longitude': -154.358002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 5965, 'name': 'McGrath Airport', 'city': 'Mcgrath', 'iata': 'MCG', 'icao': 'PAMC', 'latitude': 62.95289993, 'longitude': -155.60600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 7214, 'name': 'Nikolai Airport', 'city': 'Nikolai', 'iata': 'NIB', 'icao': 'PAFS', 'latitude': 63.0186, 'longitude': -154.358002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5965, 'name': 'McGrath Airport', 'city': 'Mcgrath', 'iata': 'MCG', 'icao': 'PAMC', 'latitude': 62.95289993, 'longitude': -155.60600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3423, 'name': 'Tatalina LRRS Airport', 'city': 'Tatalina', 'iata': 'TLJ', 'icao': 'PATL', 'latitude': 62.894401550299996, 'longitude': -155.977005005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 3423, 'name': 'Tatalina LRRS Airport', 'city': 'Tatalina', 'iata': 'TLJ', 'icao': 'PATL', 'latitude': 62.894401550299996, 'longitude': -155.977005005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5965, 'name': 'McGrath Airport', 'city': 'Mcgrath', 'iata': 'MCG', 'icao': 'PAMC', 'latitude': 62.95289993, 'longitude': -155.60600280000003, 'timezone'

: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 8428, 'name': 'Beloyarsk
iy Airport', 'city': 'Beloyarsky', 'iata': 'EYK', 'icao': 'USHY', 'latitude':
63.686901, 'longitude': 66.698601, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asi
a/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2988, 'name': 'Vnukovo International Airport', 'city': 'Moscow
', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude'
: 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['YK2']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 6151, 'name': 'Nukus Air
port', 'city': 'Nukus', 'iata': 'NCU', 'icao': 'UTNN', 'latitude': 42.4883995
0561523, 'longitude': 59.62329864501953, 'timezone': 5.0, 'dst': 'U', 'tz_id'
: 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2988, 'name': 'Vnukovo International Airport', 'city': 'Mos
cow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994, 'longitu
de': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73G']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 4364, 'name': 'Novy Uren
goy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitud
e': 66.06939697265625, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 4111, 'name': 'Roshchino International Ai
rport', 'city': 'Tyumen', 'iata': 'TJM', 'icao': 'USTR', 'latitude': 57.18960
1898199996, 'longitude': 65.3243026733, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 4364, 'name': 'Novy Uren
goy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitud
e': 66.06939697265625, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2992, 'name': 'Ufa International Airport'
, 'city': 'Ufa', 'iata': 'UFA', 'icao': 'UWUU', 'latitude': 54.55749893188501
, 'longitude': 55.874401092529, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Y

ekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 4364, 'name': 'Novy Uren
goy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitud
e': 66.06939697265625, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2988, 'name': 'Vnukovo International Airp
ort', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.5914993
28599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73G', 'TU5']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 6143, 'name': 'Nadym Air
port', 'city': 'Nadym', 'iata': 'NYM', 'icao': 'USMM', 'latitude': 65.4809036
2548828, 'longitude': 72.69889831542969, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 6140, 'name': 'Sovetskiy Airport', 'city': 'Sovetskiy',
'iata': 'OVS', 'icao': 'USHS', 'latitude': 61.326622009277344, 'longitude': 6
3.60191345214844, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['YK4']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 6143, 'name': 'Nadym Air
port', 'city': 'Nadym', 'iata': 'NYM', 'icao': 'USMM', 'latitude': 65.4809036
2548828, 'longitude': 72.69889831542969, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2988, 'name': 'Vnukovo International Airport', 'city':
'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994, 'lon
gitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73G']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 6140, 'name': 'Sovetskiy
Airport', 'city': 'Sovetskiy', 'iata': 'OVS', 'icao': 'USHS', 'latitude': 61.
326622009277344, 'longitude': 63.60191345214844, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 6143, 'name': 'Nadym Airport', 'city': 'Nadym',
'iata': 'NYM', 'icao': 'USMM', 'latitude': 65.48090362548828, 'longitude': 72
.69889831542969, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['YK4']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 6140, 'name': 'Sovetskiy
Airport', 'city': 'Sovetskiy', 'iata': 'OVS', 'icao': 'USHS', 'latitude': 61.
326622009277344, 'longitude': 63.60191345214844, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekat
erinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longi
tude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterin
burg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['YK4']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 6140, 'name': 'Sovetskiy
Airport', 'city': 'Sovetskiy', 'iata': 'OVS', 'icao': 'USHS', 'latitude': 61.
326622009277344, 'longitude': 63.60191345214844, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2988, 'name': 'Vnukovo International Airport', '
city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.59149932859999
4, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/
Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Koltsovo
Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude':
56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 6140, 'name': 'Sovetskiy Airport', 'city': 'Sovet
skiy', 'iata': 'OVS', 'icao': 'USHS', 'latitude': 61.326622009277344, 'longit
ude': 63.60191345214844, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekateri
nburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['YK4']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 4111, 'name': 'Roshchino
International Airport', 'city': 'Tyumen', 'iata': 'TJM', 'icao': 'USTR', 'lat
itude': 57.189601898199996, 'longitude': 65.3243026733, 'timezone': 5.0, 'dst
': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4364, 'name': 'Novy Urengoy Airport', 'c
ity': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitude': 66.069396972
65625, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst': 'N', 'tz_id':

'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 4368, 'name': 'Ukhta Air
port', 'city': 'Ukhta', 'iata': 'UCT', 'icao': 'UUYH', 'latitude': 63.5668983
4594727, 'longitude': 53.8046989440918, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2988, 'name': 'Vnukovo International Airport', 'city': 'Moscow
', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude'
: 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['YK2']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2992, 'name': 'Ufa Inter
national Airport', 'city': 'Ufa', 'iata': 'UFA', 'icao': 'UWUU', 'latitude':
54.55749893188501, 'longitude': 55.874401092529, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4364, 'name': 'Novy Urengoy Airport', 'city': 'N
ovy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitude': 66.06939697265625, '
longitude': 76.52030181884766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Ye
katerinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo I
nternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'lati
tude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 8428, 'name': 'Beloyarskiy Airport', 'city': 'B
eloyarsky', 'iata': 'EYK', 'icao': 'USHY', 'latitude': 63.686901, 'longitude'
: 66.698601, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['YK2']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo I
nternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'lati
tude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6151, 'name': 'Nukus Airport', 'city': 'Nukus',
'iata': 'NCU', 'icao': 'UTNN', 'latitude': 42.48839950561523, 'longitude': 59
.62329864501953, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73G']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo I
nternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'lati
tude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4364, 'name': 'Novy Urengoy Airport', 'city': '
Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitude': 66.06939697265625,
'longitude': 76.52030181884766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Y
ekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73G', 'TU5']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo I
nternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'lati
tude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6143, 'name': 'Nadym Airport', 'city': 'Nadym',
'iata': 'NYM', 'icao': 'USMM', 'latitude': 65.48090362548828, 'longitude': 72
.69889831542969, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73G']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo I
nternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'lati
tude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6140, 'name': 'Sovetskiy Airport', 'city': 'Sov
etskiy', 'iata': 'OVS', 'icao': 'USHS', 'latitude': 61.326622009277344, 'long
itude': 63.60191345214844, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekate
rinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 2524, 'name': 'Gazpromavia', 'alias': 'FlyAsianXpr
ess', 'iata': '4G', 'icao': 'GZP', 'callsign': 'GAZPROMAVIA', 'country': 'Rus
sia', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo I
nternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'lati
tude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4368, 'name': 'Ukhta Airport', 'city': 'Ukhta',
'iata': 'UCT', 'icao': 'UUYH', 'latitude': 63.56689834594727, 'longitude': 53
.8046989440918, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['YK2']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarna
bhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude':
13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Air
port', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347,
'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/D
haka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 6176, 'name': 'Barisal
Airport', 'city': 'Barisal', 'iata': 'BZL', 'icao': 'VGBR', 'latitude': 22.80
100059509277, 'longitude': 90.30120086669922, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'c
ity': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitu
de': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji
Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU'
, 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980
469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3069, 'name': 'Shah
Amanat International Airport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': '
VGEG', 'latitude': 22.24959945678711, 'longitude': 91.81330108642578, 'timezo
ne': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji
Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU'
, 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980
469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazr
at Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao':
'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.

0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3069, 'name': 'Shah Am
anat International Airport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VG
EG', 'latitude': 22.24959945678711, 'longitude': 91.81330108642578, 'timezone
': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandr
a Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VEC
C', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone
': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3069, 'name': 'Shah Am
anat International Airport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VG
EG', 'latitude': 22.24959945678711, 'longitude': 91.81330108642578, 'timezone
': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal Inte
rnational Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude
': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3069, 'name': 'Shah Am
anat International Airport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VG
EG', 'latitude': 22.24959945678711, 'longitude': 91.81330108642578, 'timezone
': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat International
Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593
299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', '
tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3068, 'name': "Cox's B
azar Airport", 'city': "Cox's Bazar", 'iata': 'CXB', 'icao': 'VGCB', 'latitud
e': 21.452199935913086, 'longitude': 91.96389770507812, 'timezone': 6.0, 'dst
': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Ai
rport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347
, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia

/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city'
: 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, '
longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/B
angkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 6176, 'name': 'Barisal Airport', 'city': 'Ba
risal', 'iata': 'BZL', 'icao': 'VGBR', 'latitude': 22.80100059509277, 'longit
ude': 90.30120086669922, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3069, 'name': 'Shah Amanat International Air
port', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VGEG', 'latitude': 22.24
959945678711, 'longitude': 91.81330108642578, 'timezone': 6.0, 'dst': 'U', 't

z_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3068, 'name': "Cox's Bazar Airport", 'city':
"Cox's Bazar", 'iata': 'CXB', 'icao': 'VGCB', 'latitude': 21.452199935913086,
'longitude': 91.96389770507812, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/D
haka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International
Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.679
6, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3071, 'name': 'Jessore Airport', 'city': 'Je
ssore', 'iata': 'JSR', 'icao': 'VGJR', 'latitude': 23.183799743652344, 'longi
tude': 89.16079711914062, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'iata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangladesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'iata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangladesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'iata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangladesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'iata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangladesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3073, 'name': 'Saidpur Airport', 'city': 'Saidpur', 'iata': 'SPD', 'icao': 'VGSD', 'latitude': 25.75919914245605, 'longitude': 88.90889739990234, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,
'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3074, 'name': 'Osmany International Airport'
, 'city': 'Sylhet Osmani', 'iata': 'ZYL', 'icao': 'VGSY', 'latitude': 24.9631
9961547852, 'longitude': 91.8667984008789, 'timezone': 6.0, 'dst': 'U', 'tz_i
d': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airpo
rt', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, '
longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dh
aka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 2072, 'name': 'King Ab
dulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJ
N', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport',
'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longi
tude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3071, 'name': 'Jessore
Airport', 'city': 'Jessore', 'iata': 'JSR', 'icao': 'VGJR', 'latitude': 23.18
3799743652344, 'longitude': 89.16079711914062, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', '
city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longit
ude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuv
an International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT'
, 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 't
z_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport',
'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longi
tude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala L
umpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao':
'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'tim
ezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Sh
ahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR
', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'd
st': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat
International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'lat
itude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3069, 'name': 'Shah Amanat International Ai
rport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VGEG', 'latitude': 22.2
4959945678711, 'longitude': 91.81330108642578, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat
International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'lat
itude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal Internation
al Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.8
43347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id':

'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3072, 'name': 'Shah Mo
khdum Airport', 'city': 'Rajshahi', 'iata': 'RJH', 'icao': 'VGRJ', 'latitude'
: 24.43720054626465, 'longitude': 88.61650085449219, 'timezone': 6.0, 'dst':
'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airpo
rt', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, '
longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dh
aka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3073, 'name': 'Saidpur
Airport', 'city': 'Saidpur', 'iata': 'SPD', 'icao': 'VGSD', 'latitude': 25.75
919914245605, 'longitude': 88.90889739990234, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'c
ity': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitu
de': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3073, 'name': 'Saidpur
Airport', 'city': 'Saidpur', 'iata': 'SPD', 'icao': 'VGSD', 'latitude': 25.75
919914245605, 'longitude': 88.90889739990234, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3072, 'name': 'Shah Mokhdum Airport', 'city': 'Rajshahi',
'iata': 'RJH', 'icao': 'VGRJ', 'latitude': 24.43720054626465, 'longitude': 88
.61650085449219, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DH8']}
{'airline': {'airline_id': 8463, 'name': 'United Airways', 'alias': 'nan', 'i
ata': '4H', 'icao': 'UBD', 'callsign': 'UNITED BANGLADESH', 'country': 'Bangl
adesh', 'active': True}, 'src_airport': {'airport_id': 3074, 'name': 'Osmany
International Airport', 'city': 'Sylhet Osmani', 'iata': 'ZYL', 'icao': 'VGSY
', 'latitude': 24.96319961547852, 'longitude': 91.8667984008789, 'timezone':
6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal Interna
tional Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude':
23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_i

d': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 29, 'name': 'Askari Aviation', 'alias': '\\N', 'ia
ta': '4K', 'icao': 'AAS', 'callsign': 'AL-AAS', 'country': 'Pakistan', 'activ
e': True}, 'src_airport': {'airport_id': 5498, 'name': 'Grise Fiord Airport',
'city': 'Grise Fiord', 'iata': 'YGZ', 'icao': 'CYGZ', 'latitude': 76.42610168
46, 'longitude': -82.90920257570002, 'timezone': -5.0, 'dst': 'A', 'tz_id': '
America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 128, 'name': 'Resolute Bay Airport', 'city': 'Resolute', 'iata
': 'YRB', 'icao': 'CYRB', 'latitude': 74.71690368649999, 'longitude': -94.969
3984985, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['DHT']}
{'airline': {'airline_id': 29, 'name': 'Askari Aviation', 'alias': '\\N', 'ia
ta': '4K', 'icao': 'AAS', 'callsign': 'AL-AAS', 'country': 'Pakistan', 'activ
e': True}, 'src_airport': {'airport_id': 128, 'name': 'Resolute Bay Airport',
'city': 'Resolute', 'iata': 'YRB', 'icao': 'CYRB', 'latitude': 74.71690368649
999, 'longitude': -94.9693984985, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Ame
rica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 5498, 'name': 'Grise Fiord Airport', 'city': 'Grise Fiord', 'ia
ta': 'YGZ', 'icao': 'CYGZ', 'latitude': 76.4261016846, 'longitude': -82.90920
257570002, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DHT']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth In
ternational Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': 'KD
FW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International
Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude':
-34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'Amer
ica/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini I
nternational Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ',
'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 't
z_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth International A
irport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': 'KDFW', 'latitud
e': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst': 'A', 'tz_id'

: 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: True, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini I
nternational Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ',
'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 't
z_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airp
ort', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980
103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini I
nternational Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ',
'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 't
z_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'ci
ty': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, '
longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['777', '763']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini I
nternational Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ',
'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 't
z_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1760, 'name': 'Punta Cana International Airport'
, 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.5673999
78599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_
id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kennedy Inter
national Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitu
de': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airp
ort', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.
8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/

Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3576, 'name': 'Miami International
Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.7931
9953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airp
ort', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.
8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/
Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['777', '763']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 3576, 'name': 'Miami International
Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.7931
9953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1760, 'name': 'Punta Cana International Airport', 'c
ity': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.56739997859
9997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 1760, 'name': 'Punta Cana Internati
onal Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude
': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'ds
t': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini In
ternational Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ',
'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 't
z_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 3201, 'name': 'LAN Argentina', 'alias': 'nan', 'ia
ta': '4M', 'icao': 'DSM', 'callsign': 'LAN AR', 'country': 'Argentina', 'acti
ve': True}, 'src_airport': {'airport_id': 1760, 'name': 'Punta Cana Internati
onal Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude
': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'ds
t': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami International A
irport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319
953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz

_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 49,
'name': 'Edmonton International Airport', 'city': 'Edmonton', 'iata': 'YEG',
'icao': 'CYEG', 'latitude': 53.309700012200004, 'longitude': -113.580001831,
'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 176, 'name': 'Whiteho
rse / Erik Nielsen International Airport', 'city': 'Whitehorse', 'iata': 'YXY
', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude': -135.06700134
3, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 87,
'name': 'Kelowna International Airport', 'city': 'Kelowna', 'iata': 'YLW', 'i
cao': 'CYLW', 'latitude': 49.9561004639, 'longitude': -119.377998352, 'timezo
ne': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 156, 'name': 'Vancouver In
ternational Airport', 'city': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', 'la
titude': 49.193901061999995, 'longitude': -123.183998108, 'timezone': -8.0, '
dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 87,
'name': 'Kelowna International Airport', 'city': 'Kelowna', 'iata': 'YLW', 'i
cao': 'CYLW', 'latitude': 49.9561004639, 'longitude': -119.377998352, 'timezo
ne': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 176, 'name': 'Whitehorse /
Erik Nielsen International Airport', 'city': 'Whitehorse', 'iata': 'YXY', 'ic
ao': 'CYXY', 'latitude': 60.709598541300004, 'longitude': -135.067001343, 'ti
mezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']
}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 100,
'name': 'Ottawa Macdonald-Cartier International Airport', 'city': 'Ottawa', '
iata': 'YOW', 'icao': 'CYOW', 'latitude': 45.3224983215332, 'longitude': -75.
66919708251953, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196,

'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao':
'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'tim
ezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 156,
'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata': 'YVR'
, 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.183998108
, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 87, 'name': 'Kelo
wna International Airport', 'city': 'Kelowna', 'iata': 'YLW', 'icao': 'CYLW',
'latitude': 49.9561004639, 'longitude': -119.377998352, 'timezone': -8.0, 'ds
t': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 156,
'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata': 'YVR'
, 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.183998108
, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 176, 'name': 'Whi
tehorse / Erik Nielsen International Airport', 'city': 'Whitehorse', 'iata':
'YXY', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude': -135.0670
01343, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 176,
'name': 'Whitehorse / Erik Nielsen International Airport', 'city': 'Whitehors
e', 'iata': 'YXY', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude
': -135.067001343, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
87, 'name': 'Kelowna International Airport', 'city': 'Kelowna', 'iata': 'YLW'
, 'icao': 'CYLW', 'latitude': 49.9561004639, 'longitude': -119.377998352, 'ti
mezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']
}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 176,
'name': 'Whitehorse / Erik Nielsen International Airport', 'city': 'Whitehors
e', 'iata': 'YXY', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude

': -135.067001343, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
156, 'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata':
'YVR', 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.1839
98108, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 176,
'name': 'Whitehorse / Erik Nielsen International Airport', 'city': 'Whitehors
e', 'iata': 'YXY', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude
': -135.067001343, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
178, 'name': 'Calgary International Airport', 'city': 'Calgary', 'iata': 'YYC
', 'icao': 'CYYC', 'latitude': 51.113899231000005, 'longitude': -114.01999664
3, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 176,
'name': 'Whitehorse / Erik Nielsen International Airport', 'city': 'Whitehors
e', 'iata': 'YXY', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude
': -135.067001343, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'ic
ao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624,
'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737'
]}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR
TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 178,
'name': 'Calgary International Airport', 'city': 'Calgary', 'iata': 'YYC', 'i
cao': 'CYYC', 'latitude': 51.113899231000005, 'longitude': -114.019996643, 't
imezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 49, 'name': 'Edmonton
International Airport', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG', 'l
atitude': 53.309700012200004, 'longitude': -113.580001831, 'timezone': -7.0,
'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias'
: 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NOR

TH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 100, 'name': 'Ottawa Macdonald-Cartier International Airport', 'city': 'Ottawa', 'iata': 'YOW', 'icao': 'CYOW', 'latitude': 45.3224983215332, 'longitude': -75.66919708251953, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 341, 'name': 'Air North Charter - Canada', 'alias': 'ANA All Nippon Airways', 'iata': '4N', 'icao': 'ANT', 'callsign': 'AIR NORTH', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 176, 'name': 'Whitehorse / Erik Nielsen International Airport', 'city': 'Whitehorse', 'iata': 'YXY', 'icao': 'CYXY', 'latitude': 60.709598541300004, 'longitude': -135.067001343, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1783, 'name': 'General Juan N Alvarez International Airport', 'city': 'Acapulco', 'iata': 'ACA', 'icao': 'MMAA', 'latitude': 16.757099151611328, 'longitude': -99.75399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1783, 'name': 'General Juan N Alvarez International Airport', 'city': 'Acapulco', 'iata': 'ACA', 'icao': 'MMAA', 'latitude': 16.757099151611328, 'longitude': -99.75399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1785, 'name': 'Jesús Terán Paredo International Airport', 'city': 'Aguascalientes', 'iata': 'AGU', 'icao': 'MMAS', 'latitude': 21.705601, 'longitude': -102.318001, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota', 'iata': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1794, 'name': 'Ciudad Obregón International Airport', 'city': 'Ciudad Obregon', 'iata': 'CEN', 'icao': 'MMCN', 'latitude': 27.39259910583496, 'longitude': -109.83300018310548, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Hermosillo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1796, 'name': 'Abraham González International Airport', 'city': 'Ciudad Juarez', 'iata': 'CJS', 'icao': 'MMCS', 'latitude': 31.63610076904297, 'longitude': -106.4290008544922, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1789, 'name': 'Ciudad del Carmen International Airport', 'city': 'Ciudad Del Carmen', 'iata': 'CME', 'icao': 'MMCE', 'latitude': 18.65369987487793, 'longitude': -91.79900360107422, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1795, 'name': 'Ingeniero Alberto Acuña Ongay International Airport', 'city': 'Campeche', 'iata': 'CPE', 'icao': 'MMCP', 'latitude': 19.816799163800003, 'longitude': -90.50029754639999, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1793, 'name': 'Chetumal International Airport', 'city': 'Chetumal', 'iata': 'CTM', 'icao': 'MMCM', 'latitude': 18.50469970703125, 'longitude': -88.32679748535156, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1792, 'name': 'Bachigualato Federal International Airport', 'city': 'Culiacan', 'iata': 'CUL', 'icao': 'MMCL', 'latitude': 24.764499664299997, 'longitude': -107.474998474, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0

, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1852, 'name': 'Cancún I
nternational Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'lati
tude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'ds
t': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez Int
ernational Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'l
atitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz
_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1852, 'name': 'Cancún I
nternational Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'lati
tude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'ds
t': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1825, 'name': 'General Mariano Escobedo Int
ernational Airport', 'city': 'Monterrey', 'iata': 'MTY', 'icao': 'MMMY', 'lat
itude': 25.7784996033, 'longitude': -100.107002258, 'timezone': -6.0, 'dst':
'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1852, 'name': 'Cancún I
nternational Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'lati
tude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'ds
t': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lopez Mate
os International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'MMTO', '
latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.0, 'dst
': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1797, 'name': 'General
Roberto Fierro Villalobos International Airport', 'city': 'Chihuahua', 'iata'
: 'CUU', 'icao': 'MMCU', 'latitude': 28.702899932900003, 'longitude': -105.96
499633799999, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824,
'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico Cit
y', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.0720

98, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1800, 'name': 'Cozumel
International Airport', 'city': 'Cozumel', 'iata': 'CZM', 'icao': 'MMCZ', 'la
titude': 20.52239990234375, 'longitude': -86.92559814453125, 'timezone': -5.0
, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juare
z International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX
', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S'
, 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1804, 'name': 'Don Migu
el Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata':
'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.3109
9700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824,
'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico Cit
y', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.0720
98, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1804, 'name': 'Don Migu
el Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata':
'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.3109
9700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1825,
'name': 'General Mariano Escobedo International Airport', 'city': 'Monterrey'
, 'iata': 'MTY', 'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100
.107002258, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1804, 'name': 'Don Migu
el Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata':
'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.3109
9700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3621, 'name': 'San Antonio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1804, 'name': 'Don Miguel Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.31099700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1840, 'name': 'Los Cabos International Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao': 'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1804, 'name': 'Don Miguel Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.31099700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3867, 'name': 'John Wayne Airport-Orange County Airport', 'city': 'Santa Ana', 'iata': 'SNA', 'icao': 'KSNA', 'latitude': 33.67570114, 'longitude': -117.86799620000001, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1804, 'name': 'Don Miguel Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.31099700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1847, 'name': 'General Abelardo L. Rodríguez International Airport', 'city': 'Tijuana', 'iata': 'TIJ', 'icao': 'MMTJ', 'latitude': 32.541099548339844, 'longitude': -116.97000122070312, 'timezone': -8.0, 'dst': 'S', 'tz_id': 'America/Tijuana', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me

xico', 'active': True}, 'src_airport': {'airport_id': 1767, 'name': 'La Auror
a Airport', 'city': 'Guatemala City', 'iata': 'GUA', 'icao': 'MGGT', 'latitud
e': 14.5833, 'longitude': -90.527496, 'timezone': -6.0, 'dst': 'U', 'tz_id':
'America/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airp
ort', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.43
63, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/
Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1909, 'name': 'José Mar
tí International Airport', 'city': 'Havana', 'iata': 'HAV', 'icao': 'MUHA', '
latitude': 22.989200592041016, 'longitude': -82.40910339355469, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Havana', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Ju
arez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'M
MMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst':
'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1807, 'name': 'General
Ignacio P. Garcia International Airport', 'city': 'Hermosillo', 'iata': 'HMO'
, 'icao': 'MMHO', 'latitude': 29.095899581900007, 'longitude': -111.047996521
, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Hermosillo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'L
icenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata'
: 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timez
one': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1786, 'name': 'Bahías d
e Huatulco International Airport', 'city': 'Huatulco', 'iata': 'HUX', 'icao':
'MMBT', 'latitude': 15.7753, 'longitude': -96.26260400000001, 'timezone': -6.
0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito
Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao':
'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst'
: 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me

xico', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F K
ennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJ
FK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez
International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX',
'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', '
tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1816, 'name': 'Manuel M
árquez de León International Airport', 'city': 'La Paz', 'iata': 'LAP', 'icao
': 'MMLP', 'latitude': 24.0727005005, 'longitude': -110.36199951200001, 'time
zone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado
Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', '
icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0
, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 3877, 'name': 'McCarran
International Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', '
latitude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, '
dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1825, 'name': 'General Mariano Escob
edo International Airport', 'city': 'Monterrey', 'iata': 'MTY', 'icao': 'MMMY
', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'timezone': -6.0,
'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 3877, 'name': 'McCarran
International Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', '
latitude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, '
dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lop
ez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'M
MTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.
0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me

xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1783, 'name': 'General Juan N A
lvarez International Airport', 'city': 'Acapulco', 'iata': 'ACA', 'icao': 'MM
AA', 'latitude': 16.757099151611328, 'longitude': -99.75399780273438, 'timezo
ne': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1785, 'name': 'Jesús Terán Pare
do International Airport', 'city': 'Aguascalientes', 'iata': 'AGU', 'icao': '
MMAS', 'latitude': 21.705601, 'longitude': -102.318001, 'timezone': -6.0, 'ds
t': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2709, 'name': 'El Dorado Intern
ational Airport', 'city': 'Bogota', 'iata': 'BOG', 'icao': 'SKBO', 'latitude'
: 4.70159, 'longitude': -74.1469, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Ame
rica/Bogota', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1794, 'name': 'Ciudad Obregón I
nternational Airport', 'city': 'Ciudad Obregon', 'iata': 'CEN', 'icao': 'MMCN
', 'latitude': 27.39259910583496, 'longitude': -109.83300018310548, 'timezone
': -7.0, 'dst': 'S', 'tz_id': 'America/Hermosillo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me

xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1796, 'name': 'Abraham González
International Airport', 'city': 'Ciudad Juarez', 'iata': 'CJS', 'icao': 'MMCS
', 'latitude': 31.63610076904297, 'longitude': -106.4290008544922, 'timezone'
: -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1789, 'name': 'Ciudad del Carme
n International Airport', 'city': 'Ciudad Del Carmen', 'iata': 'CME', 'icao':
'MMCE', 'latitude': 18.65369987487793, 'longitude': -91.79900360107422, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1795, 'name': 'Ingeniero Albert
o Acuña Ongay International Airport', 'city': 'Campeche', 'iata': 'CPE', 'ica
o': 'MMCP', 'latitude': 19.816799163800003, 'longitude': -90.50029754639999,
'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1793, 'name': 'Chetumal Interna
tional Airport', 'city': 'Chetumal', 'iata': 'CTM', 'icao': 'MMCM', 'latitude
': 18.50469970703125, 'longitude': -88.32679748535156, 'timezone': -5.0, 'dst
': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1792, 'name': 'Bachigualato Federal International Airport', 'city': 'Culiacan', 'iata': 'CUL', 'icao': 'MMCL', 'latitude': 24.764499664299997, 'longitude': -107.474998474, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1797, 'name': 'General Roberto Fierro Villalobos International Airport', 'city': 'Chihuahua', 'iata': 'CUU', 'icao': 'MMCU', 'latitude': 28.702899932900003, 'longitude': -105.96499633799999, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1800, 'name': 'Cozumel International Airport', 'city': 'Cozumel', 'iata': 'CZM', 'icao': 'MMCZ', 'latitude': 20.52239990234375, 'longitude': -86.92559814453125, 'timezone': -5.0, 'dst':

'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1804, 'name': 'Don Miguel Hidal
go Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GDL', '
icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.310997009277
34, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1767, 'name': 'La Aurora Airpor
t', 'city': 'Guatemala City', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5
833, 'longitude': -90.527496, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America
/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1909, 'name': 'José Martí Inter
national Airport', 'city': 'Havana', 'iata': 'HAV', 'icao': 'MUHA', 'latitude
': 22.989200592041016, 'longitude': -82.40910339355469, 'timezone': -5.0, 'ds
t': 'U', 'tz_id': 'America/Havana', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1807, 'name': 'General Ignacio
P. Garcia International Airport', 'city': 'Hermosillo', 'iata': 'HMO', 'icao'

: 'MMHO', 'latitude': 29.095899581900007, 'longitude': -111.047996521, 'timez
one': -7.0, 'dst': 'S', 'tz_id': 'America/Hermosillo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1786, 'name': 'Bahías de Huatul
co International Airport', 'city': 'Huatulco', 'iata': 'HUX', 'icao': 'MMBT',
'latitude': 15.7753, 'longitude': -96.26260400000001, 'timezone': -6.0, 'dst'
: 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy I
nternational Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'la
titude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1816, 'name': 'Manuel Márquez d
e León International Airport', 'city': 'La Paz', 'iata': 'LAP', 'icao': 'MMLP
', 'latitude': 24.0727005005, 'longitude': -110.36199951200001, 'timezone': -
7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami Internatio
nal Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.

79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A'
, 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1819, 'name': 'Licenciado Manue
l Crescencio Rejon Int Airport', 'city': 'Merida', 'iata': 'MID', 'icao': 'MM
MD', 'latitude': 20.9370002747, 'longitude': -89.657699585, 'timezone': -6.0,
'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1822, 'name': 'Minatitlán/Coatz
acoalcos National Airport', 'city': 'Minatitlan', 'iata': 'MTT', 'icao': 'MMM
T', 'latitude': 18.1033992767, 'longitude': -94.58070373540001, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1825, 'name': 'General Mariano
Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY', 'icao':
'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1826, 'name': 'General Rafael B
uelna International Airport', 'city': 'Mazatlan', 'iata': 'MZT', 'icao': 'MMM

Z', 'latitude': 23.1613998413, 'longitude': -106.26599884, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1829, 'name': 'Xoxocotlán International Airport', 'city': 'Oaxaca', 'iata': 'OAX', 'icao': 'MMOX', 'latitude': 16.9999008179, 'longitude': -96.72660064700001, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1836, 'name': 'Licenciado Gustavo Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iata': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1839, 'name': 'General Lucio Blanco International Airport', 'city': 'Reynosa', 'iata': 'REX', 'icao': 'MMRX', 'latitude': 26.0089, 'longitude': -98.2285, 'timezone': -6.0, 'dst': 'S', '

tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3621, 'name': 'San Antonio Inte
rnational Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'la
titude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezone': -6.
0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1840, 'name': 'Los Cabos Intern
ational Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao': 'MMSD',
'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'timezone':
-7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria
International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'l
atitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.
0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3867, 'name': 'John Wayne Airpo
rt-Orange County Airport', 'city': 'Santa Ana', 'iata': 'SNA', 'icao': 'KSNA'
, 'latitude': 33.67570114, 'longitude': -117.86799620000001, 'timezone': -8.0

, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1848, 'name': 'General Francisc
o Javier Mina International Airport', 'city': 'Tampico', 'iata': 'TAM', 'icao
': 'MMTM', 'latitude': 22.2964000702, 'longitude': -97.86589813229999, 'timez
one': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1846, 'name': 'Angel Albino Cor
zo International Airport', 'city': 'Tuxtla Gutierrez', 'iata': 'TGZ', 'icao':
'MMTG', 'latitude': 16.5636005402, 'longitude': -93.02249908450001, 'timezone
': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1847, 'name': 'General Abelardo
L. Rodríguez International Airport', 'city': 'Tijuana', 'iata': 'TIJ', 'icao'
: 'MMTJ', 'latitude': 32.541099548339844, 'longitude': -116.97000122070312, '
timezone': -8.0, 'dst': 'S', 'tz_id': 'America/Tijuana', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1845, 'name': 'Francisco Sarabi
a International Airport', 'city': 'Torreon', 'iata': 'TRC', 'icao': 'MMTC', '

latitude': 25.568300247199996, 'longitude': -103.41100311299999, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1854, 'name': 'General Heriberto Jara International Airport', 'city': 'Vera Cruz', 'iata': 'VER', 'icao': 'MMVR', 'latitude': 19.145900726300003, 'longitude': -96.1873016357, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1853, 'name': 'Carlos Rovirosa Pérez International Airport', 'city': 'Villahermosa', 'iata': 'VSA', 'icao': 'MMVA', 'latitude': 17.996999740600586, 'longitude': -92.81739807128906, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1855, 'name': 'General Leobardo C. Ruiz International Airport', 'city': 'Zacatecas', 'iata': 'ZCL', 'icao': 'MMZC', 'latitude': 22.8971004486, 'longitude': -102.68699646, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1856, 'name': 'Ixtapa Zihuatane

jo International Airport', 'city': 'Zihuatanejo', 'iata': 'ZIH', 'icao': 'MMZ
H', 'latitude': 17.601600647, 'longitude': -101.460998535, 'timezone': -6.0,
'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1858, 'name': 'Playa De Oro Int
ernational Airport', 'city': 'Manzanillo', 'iata': 'ZLO', 'icao': 'MMZO', 'la
titude': 19.144800186199998, 'longitude': -104.558998108, 'timezone': -6.0, '
dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 3576, 'name': 'Miami In
ternational Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitu
de': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez
International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX',
'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', '
tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1819, 'name': 'Licencia
do Manuel Crescencio Rejon Int Airport', 'city': 'Merida', 'iata': 'MID', 'ic
ao': 'MMMD', 'latitude': 20.9370002747, 'longitude': -89.657699585, 'timezone
': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado
Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', '
icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0
, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1822, 'name': 'Minatitl
án/Coatzacoalcos National Airport', 'city': 'Minatitlan', 'iata': 'MTT', 'ica
o': 'MMMT', 'latitude': 18.1033992767, 'longitude': -94.58070373540001, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenci

ado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX
', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone':
-6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1825, 'name': 'General
Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY',
'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún
International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'lat
itude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'd
st': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1825, 'name': 'General
Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY',
'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1804, 'name': 'Don Mig
uel Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata':
'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.3109
9700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1825, 'name': 'General
Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY',
'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3877, 'name': 'McCarra
n International Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS',
'latitude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0,
'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1825, 'name': 'General
Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY',
'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '

source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenci
ado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX
', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone':
-6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1825, 'name': 'General
Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY',
'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3621, 'name': 'San Ant
onio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'K
SAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1825, 'name': 'General
Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY',
'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenci
ado Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TL
C', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, '
timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1826, 'name': 'General
Rafael Buelna International Airport', 'city': 'Mazatlan', 'iata': 'MZT', 'ica
o': 'MMMZ', 'latitude': 23.1613998413, 'longitude': -106.26599884, 'timezone'
: -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benit
o Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao'
: 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'ds
t': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1829, 'name': 'Xoxocotl
án International Airport', 'city': 'Oaxaca', 'iata': 'OAX', 'icao': 'MMOX', '
latitude': 16.9999008179, 'longitude': -96.72660064700001, 'timezone': -6.0,

'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Ju
arez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'M
MMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst':
'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 18
24, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico
City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.0
72098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1836, 'name': 'Licencia
do Gustavo Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iat
a': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.
25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 18
24, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico
City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.0
72098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1836, 'name': 'Licencia
do Gustavo Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iat
a': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.
25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 18
50, 'name': 'Licenciado Adolfo Lopez Mateos International Airport', 'city': '
Toluca', 'iata': 'TLC', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude
': -99.5660018921, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_Cit
y', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1839, 'name': 'General
Lucio Blanco International Airport', 'city': 'Reynosa', 'iata': 'REX', 'icao'
: 'MMRX', 'latitude': 26.0089, 'longitude': -98.2285, 'timezone': -6.0, 'dst'
: 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirpo

rts'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 3621, 'name': 'San Antonio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1804, 'name': 'Don Miguel Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.31099700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 3621, 'name': 'San Antonio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 3621, 'name': 'San Antonio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1825, 'name': 'General Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MTY', 'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 3621, 'name': 'San Antonio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezo

ne': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenciado Ad
olfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'i
cao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezo
ne': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1840, 'name': 'Los Cabo
s International Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao':
'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'tim
ezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1804, 'name': 'Don Migue
l Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': '
GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.31099
700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1840, 'name': 'Los Cabo
s International Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao':
'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'tim
ezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciad
o Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX',
'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.
0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1840, 'name': 'Los Cabo
s International Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao':
'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'tim
ezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenciad
o Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC'
, 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'ti
mezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan San

tamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'M
ROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezo
ne': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado
Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', '
icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0
, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 3867, 'name': 'John Way
ne Airport-Orange County Airport', 'city': 'Santa Ana', 'iata': 'SNA', 'icao'
: 'KSNA', 'latitude': 33.67570114, 'longitude': -117.86799620000001, 'timezon
e': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1804, 'name': 'Don Miguel
Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GD
L', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.3109970
0927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 3867, 'name': 'John Way
ne Airport-Orange County Airport', 'city': 'Santa Ana', 'iata': 'SNA', 'icao'
: 'KSNA', 'latitude': 33.67570114, 'longitude': -117.86799620000001, 'timezon
e': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado
Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', '
icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0
, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1848, 'name': 'General
Francisco Javier Mina International Airport', 'city': 'Tampico', 'iata': 'TAM
', 'icao': 'MMTM', 'latitude': 22.2964000702, 'longitude': -97.86589813229999
, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': '
Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata
': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'time
zone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}

{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1846, 'name': 'Angel Albino Corzo International Airport', 'city': 'Tuxtla Gutierrez', 'iata': 'TGZ', 'icao': 'MMTG', 'latitude': 16.5636005402, 'longitude': -93.02249908450001, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1847, 'name': 'General Abelardo L. Rodríguez International Airport', 'city': 'Tijuana', 'iata': 'TIJ', 'icao': 'MMTJ', 'latitude': 32.541099548339844, 'longitude': -116.97000122070312, 'timezone': -8.0, 'dst': 'S', 'tz_id': 'America/Tijuana', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1804, 'name': 'Don Miguel Hidalgo Y Costilla International Airport', 'city': 'Guadalajara', 'iata': 'GDL', 'icao': 'MMGL', 'latitude': 20.521799087524414, 'longitude': -103.31099700927734, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1847, 'name': 'General Abelardo L. Rodríguez International Airport', 'city': 'Tijuana', 'iata': 'TIJ', 'icao': 'MMTJ', 'latitude': 32.541099548339844, 'longitude': -116.97000122070312, 'timezone': -8.0, 'dst': 'S', 'tz_id': 'America/Tijuana', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1783, 'name': 'General Juan N Alvarez International Airport', 'city': 'Acapulco', 'iata': 'ACA', 'icao': 'MMAA', 'latitude': 16.757099151611328, 'longitude': -99.753997802734

38, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licencia
do Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC
', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 't
imezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Canc
ún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', '
latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0,
'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licencia
do Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC
', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 't
imezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3877, 'name': 'McCa
rran International Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLA
S', 'latitude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8
.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licencia
do Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC
', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 't
imezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1825, 'name': 'Gene
ral Mariano Escobedo International Airport', 'city': 'Monterrey', 'iata': 'MT
Y', 'icao': 'MMMY', 'latitude': 25.7784996033, 'longitude': -100.107002258, '
timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licencia
do Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC
', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 't
imezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1836, 'name': 'Lice

nciado Gustavo Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iata': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3621, 'name': 'San Antonio International Airport', 'city': 'San Antonio', 'iata': 'SAT', 'icao': 'KSAT', 'latitude': 29.533700942993164, 'longitude': -98.46980285644531, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1840, 'name': 'Los Cabos International Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao': 'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1850, 'name': 'Licenciado Adolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', 'icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1856, 'name': 'Ixtapa Zihuatanejo International Airport', 'city': 'Zihuatanejo', 'iata': 'ZIH', 'icao': 'MMZH', 'latitude': 17.601600647, 'longitude': -101.460998535, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Mexico', 'active': True}, 'src_airport': {'airport_id': 1845, 'name': 'Francisco Sarabia International Airport', 'city': 'Torreon', 'iata': 'TRC', 'icao': 'MMTC', 'latitude': 25.568300247199996, 'longitude': -103.41100311299999, 'tim

ezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenc
iado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'ME
X', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone':
-6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1854, 'name': 'General
Heriberto Jara International Airport', 'city': 'Vera Cruz', 'iata': 'VER', 'i
cao': 'MMVR', 'latitude': 19.145900726300003, 'longitude': -96.1873016357, 't
imezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Lice
nciado Benito Juarez International Airport', 'city': 'Mexico City', 'iata': '
MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone
': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1853, 'name': 'Carlos R
ovirosa Pérez International Airport', 'city': 'Villahermosa', 'iata': 'VSA',
'icao': 'MMVA', 'latitude': 17.996999740600586, 'longitude': -92.817398071289
06, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name':
'Licenciado Benito Juarez International Airport', 'city': 'Mexico City', 'iat
a': 'MEX', 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'tim
ezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1855, 'name': 'General
Leobardo C. Ruiz International Airport', 'city': 'Zacatecas', 'iata': 'ZCL',
'icao': 'MMZC', 'latitude': 22.8971004486, 'longitude': -102.68699646, 'timez
one': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licencia
do Benito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX'
, 'icao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -
6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1856, 'name': 'Ixtapa Z
ihuatanejo International Airport', 'city': 'Zihuatanejo', 'iata': 'ZIH', 'ica

o': 'MMZH', 'latitude': 17.601600647, 'longitude': -101.460998535, 'timezone'
: -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado B
enito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'i
cao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0,
'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1856, 'name': 'Ixtapa Z
ihuatanejo International Airport', 'city': 'Zihuatanejo', 'iata': 'ZIH', 'ica
o': 'MMZH', 'latitude': 17.601600647, 'longitude': -101.460998535, 'timezone'
: -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1850, 'name': 'Licenciado A
dolfo Lopez Mateos International Airport', 'city': 'Toluca', 'iata': 'TLC', '
icao': 'MMTO', 'latitude': 19.3370990753, 'longitude': -99.5660018921, 'timez
one': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17885, 'name': 'Interjet (ABC Aerolineas)', 'alias
': 'nan', 'iata': '4O', 'icao': 'IBS', 'callsign': 'INTERJET', 'country': 'Me
xico', 'active': True}, 'src_airport': {'airport_id': 1858, 'name': 'Playa De
Oro International Airport', 'city': 'Manzanillo', 'iata': 'ZLO', 'icao': 'MMZ
O', 'latitude': 19.144800186199998, 'longitude': -104.558998108, 'timezone':
-6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1824, 'name': 'Licenciado Ben
ito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'ica
o': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0, '
dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi Intern
ational Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude':
28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/
Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2048, 'name': 'Herat Airport', 'city': 'Herat', 'iata': 'HEA', 'icao
': 'OAHR', 'latitude': 34.209999084472656, 'longitude': 62.22829818725586, 't
imezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi Intern
ational Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude':
28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/

Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul',
'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303,
'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Ka
bul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.2
12303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2048, 'name': 'Herat Airport', 'cit
y': 'Herat', 'iata': 'HEA', 'icao': 'OAHR', 'latitude': 34.209999084472656, '
longitude': 62.22829818725586, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Ka
bul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'ia
ta': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'tim
ezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2048, 'name': 'Herat Airport', 'cit
y': 'Herat', 'iata': 'HEA', 'icao': 'OAHR', 'latitude': 34.209999084472656, '
longitude': 62.22829818725586, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Ka
bul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad'
, 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09919
7, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']
}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2048, 'name': 'Herat Airport', 'cit
y': 'Herat', 'iata': 'HEA', 'icao': 'OAHR', 'latitude': 34.209999084472656, '
longitude': 62.22829818725586, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Ka
bul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iat

a': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'ti
mezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto Inter
national Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latit
ude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2048, 'name': 'Herat Airport', 'city': 'Herat', 'iata': 'HEA',
'icao': 'OAHR', 'latitude': 34.209999084472656, 'longitude': 62.2282981872558
6, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto Inter
national Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latit
ude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'K
abul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.
212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Interna
tional Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude':
34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asi
a/Kabul', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi',
'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Interna
tional Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude':
34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asi
a/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata':
'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.364398
9563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Interna
tional Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude':
34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asi
a/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 2048, 'name': 'Herat Airport', 'city': 'Herat', 'iata': 'HEA', 'icao'
: 'OAHR', 'latitude': 34.209999084472656, 'longitude': 62.22829818725586, 'ti
mezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Interna
tional Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude':
34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asi
a/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islama
bad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.0
99197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Interna
tional Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude':
34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asi
a/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 2053, 'name': 'Mazar I Sharif Airport', 'city': 'Mazar-i-sharif', 'ia
ta': 'MZR', 'icao': 'OAMS', 'latitude': 36.70690155029297, 'longitude': 67.20
970153808594, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 10758, 'name': 'Safi Airlines', 'alias': 'nan', 'i
ata': '4Q', 'icao': 'LOC', 'callsign': 'nan', 'country': 'Afghanistan', 'acti
ve': True}, 'src_airport': {'airport_id': 2053, 'name': 'Mazar I Sharif Airpo
rt', 'city': 'Mazar-i-sharif', 'iata': 'MZR', 'icao': 'OAMS', 'latitude': 36.
70690155029297, 'longitude': 67.20970153808594, 'timezone': 4.5, 'dst': 'U',
'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'cit
y': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude
': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'ai

rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1688, 'n
ame': 'Antalya International Airport', 'city': 'Antalya', 'iata': 'AYT', 'ica
o': 'LTAI', 'latitude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city':
'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'lon
gitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1423, 'n
ame': 'EuroAirport Basel-Mulhouse-Freiburg Airport', 'city': 'Mulhouse', 'iat
a': 'BSL', 'icao': 'LFSB', 'latitude': 47.59, 'longitude': 7.5291667, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1130, 'name': 'Hurghada Internat
ional Airport', 'city': 'Hurghada', 'iata': 'HRG', 'icao': 'HEGN', 'latitude'
: 27.178300857543945, 'longitude': 33.799400329589844, 'timezone': 2.0, 'dst'
: 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1130, 'n
ame': 'Hurghada International Airport', 'city': 'Hurghada', 'iata': 'HRG', 'i
cao': 'HEGN', 'latitude': 27.178300857543945, 'longitude': 33.799400329589844
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1423, 'name': 'EuroAirp
ort Basel-Mulhouse-Freiburg Airport', 'city': 'Mulhouse', 'iata': 'BSL', 'ica
o': 'LFSB', 'latitude': 47.59, 'longitude': 7.5291667, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1130, 'n
ame': 'Hurghada International Airport', 'city': 'Hurghada', 'iata': 'HRG', 'i
cao': 'HEGN', 'latitude': 27.178300857543945, 'longitude': 33.799400329589844
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich A
irport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.4646
98999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur

ope/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1742, 'name': 'Priština International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 4197, 'name': 'Marsa Alam International Airport', 'city': 'Marsa Alam', 'iata': 'RMF', 'icao': 'HEMA', 'latitude': 25.557100295999998, 'longitude': 34.5836982727, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1737, 'name': 'Skopje Alexander the Great Airport', 'city': 'Skopje', 'iata': 'SKP', 'icao': 'LWSK', 'latitude': 41.961601, 'longitude': 21.621401000000002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Skopje', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1688, 'name': 'Antalya International Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1678, 'n
ame': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'lat
itude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1130, 'name': 'Hurghada International Airport', 'ci
ty': 'Hurghada', 'iata': 'HRG', 'icao': 'HEGN', 'latitude': 27.17830085754394
5, 'longitude': 33.799400329589844, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af
rica/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1678, 'n
ame': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'lat
itude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1742, 'name': 'Priština International Airport', 'ci
ty': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitu
de': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1678, 'n
ame': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'lat
itude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4197, 'name': 'Marsa Alam International Airport', '
city': 'Marsa Alam', 'iata': 'RMF', 'icao': 'HEMA', 'latitude': 25.5571002959
99998, 'longitude': 34.5836982727, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Afr
ica/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1401, 'name': 'Belair Airlines', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': '4T', 'icao': 'BHP', 'callsign': 'BELAIR', 'cou
ntry': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1678, 'n
ame': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'lat
itude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1737, 'name': 'Skopje Alexander the Great Airport',
'city': 'Skopje', 'iata': 'SKP', 'icao': 'LWSK', 'latitude': 41.961601, 'long
itude': 21.621401000000002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sko

pje', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga
Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674
90005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga
Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674
90005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin',
'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 210, 'name': 'Houari B
oumediene Airport', 'city': 'Algier', 'iata': 'ALG', 'icao': 'DAAG', 'latitud
e': 36.691001892089844, 'longitude': 3.215409994125366, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Algiers', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city':
'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'lo
ngitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterda
m Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'lat
itude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata'
: 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822
9751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 4309, 'name': 'Ancona Falconara Airport', 'city': 'Ancona', 'iata': 'AOI', 'icao': 'LIPY', 'latitude': 43.616299, 'longitude': 13.3623, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 4309, 'name': 'Ancona Falconara Airport', 'city': 'Ancona', 'iata': 'AOI', 'icao': 'LIPY', 'latitude': 43.616299, 'longitude': 13.3623, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockhol
m-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'lati
tude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': '
Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'lon
gitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Ber
lin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Elefthe
rios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao
': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airp
ort', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898
132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Elefthe
rios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao
': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport
', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994
446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1688, 'name': 'Antalya
International Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'la
titude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_
id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelo
na International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL'
, 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city':
'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'lo
ngitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelo
na International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL'
, 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'D
uesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude
': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelo
na International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL'
, 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Han
nover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude':
9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelo
na International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL'
, 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamb
urg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitu
de': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelo
na International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL'
, 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'St
uttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitud
e': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1506, 'name': 'Brindis
i - Salento Airport', 'city': 'Brindisi', 'iata': 'BDS', 'icao': 'LIBR', 'lat
itude': 40.6576, 'longitude': 17.947001, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata':
'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1739, 'name': 'Belgrad
e Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', '
latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stut
tgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude'
: 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen A
irport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude'
: 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HA
M', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882297515
86902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 469, 'name': 'Birmingh
am International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao': 'EGBB
', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timezone': 0
.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city
': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004,
'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 469, 'name': 'Birmingh
am International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao': 'EGBB
', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timezone': 0
.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport',
'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longit
ude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1321, 'name': 'Bastia-
Poretta Airport', 'city': 'Bastia', 'iata': 'BIA', 'icao': 'LFKB', 'latitude'
: 42.55270004272461, 'longitude': 9.48373031616211, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Colo
gne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitu
de': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1321, 'name': 'Bastia-
Poretta Airport', 'city': 'Bastia', 'iata': 'BIA', 'icao': 'LFKB', 'latitude'
: 42.55270004272461, 'longitude': 9.48373031616211, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesse
ldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.
766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1321, 'name': 'Bastia-
Poretta Airport', 'city': 'Bastia', 'iata': 'BIA', 'icao': 'LFKB', 'latitude'
: 42.55270004272461, 'longitude': 9.48373031616211, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg',
'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9
.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1321, 'name': 'Bastia-
Poretta Airport', 'city': 'Bastia', 'iata': 'BIA', 'icao': 'LFKB', 'latitude'
: 42.55270004272461, 'longitude': 9.48373031616211, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttga
rt', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9
.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1321, 'name': 'Bastia-
Poretta Airport', 'city': 'Bastia', 'iata': 'BIA', 'icao': 'LFKB', 'latitude'
: 42.55270004272461, 'longitude': 9.48373031616211, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berl
in', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1216, 'name': 'Bilbao
Airport', 'city': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latitude': 43.301
10168457031, 'longitude': -2.9106099605560303, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldor
f', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.7667
80000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1216, 'name': 'Bilbao
Airport', 'city': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latitude': 43.301
10168457031, 'longitude': -2.9106099605560303, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1538, 'name': 'Bologna
Guglielmo Marconi Airport', 'city': 'Bologna', 'iata': 'BLQ', 'icao': 'LIPE',
'latitude': 44.5354, 'longitude': 11.2887, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iat
a': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.142
7397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1538, 'name': 'Bologna
Guglielmo Marconi Airport', 'city': 'Bologna', 'iata': 'BLQ', 'icao': 'LIPE',
'latitude': 44.5354, 'longitude': 11.2887, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata
': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 353, 'name': 'Bremen A
irport', 'city': 'Bremen', 'iata': 'BRE', 'icao': 'EDDW', 'latitude': 53.0475
006104, 'longitude': 8.78666973114, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'S
TR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'C
RJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1501, 'name': 'Bari Ka
rol Wojtyła Airport', 'city': 'Bari', 'iata': 'BRI', 'icao': 'LIBD', 'latitud
e': 41.138901000000004, 'longitude': 16.760599, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1501, 'name': 'Bari Ka
rol Wojtyła Airport', 'city': 'Bari', 'iata': 'BRI', 'icao': 'LIBD', 'latitud
e': 41.138901000000004, 'longitude': 16.760599, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf
', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678
0000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1501, 'name': 'Bari Ka
rol Wojtyła Airport', 'city': 'Bari', 'iata': 'BRI', 'icao': 'LIBD', 'latitud
e': 41.138901000000004, 'longitude': 16.760599, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels
Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9
014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata
': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.221960067
75, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1423, 'name': 'EuroAir
port Basel-Mulhouse-Freiburg Airport', 'city': 'Mulhouse', 'iata': 'BSL', 'ic
ao': 'LFSB', 'latitude': 47.59, 'longitude': 7.5291667, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Due
sseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude':
6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapes
t Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'ic
ao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airp
ort', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898
132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319', '320', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapes
t Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'ic
ao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport',
'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328
004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapes
t Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'ic
ao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport
', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994
446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['319', 'CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1519, 'name': 'Cagliar
i Elmas Airport', 'city': 'Cagliari', 'iata': 'CAG', 'icao': 'LIEE', 'latitud
e': 39.251499, 'longitude': 9.05428, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'C
GN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.142739772
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1519, 'name': 'Cagliar
i Elmas Airport', 'city': 'Cagliari', 'iata': 'CAG', 'icao': 'LIEE', 'latitud
e': 39.251499, 'longitude': 9.05428, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata':
'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1519, 'name': 'Cagliar
i Elmas Airport', 'city': 'Cagliari', 'iata': 'CAG', 'icao': 'LIEE', 'latitud
e': 39.251499, 'longitude': 9.05428, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'ST
R', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles
de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LF
PG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iat
a': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988
229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 1460, 'name': 'Ioannis Kapodistrias International Airport', 'city': 'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.601898193359375, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1460, 'name': 'Ioannis Kapodistrias International Airport', 'city': 'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.601898193359375, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 338, 'name': 'Dresden Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.1328010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1460, 'name': 'Ioannis Kapodistrias International Airport', 'city': 'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.601898193359375, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 210, 'name': 'Houari Boumediene Airport', 'city': 'Algier', 'iata': 'ALG', 'icao': 'DAAG', 'latitude': 36.691001892089844, 'longitude': 3.215409994125366, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Algiers', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Sto
ckholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'long
itude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockh
olm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International Air
port', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.936401
3672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1688, 'name': 'Antalya International Airport', 'city':
'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude':
30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city
': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitud
e': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1321, 'name': 'Bastia-Poretta Airport', 'city': 'Basti
a', 'iata': 'BIA', 'icao': 'LFKB', 'latitude': 42.55270004272461, 'longitude'
: 9.48373031616211, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1538, 'name': 'Bologna Guglielmo Marconi Airport', 'ci
ty': 'Bologna', 'iata': 'BLQ', 'icao': 'LIPE', 'latitude': 44.5354, 'longitud
e': 11.2887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1501, 'name': 'Bari Karol Wojtyła Airport', 'city': 'B
ari', 'iata': 'BRI', 'icao': 'LIBD', 'latitude': 41.138901000000004, 'longitu
de': 16.760599, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Air
port', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.4297
59999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319', '320', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1519, 'name': 'Cagliari Elmas Airport', 'city': 'Cagli
ari', 'iata': 'CAG', 'icao': 'LIEE', 'latitude': 39.251499, 'longitude': 9.05
428, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1460, 'name': 'Ioannis Kapodistrias International Airp
ort', 'city': 'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.
601898193359375, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1322, 'name': 'Calvi-Sainte-Catherine Airport', 'city'
: 'Calvi', 'iata': 'CLY', 'icao': 'LFKC', 'latitude': 42.52444439999999, 'lon
gitude': 8.793055599999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Par
is', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city':
'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'lo
ngitude': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik'
, 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 1
8.268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 338, 'name': 'Dresden Airport', 'city': 'Dresden', 'ia
ta': 'DRS', 'icao': 'EDDC', 'latitude': 51.1328010559082, 'longitude': 13.767
200469970705, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata
': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'time
zone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 535, 'name': 'Edinburgh Airport', 'city': 'Edinburgh',
'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.95000076293945, 'longitude': -3
.372499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 382, 'name': 'Friedrichshafen Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', 'latitude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5557, 'name': 'Heringsdorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitude': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1225, 'name': 'Ibiza Airport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.8728981018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1468, 'name': 'Mikonos Airport', 'city': 'Mykonos', 'iata': 'JMK', 'icao': 'LGMK', 'latitude': 37.43510055541992, 'longitude': 25.348100662231445, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1479, 'name': 'Santorini Airport', 'city': 'Thira', 'i
ata': 'JTR', 'icao': 'LGSR', 'latitude': 36.39920043945313, 'longitude': 25.4
7929954528809, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1458, 'name': 'Kos Airport', 'city': 'Kos', 'iata': 'K
GS', 'icao': 'LGKO', 'latitude': 36.79330062866211, 'longitude': 27.091699600
21973, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4322, 'name': 'Klagenfurt Airport', 'city': 'Klagenfur
t', 'iata': 'KLU', 'icao': 'LOWK', 'latitude': 46.642502, 'longitude': 14.337
7, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1462, 'name': 'Alexander the Great International Airpo
rt', 'city': 'Kavala', 'iata': 'KVA', 'icao': 'LGKV', 'latitude': 40.91329956
054688, 'longitude': 24.619199752807614, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ', '319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester
', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude':
-2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city'
: 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude':
8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1561, 'name': 'Naples International Airport', 'city':
'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'lon
gitude': 14.2908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nic
e', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude
': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5673, 'name': 'Nador International Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1512, 'name': 'Falcone-Borsellino Airport', 'city': 'Palermo', 'iata': 'PMO', 'icao': 'LICJ', 'latitude': 38.175999, 'longitude': 13.091, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': '
Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.
26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, '320', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1562, 'name': 'Pisa International Airport', 'city': 'P
isa', 'iata': 'PSA', 'icao': 'LIRP', 'latitude': 43.683899, 'longitude': 10.3
927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1203, 'name': 'Pula Airport', 'city': 'Pula', 'iata':
'PUY', 'icao': 'LDPL', 'latitude': 44.89350128173828, 'longitude': 13.9222002
02941895, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1075, 'name': 'Menara Airport', 'city': 'Marrakech', '
iata': 'RAK', 'icao': 'GMMX', 'latitude': 31.6068992615, 'longitude': -8.0362
99705510002, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1472, 'name': 'Diagoras Airport', 'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP', 'latitude': 36.40539932250977, 'longitude': 28.086200714111328, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1205, 'name': 'Rijeka Airport', 'city': 'Rijeka', 'iata': 'RJK', 'icao': 'LDRI', 'latitude': 45.21689987182617, 'longitude': 14.570300102233887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 772, 'name': 'Rostock-Laage Airport', 'city': 'Laage', 'iata': 'RLG', 'icao': 'ETNL', 'latitude': 53.9182014465, 'longitude': 12.2783002853, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4317, 'name': 'Sabiha Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1646, 'name': 'Sarajevo International Airport', 'city'
: 'Sarajevo', 'iata': 'SJJ', 'icao': 'LQSA', 'latitude': 43.82460021972656, '
longitude': 18.331499099731445, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Sarajevo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Ai
rport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40
.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata'
: 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.29800
033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 548, 'name': 'London Stansted Airport', 'city': 'Londo
n', 'iata': 'STN', 'icao': 'EGSS', 'latitude': 51.8849983215, 'longitude': 0.
23499999940400002, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1508, 'name': 'Lamezia Terme Airport', 'city': 'Lamezia', 'iata': 'SUF', 'icao': 'LICA', 'latitude': 38.905398999999996, 'longitude': 16.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1612, 'name': 'Salzburg Airport', 'city': 'Salzburg', 'iata': 'SZG', 'icao': 'LOWS', 'latitude': 47.793300628699996, 'longitude': 13.0043001175, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 287, 'name': 'Tunis Carthage International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA', 'latitude': 36.85100173950195, 'longitude': 10.22719955444336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne

Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw'
, 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9
671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1226, 'name': 'Jerez Airport', 'city': 'Jerez', 'iata'
: 'XRY', 'icao': 'LEJR', 'latitude': 36.74459838867188, 'longitude': -6.06011
0092163086, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata'
: 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':
50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1208, 'name': 'Zagreb Airport', 'city': 'Zagreb', 'iat
a': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005, 'longitude': 16.06
87999725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne
Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude':

50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iat
a': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.549
17, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
, '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1322, 'name': 'Calvi-S
ainte-Catherine Airport', 'city': 'Calvi', 'iata': 'CLY', 'icao': 'LFKC', 'la
titude': 42.52444439999999, 'longitude': 8.793055599999999, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city
': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996,
'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berl
in', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania
-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'la
titude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologn
e', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude
': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania
-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'la
titude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseld
orf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76
6780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania
-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'la

titude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover',
'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507
957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania
-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'la
titude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', '
iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.
988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania
-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'la
titude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart
', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2
2196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania
-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'la
titude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin
', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 488, 'name': 'Cardiff
International Airport', 'city': 'Cardiff', 'iata': 'CWL', 'icao': 'EGFF', 'la
titude': 51.39670181274414, 'longitude': -3.343329906463623, 'timezone': 0.0,

'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city'
: 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longi
tude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovn
ik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude':
42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Colo
gne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitu
de': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovn
ik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude':
42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesse
ldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.
766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovn
ik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude':
42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover
', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68
507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovn
ik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude':
42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E

', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg',
'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9
.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovn
ik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude':
42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttga
rt', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9
.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovn
ik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude':
42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berl
in', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 338, 'name': 'Dresden
Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.13
28010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1460, 'name': 'Ioannis Kapodistrias International Airpo
rt', 'city': 'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.6
01898193359375, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 338, 'name': 'Dresden
Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.13
28010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 't

z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 338, 'name': 'Dresden
Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.13
28010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf
', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678
0000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 338, 'name': 'Dresden
Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.13
28010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 373, 'name': 'Dortmund
Airport', 'city': 'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.5
18299102799986, 'longitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 5557, 'name': 'Heringsdorf Airport', 'city': 'Heringsdorf
', 'iata': 'HDF', 'icao': 'EDAH', 'latitude': 53.8787002563, 'longitude': 14.
152299881, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 373, 'name': 'Dortmund
Airport', 'city': 'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.5
18299102799986, 'longitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_

id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata':
'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 373, 'name': 'Dortmund
Airport', 'city': 'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.5
18299102799986, 'longitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma
de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996,
'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Mad
rid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 373, 'name': 'Dortmund
Airport', 'city': 'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.5
18299102799986, 'longitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 4317, 'name': 'Sabiha Gökçen International Airport', 'cit
y': 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'lon
gitude': 29.3092002869, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbu
l', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 373, 'name': 'Dortmund
Airport', 'city': 'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.5
18299102799986, 'longitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata': '
SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.29800033
569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin A
irport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.4212
99, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dubl
in', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id

': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'ic
ao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin A
irport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.4212
99, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dubl
in', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', '
icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4309, 'name': 'Ancona Falconara Airport', 'city': 'Ancon
a', 'iata': 'AOI', 'icao': 'LIPY', 'latitude': 43.616299, 'longitude': 13.362
3, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stock
holm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longit
ude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockhol
m', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city':
'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude':
2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1321, 'name': 'Bastia-Poretta Airport', 'city': 'Bastia'
, 'iata': 'BIA', 'icao': 'LFKB', 'latitude': 42.55270004272461, 'longitude':
9.48373031616211, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1216, 'name': 'Bilbao Airport', 'city': 'Bilbao', 'iata'
: 'BIO', 'icao': 'LEBB', 'latitude': 43.30110168457031, 'longitude': -2.91060
99605560303, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1501, 'name': 'Bari Karol Wojtyła Airport', 'city': 'Bar
i', 'iata': 'BRI', 'icao': 'LIBD', 'latitude': 41.138901000000004, 'longitude
': 16.760599, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1423, 'name': 'EuroAirport Basel-Mulhouse-Freiburg Airpo
rt', 'city': 'Mulhouse', 'iata': 'BSL', 'icao': 'LFSB', 'latitude': 47.59, 'l
ongitude': 7.5291667, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1519, 'name': 'Cagliari Elmas Airport', 'city': 'Cagliar
i', 'iata': 'CAG', 'icao': 'LIEE', 'latitude': 39.251499, 'longitude': 9.0542
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'C
atania', 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'long
itude': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 488, 'name': 'Cardiff International Airport', 'city': 'C
ardiff', 'iata': 'CWL', 'icao': 'EGFF', 'latitude': 51.39670181274414, 'longi
tude': -3.343329906463623, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lond
on', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik',
'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.
268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 338, 'name': 'Dresden Airport', 'city': 'Dresden', 'iata': 'DRS', 'icao': 'EDDC', 'latitude': 51.1328010559082, 'longitude': 13.767200469970705, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5557, 'name': 'Heringsdorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitude': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1225, 'name': 'Ibiza Airport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.8728981018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 671, 'name': 'Katowice International Airport', 'city': 'Katowice', 'iata': 'KTW', 'icao': 'EPKT', 'latitude': 50.4743, 'longitude': 19.08, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1335, 'name': 'Lyon Saint-Exupéry Airport', 'city': 'Lyo
n', 'iata': 'LYS', 'icao': 'LFLL', 'latitude': 45.725556, 'longitude': 5.0811
11, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'c
ity': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longit
ude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1359, 'name': 'Montpellier-Méditerranée Airport', 'city'
: 'Montpellier', 'iata': 'MPL', 'icao': 'LFMT', 'latitude': 43.57619857788086
, 'longitude': 3.96301007270813, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city':
'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.
728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['CRJ', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 481, 'name': 'Newquay Cornwall Airport', 'city': 'Newqua
i', 'iata': 'NQY', 'icao': 'EGHQ', 'latitude': 50.44060134887695, 'longitude'
: -4.995409965515137, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 347, 'name': 'Nuremberg Airport', 'city': 'Nuernberg', '
iata': 'NUE', 'icao': 'EDDN', 'latitude': 49.498699, 'longitude': 11.078056,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport', 'city': 'O
lbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'longitude': 9.5
1763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palm
a de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996
, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/M

adrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 674, 'name': 'Poznań-Ławica Airport', 'city': 'Poznan',
'iata': 'POZ', 'icao': 'EPPO', 'latitude': 52.4210014343, 'longitude': 16.826
2996674, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Pr
ague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1742, 'name': 'Priština International Airport', 'city':
'Pristina', 'iata': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitude':
21.035801, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airp
ort', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.5
1969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', '

tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata':
'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.2980003
3569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1508, 'name': 'Lamezia Terme Airport', 'city': 'Lamezia'
, 'iata': 'SUF', 'icao': 'LICA', 'latitude': 38.905398999999996, 'longitude':
16.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1526, 'name': 'Turin Airport', 'city': 'Torino', 'iata':
'TRN', 'icao': 'LIMF', 'latitude': 45.200802, 'longitude': 7.64963, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Veni
ce', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.35
19, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', '

source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw',
'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.967
1001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 680, 'name': 'Copernicus Wrocław Airport', 'city': 'Wroc
law', 'iata': 'WRO', 'icao': 'EPWR', 'latitude': 51.10269927979999, 'longitud
e': 16.885799408, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldo
rf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude'
: 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata':
'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'Edinburg
h Airport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 5
5.95000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Colo
gne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitu
de': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Ai
rport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004
82199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'i
ata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1
427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Ai
rport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004
82199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata':
'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882297
51586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Ai
rport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004
82199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'ia
ta': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219600
6775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', '
city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.8658981322999
96, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/

Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city
': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'long
itude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city'
: 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, '
longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'cit
y': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'l
ongitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', '
city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitu
de': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 382, 'name': 'Friedric
hshafen Airport', 'city': 'Friedrichshafen', 'iata': 'FDH', 'icao': 'EDNY', '
latitude': 47.671298980699994, 'longitude': 9.511489868160002, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', '
city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.8658981322999
96, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4166, 'name': 'Karlsru
he Baden-Baden Airport', 'city': 'Karlsruhe/Baden-Baden', 'iata': 'FKB', 'ica
o': 'EDSB', 'latitude': 48.7793998718, 'longitude': 8.08049964905, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'c
ity': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040161132800
4, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3986, 'name': 'Memming
en Allgau Airport', 'city': 'Memmingen', 'iata': 'FMM', 'icao': 'EDJA', 'lati
tude': 47.9888000488, 'longitude': 10.2395000458, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg',
'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9
.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3986, 'name': 'Memming
en Allgau Airport', 'city': 'Memmingen', 'iata': 'FMM', 'icao': 'EDJA', 'lati
tude': 47.9888000488, 'longitude': 10.2395000458, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berli
n', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877,

'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfur
t am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'lati
tude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 5557, 'name': 'Heringsdorf Airport', 'city': 'Heringsdorf',
'iata': 'HDF', 'icao': 'EDAH', 'latitude': 53.8787002563, 'longitude': 14.152
299881, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva
Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LS
GG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport',
'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501,
'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva
Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LS
GG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'c
ity': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040161132800
4, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barce
lona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.078
4599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Catania'
, 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'longitude':
15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata':
'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.26819992
0654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'R
ome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitu
de': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzakis Airpor
t', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 35.339698
7915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Euro

pe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano
', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.7281100
00000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1561, 'name': 'Naples International Airport', 'city': 'Naples',
'iata': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'longitude': 1
4.2908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Ma
llorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'long
itude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1742, 'name': 'Priština International Airport', 'city': 'Pristi
na', 'iata': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitude': 21.0358
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 4317, 'name': 'Sabiha Gökçen International Airport', 'city': 'I
stanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'longitude
': 29.3092002869, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airport', '
city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.51969909
667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata': 'SPU',
'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.29800033569336
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 548, 'name': 'London Stansted Airport', 'city': 'London', 'iata
': 'STN', 'icao': 'EGSS', 'latitude': 51.8849983215, 'longitude': 0.234999999
40400002, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata':
'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1508, 'name': 'Lamezia Terme Airport', 'city': 'Lamezia', 'iata
': 'SUF', 'icao': 'LICA', 'latitude': 38.905398999999996, 'longitude': 16.242
3, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'i
ata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'Hannover
Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4
61101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna',
'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 1
6.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Am
sterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude':
4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Sto
ckholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'long
itude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockh
olm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city
': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitud
e': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Berge
n', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.21
8140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 469, 'name': 'Birmingham International Airport', 'city
': 'Birmingham', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'l
ongitude': -1.7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe
/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1321, 'name': 'Bastia-Poretta Airport', 'city': 'Basti
a', 'iata': 'BIA', 'icao': 'LFKB', 'latitude': 42.55270004272461, 'longitude'
: 9.48373031616211, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Air
port', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.4297
59999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airport
', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'lo
ngitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', 'CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne'
, 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude':
7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city':
'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'lo
ngitude': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik'
, 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 1
8.268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata':
'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909
957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', '
city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996,
'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4166, 'name': 'Karlsruhe Baden-Baden Airport', 'city':
'Karlsruhe/Baden-Baden', 'iata': 'FKB', 'icao': 'EDSB', 'latitude': 48.779399
8718, 'longitude': 8.08049964905, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3986, 'name': 'Memmingen Allgau Airport', 'city': 'Mem
mingen', 'iata': 'FMM', 'icao': 'EDJA', 'latitude': 47.9888000488, 'longitude
': 10.2395000458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport',
'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.2380981445312
5, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzak
is Airport', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude':
35.3396987915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4322, 'name': 'Klagenfurt Airport', 'city': 'Klagenfur
t', 'iata': 'KLU', 'icao': 'LOWK', 'latitude': 46.642502, 'longitude': 14.337
7, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'Londo
n', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.46194
1, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport',
'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'long
itude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester
', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude':
-2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city'
: 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude':
8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1561, 'name': 'Naples International Airport', 'city':
'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'lon
gitude': 14.2908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nic
e', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude
': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 347, 'name': 'Nuremberg Airport', 'city': 'Nuernberg',
'iata': 'NUE', 'icao': 'EDDN', 'latitude': 49.498699, 'longitude': 11.078056,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport', 'city':
'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'longitude': 9
.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata':
'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Pa
lma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.5517005919999
96, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': '
Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.
26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1742, 'name': 'Priština International Airport', 'city'
: 'Pristina', 'iata': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitude'
: 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1205, 'name': 'Rijeka Airport', 'city': 'Rijeka', 'iat
a': 'RJK', 'icao': 'LDRI', 'latitude': 45.21689987182617, 'longitude': 14.570
300102233887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4317, 'name': 'Sabiha Gökçen International Airport', '
city': 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, '
longitude': 29.3092002869, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Ista
nbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Ai
rport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40
.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata'
: 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.29800
033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1273, 'name': 'Toulouse-Blagnac Airport', 'city': 'Tou
louse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101, 'longitude': 1.
36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['C
RJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Ve
nice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.
3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city':
'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'lon
gitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vi
enna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'V
illafranca', 'iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude
': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg
Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63
0401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iat
a': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.549
17, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 5557, 'name': 'Herings
dorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitud
e': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 5557, 'name': 'Herings
dorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitud
e': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 373, 'name': 'Dortmund Airport', 'city': 'Dortmund', 'i
ata': 'DTM', 'icao': 'EDLW', 'latitude': 51.518299102799986, 'longitude': 7.6
1223983765, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 5557, 'name': 'Herings
dorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitud
e': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf
', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678
0000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 5557, 'name': 'Herings
dorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitud
e': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Fran
kfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.
570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 5557, 'name': 'Herings
dorf Airport', 'city': 'Heringsdorf', 'iata': 'HDF', 'icao': 'EDAH', 'latitud
e': 53.8787002563, 'longitude': 14.152299881, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki
Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude
': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Ber
lin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.287
7, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Herakli
on International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HE
R', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn
Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.86
5898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Herakli
on International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HE
R', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf A
irport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51
.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Herakli
on International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HE
R', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Air
port', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.4611
01532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Herakli
on International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HE
R', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airp
ort', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401
611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Herakli
on International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HE
R', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Ai
rport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.68
98994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Herakli
on International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HE
R', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel
Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.559
7, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 1225, 'name': 'Ibiza A
irport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.87289
81018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata'
: 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14273
97728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1225, 'name': 'Ibiza A
irport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.87289
81018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iat
a': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000
001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1225, 'name': 'Ibiza A
irport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.87289
81018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata':
'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1225, 'name': 'Ibiza A
irport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.87289
81018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata':
'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1468, 'name': 'Mikonos
Airport', 'city': 'Mykonos', 'iata': 'JMK', 'icao': 'LGMK', 'latitude': 37.43

510055541992, 'longitude': 25.348100662231445, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne'
, 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude':
7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1479, 'name': 'Santori
ni Airport', 'city': 'Thira', 'iata': 'JTR', 'icao': 'LGSR', 'latitude': 36.3
9920043945313, 'longitude': 25.47929954528809, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne'
, 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude':
7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1458, 'name': 'Kos Air
port', 'city': 'Kos', 'iata': 'KGS', 'icao': 'LGKO', 'latitude': 36.793300628
66211, 'longitude': 27.09169960021973, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata'
: 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14273
97728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4322, 'name': 'Klagenf
urt Airport', 'city': 'Klagenfurt', 'iata': 'KLU', 'icao': 'LOWK', 'latitude'
: 46.642502, 'longitude': 14.3377, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'C
GN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.142739772
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4322, 'name': 'Klagenf
urt Airport', 'city': 'Klagenfurt', 'iata': 'KLU', 'icao': 'LOWK', 'latitude'

: 46.642502, 'longitude': 14.3377, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM',
'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822975158690
2, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4322, 'name': 'Klagenf
urt Airport', 'city': 'Klagenfurt', 'iata': 'KLU', 'icao': 'LOWK', 'latitude'
: 46.642502, 'longitude': 14.3377, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TX
L', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków J
ohn Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao':
'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stutt
gart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude':
9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 671, 'name': 'Katowice
International Airport', 'city': 'Katowice', 'iata': 'KTW', 'icao': 'EPKT', 'l
atitude': 50.4743, 'longitude': 19.08, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iat
a': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000
001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR
J']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1462, 'name': 'Alexand
er the Great International Airport', 'city': 'Kavala', 'iata': 'KVA', 'icao':
'LGKV', 'latitude': 40.91329956054688, 'longitude': 24.619199752807614, 'time

zone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Ai
rport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.8658
98132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1462, 'name': 'Alexand
er the Great International Airport', 'city': 'Kavala', 'iata': 'KVA', 'icao':
'LGKV', 'latitude': 40.91329956054688, 'longitude': 24.619199752807614, 'time
zone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airpo
rt', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.68989
94446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 348, 'name': 'Leipzig/
Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude':
51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', '
iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.
1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ', '319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 348, 'name': 'Leipzig/
Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude':
51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf',
'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678000
0000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 348, 'name': 'Leipzig/
Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude':
51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_

id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'i
ata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.221960
06775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London H
eathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude'
: 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'C
GN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.142739772
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London H
eathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude'
: 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM',
'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822975158690
2, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London H
eathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude'
: 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'ST
R', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '32
0']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London H
eathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude'
: 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur

ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TX
L', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1529, 'name': 'Milano
Linate Airport', 'city': 'Milan', 'iata': 'LIN', 'icao': 'LIML', 'latitude':
45.445099, 'longitude': 9.27674, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL',
'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'Humbert
o Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS',
'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'cit
y': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996,
'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berl
in', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'Humbert
o Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS',
'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city':
'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longi
tude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Ca
naria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latit
ude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, '
dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'ci

ty': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996
, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Be
rlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1335, 'name': 'Lyon Sa
int-Exupéry Airport', 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL', 'latitud
e': 45.725556, 'longitude': 5.081111, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata'
: 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678000000000
1, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo
Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEM
D', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duessel
dorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.7
66780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo
Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEM
D', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg',
'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9
.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchest
er Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude':
53.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Co

logne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longi
tude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchest
er Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude':
53.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg
', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude'
: 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1359, 'name': 'Montpel
lier-Méditerranée Airport', 'city': 'Montpellier', 'iata': 'MPL', 'icao': 'LF
MT', 'latitude': 43.57619857788086, 'longitude': 3.96301007270813, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport',
'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501,
'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich A
irport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.3538
02, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 373, 'name': 'Dortmund Airport', 'city': 'Dortmund', 'iata': 'DTM', 'icao':
'EDLW', 'latitude': 51.518299102799986, 'longitude': 7.61223983765, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpens
a International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'l
atitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologn
e', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude

': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpens
a International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'l
atitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseld
orf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76
6780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['CRJ', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpens
a International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'l
atitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover',
'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507
957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpens
a International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'l
atitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', '
iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.
988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpens
a International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'l
atitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart
', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2

2196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1561, 'name': 'Naples
International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'lat
itude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne
', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude'
: 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1561, 'name': 'Naples
International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'lat
itude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover',
'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507
957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1561, 'name': 'Naples
International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'lat
itude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'i
ata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9
88229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1561, 'name': 'Naples
International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'lat
itude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart'
, 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22

196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 5673, 'name': 'Nador International Airport', 'city': 'El Aroui', 'iata': 'NDR', 'icao': 'GMMW', 'latitude': 34.988800048799995, 'longitude': -3.0282099247000005, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132

299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 481, 'name': 'Newquay
Cornwall Airport', 'city': 'Newquai', 'iata': 'NQY', 'icao': 'EGHQ', 'latitud
e': 50.44060134887695, 'longitude': -4.995409965515137, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'D
uesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude
': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 347, 'name': 'Nurember
g Airport', 'city': 'Nuernberg', 'iata': 'NUE', 'icao': 'EDDN', 'latitude': 4
9.498699, 'longitude': 11.078056, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': '
DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 347, 'name': 'Nurember
g Airport', 'city': 'Nuernberg', 'iata': 'NUE', 'icao': 'EDDN', 'latitude': 4
9.498699, 'longitude': 11.078056, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', '
icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 347, 'name': 'Nurember
g Airport', 'city': 'Nuernberg', 'iata': 'NUE', 'icao': 'EDDN', 'latitude': 4
9.498699, 'longitude': 11.078056, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL
', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0

, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1520, 'name': 'Olbia C
osta Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'lati
tude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata':
'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397
728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1520, 'name': 'Olbia C
osta Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'lati
tude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata'
: 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678000000000
1, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1520, 'name': 'Olbia C
osta Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'lati
tude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM'
, 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586
902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1520, 'name': 'Olbia C
osta Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'lati
tude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': '
STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775,

'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luf
thavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'l
ongitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 342, '
name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', '
latitude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport',
'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299
996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 373, 'name': 'Dortmund Airport', 'cit
y': 'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.518299102799986
, 'longitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'c
ity': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'l
ongitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B

erlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'cit
y': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'lon
gitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city
': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004,
'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'ci
ty': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, '
longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berl
in', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma D
e Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEP
A', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport',
'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longit
ude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1512, 'name': 'Falcone
-Borsellino Airport', 'city': 'Palermo', 'iata': 'PMO', 'icao': 'LICJ', 'lati
tude': 38.175999, 'longitude': 13.091, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata':
'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397
728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 674, 'name': 'Poznań-Ł
awica Airport', 'city': 'Poznan', 'iata': 'POZ', 'icao': 'EPPO', 'latitude':
52.4210014343, 'longitude': 16.8262996674, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf',
'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678000
0000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav
Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'lati
tude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': '
CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14273977
28, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, '320', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav
Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'lati
tude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata':
'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001,

'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav
Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'lati
tude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM',
'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822975158690
2, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1742, 'name': 'Prištin
a International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR',
'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldor
f', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.7667
80000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1742, 'name': 'Prištin
a International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR',
'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', '
iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.685079
57458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1742, 'name': 'Prištin
a International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR',
'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'ia
ta': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98
8229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1742, 'name': 'Prištin
a International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR',
'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1742, 'name': 'Prištin
a International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR',
'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin',
'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1562, 'name': 'Pisa In
ternational Airport', 'city': 'Pisa', 'iata': 'PSA', 'icao': 'LIRP', 'latitud
e': 43.683899, 'longitude': 10.3927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'C
GN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.142739772
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1203, 'name': 'Pula Ai
rport', 'city': 'Pula', 'iata': 'PUY', 'icao': 'LDPL', 'latitude': 44.8935012
8173828, 'longitude': 13.922200202941895, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'ia
ta': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14
27397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1075, 'name': 'Menara
Airport', 'city': 'Marrakech', 'iata': 'RAK', 'icao': 'GMMX', 'latitude': 31.
6068992615, 'longitude': -8.036299705510002, 'timezone': 0.0, 'dst': 'N', 'tz
_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologn
e', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude
': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1472, 'name': 'Diagora
s Airport', 'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP', 'latitude': 36.4
0539932250977, 'longitude': 28.086200714111328, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne
', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude'
: 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1205, 'name': 'Rijeka
Airport', 'city': 'Rijeka', 'iata': 'RJK', 'icao': 'LDRI', 'latitude': 45.216
89987182617, 'longitude': 14.570300102233887, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1205, 'name': 'Rijeka
Airport', 'city': 'Rijeka', 'iata': 'RJK', 'icao': 'LDRI', 'latitude': 45.216
89987182617, 'longitude': 14.570300102233887, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iat
a': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988
229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1205, 'name': 'Rijeka
Airport', 'city': 'Rijeka', 'iata': 'RJK', 'icao': 'LDRI', 'latitude': 45.216
89987182617, 'longitude': 14.570300102233887, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart',
'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219
6006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 772, 'name': 'Rostock-
Laage Airport', 'city': 'Laage', 'iata': 'RLG', 'icao': 'ETNL', 'latitude': 5
3.9182014465, 'longitude': 12.2783002853, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'ia
ta': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14
27397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 772, 'name': 'Rostock-
Laage Airport', 'city': 'Laage', 'iata': 'RLG', 'icao': 'ETNL', 'latitude': 5
3.9182014465, 'longitude': 12.2783002853, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iat
a': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006
775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha
Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LT
FJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'ci
ty': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996
, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Be

rlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha
Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LT
FJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 373, 'name': 'Dortmund Airport', 'city':
'Dortmund', 'iata': 'DTM', 'icao': 'EDLW', 'latitude': 51.518299102799986, 'l
ongitude': 7.61223983765, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha
Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LT
FJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city':
'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitu
de': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha
Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LT
FJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city':
'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'lo
ngitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Be
rlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha
Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LT
FJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city'
: 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'lon
gitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'

, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 4317, 'name': 'Sabiha
Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LT
FJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, '
dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'ci
ty': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude
': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1646, 'name': 'Sarajev
o International Airport', 'city': 'Sarajevo', 'iata': 'SJJ', 'icao': 'LQSA',
'latitude': 43.82460021972656, 'longitude': 18.331499099731445, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Sarajevo', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport'
, 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.8658981322
99996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1646, 'name': 'Sarajev
o International Airport', 'city': 'Sarajevo', 'iata': 'SJJ', 'icao': 'LQSA',
'latitude': 43.82460021972656, 'longitude': 18.331499099731445, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Sarajevo', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', '
city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446,
'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Ber
lin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1646, 'name': 'Sarajev
o International Airport', 'city': 'Sarajevo', 'iata': 'SJJ', 'icao': 'LQSA',
'latitude': 43.82460021972656, 'longitude': 18.331499099731445, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Sarajevo', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport'
, 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'long
itude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', '

tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessal
oniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG'
, 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.970899581909
18, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttga
rt Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude':
48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'i
ata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1
427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 373, 'name': 'Dortmund Airport', 'city': 'Dortmund', 'iata
': 'DTM', 'icao': 'EDLW', 'latitude': 51.518299102799986, 'longitude': 7.6122
3983765, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf',
'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678000
0000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp

ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', 'iata
': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.6850795745
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata':
'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882297
51586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'ia
ta': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.2219600
6775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split A
irport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889
846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'ia
ta': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timez

one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 548, 'name': 'London S
tansted Airport', 'city': 'London', 'iata': 'STN', 'icao': 'EGSS', 'latitude'
: 51.8849983215, 'longitude': 0.23499999940400002, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Colo
gne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitu
de': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 548, 'name': 'London S
tansted Airport', 'city': 'London', 'iata': 'STN', 'icao': 'EGSS', 'latitude'
: 51.8849983215, 'longitude': 0.23499999940400002, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover
', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68
507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 548, 'name': 'London S
tansted Airport', 'city': 'London', 'iata': 'STN', 'icao': 'EGSS', 'latitude'
: 51.8849983215, 'longitude': 0.23499999940400002, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttga
rt', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9
.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': '
AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.49911022
1862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airp

ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International Airport'
, 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672,
'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'B
arcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2
.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1506, 'name': 'Brindisi – Salento Airport', 'city': 'Brindi
si', 'iata': 'BDS', 'icao': 'LIBR', 'latitude': 40.6576, 'longitude': 17.9470
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Airport', 'city': 'Bel
grade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.8184013367, 'longitude'
: 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1321, 'name': 'Bastia-Poretta Airport', 'city': 'Bastia', '
iata': 'BIA', 'icao': 'LFKB', 'latitude': 42.55270004272461, 'longitude': 9.4
8373031616211, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1216, 'name': 'Bilbao Airport', 'city': 'Bilbao', 'iata': '
BIO', 'icao': 'LEBB', 'latitude': 43.30110168457031, 'longitude': -2.91060996
05560303, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 353, 'name': 'Bremen Airport', 'city': 'Bremen', 'iata': 'B
RE', 'icao': 'EDDW', 'latitude': 53.0475006104, 'longitude': 8.78666973114, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'C
RJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1501, 'name': 'Bari Karol Wojtyła Airport', 'city': 'Bari',
'iata': 'BRI', 'icao': 'LIBD', 'latitude': 41.138901000000004, 'longitude': 1
6.760599, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata'
: 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.4844398498
5, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport'
, 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999
999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1519, 'name': 'Cagliari Elmas Airport', 'city': 'Cagliari',
'iata': 'CAG', 'icao': 'LIEE', 'latitude': 39.251499, 'longitude': 9.05428, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1460, 'name': 'Ioannis Kapodistrias International Airport',
'city': 'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.601898
193359375, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E', 'tz_

id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Cata
nia', 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'longitu
de': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'ia
ta': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.268
199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 338, 'name': 'Dresden Airport', 'city': 'Dresden', 'iata':
'DRS', 'icao': 'EDDC', 'latitude': 51.1328010559082, 'longitude': 13.76720046
9970705, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO'
, 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.96590995788
9999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city'
: 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'lon
gitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Ro
me', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', 'iata'
: 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507957458
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata':
'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882297
51586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 5557, 'name': 'Heringsdorf Airport', 'city': 'Heringsdorf',
'iata': 'HDF', 'icao': 'EDAH', 'latitude': 53.8787002563, 'longitude': 14.152
299881, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzakis Ai
rport', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 35.33
96987915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1225, 'name': 'Ibiza Airport', 'city': 'Ibiza', 'iata': 'IB
Z', 'icao': 'LEIB', 'latitude': 38.8728981018, 'longitude': 1.373119950289999
8, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', '
city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longi
tude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1462, 'name': 'Alexander the Great International Airport',
'city': 'Kavala', 'iata': 'KVA', 'icao': 'LGKV', 'latitude': 40.9132995605468
8, 'longitude': 24.619199752807614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu

rope/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'i
ata': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999
999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', '
iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '32
0']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Air
port)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813,
'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Mi
lano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.728
110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1561, 'name': 'Naples International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1742, 'name': 'Priština International Airport', 'city': 'Pristina', 'iata': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitude': 21.035801, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1205, 'name': 'Rijeka Airport', 'city': 'Rijeka', 'iata': '
RJK', 'icao': 'LDRI', 'latitude': 45.21689987182617, 'longitude': 14.57030010
2233887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 772, 'name': 'Rostock-Laage Airport', 'city': 'Laage', 'iat
a': 'RLG', 'icao': 'ETNL', 'latitude': 53.9182014465, 'longitude': 12.2783002
853, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 4317, 'name': 'Sabiha Gökçen International Airport', 'city'
: 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'longi
tude': 29.3092002869, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1646, 'name': 'Sarajevo International Airport', 'city': 'Sa
rajevo', 'iata': 'SJJ', 'icao': 'LQSA', 'latitude': 43.82460021972656, 'longi
tude': 18.331499099731445, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sara

jevo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia International Airport
', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.5196
9909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata': 'SP
U', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.2980003356
9336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 548, 'name': 'London Stansted Airport', 'city': 'London', '
iata': 'STN', 'icao': 'EGSS', 'latitude': 51.8849983215, 'longitude': 0.23499
999940400002, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1508, 'name': 'Lamezia Terme Airport', 'city': 'Lamezia', '
iata': 'SUF', 'icao': 'LICA', 'latitude': 38.905398999999996, 'longitude': 16
.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport'

, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iat
a': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319', '
CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vien
na', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitud
e': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319', '320', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata': 'ZA
D', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgar
t Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 4
8.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1208, 'name': 'Zagreb Airport', 'city': 'Zagreb', 'iata': '
ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005, 'longitude': 16.0687999
725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport'

, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1508, 'name': 'Lamezia
Terme Airport', 'city': 'Lamezia', 'iata': 'SUF', 'icao': 'LICA', 'latitude':
38.905398999999996, 'longitude': 16.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata'
: 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14273
97728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1508, 'name': 'Lamezia
Terme Airport', 'city': 'Lamezia', 'iata': 'SUF', 'icao': 'LICA', 'latitude':
38.905398999999996, 'longitude': 16.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iat
a': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000
001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR
J']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1508, 'name': 'Lamezia
Terme Airport', 'city': 'Lamezia', 'iata': 'SUF', 'icao': 'LICA', 'latitude':
38.905398999999996, 'longitude': 16.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', 'iata': '
HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507957458, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1508, 'name': 'Lamezia
Terme Airport', 'city': 'Lamezia', 'iata': 'SUF', 'icao': 'LICA', 'latitude':
38.905398999999996, 'longitude': 16.2423, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata':
'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1612, 'name': 'Salzbur
g Airport', 'city': 'Salzburg', 'iata': 'SZG', 'icao': 'LOWS', 'latitude': 47
.793300628699996, 'longitude': 13.0043001175, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1273, 'name': 'Toulous
e-Blagnac Airport', 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latit
ude': 43.629101, 'longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM
', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822975158
6902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['C
RJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gur
ion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG'
, 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport'
, 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.8658981322
99996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1526, 'name': 'Turin A
irport', 'city': 'Torino', 'iata': 'TRN', 'icao': 'LIMF', 'latitude': 45.2008
02, 'longitude': 7.64963, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'ica
o': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 287, 'name': 'Tunis Ca
rthage International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA'
, 'latitude': 36.85100173950195, 'longitude': 10.22719955444336, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport',
'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299
996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao'
: 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.499110221862793, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4309, 'name': 'Ancona Falconara Airport', 'city': 'Ancona', 'iata': 'AO
I', 'icao': 'LIPY', 'latitude': 43.616299, 'longitude': 13.3623, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 469, 'name': 'Birmingham International Airport', 'city': 'Birmingham',
'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.748
0299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1321, 'name': 'Bastia-Poretta Airport', 'city': 'Bastia', 'iata': 'BIA'
, 'icao': 'LFKB', 'latitude': 42.55270004272461, 'longitude': 9.4837303161621
1, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1538, 'name': 'Bologna Guglielmo Marconi Airport', 'city': 'Bologna', '
iata': 'BLQ', 'icao': 'LIPE', 'latitude': 44.5354, 'longitude': 11.2887, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN',
'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Catania', 'iata'
: 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'longitude': 15.0664
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5

2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DBV',
'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.268199920654297
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'i
ata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.
238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3986, 'name': 'Memmingen Allgau Airport', 'city': 'Memmingen', 'iata':
'FMM', 'icao': 'EDJA', 'latitude': 47.9888000488, 'longitude': 10.2395000458,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HE
L', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956
, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B

erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1452, 'name': 'Heraklion International Nikos Kazantzakis Airport', 'cit
y': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 35.3396987915, 'l
ongitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athen
s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1225, 'name': 'Ibiza Airport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao':
'LEIB', 'latitude': 38.8728981018, 'longitude': 1.3731199502899998, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4322, 'name': 'Klagenfurt Airport', 'city': 'Klagenfurt', 'iata': 'KLU'
, 'icao': 'LOWK', 'latitude': 46.642502, 'longitude': 14.3377, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR'
, 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.
0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1529, 'name': 'Milano Linate Airport', 'city': 'Milan', 'iata': 'LIN',
'icao': 'LIML', 'latitude': 45.445099, 'longitude': 9.27674, 'timezone': 1.0,

'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE'
, 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560
001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 347, 'name': 'Nuremberg Airport', 'city': 'Nuernberg', 'iata': 'NUE', '
icao': 'EDDN', 'latitude': 49.498699, 'longitude': 11.078056, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca',
'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2
.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1742, 'name': 'Priština International Airport', 'city': 'Pristina', 'ia
ta': 'PRN', 'icao': 'BKPR', 'latitude': 42.5728, 'longitude': 21.035801, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4317, 'name': 'Sabiha Gökçen International Airport', 'city': 'Istanbul'
, 'iata': 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'longitude': 29.30
92002869, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1646, 'name': 'Sarajevo International Airport', 'city': 'Sarajevo', 'ia
ta': 'SJJ', 'icao': 'LQSA', 'latitude': 43.82460021972656, 'longitude': 18.33
1499099731445, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sarajevo', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata': 'SPU', 'icao':
'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.29800033569336, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', '
icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320', '
CRJ']}

{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata':
'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700
241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'Villafranca', 'iat
a': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude': 10.8885, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata': 'ZAD', 'icao':
'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice
Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitu
de': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': '
CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14273977
28, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
, '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge

rmany', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna

International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 352, 'name': 'Hannover Airport', 'city':
'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitude': 52.461101532, 'longitu
de': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': '
Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'lon
gitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Ber
lin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city':
'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longi
tude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319', '320', 'CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'cit
y': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude'
: 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319', '320']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': 'Verona

Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', '
latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'ia
ta': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14
27397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': 'Verona
Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', '
latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata':
'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882297
51586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': 'Verona
Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', '
latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iat
a': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw C
hopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude':
52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'i
ata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1
427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw C
hopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude':

52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 680, 'name': 'Copernicus Wrocław Airport', 'city': 'Wroclaw', 'iata': 'WRO', 'icao': 'EPWR', 'latitude': 51.10269927979999, 'longitude': 16.885799408, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1226, 'name': 'Jerez Airport', 'city': 'Jerez', 'iata': 'XRY', 'icao': 'LEJR', 'latitude': 36.74459838867188, 'longitude': -6.060110092163086, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata': 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata': 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb

', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata': 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1209, 'name': 'Zadar Airport', 'city': 'Zadar', 'iata': 'ZAD', 'icao': 'LDZD', 'latitude': 44.108299, 'longitude': 15.3467, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1208, 'name': 'Zagreb Airport', 'city': 'Zagreb', 'iata': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005, 'longitude': 16.0687999725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ', '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpress', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 1208, 'name': 'Zagreb Airport', 'city': 'Zagreb', 'iata': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005, 'longitude': 16.0687999725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006

775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich
Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464
698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': '
CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.14273977
28, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
, '319']}
{'airline': {'airline_id': 2548, 'name': 'Germanwings', 'alias': 'FlyAsianXpr
ess', 'iata': '4U', 'icao': 'GWI', 'callsign': 'GERMAN WINGS', 'country': 'Ge
rmany', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich
Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464
698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM',
'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822975158690
2, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
, 'CRJ']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6712, 'name': 'Anaktuvuk Pass Airport', 'city': 'Anak
tuvuk Pass', 'iata': 'AKP', 'icao': 'PAKP', 'latitude': 68.13359833, 'longitu
de': -151.7429962, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata':
'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000
003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3417, 'name': 'Bettles Airport', 'city': 'Bettles', '
iata': 'BTT', 'icao': 'PABT', 'latitude': 66.91390228, 'longitude': -151.5290
07, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6712, 'name': '
Anaktuvuk Pass Airport', 'city': 'Anaktuvuk Pass', 'iata': 'AKP', 'icao': 'PA
KP', 'latitude': 68.13359833, 'longitude': -151.7429962, 'timezone': -9.0, 'd

st': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3417, 'name': 'Bettles Airport', 'city': 'Bettles', '
iata': 'BTT', 'icao': 'PABT', 'latitude': 66.91390228, 'longitude': -151.5290
07, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'sto
ps': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7116, 'name': 'Central Airport', 'city': 'Central', '
iata': 'CEM', 'icao': 'PACE', 'latitude': 65.57379913, 'longitude': -144.7830
0480000001, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7236, '
name': 'Circle City /New/ Airport', 'city': 'Circle', 'iata': 'IRC', 'icao':
'PACR', 'latitude': 65.83049799999999, 'longitude': -144.076008, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7105, 'name': 'Chalkyitsik Airport', 'city': 'Chalkyi
tsik', 'iata': 'CIK', 'icao': 'PACI', 'latitude': 66.6449966431, 'longitude':
-143.74000549299998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata
': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280
000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7105, 'name': 'Chalkyitsik Airport', 'city': 'Chalkyi
tsik', 'iata': 'CIK', 'icao': 'PACI', 'latitude': 66.6449966431, 'longitude':
-143.74000549299998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort Yukon', 'iata': 'FYU', 'i
cao': 'PFYU', 'latitude': 66.57150268554689, 'longitude': -145.25, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 6712, 'name': 'Anaktuvuk Pass Ai
rport', 'city': 'Anaktuvuk Pass', 'iata': 'AKP', 'icao': 'PAKP', 'latitude':

68.13359833, 'longitude': -151.7429962, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3417, 'name': 'Bettles Airport', 'city': 'Bettles', 'iata': 'BTT',
'icao': 'PABT', 'latitude': 66.91390228, 'longitude': -151.529007, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7116, 'name': 'Central Airport', 'city': 'Central', 'iata': 'CEM',
'icao': 'PACE', 'latitude': 65.57379913, 'longitude': -144.78300480000001, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7105, 'name': 'Chalkyitsik Airport', 'city': 'Chalkyitsik', 'iata'
: 'CIK', 'icao': 'PACI', 'latitude': 66.6449966431, 'longitude': -143.7400054
9299998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort Yukon', 'iata':
'FYU', 'icao': 'PFYU', 'latitude': 66.57150268554689, 'longitude': -145.25, '
timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7246, 'name': 'Manley Hot Springs Airport', 'city': 'Manley Hot Sp
rings', 'iata': 'MLY', 'icao': 'PAML', 'latitude': 64.99759674069999, 'longit
ude': -150.643997192, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchora
ge', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['CN1']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None
, 'codeshare': False, 'stops': 0, 'equipment': ['CN1']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None
, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None
, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'cit
y': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'lon
gitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7115, 'name': 'Beaver Airport', 'city': 'Beaver', 'iata': 'WBQ', '
icao': 'PAWB', 'latitude': 66.36219787600001, 'longitude': -147.406997681, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort Yuk
on', 'iata': 'FYU', 'icao': 'PFYU', 'latitude': 66.57150268554689, 'longitude
': -145.25, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7105, '
name': 'Chalkyitsik Airport', 'city': 'Chalkyitsik', 'iata': 'CIK', 'icao': '
PACI', 'latitude': 66.6449966431, 'longitude': -143.74000549299998, 'timezone
': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort Yuk
on', 'iata': 'FYU', 'icao': 'PFYU', 'latitude': 66.57150268554689, 'longitude
': -145.25, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3832, '
name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata': 'FAI',
'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000003, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7236, 'name': 'Circle City /New/ Airport', 'city': 'C
ircle', 'iata': 'IRC', 'icao': 'PACR', 'latitude': 65.83049799999999, 'longit
ude': -144.076008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata':
'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000
003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7246, 'name': 'Manley Hot Springs Airport', 'city': '
Manley Hot Springs', 'iata': 'MLY', 'icao': 'PAML', 'latitude': 64.9975967406
9999, 'longitude': -150.643997192, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
None, 'codeshare': False, 'stops': 0, 'equipment': ['CN1']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 3832, 'name': 'Fairbanks Interna

tional Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitud
e': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CN1']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 3832, 'name': 'Fairbanks Interna
tional Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitud
e': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CN1']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 3832, 'name': 'Fairbanks Interna
tional Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitud
e': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 7115, 'name': 'Beaver Airport',
'city': 'Beaver', 'iata': 'WBQ', 'icao': 'PAWB', 'latitude': 66.3621978760000
1, 'longitude': -147.406997681, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 3832, 'name': 'Fairbanks Interna
tional Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitud
e': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7115, 'name': 'Beaver Airport', 'city': 'Beaver', 'ia
ta': 'WBQ', 'icao': 'PAWB', 'latitude': 66.36219787600001, 'longitude': -147.
406997681, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3832, 'n
ame': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata': 'FAI',
'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000003, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2'
]}

{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7115, 'name': 'Beaver Airport', 'city': 'Beaver', 'ia
ta': 'WBQ', 'icao': 'PAWB', 'latitude': 66.36219787600001, 'longitude': -147.
406997681, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7217,
'name': 'Akiak Airport', 'city': 'Akiak', 'iata': 'AKI', 'icao': 'PFAK', 'lat
itude': 60.9029006958, 'longitude': -161.231002808, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 7094, 'name': 'Kasigluk Airport', 'city': 'Kasigluk', 'iata':
'KUK', 'icao': 'PFKA', 'latitude': 60.87440109, 'longitude': -162.5240021, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA'
]}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l
atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l
atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7093, 'name': 'Eek Airport', 'city': 'Eek', 'ia
ta': 'EEK', 'icao': 'PAEE', 'latitude': 60.21367264, 'longitude': -162.043884
3, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l

atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l
atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7201, 'name': 'Kipnuk Airport', 'city': 'Kipnuk
', 'iata': 'KPN', 'icao': 'PAKI', 'latitude': 59.9329986572, 'longitude': -16
4.031005859, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l
atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7206, 'name': 'Quinhagak Airport', 'city': 'Qui
nhagak', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'longitude': -16
1.845, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l
atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7095, 'name': 'Kwethluk Airport', 'city': 'Kwet
hluk', 'iata': 'KWT', 'icao': 'PFKW', 'latitude': 60.790298461899994, 'longit
ude': -161.444000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchora
ge', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599,
'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'l
atitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7097, 'name': 'Marshall Don Hunter Sr Airport',
'city': 'Marshall', 'iata': 'MLL', 'icao': 'PADM', 'latitude': 61.8642997742,

'longitude': -162.026000977, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE', 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 8199, 'name': 'Nightmute Airport', 'city': 'Nightmute', 'iata': 'NME', 'icao': 'PAGT', 'latitude': 60.471000671386996, 'longitude': -164.70100402832, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE', 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 9739, 'name': 'Napakiak Airport', 'city': 'Napakiak', 'iata': 'WNA', 'icao': 'PANA', 'latitude': 60.69029998779297, 'longitude': -161.97900390625, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE', 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE', 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 6960, 'name': 'Chefornak Airport', 'city': 'Chefornak', 'iata': 'CYF', 'icao': 'PACK', 'latitude': 60.1492004395, 'longitude': -164.285995483, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}

{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7093,
'name': 'Eek Airport', 'city': 'Eek', 'iata': 'EEK', 'icao': 'PAEE', 'latitud
e': 60.21367264, 'longitude': -162.0438843, 'timezone': -9.0, 'dst': 'A', 'tz
_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'i
ata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.83799
74, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7093,
'name': 'Eek Airport', 'city': 'Eek', 'iata': 'EEK', 'icao': 'PAEE', 'latitud
e': 60.21367264, 'longitude': -162.0438843, 'timezone': -9.0, 'dst': 'A', 'tz
_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 7206, 'name': 'Quinhagak Airport', 'city': 'Quinhaga
k', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'longitude': -161.845
, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 3430, 'name': 'Platinum Airport', 'city': 'Port Moller', 'iata
': 'PTU', 'icao': 'PAPM', 'latitude': 59.01139831542969, 'longitude': -161.82
000732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7213,
'name': 'Kongiganak Airport', 'city': 'Kongiganak', 'iata': 'KKH', 'icao': 'P
ADY', 'latitude': 59.9608001709, 'longitude': -162.88099670399998, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 7096, 'name': 'Kwigillingok A
irport', 'city': 'Kwigillingok', 'iata': 'KWK', 'icao': 'PAGG', 'latitude': 5
9.876499, 'longitude': -163.169005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':

{'airport_id': 7217, 'name': 'Akiak Airport', 'city': 'Akiak', 'iata': 'AKI',
'icao': 'PFAK', 'latitude': 60.9029006958, 'longitude': -161.231002808, 'time
zone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7201,
'name': 'Kipnuk Airport', 'city': 'Kipnuk', 'iata': 'KPN', 'icao': 'PAKI', 'l
atitude': 59.9329986572, 'longitude': -164.031005859, 'timezone': -9.0, 'dst'
: 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 6960, 'name': 'Chefornak Airport', 'city':
'Chefornak', 'iata': 'CYF', 'icao': 'PACK', 'latitude': 60.1492004395, 'longi
tude': -164.285995483, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchor
age', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7094,
'name': 'Kasigluk Airport', 'city': 'Kasigluk', 'iata': 'KUK', 'icao': 'PFKA'
, 'latitude': 60.87440109, 'longitude': -162.5240021, 'timezone': -9.0, 'dst'
: 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA'
]}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7096,
'name': 'Kwigillingok Airport', 'city': 'Kwigillingok', 'iata': 'KWK', 'icao'
: 'PAGG', 'latitude': 59.876499, 'longitude': -163.169005, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city
': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitu
de': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7206,
'name': 'Quinhagak Airport', 'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQ
H', 'latitude': 59.7551, 'longitude': -161.845, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel',
'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.837
9974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai

rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7206,
'name': 'Quinhagak Airport', 'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQ
H', 'latitude': 59.7551, 'longitude': -161.845, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 7093, 'name': 'Eek Airport', 'city': 'Eek', 'iata
': 'EEK', 'icao': 'PAEE', 'latitude': 60.21367264, 'longitude': -162.0438843,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CN
A']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7095,
'name': 'Kwethluk Airport', 'city': 'Kwethluk', 'iata': 'KWT', 'icao': 'PFKW'
, 'latitude': 60.790298461899994, 'longitude': -161.444000244, 'timezone': -9
.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment
': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 7097,
'name': 'Marshall Don Hunter Sr Airport', 'city': 'Marshall', 'iata': 'MLL',
'icao': 'PADM', 'latitude': 61.8642997742, 'longitude': -162.026000977, 'time
zone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, '
equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 8199,
'name': 'Nightmute Airport', 'city': 'Nightmute', 'iata': 'NME', 'icao': 'PAG
T', 'latitude': 60.471000671386996, 'longitude': -164.70100402832, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 8200, 'name': 'Toksook Bay Ai
rport', 'city': 'Toksook Bay', 'iata': 'OOK', 'icao': 'PAOO', 'latitude': 60.
54140091, 'longitude': -165.0870056, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET

', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 8200,
'name': 'Toksook Bay Airport', 'city': 'Toksook Bay', 'iata': 'OOK', 'icao':
'PAOO', 'latitude': 60.54140091, 'longitude': -165.0870056, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 9744,
'name': 'Napaskiak Airport', 'city': 'Napaskiak', 'iata': 'PKA', 'icao': 'PAP
K', 'latitude': 60.70289993, 'longitude': -161.7779999, 'timezone': -9.0, 'ds
t': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city':
'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude'
: -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET
', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 3430,
'name': 'Platinum Airport', 'city': 'Port Moller', 'iata': 'PTU', 'icao': 'PA
PM', 'latitude': 59.01139831542969, 'longitude': -161.82000732421875, 'timezo
ne': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airp
ort', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.7798004
2, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET

', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': {'airport_id': 9739,
'name': 'Napakiak Airport', 'city': 'Napakiak', 'iata': 'WNA', 'icao': 'PANA'
, 'latitude': 60.69029998779297, 'longitude': -161.97900390625, 'timezone': -
9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 9744, 'name': 'Napaskiak Airport
', 'city': 'Napaskiak', 'iata': 'PKA', 'icao': 'PAPK', 'latitude': 60.7028999
3, 'longitude': -161.7779999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 7213, 'name': 'Kongiganak Airport', 'city': 'Kongiganak', 'iat
a': 'KKH', 'icao': 'PADY', 'latitude': 59.9608001709, 'longitude': -162.88099
670399998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CNA']}
{'airline': {'airline_id': 1173, 'name': 'Airbus France', 'alias': 'Pulkovo A
viation Enterprise', 'iata': '4Y', 'icao': 'RBU', 'callsign': 'AIRBUS FRANCE'
, 'country': 'France', 'active': False}, 'src_airport': None, 'dst_airport':
{'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET
', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1865, 'name': 'Boc
as Del Toro International Airport', 'city': 'Bocas Del Toro', 'iata': 'BOC',
'icao': 'MPBO', 'latitude': 9.340849876403807, 'longitude': -82.2508010864257
8, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan
Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao':
'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'time
zone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}

{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 6945, 'name': 'Drake Bay Airport', 'city': 'Puntarenas', 'iata': 'DRK', 'icao': 'MRDK', 'latitude': 8.71889019012, 'longitude': -83.6417007446, 'timezone': -6.0, 'dst': 'N', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 6731, 'name': 'Arenal Airport', 'city': 'La Fortuna/San Carlos', 'iata': 'FON', 'icao': 'MRAN', 'latitude': 10.478, 'longitude': -84.634499, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1889, 'name': 'Quepos Managua Airport', 'city': 'Quepos', 'iata': 'XQP', 'icao': 'MRQP', 'latitude': 9.443160057067873, 'longitude': -84.12979888916016, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1879, 'name': 'Golfito Airport', 'city': 'Golfito', 'iata': 'GLF', 'icao': 'MRGF', 'latitude': 8.654009819030763, 'longitude': -83.18219757080078, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5847, 'name': 'Puerto Jimenez Airport', 'city': 'Puerto Jimenez', 'iata': 'PJM', 'icao': 'MRPJ', 'latitude': 8.533329963684082, 'longitude': -83.30000305175781, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}

{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5848, 'name': 'Tobias Bolanos International Airport', 'city': 'San Jose', 'iata': 'SYQ', 'icao': 'MRPV', 'latitude': 9.957050323486328, 'longitude': -84.13980102539062, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5844, 'name': 'Cabo Velas Airport', 'city': 'Nicoya', 'iata': 'BCL', 'icao': 'MRCV', 'latitude': 10.355699539185, 'longitude': -85.852897644043, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1863, 'name': 'Augusto C. Sandino (Managua) International Airport', 'city': 'Managua', 'iata': 'MGA', 'icao': 'MNMG', 'latitude': 12.141500473022461, 'longitude': -86.16819763183594, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Managua', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1884, 'name': 'Nosara Airport', 'city': 'Nosara Beach', 'iata': 'NOB', 'icao': 'MRNS', 'latitude': 9.976490020750001, 'longitude': -85.65299987790002, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6732, 'name': 'Tambor Airport', 'city': 'Nicoya', 'iata': 'TMU', 'icao': 'MRTR', 'latitude': 9.73852, 'longitude': -85.013802, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 5847, 'name': 'Pue
rto Jimenez Airport', 'city': 'Puerto Jimenez', 'iata': 'PJM', 'icao': 'MRPJ'
, 'latitude': 8.533329963684082, 'longitude': -83.30000305175781, 'timezone':
-6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria
International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'l
atitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.
0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1887, 'name': 'Pal
mar Sur Airport', 'city': 'Palmar Sur', 'iata': 'PMZ', 'icao': 'MRPM', 'latit
ude': 8.951029777526855, 'longitude': -83.46859741210938, 'timezone': -6.0, '
dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria Intern
ational Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitud
e': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'ds
t': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1865, 'name': 'Bocas
Del Toro International Airport', 'city': 'Bocas Del Toro', 'iata': 'BOC', 'ic
ao': 'MPBO', 'latitude': 9.340849876403807, 'longitude': -82.25080108642578,
'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']
}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6945, 'name': 'Drake
Bay Airport', 'city': 'Puntarenas', 'iata': 'DRK', 'icao': 'MRDK', 'latitude'

: 8.71889019012, 'longitude': -83.6417007446, 'timezone': -6.0, 'dst': 'N', '
tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6731, 'name': 'Arenal
Airport', 'city': 'La Fortuna/San Carlos', 'iata': 'FON', 'icao': 'MRAN', 'la
titude': 10.478, 'longitude': -84.634499, 'timezone': -6.0, 'dst': 'U', 'tz_i
d': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1879, 'name': 'Golfit
o Airport', 'city': 'Golfito', 'iata': 'GLF', 'icao': 'MRGF', 'latitude': 8.6
54009819030763, 'longitude': -83.18219757080078, 'timezone': -6.0, 'dst': 'U'
, 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1863, 'name': 'August
o C. Sandino (Managua) International Airport', 'city': 'Managua', 'iata': 'MG
A', 'icao': 'MNMG', 'latitude': 12.141500473022461, 'longitude': -86.16819763
183594, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Managua', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN
Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country'
: 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1884, 'name': 'Nosara

Airport', 'city': 'Nosara Beach', 'iata': 'NOB', 'icao': 'MRNS', 'latitude': 9.976490020750001, 'longitude': -85.65299987790002, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5847, 'name': 'Puerto Jimenez Airport', 'city': 'Puerto Jimenez', 'iata': 'PJM', 'icao': 'MRPJ', 'latitude': 8.533329963684082, 'longitude': -83.30000305175781, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6732, 'name': 'Tambor Airport', 'city': 'Nicoya', 'iata': 'TMU', 'icao': 'MRTR', 'latitude': 9.73852, 'longitude': -85.013802, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5844, 'name': 'Cabo Velas Airport', 'city': 'Nicoya', 'iata': 'BCL', 'icao': 'MRCV', 'latitude': 10.355699539185, 'longitude': -85.852897644043, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5842, 'name': 'Aeroto

rtuguero Airport', 'city': 'Roxana', 'iata': 'TTQ', 'icao': 'MRAO', 'latitude': 10.42, 'longitude': -83.6095, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1889, 'name': 'Quepos Managua Airport', 'city': 'Quepos', 'iata': 'XQP', 'icao': 'MRQP', 'latitude': 9.443160057067873, 'longitude': -84.12979888916016, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA', 'DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 5848, 'name': 'Tobias Bolanos International Airport', 'city': 'San Jose', 'iata': 'SYQ', 'icao': 'MRPV', 'latitude': 9.957050323486328, 'longitude': -84.13980102539062, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 6732, 'name': 'Tambor Airport', 'city': 'Nicoya', 'iata': 'TMU', 'icao': 'MRTR', 'latitude': 9.73852, 'longitude': -85.013802, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA', 'DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 5844, 'name': 'Cabo Velas Airport', 'city': 'Nicoya', 'iata': 'BCL', 'icao': 'MRCV', 'latitude': 10.355699539185, 'longitude': -85.852897644043, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Quiros Internati

onal Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 5844, 'name': 'Cabo Velas Airport', 'city': 'Nicoya', 'iata': 'BCL', 'icao': 'MRCV', 'latitude': 10.355699539185, 'longitude': -85.852897644043, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 5842, 'name': 'Aerotortuguero Airport', 'city': 'Roxana', 'iata': 'TTQ', 'icao': 'MRAO', 'latitude': 10.42, 'longitude': -83.6095, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1889, 'name': 'Quepos Managua Airport', 'city': 'Quepos', 'iata': 'XQP', 'icao': 'MRQP', 'latitude': 9.443160057067873, 'longitude': -84.12979888916016, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1887, 'name': 'Palmar Sur Airport', 'city': 'Palmar Sur', 'iata': 'PMZ', 'icao': 'MRPM', 'latitude': 8.951029777526855, 'longitude': -83.46859741210938, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1581, 'name': 'CAL Cargo Air Lines', 'alias': 'SN Brussels Airlines', 'iata': '5C', 'icao': 'ICL', 'callsign': 'CAL', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1889, 'name': 'Quepos Managua Airport', 'city': 'Quepos', 'iata': 'XQP', 'icao': 'MRQP', 'latitude': 9.443160057067873, 'longitude': -84.12979888916016, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria Intern

ational Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitud
e': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'ds
t': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA', 'DHT']}
{'airline': {'airline_id': 4496, 'name': 'Skyservice Airlines', 'alias': 'Sky
Work', 'iata': '5G', 'icao': 'SSV', 'callsign': 'SKYTOUR', 'country': 'Canada
', 'active': True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka Intern
ational Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude':
5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 5556, 'name': 'Kumasi Airport', 'city': 'Kumasi',
'iata': 'KMS', 'icao': 'DGSI', 'latitude': 6.714560031890869, 'longitude': -1
.5908199548721311, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['AT7']}
{'airline': {'airline_id': 4496, 'name': 'Skyservice Airlines', 'alias': 'Sky
Work', 'iata': '5G', 'icao': 'SSV', 'callsign': 'SKYTOUR', 'country': 'Canada
', 'active': True}, 'src_airport': {'airport_id': 5556, 'name': 'Kumasi Airpo
rt', 'city': 'Kumasi', 'iata': 'KMS', 'icao': 'DGSI', 'latitude': 6.714560031
890869, 'longitude': -1.5908199548721311, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra'
, 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude':
-0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1138, 'name': 'Eldoret International Airp
ort', 'city': 'Eldoret', 'iata': 'EDL', 'icao': 'HKEL', 'latitude': 0.4044579
863548279, 'longitude': 35.23889923095703, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1143, 'name': 'Lodwar Airport', 'city': 'Lodwar', 'iata':
'LOK', 'icao': 'HKLO', 'latitude': 3.1219699382781982, 'longitude': 35.608699
798583984, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1138, 'name': 'Eldoret International Airp
ort', 'city': 'Eldoret', 'iata': 'EDL', 'icao': 'HKEL', 'latitude': 0.4044579
863548279, 'longitude': 35.23889923095703, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'cit

y': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'lo
ngitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairob
i', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH8', 'CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1173, 'name': 'Juba International Airport
', 'city': 'Juba', 'iata': 'JUB', 'icao': 'HSSJ', 'latitude': 4.87201023102,
'longitude': 31.601100921599997, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afric
a/Juba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi'
, 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.
9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1140, 'name': 'Kisumu Airport', 'city': '
Kisumu', 'iata': 'KIS', 'icao': 'HKKI', 'latitude': -0.0861390009522438, 'lon
gitude': 34.72890090942383, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nai
robi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 1138, 'name': 'Eldoret International Airport', 'city': 'Eldoret', 'iata'
: 'EDL', 'icao': 'HKEL', 'latitude': 0.4044579863548279, 'longitude': 35.2388
9923095703, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1140, 'name': 'Kisumu Airport', 'city': '
Kisumu', 'iata': 'KIS', 'icao': 'HKKI', 'latitude': -0.0861390009522438, 'lon
gitude': 34.72890090942383, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nai
robi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 4059, 'name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi',
'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.92
77992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CRJ', 'CNA']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1144, 'name': 'Manda Airstrip', 'city': '
Lamu', 'iata': 'LAU', 'icao': 'HKLU', 'latitude': -2.252419948577881, 'longit
ude': 40.91310119628906, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairob
i', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 5694, 'name': 'Malindi Airport', 'city': 'Malindi', 'iata': 'MYD', 'icao':

'HKML', 'latitude': -3.2293100357055664, 'longitude': 40.10169982910156, 'tim
ezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1143, 'name': 'Lodwar Airport', 'city': '
Lodwar', 'iata': 'LOK', 'icao': 'HKLO', 'latitude': 3.1219699382781982, 'long
itude': 35.608699798583984, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nai
robi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 1138, 'name': 'Eldoret International Airport', 'city': 'Eldoret', 'iata'
: 'EDL', 'icao': 'HKEL', 'latitude': 0.4044579863548279, 'longitude': 35.2388
9923095703, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1145, 'name': 'Mombasa Moi International
Airport', 'city': 'Mombasa', 'iata': 'MBA', 'icao': 'HKMO', 'latitude': -4.03
4830093383788, 'longitude': 39.594200134277344, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta International Airport',
'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402,
'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nai
robi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1145, 'name': 'Mombasa Moi International
Airport', 'city': 'Mombasa', 'iata': 'MBA', 'icao': 'HKMO', 'latitude': -4.03
4830093383788, 'longitude': 39.594200134277344, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1186, 'name': 'Abeid Amani Karume International Airp
ort', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao': 'HTZA', 'latitude': -6.22202
, 'longitude': 39.224899, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_e
s_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 5694, 'name': 'Malindi Airport', 'city':
'Malindi', 'iata': 'MYD', 'icao': 'HKML', 'latitude': -3.2293100357055664, 'l
ongitude': 40.10169982910156, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/N
airobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 1144, 'name': 'Manda Airstrip', 'city': 'Lamu', 'iata': 'LAU', 'icao':
'HKLU', 'latitude': -2.252419948577881, 'longitude': 40.91310119628906, 'time

zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 5694, 'name': 'Malindi Airport', 'city':
'Malindi', 'iata': 'MYD', 'icao': 'HKML', 'latitude': -3.2293100357055664, 'l
ongitude': 40.10169982910156, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/N
airobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi'
, 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.
9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Internationa
l Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.
31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1138, 'name': 'Eldoret International Airport', 'city': 'Eld
oret', 'iata': 'EDL', 'icao': 'HKEL', 'latitude': 0.4044579863548279, 'longit
ude': 35.23889923095703, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairob
i', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH8', 'CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Internationa
l Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.
31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1173, 'name': 'Juba International Airport', 'city': 'Juba',
'iata': 'JUB', 'icao': 'HSSJ', 'latitude': 4.87201023102, 'longitude': 31.601
100921599997, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Juba', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Internationa
l Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.
31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1140, 'name': 'Kisumu Airport', 'city': 'Kisumu', 'iata': '
KIS', 'icao': 'HKKI', 'latitude': -0.0861390009522438, 'longitude': 34.728900
90942383, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'ai

rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Internationa
l Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.
31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1143, 'name': 'Lodwar Airport', 'city': 'Lodwar', 'iata': '
LOK', 'icao': 'HKLO', 'latitude': 3.1219699382781982, 'longitude': 35.6086997
98583984, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Internationa
l Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.
31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1145, 'name': 'Mombasa Moi International Airport', 'city':
'Mombasa', 'iata': 'MBA', 'icao': 'HKMO', 'latitude': -4.034830093383788, 'lo
ngitude': 39.594200134277344, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/N
airobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Internationa
l Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.
31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 5694, 'name': 'Malindi Airport', 'city': 'Malindi', 'iata':
'MYD', 'icao': 'HKML', 'latitude': -3.2293100357055664, 'longitude': 40.10169
982910156, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['DH8']}
{'airline': {'airline_id': 8576, 'name': 'Fly540', 'alias': 'nan', 'iata': '5
H', 'icao': 'FFV', 'callsign': 'SWIFT TANGO', 'country': 'Kenya', 'active': T
rue}, 'src_airport': {'airport_id': 1186, 'name': 'Abeid Amani Karume Interna
tional Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao': 'HTZA', 'latitude
': -6.22202, 'longitude': 39.224899, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'A
frica/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1145, 'name': 'Mombasa Moi International Airport', 'city'
: 'Mombasa', 'iata': 'MBA', 'icao': 'HKMO', 'latitude': -4.034830093383788, '
longitude': 39.594200134277344, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa

/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2423, 'name': '
Bacolod-Silay Airport', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'la
titude': 10.7764, 'longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_i
d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': '
Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude
': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320', 'ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2423, 'name': '
Bacolod-Silay Airport', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'la
titude': 10.7764, 'longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_i
d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2400, 'name': 'Cagayan De Oro Airport', 'city': 'Ladag', 'ia
ta': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'longitude': 124.611, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2423, 'name': '
Bacolod-Silay Airport', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'la
titude': 10.7764, 'longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_i
d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'cit
y': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'lon
gitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani
la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2423, 'name': '
Bacolod-Silay Airport', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'la
titude': 10.7764, 'longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_i
d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city':
'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 12
1.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3269, 'name': '
Kota Kinabalu International Airport', 'city': 'Kota Kinabalu', 'iata': 'BKI',
'icao': 'WBKK', 'latitude': 5.9372100830078125, 'longitude': 116.051002502441
4, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ni
noy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': '
RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': '
Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'lat
itude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International
Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.508
6, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3272, 'name': '
Brunei International Airport', 'city': 'Bandar Seri Begawan', 'iata': 'BWN',
'icao': 'WBSB', 'latitude': 4.944200038909912, 'longitude': 114.9280014038086
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Brunei', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aqu
ino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL',
'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4200, 'name': '
Bancasi Airport', 'city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude'
: 8.9515, 'longitude': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'ia
ta': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.978
99627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4200, 'name': '
Bancasi Airport', 'city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude'
: 8.9515, 'longitude': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila',
'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': '
Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN',
'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.2990036010742
2, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy
Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL
', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2399, 'name': '
Awang Airport', 'city': 'Cotabato', 'iata': 'CBO', 'icao': 'RPMC', 'latitude'
: 7.165239810943604, 'longitude': 124.20999908447266, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport'
, 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'long
itude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2423, 'name': 'Bacolod-Silay Airport',
'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'latitude': 10.7764, 'longi
tude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4200, 'name': 'Bancasi Airport', 'city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude': 8.9515, 'longitude': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6012, 'name': 'Camiguin Airport', 'city': 'Camiguin', 'iata': 'CGM', 'icao': 'RPMH', 'latitude': 9.253520011901855, 'longitude': 124.70700073242188, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2400, 'name': 'Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4140, 'name': 'Diosdado Macapagal International Airport', 'city': 'Angeles City', 'iata': 'CRK', 'icao': 'RPLC', 'latitude': 15.186, 'longitude': 120.559998, 'timezone': 8.0, 'dst': 'N', 'tz_i

d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', 'city': 'Dumaguete', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168, 'longitude': 123.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4201, 'name': 'Dipolog Airport', 'city': 'Dipolog', 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.60198349877, 'longitude': 123.34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', '

tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International
Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.
308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6974, 'name': 'Siargao Airport', 'city
': 'Siargao', 'iata': 'IAO', 'icao': 'RPNS', 'latitude': 9.8591, 'longitude':
126.014, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International A
irport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910
095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_
id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2429, 'name': 'Iloilo International Ai
rport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.83301
7, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil

a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4203, 'name': 'Legazpi City International Airport', 'city': 'Legazpi', 'iata': 'LGP', 'icao': 'RPLP', 'latitude': 13.1575, 'longitude': 123.735, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320', '330', 'ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2426, 'name': 'Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4204, 'name': 'Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2401, 'name': 'Pagadian Airport', 'city': 'Pagadian', 'iata': 'PAG', 'icao': 'RPMP', 'latitude': 7.830731447869999, 'longitude': 123.461179733, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2372, 'name': 'Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/

Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpor
t', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019,
'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapor
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6016, 'name': 'Surigao Airport', 'city
': 'Sangley Point', 'iata': 'SUG', 'icao': 'RPMS', 'latitude': 9.755838325629
998, 'longitude': 125.480947495, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2422, 'name': 'Daniel Z. Romualdez Air
port', 'city': 'Tacloban', 'iata': 'TAC', 'icao': 'RPVA', 'latitude': 11.2280
35, 'longitude': 125.02776100000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['ATR', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4199, 'name': 'Francisco B. Reyes Airp
ort', 'city': 'Busuanga', 'iata': 'USU', 'icao': 'RPVV', 'latitude': 12.12150
00153, 'longitude': 120.099998474, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi

a/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2404, 'name': 'Zamboanga International
Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.9
22420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internati
onal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 1
4.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 6012, 'name': '
Camiguin Airport', 'city': 'Camiguin', 'iata': 'CGM', 'icao': 'RPMH', 'latitu
de': 9.253520011901855, 'longitude': 124.70700073242188, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airpor
t', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.30749988555
9, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2400, 'name': '
Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'lat
itude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2423, 'name': 'Bacolod-Silay Airport', 'city': 'Bacolod', 'iata'
: 'BCD', 'icao': 'RPVB', 'latitude': 10.7764, 'longitude': 123.014999, 'timez

one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2400, 'name': '
Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'lat
itude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu
', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 1
23.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', 'ATR', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2400, 'name': '
Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'lat
itude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'city':
'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'longitu
de': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2400, 'name': '
Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'lat
itude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo',
'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358
, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2400, 'name': '
Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'lat
itude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Man
ila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.01
9997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
, '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4140, 'name': '
Diosdado Macapagal International Airport', 'city': 'Angeles City', 'iata': 'C
RK', 'icao': 'RPLC', 'latitude': 15.186, 'longitude': 120.559998, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Internation
al Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.30
7499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id
': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4140, 'name': '
Diosdado Macapagal International Airport', 'city': 'Angeles City', 'iata': 'C
RK', 'icao': 'RPLC', 'latitude': 15.186, 'longitude': 120.559998, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International
Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.
308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4140, 'name': '
Diosdado Macapagal International Airport', 'city': 'Angeles City', 'iata': 'C
RK', 'icao': 'RPLC', 'latitude': 15.186, 'longitude': 120.559998, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3121, 'name': 'Macau International Air
port', 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitude': 22.149599,
'longitude': 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Macau',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4140, 'name': '
Diosdado Macapagal International Airport', 'city': 'Angeles City', 'iata': 'C
RK', 'icao': 'RPLC', 'latitude': 15.186, 'longitude': 120.559998, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpor
t', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019,
'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapor

e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6733, 'name': 'Cauayan Airport', 'city': 'Cauayan', 'iata': 'CYZ', 'icao': 'RPUY', 'latitude': 16.9298992157, 'longitude': 121.752998352, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', 'city': 'Dumaguete', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168, 'longitude': 123.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', 'city': 'Dumaguete', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168, 'longitude': 123.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4201, 'name': 'Dipolog Airport', 'city': 'Dipolog', 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.60198349877, 'longitude': 123.34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil

a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4201, 'name': 'Dipolog Airport', 'city': 'Dipolog', 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.60198349877, 'longitude': 123.34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4201, 'name': 'Dipolog Airport', 'city': 'Dipolog', 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.60198349877, 'longitude': 123.34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2423, 'name': 'Bacolod-Silay Airport', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'latitude': 10.7764, 'longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani

la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu In
ternational Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitud
e': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2400, 'name': 'Cagayan De Oro
Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562
, 'longitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 4201, 'name': 'Dipolog Airpor
t', 'city': 'Dipolog', 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.601983498
77, 'longitude': 123.34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2429, 'name': 'Iloilo Interna
tional Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude':
10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As

ia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino I
nternational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'lati
tude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320', '330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2433, 'name': 'Puerto Princes
a Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitu
de': 9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': '
Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'ica
o': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2404, 'name': 'Zamboanga Inte
rnational Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'lati
tude': 6.922420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, '
dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': '
Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB',
'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Ai
rport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086,
'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3199, 'name': 'Noi Bai International Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude': 21.221200942993164, 'longitude': 105.80699920654295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia

/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': '
Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao':
'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Internat
ional Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10
.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': '
Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao':
'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4140, 'name': 'Diosdado Macapagal I
nternational Airport', 'city': 'Angeles City', 'iata': 'CRK', 'icao': 'RPLC',
'latitude': 15.186, 'longitude': 120.559998, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': '
Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao':
'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2429, 'name': 'Iloilo International
Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833
017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Man
ila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': '
Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao':
'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Interna
tional Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude':
14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia

/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': '
Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP
', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', '
tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'ci
ty': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude
': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 6974, 'name': '
Siargao Airport', 'city': 'Siargao', 'iata': 'IAO', 'icao': 'RPNS', 'latitude
': 9.8591, 'longitude': 126.014, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'ia
ta': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.978
99627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Internatio
nal Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.3
07499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_i
d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo International A
irport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.6794
00444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi

a/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internati
onal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 1
4.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': '
Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI
', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', '
city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'l
ongitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': '
Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI
', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2400, 'name': 'Cagayan De Oro Airport', 'city': 'Lad
ag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'longitude': 124.611
, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': '
Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI
', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4090, 'name': 'Francisco Bangoy International Airpor
t', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.12552022933
96, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A

sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/

Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': '
Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI
', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'S
ingapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 1
03.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': '
Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB'
, 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone':
9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internation
al Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.
5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Ma
nila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2430, 'name': '
Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK
', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airpor
t', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.30749988555
9, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2430, 'name': '
Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK
', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airport',
'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844
, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asi

a/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2430, 'name': '
Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK
', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airpo
rt', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'l
ongitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320', 'ATR', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': '
Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', '
icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.7099990844699
8, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ni
noy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': '
RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4202, 'name': '
Laoag International Airport', 'city': 'Laoag', 'iata': 'LAO', 'icao': 'RPLI',
'latitude': 18.1781005859375, 'longitude': 120.53199768066406, 'timezone': 8.
0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internationa
l Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5
086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Man
ila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4203, 'name': '
Legazpi City International Airport', 'city': 'Legazpi', 'iata': 'LGP', 'icao'
: 'RPLP', 'latitude': 13.1575, 'longitude': 123.735, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport',
'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, '
longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani

la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4203, 'name': '
Legazpi City International Airport', 'city': 'Legazpi', 'iata': 'LGP', 'icao'
: 'RPLP', 'latitude': 13.1575, 'longitude': 123.735, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport'
, 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'long
itude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3121, 'name': '
Macau International Airport', 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC',
'latitude': 22.149599, 'longitude': 113.592003, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Macau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4140, 'name': 'Diosdado Macapagal International Airport'
, 'city': 'Angeles City', 'iata': 'CRK', 'icao': 'RPLC', 'latitude': 15.186,
'longitude': 120.559998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3121, 'name': '
Macau International Airport', 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC',
'latitude': 22.149599, 'longitude': 113.592003, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Macau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'cit
y': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude'
: 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2423, 'name': 'Bacolod-Silay Airport', 'city': 'Ba
colod', 'iata': 'BCD', 'icao': 'RPVB', 'latitude': 10.7764, 'longitude': 123.
014999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3269, 'name': 'Kota Kinabalu International Airport
', 'city': 'Kota Kinabalu', 'iata': 'BKI', 'icao': 'WBKK', 'latitude': 5.9372
100830078125, 'longitude': 116.0510025024414, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Ban
gkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longit
ude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3272, 'name': 'Brunei International Airport', 'cit
y': 'Bandar Seri Begawan', 'iata': 'BWN', 'icao': 'WBSB', 'latitude': 4.94420
0038909912, 'longitude': 114.9280014038086, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Brunei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4200, 'name': 'Bancasi Airport', 'city': 'Butuan',
'iata': 'BXU', 'icao': 'RPME', 'latitude': 8.9515, 'longitude': 125.4788, 'ti

mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun International Airp
ort', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.3924
0074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2399, 'name': 'Awang Airport', 'city': 'Cotabato',
'iata': 'CBO', 'icao': 'RPMC', 'latitude': 7.165239810943604, 'longitude': 12
4.20999908447266, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport',
'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, '
longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani
la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319', '320', '330', 'ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airpor
t', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.12556982
04, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Ja

karta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2400, 'name': 'Cagayan De Oro Airport', 'city': 'L
adag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'longitude': 124.6
11, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320',
'319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6733, 'name': 'Cauayan Airport', 'city': 'Cauayan'
, 'iata': 'CYZ', 'icao': 'RPUY', 'latitude': 16.9298992157, 'longitude': 121.
752998352, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', 'city': 'Dumaguet
e', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168, 'longitude': 123
.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4201, 'name': 'Dipolog Airport', 'city': 'Dipolog'
, 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.60198349877, 'longitude': 123.
34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Air
port', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481
698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy International Airp
ort', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.125520229
3396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320', '330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city
': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'l
ongitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2402, 'name': 'General Santos International Airpor
t', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087
740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As

ia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3199, 'name': 'Noi Bai International Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude': 21.221200942993164, 'longitude': 105.80699920654295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/S

eoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'cit
y': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitud
e': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3992, 'name': 'Kansai International Airport', 'cit
y': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'l
ongitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/To
kyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2430, 'name': 'Kalibo International Airport', 'cit
y': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.679400444, 'longi
tude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', 'ATR', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport'
, 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.745579
9579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz

_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4202, 'name': 'Laoag International Airport', 'city
': 'Laoag', 'iata': 'LAO', 'icao': 'RPLI', 'latitude': 18.1781005859375, 'lon
gitude': 120.53199768066406, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani
la', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4203, 'name': 'Legazpi City International Airport'
, 'city': 'Legazpi', 'iata': 'LGP', 'icao': 'RPLP', 'latitude': 13.1575, 'lon
gitude': 123.735, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3121, 'name': 'Macau International Airport', 'city
': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitude': 22.149599, 'longitude'
: 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Macau', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2426, 'name': 'Godofredo P. Ramos Airport', 'city'
: 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE', 'latitude': 11.9245, 'longitude'
: 121.954002, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3942, 'name': 'Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4204, 'name': 'Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2401, 'name': 'Pagadian Airport', 'city': 'Pagadian', 'iata': 'PAG', 'icao': 'RPMP', 'latitude': 7.830731447869999, 'longitude': 123.461179733, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airpo
rt', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010
131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Airport', 'city': '
Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude': 9.74211978912353
7, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2372, 'name': 'Gimhae International Airport', 'cit
y': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.1795005798, 'longi
tude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airpo
rt', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400
192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_

id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3035, 'name': 'Siem Reap International Airport', '
city': 'Siem-reap', 'iata': 'REP', 'icao': 'VDSR', 'latitude': 13.41069984440
0003, 'longitude': 103.81300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6026, 'name': 'Roxas Airport', 'city': 'Roxas City
', 'iata': 'RXS', 'icao': 'RPVR', 'latitude': 11.597700119018555, 'longitude'
: 122.7519989013672, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat International Airport'
, 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude': 10.8
187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city':
'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude':
103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['330', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2409, 'name': 'San Jose Airport', 'city': 'San Jos
e', 'iata': 'SJI', 'icao': 'RPUH', 'latitude': 12.361499786399998, 'longitude
': 121.04699707, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2422, 'name': 'Daniel Z. Romualdez Airport', 'city
': 'Tacloban', 'iata': 'TAC', 'icao': 'RPVA', 'latitude': 11.228035, 'longitu
de': 125.02776100000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3994, 'name': 'Tagbilaran Airport', 'city': 'Tagbi
laran', 'iata': 'TAG', 'icao': 'RPVT', 'latitude': 9.665442, 'longitude': 123
.85353300000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International Airpor
t', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'lo
ngitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6021, 'name': 'Tuguegarao Airport', 'city': 'Tugue
garao', 'iata': 'TUG', 'icao': 'RPUT', 'latitude': 17.6433676823, 'longitude'
: 121.73315048200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4199, 'name': 'Francisco B. Reyes Airport', 'city'
: 'Busuanga', 'iata': 'USU', 'icao': 'RPVV', 'latitude': 12.1215000153, 'long
itude': 120.099998474, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6022, 'name': 'Virac Airport', 'city': 'Virac', 'i
ata': 'VRC', 'icao': 'RPUV', 'latitude': 13.57639980316162, 'longitude': 124.
20600128173828, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6018, 'name': 'Naga Airport', 'city': 'Naga', 'iat
a': 'WNP', 'icao': 'RPUN', 'latitude': 13.58489990234375, 'longitude': 123.26
99966430664, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'ai

rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport'
, 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561
035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2404, 'name': 'Zamboanga International Airport', '
city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.922420024871
826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2426, 'name': '
Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE
', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'cit
y': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'long
itude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2426, 'name': '
Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE
', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'ci
ty': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude
': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3942, 'name': '
Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao
': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, 'timez
one': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inter
national Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude
': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2279, 'name': '
Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA'
, 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0
, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International
Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.508
6, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4204, 'name': '
Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8
.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', '
city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'l
ongitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4204, 'name': '
Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8
.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport',
'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longit
ude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2401, 'name': '
Pagadian Airport', 'city': 'Pagadian', 'iata': 'PAG', 'icao': 'RPMP', 'latitu
de': 7.830731447869999, 'longitude': 123.461179733, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport',
'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, '
longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani
la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2401, 'name': '
Pagadian Airport', 'city': 'Pagadian', 'iata': 'PAG', 'icao': 'RPMP', 'latitu
de': 7.830731447869999, 'longitude': 123.461179733, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport',
'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longit
ude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319', '320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': '
Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'ic
ao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, '
timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aqui
no International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', '
latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2433, 'name': '
Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': '
RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Inter
national Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude':
10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', '

tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2433, 'name': '
Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': '
RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy
International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'lati
tude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2433, 'name': '
Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': '
RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2429, 'name': 'Iloilo Internatio
nal Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10
.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia
/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2433, 'name': '
Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': '
RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2372, 'name': '
Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK'
, 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst
': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport
', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559
, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M

anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2372, 'name': '
Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK'
, 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst
': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airpor
t', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'lo
ngitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3406, 'name': '
Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'i
cao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy A
quino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL'
, 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3035, 'name': '
Siem Reap International Airport', 'city': 'Siem-reap', 'iata': 'REP', 'icao':
'VDSR', 'latitude': 13.410699844400003, 'longitude': 103.81300354, 'timezone'
: 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 6026, 'name': '
Roxas Airport', 'city': 'Roxas City', 'iata': 'RXS', 'icao': 'RPVR', 'latitud
e': 11.597700119018555, 'longitude': 122.7519989013672, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airpo
rt', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'l
ongitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3205, 'name': '
Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN
', 'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'ti
mezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino I
nternational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'lati
tude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', '
city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'l
ongitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4140, 'name': 'Diosdado Macapagal International Airp
ort', 'city': 'Angeles City', 'iata': 'CRK', 'icao': 'RPLC', 'latitude': 15.1
86, 'longitude': 120.559998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Mani
la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city'
: 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude'
: 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '330']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2409, 'name': 'San Jose Airport', 'city': 'San Jose', 'iata': 'SJI', 'icao': 'RPUH', 'latitude': 12.361499786399998, 'longitude': 121.04699707, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6016, 'name': 'Surigao Airport', 'city': 'Sangley Point', 'iata': 'SUG', 'icao': 'RPMS', 'latitude': 9.755838325629998, 'longitude': 125.480947495, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2422, 'name': 'Daniel Z. Romualdez Airport', 'city': 'Tacloban', 'iata': 'TAC', 'icao': 'RPVA', 'latitude': 11.228035, 'longitude': 125.02776100000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A

sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2422, 'name': 'Daniel Z. Romualdez Airport', 'city': 'Tacloban', 'iata': 'TAC', 'icao': 'RPVA', 'latitude': 11.228035, 'longitude': 125.02776100000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3994, 'name': 'Tagbilaran Airport', 'city': 'Tagbilaran', 'iata': 'TAG', 'icao': 'RPVT', 'latitude': 9.665442, 'longitude': 123.85353300000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussels Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6021, 'name': 'Tuguegarao Airport', 'city': 'Tuguegarao', 'iata': 'TUG', 'icao': 'RPUT', 'latitude': 17.6433676823, 'longitude': 121.73315048200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4199, 'name': '
Francisco B. Reyes Airport', 'city': 'Busuanga', 'iata': 'USU', 'icao': 'RPVV
', 'latitude': 12.1215000153, 'longitude': 120.099998474, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airp
ort', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885
559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi
a/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 4199, 'name': '
Francisco B. Reyes Airport', 'city': 'Busuanga', 'iata': 'USU', 'icao': 'RPVV
', 'latitude': 12.1215000153, 'longitude': 120.099998474, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Air
port', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086,
'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 6022, 'name': '
Virac Airport', 'city': 'Virac', 'iata': 'VRC', 'icao': 'RPUV', 'latitude': 1
3.57639980316162, 'longitude': 124.20600128173828, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport',
'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longit
ude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 6018, 'name': '
Naga Airport', 'city': 'Naga', 'iata': 'WNP', 'icao': 'RPUN', 'latitude': 13.
58489990234375, 'longitude': 123.2699966430664, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'ci
ty': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude
': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['ATR']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': '
Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao':
'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino I
nternational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'lati
tude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2404, 'name': '
Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao':
'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'time
zone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Inte
rnational Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude'
: 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2404, 'name': '
Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao':
'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'time
zone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy
International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'lati
tude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1683, 'name': 'Cebu Pacific', 'alias': 'SN Brussel
s Airlines', 'iata': '5J', 'icao': 'CEB', 'callsign': 'CEBU AIR', 'country':
'Philippines', 'active': True}, 'src_airport': {'airport_id': 2404, 'name': '
Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao':
'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'time
zone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Int
ernational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitu
de': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id':

'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4436, 'name': 'Sibaviatrans', 'alias': 'Sibir Airl
ines', 'iata': '5M', 'icao': 'SIB', 'callsign': 'SIBAVIA', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 2874, 'name': 'V.C. Bird In
ternational Airport', 'city': 'Antigua', 'iata': 'ANU', 'icao': 'TAPA', 'lati
tude': 17.1367, 'longitude': -61.792702, 'timezone': -4.0, 'dst': 'U', 'tz_id
': 'America/Antigua', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 6079, 'name': 'Vance W. Amory International Airport', 'ci
ty': 'Charlestown', 'iata': 'NEV', 'icao': 'TKPN', 'latitude': 17.20569992065
4293, 'longitude': -62.58990097045898, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/St_Kitts', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 4436, 'name': 'Sibaviatrans', 'alias': 'Sibir Airl
ines', 'iata': '5M', 'icao': 'SIB', 'callsign': 'SIBAVIA', 'country': 'Russia
', 'active': True}, 'src_airport': {'airport_id': 6079, 'name': 'Vance W. Amo
ry International Airport', 'city': 'Charlestown', 'iata': 'NEV', 'icao': 'TKP
N', 'latitude': 17.205699920654293, 'longitude': -62.58990097045898, 'timezon
e': -4.0, 'dst': 'U', 'tz_id': 'America/St_Kitts', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2874, 'name': 'V.C. Bird Int
ernational Airport', 'city': 'Antigua', 'iata': 'ANU', 'icao': 'TAPA', 'latit
ude': 17.1367, 'longitude': -61.792702, 'timezone': -4.0, 'dst': 'U', 'tz_id'
: 'America/Antigua', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4362, 'name': 'Talagi
Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 6
4.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6110, 'name': 'Solovki Airport', 'city': 'Solovetsk
y Islands', 'iata': 'CSH', 'icao': 'ULAS', 'latitude': 65.0299987793, 'longit
ude': 35.7333335876, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4362, 'name': 'Talagi
Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 6
4.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Peter
sburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longit
ude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4362, 'name': 'Talagi
Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 6
4.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk
', 'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude':
32.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4362, 'name': 'Talagi
Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 6
4.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4371, 'name': 'Naryan Mar Airport', 'city': 'Naryan
-Mar', 'iata': 'NNM', 'icao': 'ULAM', 'latitude': 67.63999938964844, 'longitu
de': 53.12189865112305, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['AT5']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4362, 'name': 'Talagi
Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 6
4.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Airport',
'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599, 'long
itude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4362, 'name': 'Talagi
Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 6
4.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4369, 'name': 'Usinsk Airport', 'city': 'Usinsk', '
iata': 'USK', 'icao': 'UUYS', 'latitude': 66.00469970703125, 'longitude': 57.
3671989440918, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 6110, 'name': 'Solovk
i Airport', 'city': 'Solovetsky Islands', 'iata': 'CSH', 'icao': 'ULAS', 'lat
itude': 65.0299987793, 'longitude': 35.7333335876, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4362, 'name': 'Talagi Airport', 'city': 'Arkhangel
sk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 64.60030364990234, 'longitude
': 40.71670150756836, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkov
o Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitud
e': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4362, 'name': 'Talagi Airport', 'city': 'Arkhan
gelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 64.60030364990234, 'longit
ude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkov
o Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitud
e': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murm
ansk', 'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitu
de': 32.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkov
o Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitud
e': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2989, 'name': 'Syktyvkar Airport', 'city': 'Syk
tyvkar', 'iata': 'SCW', 'icao': 'UUYY', 'latitude': 61.64699935913086, 'longi
tude': 50.84510040283203, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosco

w', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Nippon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk', 'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude': 32.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4362, 'name': 'Talagi Airport', 'city': 'Arkhangelsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 64.60030364990234, 'longitude': 40.71670150756836, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Nippon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk', 'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude': 32.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Nippon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk', 'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude': 32.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Nippon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk', 'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude': 32.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 663, 'name': 'Tromsø Airport,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.68329620361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4371, 'name': 'Naryan
Mar Airport', 'city': 'Naryan-Mar', 'iata': 'NNM', 'icao': 'ULAM', 'latitude'
: 67.63999938964844, 'longitude': 53.12189865112305, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4362, 'name': 'Talagi Airport', 'city': 'Arkhang
elsk', 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 64.60030364990234, 'longitu
de': 40.71670150756836, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['AT5']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2989, 'name': 'Syktyv
kar Airport', 'city': 'Syktyvkar', 'iata': 'SCW', 'icao': 'UUYY', 'latitude':
61.64699935913086, 'longitude': 50.84510040283203, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Pete
rsburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longi
tude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosco
w', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2989, 'name': 'Syktyv
kar Airport', 'city': 'Syktyvkar', 'iata': 'SCW', 'icao': 'UUYY', 'latitude':
61.64699935913086, 'longitude': 50.84510040283203, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Airport'
, 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599, 'lo
ngitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2985, 'name': 'Sherem
etyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE
', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4362, 'name': 'Talagi Airport', 'city': 'Arkhangelsk'
, 'iata': 'ARH', 'icao': 'ULAA', 'latitude': 64.60030364990234, 'longitude':
40.71670150756836, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2985, 'name': 'Sherem
etyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE
', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk',
'iata': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude': 32
.75080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 2985, 'name': 'Sherem
etyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE
', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2989, 'name': 'Syktyvkar Airport', 'city': 'Syktyvkar
', 'iata': 'SCW', 'icao': 'UUYY', 'latitude': 61.64699935913086, 'longitude':
50.84510040283203, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['735']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 663, 'name': 'Tromsø
Airport,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.68
329620361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2949, 'name': 'Murmansk Airport', 'city': 'Murmansk', 'ia
ta': 'MMK', 'icao': 'ULMM', 'latitude': 68.78170013427734, 'longitude': 32.75
080108642578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AN4']}
{'airline': {'airline_id': 503, 'name': 'Aeroflot-Nord', 'alias': 'ANA All Ni
ppon Airways', 'iata': '5N', 'icao': 'AUL', 'callsign': 'DVINA', 'country': '
Russia', 'active': True}, 'src_airport': {'airport_id': 4369, 'name': 'Usinsk
Airport', 'city': 'Usinsk', 'iata': 'USK', 'icao': 'UUYS', 'latitude': 66.004
69970703125, 'longitude': 57.3671989440918, 'timezone': 3.0, 'dst': 'N', 'tz_
id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 4362, 'name': 'Talagi Airport', 'city': 'Arkhangelsk', 'i
ata': 'ARH', 'icao': 'ULAA', 'latitude': 64.60030364990234, 'longitude': 40.7
1670150756836, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AN4']}
{'airline': {'airline_id': 10650, 'name': 'Pal airlines', 'alias': 'nan', 'ia
ta': '5P', 'icao': 'JRB', 'callsign': 'nan', 'country': 'Chile', 'active': Tr
ue}, 'src_airport': {'airport_id': 2651, 'name': 'Andrés Sabella Gálvez Inter
national Airport', 'city': 'Antofagasta', 'iata': 'ANF', 'icao': 'SCFA', 'lat
itude': -23.444501000000002, 'longitude': -70.445099, 'timezone': -4.0, 'dst'
: 'S', 'tz_id': 'America/Santiago', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2649, 'name': 'Diego Aracena Airport', 'cit
y': 'Iquique', 'iata': 'IQQ', 'icao': 'SCDA', 'latitude': -20.535200119018555
, 'longitude': -70.18129730224611, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'Am
erica/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 10650, 'name': 'Pal airlines', 'alias': 'nan', 'ia
ta': '5P', 'icao': 'JRB', 'callsign': 'nan', 'country': 'Chile', 'active': Tr
ue}, 'src_airport': {'airport_id': 2656, 'name': 'Carriel Sur Airport', 'city
': 'Concepcion', 'iata': 'CCP', 'icao': 'SCIE', 'latitude': -36.772701, 'long
itude': -73.063103, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2650, 'name': 'Comodoro Arturo Merino Benítez International Airport', 'city':
'Santiago', 'iata': 'SCL', 'icao': 'SCEL', 'latitude': -33.393001556396484, '
longitude': -70.78579711914062, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'Ameri
ca/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 10650, 'name': 'Pal airlines', 'alias': 'nan', 'ia
ta': '5P', 'icao': 'JRB', 'callsign': 'nan', 'country': 'Chile', 'active': Tr
ue}, 'src_airport': {'airport_id': 2649, 'name': 'Diego Aracena Airport', 'ci
ty': 'Iquique', 'iata': 'IQQ', 'icao': 'SCDA', 'latitude': -20.53520011901855
5, 'longitude': -70.18129730224611, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'A
merica/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2650, 'name': 'Comodoro Arturo Merino Benítez International Ai
rport', 'city': 'Santiago', 'iata': 'SCL', 'icao': 'SCEL', 'latitude': -33.39
3001556396484, 'longitude': -70.78579711914062, 'timezone': -4.0, 'dst': 'S',
'tz_id': 'America/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 10650, 'name': 'Pal airlines', 'alias': 'nan', 'ia
ta': '5P', 'icao': 'JRB', 'callsign': 'nan', 'country': 'Chile', 'active': Tr
ue}, 'src_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo Merino Bení
tez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'icao': 'SCEL'
, 'latitude': -33.393001556396484, 'longitude': -70.78579711914062, 'timezone
': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2651, 'name': 'Andrés Sabella
Gálvez International Airport', 'city': 'Antofagasta', 'iata': 'ANF', 'icao':
'SCFA', 'latitude': -23.444501000000002, 'longitude': -70.445099, 'timezone':

-4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2442, 'name': 'Jorge Newbery A
irpark', 'city': 'Buenos Aires', 'iata': 'AEP', 'icao': 'SABE', 'latitude': -
34.5592, 'longitude': -58.4156, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'Ameri
ca/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2816, 'name': 'Carrasco International /General C L Berisso Air
port', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitude': -34.8
38402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Montevideo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2442, 'name': 'Jorge Newbery A
irpark', 'city': 'Buenos Aires', 'iata': 'AEP', 'icao': 'SABE', 'latitude': -
34.5592, 'longitude': -58.4156, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'Ameri
ca/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 6777, 'name': 'Capitan Corbeta CA Curbelo International Airpor
t', 'city': 'Punta del Este', 'iata': 'PDP', 'icao': 'SULS', 'latitude': -34.
855098724365234, 'longitude': -55.09429931640625, 'timezone': -3.0, 'dst': 'S
', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2699, 'name': 'Silvio Pettiros
si International Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS',
'latitude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone':
-4.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2816, 'name': 'Carrasco Internat
ional /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'ic
ao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0,
'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2545, 'name': 'Afonso Pena Air
port', 'city': 'Curitiba', 'iata': 'CWB', 'icao': 'SBCT', 'latitude': -25.528
4996033, 'longitude': -49.175800323500006, 'timezone': -3.0, 'dst': 'S', 'tz_
id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2816, 'name': 'Carrasco International /General C L Be
risso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitud
e': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id':

'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistar
ini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'S
AEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': '
N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2816, 'name': 'Carrasco International /Gen
eral C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU
', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S
', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2560, 'name': 'Rio Galeão – To
m Jobim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'ica
o': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458, 'ti
mezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2816, 'name': 'Carrasc
o International /General C L Berisso Airport', 'city': 'Montevideo', 'iata':
'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezo
ne': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '3
19']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Gov
ernador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'ia
ta': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46
.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 28
16, 'name': 'Carrasco International /General C L Berisso Airport', 'city': 'M
ontevideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude
': -56.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['AT7', '319']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco Intern
ational /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', '
icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2442, 'name': 'Jorge Newbery Airp

ark', 'city': 'Buenos Aires', 'iata': 'AEP', 'icao': 'SABE', 'latitude': -34.
5592, 'longitude': -58.4156, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/
Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco Intern
ational /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', '
icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi
International Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'l
atitude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -
4.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco Intern
ational /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', '
icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2545, 'name': 'Afonso Pena Airpor
t', 'city': 'Curitiba', 'iata': 'CWB', 'icao': 'SBCT', 'latitude': -25.528499
6033, 'longitude': -49.175800323500006, 'timezone': -3.0, 'dst': 'S', 'tz_id'
: 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco Intern
ational /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', '
icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini
International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ'
, 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N',
'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco Intern
ational /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', '
icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.
0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2560, 'name': 'Rio Galeão – Tom J

obim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '319']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buquebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay', 'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco International /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', 'AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buquebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay', 'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco International /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2599, 'name': 'Salgado Filho Airport', 'city': 'Porto Alegre', 'iata': 'POA', 'icao': 'SBPA', 'latitude': -29.994400024414066, 'longitude': -51.1713981628418, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buquebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay', 'active': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco International /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo Merino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'icao': 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buquebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay', 'active': True}, 'src_airport': {'airport_id': 6777, 'name': 'Capitan Corbeta CA Curbelo International Airport', 'city': 'Punta del Este', 'iata': 'PDP', '

icao': 'SULS', 'latitude': -34.855098724365234, 'longitude': -55.094299316406
25, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2442, 'name':
'Jorge Newbery Airpark', 'city': 'Buenos Aires', 'iata': 'AEP', 'icao': 'SABE
', 'latitude': -34.5592, 'longitude': -58.4156, 'timezone': -3.0, 'dst': 'N',
'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2599, 'name': 'Salgado Filho A
irport', 'city': 'Porto Alegre', 'iata': 'POA', 'icao': 'SBPA', 'latitude': -
29.994400024414066, 'longitude': -51.1713981628418, 'timezone': -3.0, 'dst':
'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2816, 'name': 'Carrasco International /Gener
al C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao': 'SUMU',
'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, 'dst': 'S',
'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 18232, 'name': 'BQB Lineas Aereas', 'alias': 'Buqu
ebus', 'iata': '5Q', 'icao': 'RBY', 'callsign': 'nan', 'country': 'Uruguay',
'active': True}, 'src_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo
Merino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'ic
ao': 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062
, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2816, 'name': 'Car
rasco International /General C L Berisso Airport', 'city': 'Montevideo', 'iat
a': 'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'ti
mezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 29, 'name': 'Baker L
ake Airport', 'city': 'Baker Lake', 'iata': 'YBK', 'icao': 'CYBK', 'latitude'
: 64.29889678960001, 'longitude': -96.077796936, 'timezone': -6.0, 'dst': 'A'
, 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 5487, 'name': 'Chesterfield Inlet Airport', 'cit
y': 'Chesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latitude': 63.34690
0939899996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst': 'A', 'tz_id
': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 29, 'name': 'Baker L

ake Airport', 'city': 'Baker Lake', 'iata': 'YBK', 'icao': 'CYBK', 'latitude'
: 64.29889678960001, 'longitude': -96.077796936, 'timezone': -6.0, 'dst': 'A'
, 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Wha
le Cove', 'iata': 'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'long
itude': -92.5980987549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winni
peg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 32, 'name': 'Cambrid
ge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'lat
itude': 69.1081008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport', 'city':
'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longitud
e': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['DH8', '73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 32, 'name': 'Cambrid
ge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'lat
itude': 69.1081008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 183, 'name': 'Taloyoak Airport', 'city':
'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude': 69.5466995239, 'long
itude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/E
dmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 32, 'name': 'Cambrid
ge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'lat
itude': 69.1081008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'cit
y': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.462799072265
62, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id':
'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH8', '73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 37, 'name': 'Kuglukt

uk Airport', 'city': 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longitude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.1081008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 37, 'name': 'Kuglluktuk Airport', 'city': 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longitude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 5487, 'name': 'Chesterfield Inlet Airport', 'city': 'Chesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latitude': 63.346900939899996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 29, 'name': 'Baker Lake Airport', 'city': 'Baker Lake', 'iata': 'YBK', 'icao': 'CYBK', 'latitude': 64.29889678960001, 'longitude': -96.077796936, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 5487, 'name': 'Chesterfield Inlet Airport', 'city': 'Chesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latitude': 63.346900939899996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 40, 'name': 'Clyde R

iver Airport', 'city': 'Clyde River', 'iata': 'YCY', 'icao': 'CYCY', 'latitud
e': 70.4860992432, 'longitude': -68.5167007446, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', '
iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 40, 'name': 'Clyde R
iver Airport', 'city': 'Clyde River', 'iata': 'YCY', 'icao': 'CYCY', 'latitud
e': 70.4860992432, 'longitude': -68.5167007446, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 75, 'name': 'Pond Inlet Airport', 'city': 'Pond Inl
et', 'iata': 'YIO', 'icao': 'CYIO', 'latitude': 72.6832962036, 'longitude': -
77.9666976929, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 49, 'name': 'Edmonto
n International Airport', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG',
'latitude': 53.309700012200004, 'longitude': -113.580001831, 'timezone': -7.0
, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport',
'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907
226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_i
d': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73M', '733']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 50, 'name': 'Arviat
Airport', 'city': 'Eskimo Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude':
61.0942001343, 'longitude': -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz
_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Whale Co
ve', 'iata': 'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'longitude
': -92.5980987549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['ATR', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 50, 'name': 'Arviat

Airport', 'city': 'Eskimo Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343, 'longitude': -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 187, 'name': 'Churchill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 155, 'name': 'Norman Wells Airport', 'city': 'Norman Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latitude': 65.28160095214844, 'longitude': -126.7979965209961, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M', '733']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 40, 'name': 'Clyde River Airport', 'city': 'Clyde River', 'iata': 'YCY', 'icao': 'CYCY', 'latitude': 70.4860992432, 'longitude': -68.5167007446, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5495, 'name': 'Igloolik Airport', 'city': 'Igloolik', 'iata': 'YGT', 'icao': 'CYGT', 'latitude': 69.3647003174, 'longitude': -81.8161010742, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit

Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.75
6402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 100, 'name': 'Ottawa Macdonald-Cartier International Airport', 'cit
y': 'Ottawa', 'iata': 'YOW', 'icao': 'CYOW', 'latitude': 45.3224983215332, 'l
ongitude': -75.66919708251953, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit
Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.75
6402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata'
: 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.115
7989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit
Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.75
6402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 140, 'name': 'Cape Dorset Airport', 'city': 'Cape Dorset', 'iata':
'YTE', 'icao': 'CYTE', 'latitude': 64.2300033569, 'longitude': -76.5267028809
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE
1', 'DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit
Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.75
6402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 148, 'name': 'Hall Beach Airport', 'city': 'Hall Beach', 'iata': 'Y
UX', 'icao': 'CYUX', 'latitude': 68.77610015869999, 'longitude': -81.2425, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1',
'DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit

Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.75
6402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 170, 'name': 'Pangnirtung Airport', 'city': 'Pangnirtung', 'iata':
'YXP', 'icao': 'CYXP', 'latitude': 66.1449966431, 'longitude': -65.7136001586
9999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 5495, 'name': 'Igloo
lik Airport', 'city': 'Igloolik', 'iata': 'YGT', 'icao': 'CYGT', 'latitude':
69.3647003174, 'longitude': -81.8161010742, 'timezone': -5.0, 'dst': 'A', 'tz
_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iat
a': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 5495, 'name': 'Igloo
lik Airport', 'city': 'Igloolik', 'iata': 'YGT', 'icao': 'CYGT', 'latitude':
69.3647003174, 'longitude': -81.8161010742, 'timezone': -5.0, 'dst': 'A', 'tz
_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 75, 'name': 'Pond Inlet Airport', 'city': 'Pond Inlet'
, 'iata': 'YIO', 'icao': 'CYIO', 'latitude': 72.6832962036, 'longitude': -77.
9666976929, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 5495, 'name': 'Igloo
lik Airport', 'city': 'Igloolik', 'iata': 'YGT', 'icao': 'CYGT', 'latitude':
69.3647003174, 'longitude': -81.8161010742, 'timezone': -5.0, 'dst': 'A', 'tz
_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 148, 'name': 'Hall Beach Airport', 'city': 'Hall Beach
', 'iata': 'YUX', 'icao': 'CYUX', 'latitude': 68.77610015869999, 'longitude':
-81.2425, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['DH8', 'BE1']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 69, 'name': 'Gjoa Ha
ven Airport', 'city': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude'

: 68.635597229, 'longitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 183, 'name': 'Taloyoak Airport', 'city': 'Spence Bay
', 'iata': 'YYH', 'icao': 'CYYH', 'latitude': 69.5466995239, 'longitude': -93
.57669830319999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 69, 'name': 'Gjoa Ha
ven Airport', 'city': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude'
: 68.635597229, 'longitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowk
nife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitu
de': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edm
onton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 75, 'name': 'Pond In
let Airport', 'city': 'Pond Inlet', 'iata': 'YIO', 'icao': 'CYIO', 'latitude'
: 72.6832962036, 'longitude': -77.9666976929, 'timezone': -5.0, 'dst': 'A', '
tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 40, 'name': 'Clyde River Airport', 'city': 'Clyde Ri
ver', 'iata': 'YCY', 'icao': 'CYCY', 'latitude': 70.4860992432, 'longitude':
-68.5167007446, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 75, 'name': 'Pond In
let Airport', 'city': 'Pond Inlet', 'iata': 'YIO', 'icao': 'CYIO', 'latitude'
: 72.6832962036, 'longitude': -77.9666976929, 'timezone': -5.0, 'dst': 'A', '
tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 5495, 'name': 'Igloolik Airport', 'city': 'Igloolik'
, 'iata': 'YGT', 'icao': 'CYGT', 'latitude': 69.3647003174, 'longitude': -81.
8161010742, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 100, 'name': 'Ottawa
Macdonald-Cartier International Airport', 'city': 'Ottawa', 'iata': 'YOW', 'i

cao': 'CYOW', 'latitude': 45.3224983215332, 'longitude': -75.66919708251953, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 29, 'name': 'Baker Lake Airport', 'city': 'Baker Lake', 'iata': 'YBK', 'icao': 'CYBK', 'latitude': 64.29889678960001, 'longitude': -96.077796936, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5487, 'name': 'Chesterfield Inlet Airport', 'city': 'Chesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latitude': 63.346900939899996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 50, 'name': 'Arviat Airport', 'city': 'Eskimo Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343, 'longitude': -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latit

ude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 147, 'name': 'Repulse Bay Airport', 'city': 'Repulse Bay', 'iata': 'YUT', 'icao': 'CYUT', 'latitude': 66.5214004517, 'longitude': -86.22470092770003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 187, 'name': 'Churchill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'FRJ', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latit

ude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 41, 'name': 'Coral Harbour Airport', 'city': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'latitude': 64.1932983398, 'longitude': -83.3593978882, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Coral_Harbour', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 140, 'name': 'Cape Dorset Airport', 'city': 'Cape Dorset', 'iata': 'YTE', 'icao': 'CYTE', 'latitude': 64.2300033569, 'longitude': -76.5267028809, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 141, 'name': 'Thompson Airport', 'city': 'Thompson', 'iata': 'YTH', 'icao': 'CYTH', 'latitude': 55.80110168457031, 'longitude': -97.86419677734376, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 187, 'name': 'Churchill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 148, 'name': 'Hall Beach Airport', 'city': 'Hall Beach', 'iata': 'YUX', 'icao': 'CYUX', 'latitude': 68.77610015869999, 'longitude': -81.2425, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 148, 'name': 'Hall Beach Airport', 'city': 'Hall Beach', 'iata': 'YUX', 'icao': 'CYUX', 'latitude

': 68.77610015869999, 'longitude': -81.2425, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5495, 'name': 'Igloolik Airport', 'city': 'Igloolik',
'iata': 'YGT', 'icao': 'CYGT', 'latitude': 69.3647003174, 'longitude': -81.81
61010742, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['BE1', 'DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 152, 'name': 'Qikiqt
arjuaq Airport', 'city': 'Broughton Island', 'iata': 'YVM', 'icao': 'CYVM', '
latitude': 67.5457992554, 'longitude': -64.03140258789999, 'timezone': -5.0,
'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 170, 'name': 'Pangnirtung Airport', 'ci
ty': 'Pangnirtung', 'iata': 'YXP', 'icao': 'CYXP', 'latitude': 66.1449966431,
'longitude': -65.71360015869999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Amer
ica/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 155, 'name': 'Norman
Wells Airport', 'city': 'Norman Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latit
ude': 65.28160095214844, 'longitude': -126.7979965209961, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport'
, 'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880
001, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ame
rica/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73M', '733']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 155, 'name': 'Norman
Wells Airport', 'city': 'Norman Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latit
ude': 65.28160095214844, 'longitude': -126.7979965209961, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'ci
ty': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226
562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id':
'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73M', '733']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 160, 'name': 'Winnip
eg / James Armstrong Richardson International Airport', 'city': 'Winnipeg', '

iata': 'YWG', 'icao': 'CYWG', 'latitude': 49.909999847399995, 'longitude': -97.2398986816, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['FRJ', 'ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 160, 'name': 'Winnipeg / James Armstrong Richardson International Airport', 'city': 'Winnipeg', 'iata': 'YWG', 'icao': 'CYWG', 'latitude': 49.909999847399995, 'longitude': -97.2398986816, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 187, 'name': 'Churchill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['FRJ']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Whale Cove', 'iata': 'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'longitude': -92.5980987549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 170, 'name': 'Pangnirtung Airport', 'city': 'Pangnirtung', 'iata': 'YXP', 'icao': 'CYXP', 'latitude': 66.1449966431, 'longitude': -65.71360015869999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 170, 'name': 'Pangni

rtung Airport', 'city': 'Pangnirtung', 'iata': 'YXP', 'icao': 'CYXP', 'latitu
de': 66.1449966431, 'longitude': -65.71360015869999, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 152, 'name': 'Qikiqtarjuaq Airport', 'city': 'B
roughton Island', 'iata': 'YVM', 'icao': 'CYVM', 'latitude': 67.5457992554, '
longitude': -64.03140258789999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 183, 'name': 'Taloyo
ak Airport', 'city': 'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude':
69.5466995239, 'longitude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airport', 'city': 'Camb
ridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.1081008911, 'longit
ude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Ed
monton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 183, 'name': 'Taloyo
ak Airport', 'city': 'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude':
69.5466995239, 'longitude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 69, 'name': 'Gjoa Haven Airport', 'city': 'Gjoa Ha
ven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229, 'longitude': -
95.8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 187, 'name': 'Church
ill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude':
58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 50, 'name': 'Arviat Airport', 'city': 'Eskimo
Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343, 'longitude'
: -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 187, 'name': 'Church

ill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'AT4', 'FRJ']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 187, 'name': 'Churchill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 141, 'name': 'Thompson Airport', 'city': 'Thompson', 'iata': 'YTH', 'icao': 'CYTH', 'latitude': 55.80110168457031, 'longitude': -97.86419677734376, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 187, 'name': 'Churchill Airport', 'city': 'Churchill', 'iata': 'YYQ', 'icao': 'CYYQ', 'latitude': 58.73920059204102, 'longitude': -94.06500244140624, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 160, 'name': 'Winnipeg / James Armstrong Richardson International Airport', 'city': 'Winnipeg', 'iata': 'YWG', 'icao': 'CYWG', 'latitude': 49.909999847399995, 'longitude': -97.2398986816, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ATR', 'FRJ', 'AT4']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.1081008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Brussels Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':

'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellow
knife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitu
de': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport', 'city'
: 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longit
ude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8', '73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellow
knife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitu
de': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 49, 'name': 'Edmonton International Air
port', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG', 'latitude': 53.3097
00012200004, 'longitude': -113.580001831, 'timezone': -7.0, 'dst': 'A', 'tz_i
d': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73M', '733']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellow
knife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitu
de': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 69, 'name': 'Gjoa Haven Airport', 'city
': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229, 'lo
ngitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edm
onton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellow
knife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitu
de': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'c
ity': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367
200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': '
America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':

'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellow
knife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitu
de': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 155, 'name': 'Norman Wells Airport', 'c
ity': 'Norman Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latitude': 65.281600952
14844, 'longitude': -126.7979965209961, 'timezone': -7.0, 'dst': 'A', 'tz_id'
: 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73M', '733']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellow
knife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitu
de': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 183, 'name': 'Taloyoak Airport', 'city'
: 'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude': 69.5466995239, 'lo
ngitude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America
/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 41, 'name': 'Coral H
arbour Airport', 'city': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'lat
itude': 64.1932983398, 'longitude': -83.3593978882, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/Coral_Harbour', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'ci
ty': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.8114013672
00006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'A
merica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 1623, 'name': 'Canadian North', 'alias': 'SN Bruss
els Airlines', 'iata': '5T', 'icao': 'MPE', 'callsign': 'EMPRESS', 'country':
'Canada', 'active': True}, 'src_airport': {'airport_id': 41, 'name': 'Coral H
arbour Airport', 'city': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'lat
itude': 64.1932983398, 'longitude': -83.3593978882, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/Coral_Harbour', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 147, 'name': 'Repulse Bay Airport', 'cit
y': 'Repulse Bay', 'iata': 'YUT', 'icao': 'CYUT', 'latitude': 66.5214004517,
'longitude': -86.22470092770003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Amer
ica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a

irport': {'airport_id': 1957, 'name': 'Philip S. W. Goldson International Air
port', 'city': 'Belize City', 'iata': 'BZE', 'icao': 'MZBZ', 'latitude': 17.5
39100646972653, 'longitude': -88.30819702148438, 'timezone': -6.0, 'dst': 'U'
, 'tz_id': 'America/Belize', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4024, 'name': 'Mundo Maya International Airport',
'city': 'Flores', 'iata': 'FRS', 'icao': 'MGTK', 'latitude': 16.9137992858999
98, 'longitude': -89.86640167239997, 'timezone': -6.0, 'dst': 'U', 'tz_id': '
America/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 4024, 'name': 'Mundo Maya International Airport', 'ci
ty': 'Flores', 'iata': 'FRS', 'icao': 'MGTK', 'latitude': 16.913799285899998,
'longitude': -89.86640167239997, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Amer
ica/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1957, 'name': 'Philip S. W. Goldson International Airport', 'ci
ty': 'Belize City', 'iata': 'BZE', 'icao': 'MZBZ', 'latitude': 17.53910064697
2653, 'longitude': -88.30819702148438, 'timezone': -6.0, 'dst': 'U', 'tz_id':
'America/Belize', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 4024, 'name': 'Mundo Maya International Airport', 'ci
ty': 'Flores', 'iata': 'FRS', 'icao': 'MGTK', 'latitude': 16.913799285899998,
'longitude': -89.86640167239997, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Amer
ica/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala City', 'i
ata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.527496, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['EMB'
, 'SF3']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala
City', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.5
27496, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4024, 'name'
: 'Mundo Maya International Airport', 'city': 'Flores', 'iata': 'FRS', 'icao'
: 'MGTK', 'latitude': 16.913799285899998, 'longitude': -89.86640167239997, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3'
, 'EMB']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a

irport': {'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala City', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.527496, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1772, 'name': 'Ramón Villeda Morales International Airport', 'city': 'San Pedro Sula', 'iata': 'SAP', 'icao': 'MHLM', 'latitude': 15.4526, 'longitude': -87.923599, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Tegucigalpa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala City', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.527496, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1776, 'name': 'Toncontín International Airport', 'city': 'Tegucigalpa', 'iata': 'TGU', 'icao': 'MHTG', 'latitude': 14.06089973449707, 'longitude': -87.21720123291016, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Tegucigalpa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 1774, 'name': 'Juan Manuel Galvez International Airport', 'city': 'Roatan', 'iata': 'RTB', 'icao': 'MHRO', 'latitude': 16.316799, 'longitude': -86.523003, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Tegucigalpa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala City', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.527496, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 1772, 'name': 'Ramón Villeda Morales International Airport', 'city': 'San Pedro Sula', 'iata': 'SAP', 'icao': 'MHLM', 'latitude': 15.4526, 'longitude': -87.923599, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Tegucigalpa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala City', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.527496, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 1776, 'name': 'Toncontín International Airport', 'cit

y': 'Tegucigalpa', 'iata': 'TGU', 'icao': 'MHTG', 'latitude': 14.060899734497
07, 'longitude': -87.21720123291016, 'timezone': -6.0, 'dst': 'U', 'tz_id': '
America/Tegucigalpa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1767, 'name': 'La Aurora Airport', 'city': 'Guatemala Cit
y', 'iata': 'GUA', 'icao': 'MGGT', 'latitude': 14.5833, 'longitude': -90.5274
96, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Guatemala', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['SF3']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Ai
rport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9
648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': None, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': None, 'dst_airport': {'airport_id': 813, 'name': 'OR Ta
mbo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'F
AOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo International Air
port', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26
.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Joh
annesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None,
'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo International Air
port', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26
.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Joh
annesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 827, 'name': 'Margate Airport', 'city': 'Margate', 'iata': 'MGH', '
icao': 'FAMG', 'latitude': -30.8574008942, 'longitude': 30.343000412, 'timezo
ne': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': {'airport_id': 827, 'name': 'Margate Airport', 'city':
'Margate', 'iata': 'MGH', 'icao': 'FAMG', 'latitude': -30.8574008942, 'longit
ude': 30.343000412, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesbur

g', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iat
a': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezo
ne': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': None, 'dst_airport': {'airport_id': 797, 'name': 'Cape
Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FAC
T', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0,
'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 18946, 'name': 'VivaColombia', 'alias': 'nan', 'ia
ta': '5Z', 'icao': 'VVC', 'callsign': 'nan', 'country': 'Colombia', 'active':
True}, 'src_airport': None, 'dst_airport': {'airport_id': 813, 'name': 'OR Ta
mbo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'F
AOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda Inter
national Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latit
ude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shiv
aji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB',
'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla

bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash C
handra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao':
'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi In
ternational Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitu
de': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3007, 'name': 'Dabolim Airport'
, 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'l
ongitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Cal
cutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':

'OurAirports'}, 'dst_airport': {'airport_id': 3098, 'name': 'Jaipur Internati
onal Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 2
6.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai Internat
ional Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude':
12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': '
N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Valla
bhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'ica
o': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3017, 'name': 'Pune Airport', '
city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078,
'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3042, 'name': 'Biju Patnaik
Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 2
0.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': '
Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude':
77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3042, 'name': 'Biju Patnaik
Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 2
0.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport

': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport',
'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.0886993407999
98, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3042, 'name': 'Biju Patnaik
Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 2
0.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Ai
rport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.6546
99325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3042, 'name': 'Biju Patnaik
Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 2
0.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city'
: 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 7
7.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3042, 'name': 'Biju Patnaik
Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 2
0.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3042, 'name': 'Biju Patnaik
Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 2
0.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'city': 'Vishakhapa
tnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943, 'longitude':
83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3001, 'name': 'Vadodara Air
port', 'city': 'Baroda', 'iata': 'BDQ', 'icao': 'VABO', 'latitude': 22.336201
000000003, 'longitude': 73.226303, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city':
'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'lon
gitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3001, 'name': 'Vadodara Air
port', 'city': 'Baroda', 'iata': 'BDQ', 'icao': 'VABO', 'latitude': 22.336201
000000003, 'longitude': 73.226303, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delh
i', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.10310
4, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose Internation
al Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22
.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N'
, 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', '
city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitud
e': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airp
ort', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771
999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3042, 'name': 'Biju Patnaik Airport', 'city': 'Bhubaneswar
', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 20.2444000244, 'longitude': 85.
8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport',
'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.0886993407999
98, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International A
irport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654
699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 't

z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3136, 'name': 'Cochin International Airport', 'city': 'Koc
hi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'longitud
e': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city
': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude':
77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Ai
rport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.106
10008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'G
OI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.8313980102999
9, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city': 'Jai
pur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812
202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh International Airpor
t', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'latitude': 26.76059913
64, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Ma
dras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longit
ude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India

', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar International Airpor
t', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'latitude': 21.092199325
561523, 'longitude': 79.04720306396484, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ
', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.91970062255
86, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3153, 'name': 'Trivandrum International Airport', 'city':
'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'long
itude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda I
nternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'l
atitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'city': 'Vishakhap
atnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943, 'longitude':
83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India

', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Pat
el International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH'
, 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3042, 'name': 'Biju Patnaik Airport',
'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 20.24440002
44, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3001, 'name': 'Vadodara Airport', 'ci
ty': 'Baroda', 'iata': 'BDQ', 'icao': 'VABO', 'latitude': 22.336201000000003,
'longitude': 73.226303, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda Internation
al Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude':
13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/
Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India

', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra
Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC'
, 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3135, 'name': 'Coimbatore Internation
al Airport', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude':
11.029999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3136, 'name': 'Cochin International A
irport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.15200
0000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi Internat
ional Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 2
8.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India

', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Ai
rport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799
987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bord
oloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT
', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'cit
y': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitu
de': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5

.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar
Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.721
799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3089, 'name': 'Chandigarh Airport', '
city': 'Chandigarh', 'iata': 'IXC', 'icao': 'VICG', 'latitude': 30.6735000610
3516, 'longitude': 76.78849792480469, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3100, 'name': 'Jammu Airport', 'city'
: 'Jammu', 'iata': 'IXJ', 'icao': 'VIJU', 'latitude': 32.6890983582, 'longitu
de': 74.83740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3098, 'name': 'Jaipur International A
irport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242
, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5

.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh
International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'la
titude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': '
N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International
Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990
005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat International A
irport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.5932
99865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar
International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'lat
itude': 21.092199325561523, 'longitude': 79.04720306396484, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5

.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash
Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.591
299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3112, 'name': 'Sheikh ul Alam Airport
', 'city': 'Srinagar', 'iata': 'SXR', 'icao': 'VISR', 'latitude': 33.98709869
3847656, 'longitude': 74.77420043945312, 'timezone': 5.5, 'dst': 'N', 'tz_id'
: 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati
Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VAB
B', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3153, 'name': 'Trivandrum Internation
al Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude':
8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2994, 'name': 'Sardar Va
llabhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', '
icao': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'ti
mezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,

'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3042, 'name': 'Biju Patn
aik Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude
': 20.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabh
umi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 1
3.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowd
a International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL',
'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapa
ti Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': '
VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone'
: 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,

'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Ga
ndhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP',
'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3057, 'name': 'Dibrugarh
Airport', 'city': 'Mohanbari', 'iata': 'DIB', 'icao': 'VEMN', 'latitude': 27.
4839000702, 'longitude': 95.01689910889999, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 6173, 'name': 'Lokpriya
Gopinath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU',
'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734
, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3050, 'name': 'Imphal Ai

rport', 'city': 'Imphal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.76000
0228899997, 'longitude': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3038, 'name': 'Agartala
Airport', 'city': 'Agartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.8
869991302, 'longitude': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3040, 'name': 'Bagdogra
Airport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.
68120002746582, 'longitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3063, 'name': 'Birsa Mun
da Airport', 'city': 'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.
314300537100006, 'longitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3098, 'name': 'Jaipur In

ternational Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latit
ude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai I
nternational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'lati
tude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3015, 'name': 'Dr. Babas
aheb Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao'
: 'VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'ti
mezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3061, 'name': 'Lok Nayak
Jayaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latit
ude': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'd
st': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3017, 'name': 'Pune Airp

ort', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.582099914
55078, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subha
sh Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ic
ao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3020, 'name': 'Raipur Ai
rport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.18040
1, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3135, 'name': 'Coimbatore I
nternational Airport', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', '
latitude': 11.029999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International
Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088
699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3135, 'name': 'Coimbatore I
nternational Airport', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', '
latitude': 11.029999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airpo
rt', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'lo
ngitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3135, 'name': 'Coimbatore I
nternational Airport', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', '
latitude': 11.029999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', '

city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.99000549316406
2, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city
': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitud
e': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airpor
t', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340
799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'c
ity': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude
': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'D

ubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longit
ude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city':
'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'lon
gitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Inter
national Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude'
: 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3153, 'name': 'Trivandrum International Airport', 'city
': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'l
ongitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airpo
rt', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.07719
99359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3042, 'name': 'Biju Patnaik Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 20.2444000244, 'longitude': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3001, 'name': 'Vadodara Airport', 'city': 'Baroda', 'iata': 'BDQ', 'icao': 'VABO', 'latitude': 22.336201000000003, 'longitude': 73.226303, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3135, 'name': 'Coimbatore International Airport', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.029999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3136, 'name': 'Cochin International Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3057, 'name': 'Dibrugarh Airport', 'city': 'Mohanbari', 'iata': 'DIB', 'icao': 'VEMN', 'latitude': 27.4839000702, 'longitude': 95.01689910889999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'longitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3100, 'name': 'Jammu Airport', 'city': 'Jammu', 'iata': 'IXJ', 'icao': 'VIJU', 'latitude': 32.6890983582, 'longitude': 74.83740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la

titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city': 'Ranchi', 'iat
a': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'longitude': 85.32
17010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'K
athmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 8
5.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh International Airport
', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'latitude': 26.760599136
4, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Mad
ras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitu
de': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la

titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar International Airport
', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'latitude': 21.0921993255
61523, 'longitude': 79.04720306396484, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash Airport', 'city': 'Pat
ina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.591299056999997, 'longitu
de': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ'
, 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.919700622558
6, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iata': '
RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'timezone'
: 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id

': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3112, 'name': 'Sheikh ul Alam Airport', 'city': 'Srinagar',
'iata': 'SXR', 'icao': 'VISR', 'latitude': 33.987098693847656, 'longitude': 7
4.77420043945312, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandh
i International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'la
titude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3084, 'name': 'Lal Bahadur Shastri Airport', 'city': 'Varan
asi', 'iata': 'VNS', 'icao': 'VIBN', 'latitude': 25.4524002075, 'longitude':
82.85929870609999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3057, 'name': 'Dibrugarh Ai
rport', 'city': 'Mohanbari', 'iata': 'DIB', 'icao': 'VEMN', 'latitude': 27.48
39000702, 'longitude': 95.01689910889999, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Ai
rport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.6546
99325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3057, 'name': 'Dibrugarh Ai
rport', 'city': 'Mohanbari', 'iata': 'DIB', 'icao': 'VEMN', 'latitude': 27.48
39000702, 'longitude': 95.01689910889999, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Air
port', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.1061
0008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',

'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport
', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.0886993407
99998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3136, 'name': 'Cochin International Airport', 'city': 'K
ochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'longit
ude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'ci
ty': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude'
: 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': '
Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'long
itude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcut

ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3153, 'name': 'Trivandrum International Airport', 'city'
: 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'lo
ngitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda
International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', '
latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapat
i Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'V
ABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Sub
hash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', '
icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469

, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gan
dhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', '
latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3050, 'name': 'Imphal Air
port', 'city': 'Imphal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.760000
228899997, 'longitude': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3038, 'name': 'Agartala A
irport', 'city': 'Agartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.88
69991302, 'longitude': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gop
inath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'ic
ao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3040, 'name': 'Bagdogra A
irport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.6

8120002746582, 'longitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airp
ort', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472
, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'ci
ty': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359, '
longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airp
ort', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472
, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalor
e', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.70629
9, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airp
ort', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472
, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city':
'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'lon
gitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airp
ort', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472
, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi
', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104

, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airp
ort', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472
, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None,
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2994,
'name': 'Sardar Vallabhbhai Patel International Airport', 'city': 'Ahmedabad'
, 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.6
3469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3042,
'name': 'Biju Patnaik Airport', 'city': 'Bhubaneswar', 'iata': 'BBI', 'icao':
'VEBS', 'latitude': 20.2444000244, 'longitude': 85.8178024292, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3131,
'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR
', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2997,
'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata'
: 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678
970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3043,
'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata

', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude'
: 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3136,
'name': 'Cochin International Airport', 'city': 'Kochi', 'iata': 'COK', 'icao
': 'VOCI', 'latitude': 10.152000000000001, 'longitude': 76.401901, 'timezone'
: 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3093,
'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL'
, 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2188,
'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao'
: 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezo
ne': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3007,
'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'lat
itude': 15.3808002472, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst'
: 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3098,
'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'ica
o': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'ds
t': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3144,
'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'ic
ao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844,

'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3017,
'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latit
ude': 18.58209991455078, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3020,
'name': 'Raipur Airport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'l
atitude': 21.180401, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_i
d': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3066,
'name': 'Vishakhapatnam Airport', 'city': 'Vishakhapatnam', 'iata': 'VTZ', 'i
cao': 'VEVZ', 'latitude': 17.721200943, 'longitude': 83.22450256350001, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyab
ai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitud
e': 22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': '
N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International
Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088
699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyab
ai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitud
e': 22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': '
N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airpor
t', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'lon
gitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyab
ai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitud
e': 22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': '
N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar Internation
al Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'latitude': 21.
092199325561523, 'longitude': 79.04720306396484, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyab
ai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitud
e': 22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': '
N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur',
'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3050, 'name': 'Imphal Airpo
rt', 'city': 'Imphal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.76000022
8899997, 'longitude': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport'
, 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.6546993255
61523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3050, 'name': 'Imphal Airpo
rt', 'city': 'Imphal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.76000022
8899997, 'longitude': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport',
'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239
746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A

sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3050, 'name': 'Imphal Airpo
rt', 'city': 'Imphal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.76000022
8899997, 'longitude': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3038, 'name': 'Agartala Airport', 'city': 'Agartala', 'iata': 'IX
A', 'icao': 'VEAT', 'latitude': 23.8869991302, 'longitude': 91.2404022217, 't
imezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3038, 'name': 'Agartala Air
port', 'city': 'Agartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.8869
991302, 'longitude': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport'
, 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.6546993255
61523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3038, 'name': 'Agartala Air
port', 'city': 'Agartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.8869
991302, 'longitude': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport',
'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239
746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3038, 'name': 'Agartala Air
port', 'city': 'Agartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.8869
991302, 'longitude': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3050, 'name': 'Imphal Airport', 'city': 'Imphal', 'iata': 'IMF',
'icao': 'VEIM', 'latitude': 24.760000228899997, 'longitude': 93.896697998, 't
imezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'longitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'longitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'longitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3089, 'name': 'Chandigarh Airport', 'city': 'Chandigarh', 'iata': 'IXC', 'icao': 'VICG', 'latitude': 30.67350006103516, 'longitude': 76.78849792480469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3100, 'name': 'Jammu Airport', 'city': 'Jammu', 'iata': 'IXJ', 'icao': 'VIJU', 'latitude': 32.6890983582, 'longitude': 74.83740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3100, 'name': 'Jammu Airport', 'city': 'Jammu', 'iata': 'IXJ', 'icao': 'VIJU', 'latitude': 32.6890983582, 'longitude': 74.83740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3112, 'name': 'Sheikh ul Alam Airport', 'city': 'Srinagar', 'iata': 'SXR', 'icao': 'VISR', 'latitude': 33.987098693847656, 'longitude': 74.77420043945312, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city': 'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'longitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city': 'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'longitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city': 'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'longitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city': 'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'longitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao':

'VILK', 'latitude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda Internationa
l Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 1
3.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3105, 'name': 'Chaudhary Ch
aran Singh International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao':
'VILK', 'latitude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Int
ernational Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitu
de': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3105, 'name': 'Chaudhary Ch
aran Singh International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao':
'VILK', 'latitude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi Internati
onal Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28
.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3105, 'name': 'Chaudhary Ch
aran Singh International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao':
'VILK', 'latitude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash A
irport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.5912
99056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud

e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel Inter
national Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latit
ude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airpo
rt', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979,
'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internatio
nal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19
.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose In
ternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lati
tude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud

e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3135, 'name': 'Coimbatore International Airpo
rt', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.0299
99733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3136, 'name': 'Cochin International Airport',
'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.15200000000000
1, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcut
ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Ai
rport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud

e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune',
'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73
.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'ci
ty': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longit
ude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airpo
rt', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211
956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inte
rnational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitud
e': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'city
': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943,

'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat Inter
national Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude
': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst
': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internationa
l Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.0
88699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasahe
b Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': '
VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda Inter
national Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latit
ude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasahe
b Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': '
VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shiv
aji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB',
'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasahe
b Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': '
VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash C
handra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao':

'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasahe
b Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': '
VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi In
ternational Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitu
de': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasahe
b Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': '
VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai H
olkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude':
22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasahe
b Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': '
VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3017, 'name': 'Pune Airport', '
city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078,
'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3061, 'name': 'Lok Nayak Ja
yaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitud
e': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose In
ternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lati

tude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3061, 'name': 'Lok Nayak Ja
yaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitud
e': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Ai
rport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3061, 'name': 'Lok Nayak Ja
yaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitud
e': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city':
'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'lon
gitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3061, 'name': 'Lok Nayak Ja
yaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitud
e': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh Interna
tional Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'latitude'
: 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport
', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.582099914550
78, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'c
ity': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359,

'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport
', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.582099914550
78, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalo
re', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.7062
99, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport
', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.582099914550
78, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport',
'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561
523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport
', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.582099914550
78, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delh
i', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.10310
4, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport
', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.582099914550
78, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar International Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'latitude': 21.092199325561523, 'longitude': 79.04720306396484, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.721799850500002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3112, 'name': 'Sheikh ul Alam Airport', 'city': 'Srinagar', 'iata': 'SXR', 'icao': 'VISR', 'latitude': 33.987098693847656, 'longitude': 74.77420043945312, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3112, 'name': 'Sheikh ul Alam Airport', 'city': 'Srinagar', 'iata': 'SXR', 'icao': 'VISR', 'latitude': 33.987098693847656, 'longitude': 74.77420043945312, 'timezone': 5.5, 'dst': 'N

', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport
', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'long
itude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3112, 'name': 'Sheikh ul Al
am Airport', 'city': 'Srinagar', 'iata': 'SXR', 'icao': 'VISR', 'latitude': 3
3.987098693847656, 'longitude': 74.77420043945312, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3100, 'name': 'Jammu Airport', 'city': 'Jammu', 'i
ata': 'IXJ', 'icao': 'VIJU', 'latitude': 32.6890983582, 'longitude': 74.83740
234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum I
nternational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', '
latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport'
, 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'l
ongitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum I
nternational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', '
latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International
Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088
699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum I
nternational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', '
latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst':

'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3136, 'name': 'Cochin International Airport', 'c
ity': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001,
'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum I
nternational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', '
latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'ci
ty': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum I
nternational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', '
latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', '
city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.99000549316406
2, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3084, 'name': 'Lal Bahadur
Shastri Airport', 'city': 'Varanasi', 'iata': 'VNS', 'icao': 'VIBN', 'latitud
e': 25.4524002075, 'longitude': 82.85929870609999, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport
', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'long
itude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatn
am Airport', 'city': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitu
de': 17.721200943, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N

', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3042, 'name': 'Biju Patnaik Airport', 'city': 'Bhu
baneswar', 'iata': 'BBI', 'icao': 'VEBS', 'latitude': 20.2444000244, 'longitu
de': 85.8178024292, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatn
am Airport', 'city': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitu
de': 17.721200943, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport',
'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'lon
gitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatn
am Airport', 'city': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitu
de': 17.721200943, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2850, 'name': 'IndiGo Airlines', 'alias': 'Horizon
Airlines', 'iata': '6E', 'icao': 'IGO', 'callsign': 'IFLY', 'country': 'India
', 'active': True}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatn
am Airport', 'city': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitu
de': 17.721200943, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'ci
ty': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062,
'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1594, 'name': 'Eilat Airport', '
city': 'Elat', 'iata': 'ETH', 'icao': 'LLET', 'latitude': 29.56130027770996,
'longitude': 34.960098266601555, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/
Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1605, 'name': 'Sde Dov Airport', 'city': 'Tel-aviv', 'iata': 'SDV',
'icao': 'LLSD', 'latitude': 32.114700317382805, 'longitude': 34.7821998596191
4, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4'
]}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1594, 'name': 'Eilat Airport', '
city': 'Elat', 'iata': 'ETH', 'icao': 'LLET', 'latitude': 29.56130027770996,
'longitude': 34.960098266601555, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/
Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv
', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude'
: 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci
-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude
': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport
', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.01139831
5429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur
Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.65840
1489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city':
'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'l
ongitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jer
usalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1605, 'name': 'Sde Dov Airport',
'city': 'Tel-aviv', 'iata': 'SDV', 'icao': 'LLSD', 'latitude': 32.11470031738
2805, 'longitude': 34.78219985961914, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1594, 'name': 'Eilat Airport', 'city': 'Elat', 'iata': 'ETH',
'icao': 'LLET', 'latitude': 29.56130027770996, 'longitude': 34.96009826660155
5, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4'
]}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schönefeld
Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380
001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berl
in', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iat
a': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88
669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 3973, 'name': 'Tbilisi Internati
onal Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitude':
41.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz_id'
: 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel
-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longi
tude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusal
em', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion Intern
ational Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitud
e': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1594, 'name': 'Eilat Airport', 'city': 'Elat
', 'iata': 'ETH', 'icao': 'LLET', 'latitude': 29.56130027770996, 'longitude':
34.960098266601555, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines
', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'a
ctive': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion Intern
ational Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitud
e': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino A
irport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277
799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_

id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2954, 'name': 'Israir', 'alias': 'Horizon Airlines', 'iata': '6H', 'icao': 'ISR', 'callsign': 'ISRAIR', 'country': 'Israel', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3973, 'name': 'Tbilisi International Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitude': 41.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 17095, 'name': 'Fly 6ix', 'alias': 'nan', 'iata': '6I', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Sierra Leone', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 619, 'name': 'Sønderborg Airport', 'city': 'Soenderborg', 'iata': 'SGD', 'icao': 'EKSB', 'latitude': 54.96440124511719, 'longitude': 9.791729927062988, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 17095, 'name': 'Fly 6ix', 'alias': 'nan', 'iata': '6I', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Sierra Leone', 'active': True}, 'src_airport': {'airport_id': 619, 'name': 'Sønderborg Airport', 'city': 'Soenderborg', 'iata': 'SGD', 'icao': 'EKSB', 'latitude': 54.96440124511719, 'longitude': 9.791729927062988, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 68, 'name': 'Ulukhaktok Holman Airport', 'city': 'Holman Island', 'iata': 'YHI', 'icao': 'CYHI', 'latitude': 70.76280212402344, 'longitude': -117.80599975585938, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4244, 'name': 'Paulatuk (Nora Aliqatchialuk Ruben) Airport', 'city': 'Paulatuk', 'iata': 'YPC', 'icao': 'CYPC', 'latitude': 69.3608381154, 'longitude': -124.075469971, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-', 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 139, 'name': 'Sachs Harbour (David Nasogaluak Jr. Saaryuaq) Airport', 'city': 'Sachs Harbour', 'iata': 'YSY', 'icao': 'CYSY', 'latitude': 71.9938964844, 'longitude': -125.24299621600001, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ameri

ca/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inu
vik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitud
e': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
145, 'name': 'Tuktoyaktuk Airport', 'city': 'Tuktoyaktuk', 'iata': 'YUB', 'ic
ao': 'CYUB', 'latitude': 69.43329620361328, 'longitude': -133.0260009765625,
'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inu
vik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitud
e': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
206, 'name': 'Fort Mcpherson Airport', 'city': 'Fort Mcpherson', 'iata': 'ZFM
', 'icao': 'CZFM', 'latitude': 67.40750122070311, 'longitude': -134.860992431
64062, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 68, 'name': 'Ulukhaktok Holman Airport', 'city': 'Hol
man Island', 'iata': 'YHI', 'icao': 'CYHI', 'latitude': 70.76280212402344, 'l
ongitude': -117.80599975585938, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata'
: 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.483
001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 68, 'name': 'Ulukhaktok Holman Airport', 'city': 'Hol
man Island', 'iata': 'YHI', 'icao': 'CYHI', 'latitude': 70.76280212402344, 'l
ongitude': -117.80599975585938, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 139, 'name': 'Sachs Harbour (David Nasogaluak Jr. Saaryuaq) Airpo
rt', 'city': 'Sachs Harbour', 'iata': 'YSY', 'icao': 'CYSY', 'latitude': 71.9
938964844, 'longitude': -125.24299621600001, 'timezone': -7.0, 'dst': 'A', 't

z_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 4244, 'name': 'Paulatuk (Nora Aliqatchialuk Ruben) Ai
rport', 'city': 'Paulatuk', 'iata': 'YPC', 'icao': 'CYPC', 'latitude': 69.360
8381154, 'longitude': -124.075469971, 'timezone': -7.0, 'dst': 'A', 'tz_id':
'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik',
'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -1
33.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 139, 'name': 'Sachs Harbour (David Nasogaluak Jr. Saa
ryuaq) Airport', 'city': 'Sachs Harbour', 'iata': 'YSY', 'icao': 'CYSY', 'lat
itude': 71.9938964844, 'longitude': -125.24299621600001, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport',
'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.3041992188000
1, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 139, 'name': 'Sachs Harbour (David Nasogaluak Jr. Saa
ryuaq) Airport', 'city': 'Sachs Harbour', 'iata': 'YSY', 'icao': 'CYSY', 'lat
itude': 71.9938964844, 'longitude': -125.24299621600001, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 68, 'name': 'Ulukhaktok Holman Airport',
'city': 'Holman Island', 'iata': 'YHI', 'icao': 'CYHI', 'latitude': 70.762802
12402344, 'longitude': -117.80599975585938, 'timezone': -7.0, 'dst': 'A', 'tz
_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 145, 'name': 'Tuktoyaktuk Airport', 'city': 'Tuktoyak
tuk', 'iata': 'YUB', 'icao': 'CYUB', 'latitude': 69.43329620361328, 'longitud
e': -133.0260009765625, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmon
ton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata': 'YEV',
'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.483001709, '
timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT'
]}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 206, 'name': 'Fort Mcpherson Airport', 'city': 'Fort
Mcpherson', 'iata': 'ZFM', 'icao': 'CZFM', 'latitude': 67.40750122070311, 'lo
ngitude': -134.86099243164062, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Americ
a/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'Inuvik', 'iata':
'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longitude': -133.48300
1709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DHT']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'D
ME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.906299591
06445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Kr
asnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR'
, 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.17050170898
4, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738'
, '73G']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'D
ME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.906299591
06445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pu
lkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lat
itude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, '
dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'D
ME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.906299591
06445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mi
rny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62

.53469848632813, 'longitude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N'
, 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'D
ME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.906299591
06445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6092, 'name': 'Po
lyarny Airport', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'UERP', 'latitude'
: 66.4003982544, 'longitude': 112.029998779, 'timezone': 9.0, 'dst': 'N', 'tz
_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UI
II', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mirny Airport', 'city':
'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.53469848632813, 'long
itude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakut
sk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UI
II', 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 9026, 'name': 'Lensk Airport', 'city':
'Lensk', 'iata': 'ULK', 'icao': 'UERL', 'latitude': 60.7206001282, 'longitude
': 114.82599639899999, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
374, 'name': 'Yemelyanovo Airport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'ic
ao': 'UNKL', 'latitude': 56.172901, 'longitude': 92.493301, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mirny Airport', 'city':
'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.53469848632813, 'long

itude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['TU3']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': 'MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '73G']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': 'MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': 'MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': 'MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo

Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 5
5.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 't
z_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR'
, 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone':
9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internation
al Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.
40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR'
, 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone':
9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'cit
y': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'l
ongitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkut
sk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR'
, 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone':
9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4374, 'name': 'Yemelyanovo Airport',
'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'latitude': 56.172901,
'longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyar
sk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['TU3']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR'
, 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone':
9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', '

city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945
068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asi
a/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['TU5', '738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR'
, 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone':
9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6092, 'name': 'Polyarny Airport', 'ci
ty': 'Yakutia', 'iata': 'PYJ', 'icao': 'UERP', 'latitude': 66.4003982544, 'lo
ngitude': 112.029998779, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
925, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR'
, 'latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone':
9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'cit
y': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656,
'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yak
utsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['TU3', 'AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'ica
o': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timez
one': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pa
shkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao':
'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'ica
o': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timez
one': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airp

ort', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59
.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'ica
o': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timez
one': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mirny Airpor
t', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.534698486
32813, 'longitude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id':
'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['TU5', '738']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4
078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'ica
o': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timez
one': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 6092, 'name': 'Polyarny Air
port', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'UERP', 'latitude': 66.40039
82544, 'longitude': 112.029998779, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asi
a/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6
092, 'name': 'Polyarny Airport', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'U
ERP', 'latitude': 66.4003982544, 'longitude': 112.029998779, 'timezone': 9.0,
'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Ai
rport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879
821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6
092, 'name': 'Polyarny Airport', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'U
ERP', 'latitude': 66.4003982544, 'longitude': 112.029998779, 'timezone': 9.0,
'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mirny Airport', 'city': 'Mi

rnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.53469848632813, 'longitu
de': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6
092, 'name': 'Polyarny Airport', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'U
ERP', 'latitude': 66.4003982544, 'longitude': 112.029998779, 'timezone': 9.0,
'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city'
: 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068,
'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Kra
snoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['TU5']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6
092, 'name': 'Polyarny Airport', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'U
ERP', 'latitude': 66.4003982544, 'longitude': 112.029998779, 'timezone': 9.0,
'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': '
Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'lon
gitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 9
026, 'name': 'Lensk Airport', 'city': 'Lensk', 'iata': 'ULK', 'icao': 'UERL',
'latitude': 60.7206001282, 'longitude': 114.82599639899999, 'timezone': 9.0,
'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': '
Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longit
ude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 9
026, 'name': 'Lensk Airport', 'city': 'Lensk', 'iata': 'ULK', 'icao': 'UERL',
'latitude': 60.7206001282, 'longitude': 114.82599639899999, 'timezone': 9.0,
'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': '

Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'lon
gitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UE
EE', 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone'
: 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mirny Airport', 'cit
y': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.53469848632813, '
longitude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Y
akutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['TU3', 'AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UE
EE', 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone'
: 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 6092, 'name': 'Polyarny Airport', '
city': 'Yakutia', 'iata': 'PYJ', 'icao': 'UERP', 'latitude': 66.4003982544, '
longitude': 112.029998779, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakuts
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1340, 'name': 'Alrosa Mirny Air Enterprise', 'alia
s': 'Pulkovo Aviation Enterprise', 'iata': '6R', 'icao': 'DRU', 'callsign': '
MIRNY', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2
923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UE
EE', 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone'
: 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 9026, 'name': 'Lensk Airport', 'cit
y': 'Lensk', 'iata': 'ULK', 'icao': 'UERL', 'latitude': 60.7206001282, 'longi
tude': 114.82599639899999, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakuts
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AN4']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3235, 'name': 'Sittwe Airport', 'city
': 'Sittwe', 'iata': 'AKY', 'icao': 'VYSW', 'latitude': 20.132699966430664, '
longitude': 92.87259674072266, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Ra
ngoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'iata':

'RGN', 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.133201
5991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
R']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3235, 'name': 'Sittwe Airport', 'city
': 'Sittwe', 'iata': 'AKY', 'icao': 'VYSW', 'latitude': 20.132699966430664, '
longitude': 92.87259674072266, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Ra
ngoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3236, 'name': 'Thandwe Airport', 'city': 'Thandwe', 'iata': 'SNW', 'ica
o': 'VYTD', 'latitude': 18.4606990814209, 'longitude': 94.30010223388672, 'ti
mezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3213, 'name': 'Heho Airport', 'city':
'Heho', 'iata': 'HEH', 'icao': 'VYHH', 'latitude': 20.746999740600586, 'longi
tude': 96.79199981689452, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3222, 'name': 'Mandalay International Airport', 'city': 'Mandalay', 'iata': '
MDL', 'icao': 'VYMD', 'latitude': 21.702199935913086, 'longitude': 95.9778976
4404295, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3213, 'name': 'Heho Airport', 'city':
'Heho', 'iata': 'HEH', 'icao': 'VYHH', 'latitude': 20.746999740600586, 'longi
tude': 96.79199981689452, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'iata': 'RGN'
, 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.1332015991,
'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 6198, 'name': 'Kawthoung Airport', 'c
ity': 'Kawthoung', 'iata': 'KAW', 'icao': 'VYKT', 'latitude': 10.049300193786
62, 'longitude': 98.53800201416016, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'As
ia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3223, 'name': 'Myeik Airport', 'city': 'Myeik', 'iata': 'MGZ', 'ic
ao': 'VYME', 'latitude': 12.439800262451172, 'longitude': 98.62149810791016,

'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3222, 'name': 'Mandalay International
Airport', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.7
02199935913086, 'longitude': 95.97789764404295, 'timezone': 6.5, 'dst': 'U',
'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3213, 'name': 'Heho Airport', 'city': 'Heho', 'iata':
'HEH', 'icao': 'VYHH', 'latitude': 20.746999740600586, 'longitude': 96.791999
81689452, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3222, 'name': 'Mandalay International
Airport', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.7
02199935913086, 'longitude': 95.97789764404295, 'timezone': 6.5, 'dst': 'U',
'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3209, 'name': 'Bagan Airport', 'city': 'Bagan', 'iata'
: 'NYU', 'icao': 'VYBG', 'latitude': 21.178800582885746, 'longitude': 94.9301
986694336, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3222, 'name': 'Mandalay International
Airport', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.7
02199935913086, 'longitude': 95.97789764404295, 'timezone': 6.5, 'dst': 'U',
'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3237, 'name': 'Tachileik Airport', 'city': 'Tachilek',
'iata': 'THL', 'icao': 'VYTL', 'latitude': 20.483800888061523, 'longitude': 9
9.9354019165039, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3223, 'name': 'Myeik Airport', 'city'
: 'Myeik', 'iata': 'MGZ', 'icao': 'VYME', 'latitude': 12.439800262451172, 'lo
ngitude': 98.62149810791016, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rang
oon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 6198, 'name': 'Kawthoung Airport', 'city': 'Kawthoung', 'iata': 'KAW', 'i
cao': 'VYKT', 'latitude': 10.04930019378662, 'longitude': 98.53800201416016,

'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3223, 'name': 'Myeik Airport', 'city'
: 'Myeik', 'iata': 'MGZ', 'icao': 'VYME', 'latitude': 12.439800262451172, 'lo
ngitude': 98.62149810791016, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rang
oon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 6197, 'name': 'Dawei Airport', 'city': 'Dawei', 'iata': 'TVY', 'icao': 'V
YDW', 'latitude': 14.103899955749512, 'longitude': 98.20359802246094, 'timezo
ne': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3209, 'name': 'Bagan Airport', 'city'
: 'Bagan', 'iata': 'NYU', 'icao': 'VYBG', 'latitude': 21.178800582885746, 'lo
ngitude': 94.9301986694336, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rango
on', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 3222, 'name': 'Mandalay International Airport', 'city': 'Mandalay', 'iata'
: 'MDL', 'icao': 'VYMD', 'latitude': 21.702199935913086, 'longitude': 95.9778
9764404295, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3209, 'name': 'Bagan Airport', 'city'
: 'Bagan', 'iata': 'NYU', 'icao': 'VYBG', 'latitude': 21.178800582885746, 'lo
ngitude': 94.9301986694336, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rango
on', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'iata': 'R
GN', 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.13320159
91, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR'
]}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon International A
irport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.9073
00949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id'
: 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3235, 'name': 'Sittwe Airport', 'city': 'Sittwe', 'iata': 'AKY
', 'icao': 'VYSW', 'latitude': 20.132699966430664, 'longitude': 92.8725967407
2266, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport'

, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
R']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon International A
irport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.9073
00949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id'
: 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3213, 'name': 'Heho Airport', 'city': 'Heho', 'iata': 'HEH', '
icao': 'VYHH', 'latitude': 20.746999740600586, 'longitude': 96.79199981689452
, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon International A
irport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.9073
00949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id'
: 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3209, 'name': 'Bagan Airport', 'city': 'Bagan', 'iata': 'NYU',
'icao': 'VYBG', 'latitude': 21.178800582885746, 'longitude': 94.9301986694336
, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon International A
irport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.9073
00949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id'
: 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3236, 'name': 'Thandwe Airport', 'city': 'Thandwe', 'iata': 'S
NW', 'icao': 'VYTD', 'latitude': 18.4606990814209, 'longitude': 94.3001022338
8672, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
R']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon International A
irport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.9073
00949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id'
: 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 6197, 'name': 'Dawei Airport', 'city': 'Dawei', 'iata': 'TVY',
'icao': 'VYDW', 'latitude': 14.103899955749512, 'longitude': 98.2035980224609
4, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']
}

{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3236, 'name': 'Thandwe Airport', 'cit
y': 'Thandwe', 'iata': 'SNW', 'icao': 'VYTD', 'latitude': 18.4606990814209, '
longitude': 94.30010223388672, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Ra
ngoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3235, 'name': 'Sittwe Airport', 'city': 'Sittwe', 'iata': 'AKY', 'icao'
: 'VYSW', 'latitude': 20.132699966430664, 'longitude': 92.87259674072266, 'ti
mezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3236, 'name': 'Thandwe Airport', 'cit
y': 'Thandwe', 'iata': 'SNW', 'icao': 'VYTD', 'latitude': 18.4606990814209, '
longitude': 94.30010223388672, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Ra
ngoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'iata':
'RGN', 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.133201
5991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
R']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 3237, 'name': 'Tachileik Airport', 'c
ity': 'Tachilek', 'iata': 'THL', 'icao': 'VYTL', 'latitude': 20.4838008880615
23, 'longitude': 99.9354019165039, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asi
a/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3222, 'name': 'Mandalay International Airport', 'city': 'Mandalay',
'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.702199935913086, 'longitude': 9
5.97789764404295, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active
': True}, 'src_airport': {'airport_id': 6197, 'name': 'Dawei Airport', 'city'
: 'Dawei', 'iata': 'TVY', 'icao': 'VYDW', 'latitude': 14.103899955749512, 'lo
ngitude': 98.20359802246094, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rang
oon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 3223, 'name': 'Myeik Airport', 'city': 'Myeik', 'iata': 'MGZ', 'icao': 'V
YME', 'latitude': 12.439800262451172, 'longitude': 98.62149810791016, 'timezo
ne': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 5813, 'name': 'Air Mandalay', 'alias': 'nan', 'iat
a': '6T', 'icao': 'RAC', 'callsign': 'Six Tango', 'country': 'Burma', 'active

': True}, 'src_airport': {'airport_id': 6197, 'name': 'Dawei Airport', 'city'
: 'Dawei', 'iata': 'TVY', 'icao': 'VYDW', 'latitude': 14.103899955749512, 'lo
ngitude': 98.20359802246094, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rang
oon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'iata': '
RGN', 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.1332015
991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR'
]}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'nam
e': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'ica
o': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4363, 'name': 'Saratov Cen
tral Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWSS', 'latitude':
51.56499862670898, 'longitude': 46.04669952392578, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['YK2', 'E90']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3964, 'nam
e': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'ica
o': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone'
: 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4363, 'name': 'Saratov Central Airp
ort', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWSS', 'latitude': 51.564998
62670898, 'longitude': 46.04669952392578, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2962, 'nam
e': 'Mineralnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'ic
ao': 'URMM', 'latitude': 44.22510147094727, 'longitude': 43.08190155029297, '
timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 4363, 'name': 'Saratov Ce
ntral Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWSS', 'latitude':
51.56499862670898, 'longitude': 46.04669952392578, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '

country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1587, 'nam
e': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': '
LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4363, 'name': 'Saratov Central Airport', 'city': 'Sar
atov', 'iata': 'RTW', 'icao': 'UWSS', 'latitude': 51.56499862670898, 'longitu
de': 46.04669952392578, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['E90']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4363, 'nam
e': 'Saratov Central Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWS
S', 'latitude': 51.56499862670898, 'longitude': 46.04669952392578, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internat
ional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['E90', 'YK2']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4363, 'nam
e': 'Saratov Central Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWS
S', 'latitude': 51.56499862670898, 'longitude': 46.04669952392578, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots Internati
onal Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude':
40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_i
d': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4363, 'nam
e': 'Saratov Central Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWS
S', 'latitude': 51.56499862670898, 'longitude': 46.04669952392578, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2962, 'name': 'Mineralnyye Vody Ai
rport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'URMM', 'latitude':
44.22510147094727, 'longitude': 43.08190155029297, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '

country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4363, 'nam
e': 'Saratov Central Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWS
S', 'latitude': 51.56499862670898, 'longitude': 46.04669952392578, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airpor
t Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.10
08, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['E90']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4363, 'nam
e': 'Saratov Central Airport', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWS
S', 'latitude': 51.56499862670898, 'longitude': 46.04669952392578, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport',
'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099
212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': '
Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 4805, 'name': 'Saratov Aviation Division', 'alias'
: 'Swiss European', 'iata': '6W', 'icao': 'SOV', 'callsign': 'SARATOV AIR', '
country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2975, 'nam
e': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS
', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4363, 'name': 'Saratov Central Air
port', 'city': 'Saratov', 'iata': 'RTW', 'icao': 'UWSS', 'latitude': 51.56499
862670898, 'longitude': 46.04669952392578, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['YK2']}
{'airline': {'airline_id': 11814, 'name': 'SmartLynx Airlines', 'alias': 'nan
', 'iata': '6Y', 'icao': 'MSE', 'callsign': 'nan', 'country': 'Latvia', 'acti
ve': True}, 'src_airport': {'airport_id': 3953, 'name': 'Riga International A
irport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude': 56.923599
24316406, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife',
'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.572
5002289, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 11814, 'name': 'SmartLynx Airlines', 'alias': 'nan
', 'iata': '6Y', 'icao': 'MSE', 'callsign': 'nan', 'country': 'Latvia', 'acti

ve': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife South Airpo
rt', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28.044500
351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atla
ntic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3953, 'name': 'Riga International Airport', 'city': 'Riga', 'iata
': 'RIX', 'icao': 'EVRA', 'latitude': 56.92359924316406, 'longitude': 23.9710
99853515625, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Riga', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': '
Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'lat
itude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airpo
rt', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.469100952
14844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': '
Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'lat
itude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2372, 'name': 'Gimhae International Airpor
t', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.1795005798
, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seou
l', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International A
irport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910
095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_
id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': '
Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'R
PVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2372, 'name': 'Gimhae International Ai
rport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.179500
5798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/
Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 6008, 'name': '
Cheongju International Airport/Cheongju Air Base (K-59/G-513)', 'city': 'Chon
gju', 'iata': 'CJJ', 'icao': 'RKTU', 'latitude': 36.717008, 'longitude': 127.
498741, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2370, 'name': 'Jeju
International Airport', 'city': 'Cheju', 'iata': 'CJU', 'icao': 'RKPC', 'lati
tude': 33.51129913330078, 'longitude': 126.49299621582031, 'timezone': 9.0, '
dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2370, 'name': '
Jeju International Airport', 'city': 'Cheju', 'iata': 'CJU', 'icao': 'RKPC',
'latitude': 33.51129913330078, 'longitude': 126.49299621582031, 'timezone': 9
.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 6008, 'name': 'Cheongju International Ai
rport/Cheongju Air Base (K-59/G-513)', 'city': 'Chongju', 'iata': 'CJJ', 'ica
o': 'RKTU', 'latitude': 36.717008, 'longitude': 127.498741, 'timezone': 9.0,
'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2370, 'name': '
Jeju International Airport', 'city': 'Cheju', 'iata': 'CJU', 'icao': 'RKPC',
'latitude': 33.51129913330078, 'longitude': 126.49299621582031, 'timezone': 9
.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2378, 'name': 'Gimpo International Airpo
rt', 'city': 'Seoul', 'iata': 'GMP', 'icao': 'RKSS', 'latitude': 37.5583, 'lo
ngitude': 126.791, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2370, 'name': '
Jeju International Airport', 'city': 'Cheju', 'iata': 'CJU', 'icao': 'RKPC',
'latitude': 33.51129913330078, 'longitude': 126.49299621582031, 'timezone': 9
.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2372, 'name': 'Gimhae International Airp
ort', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.17950057
98, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Se
oul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2305, 'name': '
Fukuoka Airport', 'city': 'Fukuoka', 'iata': 'FUK', 'icao': 'RJFF', 'latitude
': 33.585899353027344, 'longitude': 130.45100402832028, 'timezone': 9.0, 'dst
': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', '
city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844,
'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/
Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2378, 'name': '
Gimpo International Airport', 'city': 'Seoul', 'iata': 'GMP', 'icao': 'RKSS',
'latitude': 37.5583, 'longitude': 126.791, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2370, 'name': 'Jeju International Airport', 'city': 'Cheju', '
iata': 'CJU', 'icao': 'RKPC', 'latitude': 33.51129913330078, 'longitude': 126
.49299621582031, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['737', '738']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2378, 'name': '
Gimpo International Airport', 'city': 'Seoul', 'iata': 'GMP', 'icao': 'RKSS',
'latitude': 37.5583, 'longitude': 126.791, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka',
'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 13
5.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2378, 'name': '
Gimpo International Airport', 'city': 'Seoul', 'iata': 'GMP', 'icao': 'RKSS',
'latitude': 37.5583, 'longitude': 126.791, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3942, 'name': 'Chubu Centrair International Airport', 'city':
'Nagoya', 'iata': 'NGO', 'icao': 'RJGG', 'latitude': 34.8583984375, 'longitud
e': 136.80499267578122, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2246, 'name': '
Antonio B. Won Pat International Airport', 'city': 'Agana', 'iata': 'GUM', 'i
cao': 'PGUM', 'latitude': 13.4834003448, 'longitude': 144.796005249, 'timezon
e': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Guam', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internati
onal Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37
.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U'
, 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': '
Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao':
'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internationa
l Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46
910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', '
tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport',
'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662
598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Internatio
nal Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.3
07499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_i
d': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2305, 'name': 'Fukuoka Airport', 'cit
y': 'Fukuoka', 'iata': 'FUK', 'icao': 'RJFF', 'latitude': 33.585899353027344,
'longitude': 130.45100402832028, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/
Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2246, 'name': 'Antonio B. Won Pat Int
ernational Airport', 'city': 'Agana', 'iata': 'GUM', 'icao': 'PGUM', 'latitud
e': 13.4834003448, 'longitude': 144.796005249, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Guam', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Internationa
l Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 2
2.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3992, 'name': 'Kansai International A
irport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729
949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_
id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internati
onal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 1
4.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3942, 'name': 'Chubu Centrair Interna
tional Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao': 'RJGG', 'latitude':
34.8583984375, 'longitude': 136.80499267578122, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International A
irport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.76470
1843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': '
Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI
', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone'
: 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'cit
y': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'lon
gitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': '
Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB'
, 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone':
9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2378, 'name': 'Gimpo International Airp
ort', 'city': 'Seoul', 'iata': 'GMP', 'icao': 'RKSS', 'latitude': 37.5583, 'l
ongitude': 126.791, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': '
Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB'
, 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone':
9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Ai
rport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.469100
95214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'ci
ty': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, '
longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/S
eoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3942, 'name': '
Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao
': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, 'timez
one': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2378, 'name': 'Gimpo Internationa
l Airport', 'city': 'Seoul', 'iata': 'GMP', 'icao': 'RKSS', 'latitude': 37.55
83, 'longitude': 126.791, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3942, 'name': '
Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao
': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, 'timez
one': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internatio
nal Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.
46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2279, 'name': '
Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA'
, 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0
, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airpo
rt', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.469100952
14844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2372, 'name': '
Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK'
, 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst
': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'B
angkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'long
itude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangk
ok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub

lic of Korea', 'active': True}, 'src_airport': {'airport_id': 2372, 'name': '
Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK'
, 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst
': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2370, 'name': 'Jeju International Airport', 'cit
y': 'Cheju', 'iata': 'CJU', 'icao': 'RKPC', 'latitude': 33.51129913330078, 'l
ongitude': 126.49299621582031, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Se
oul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2994, 'name': 'Jeju Air', 'alias': 'JAL Japan Airl
ines', 'iata': '7C', 'icao': 'JJA', 'callsign': 'JEJU AIR', 'country': 'Repub
lic of Korea', 'active': True}, 'src_airport': {'airport_id': 3390, 'name': '
Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude
': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city':
'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longi
tude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['737']}
{'airline': {'airline_id': 563, 'name': 'Aeroline GmbH', 'alias': 'ANA All Ni
ppon Airways', 'iata': '7E', 'icao': 'AWU', 'callsign': 'SYLT-AIR', 'country'
: 'Germany', 'active': True}, 'src_airport': {'airport_id': 410, 'name': 'Wes
terland Sylt Airport', 'city': 'Westerland', 'iata': 'GWT', 'icao': 'EDXW', '
latitude': 54.9132003784, 'longitude': 8.34047031403, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg
', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude'
: 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CNA']}
{'airline': {'airline_id': 563, 'name': 'Aeroline GmbH', 'alias': 'ANA All Ni
ppon Airways', 'iata': '7E', 'icao': 'AWU', 'callsign': 'SYLT-AIR', 'country'
: 'Germany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Ham
burg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude':
53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 410, 'name': 'Westerland Sylt Airport', 'city': '
Westerland', 'iata': 'GWT', 'icao': 'EDXW', 'latitude': 54.9132003784, 'longi
tude': 8.34047031403, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['CNA']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac

tive': True}, 'src_airport': {'airport_id': 8225, 'name': 'Old Arctic Bay Air
port', 'city': 'Arctic Bay', 'iata': 'YAB', 'icao': 'CJX7', 'latitude': 73.00
58922479, 'longitude': -85.0325489044, 'timezone': -6.0, 'dst': 'A', 'tz_id':
'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': '
YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 8225, 'name': 'Old Arctic Bay Air
port', 'city': 'Arctic Bay', 'iata': 'YAB', 'icao': 'CJX7', 'latitude': 73.00
58922479, 'longitude': -85.0325489044, 'timezone': -6.0, 'dst': 'A', 'tz_id':
'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 128, 'name': 'Resolute Bay Airport', 'city': 'Resolute', 'i
ata': 'YRB', 'icao': 'CYRB', 'latitude': 74.71690368649999, 'longitude': -94.
9693984985, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 29, 'name': 'Baker Lake Airport',
'city': 'Baker Lake', 'iata': 'YBK', 'icao': 'CYBK', 'latitude': 64.298896789
60001, 'longitude': -96.077796936, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Am
erica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', '
iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -9
2.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 29, 'name': 'Baker Lake Airport',
'city': 'Baker Lake', 'iata': 'YBK', 'icao': 'CYBK', 'latitude': 64.298896789
60001, 'longitude': -96.077796936, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Am
erica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 147, 'name': 'Repulse Bay Airport', 'city': 'Repulse Bay', 'ia
ta': 'YUT', 'icao': 'CYUT', 'latitude': 66.5214004517, 'longitude': -86.22470
092770003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airpor

t', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.10
81008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz
_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 37, 'name': 'Kugluktuk Airport', 'city': 'Coppermine'
, 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longitude': -115.143
997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airpor
t', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.10
81008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz
_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 69, 'name': 'Gjoa Haven Airport', 'city': 'Gjoa Haven
', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229, 'longitude': -95.
8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airpor
t', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.10
81008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz
_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowkn
ife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitud
e': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmo
nton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['AT7', '73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport',
'city': 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, '
longitude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmo
nton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 32, 'name': 'Cambridge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'Y
CB', 'icao': 'CYCB', 'latitude': 69.1081008911, 'longitude': -105.13800048799
999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport',

'city': 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, '
longitude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmo
nton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 68, 'name': 'Ulukhaktok Holman Airport', 'city': 'Holman Island', 'iata'
: 'YHI', 'icao': 'CYHI', 'latitude': 70.76280212402344, 'longitude': -117.805
99975585938, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport',
'city': 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, '
longitude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmo
nton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF'
, 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.4400024414
0624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 5487, 'name': 'Chesterfield Inlet
Airport', 'city': 'Chesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latit
ude': 63.346900939899996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city
': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200
006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Ame
rica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 5487, 'name': 'Chesterfield Inlet
Airport', 'city': 'Chesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latit
ude': 63.346900939899996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 41, 'name': 'Coral Harbour Airport', 'city
': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'latitude': 64.1932983398,
'longitude': -83.3593978882, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Coral_Harbour', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 40, 'name': 'Clyde River Airport'

, 'city': 'Clyde River', 'iata': 'YCY', 'icao': 'CYCY', 'latitude': 70.486099
2432, 'longitude': -68.5167007446, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Am
erica/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB'
, 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 40, 'name': 'Clyde River Airport'
, 'city': 'Clyde River', 'iata': 'YCY', 'icao': 'CYCY', 'latitude': 70.486099
2432, 'longitude': -68.5167007446, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Am
erica/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 75, 'name': 'Pond Inlet Airport', 'city': 'Pond Inlet', 'iata':
'YIO', 'icao': 'CYIO', 'latitude': 72.6832962036, 'longitude': -77.9666976929
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 49, 'name': 'Edmonton Internation
al Airport', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG', 'latitude': 5
3.309700012200004, 'longitude': -113.580001831, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yello
wknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longi
tude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/E
dmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['73M', '737']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 50, 'name': 'Arviat Airport', 'ci
ty': 'Eskimo Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343
, 'longitude': -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Americ
a/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata
': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.11
57989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 50, 'name': 'Arviat Airport', 'ci
ty': 'Eskimo Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343

, 'longitude': -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Americ
a/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Whale Cove', 'iata':
'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'longitude': -92.598098
7549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Ai
rport', 'city': 'Inuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419
921880001, 'longitude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id'
: 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 155, 'name': 'Norman Wells Airport', 'city': 'Norman Well
s', 'iata': 'YVQ', 'icao': 'CYVQ', 'latitude': 65.28160095214844, 'longitude'
: -126.7979965209961, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonto
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 82
25, 'name': 'Old Arctic Bay Airport', 'city': 'Arctic Bay', 'iata': 'YAB', 'i
cao': 'CJX7', 'latitude': 73.0058922479, 'longitude': -85.0325489044, 'timezo
ne': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 40
, 'name': 'Clyde River Airport', 'city': 'Clyde River', 'iata': 'YCY', 'icao'
: 'CYCY', 'latitude': 70.4860992432, 'longitude': -68.5167007446, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 54

95, 'name': 'Igloolik Airport', 'city': 'Igloolik', 'iata': 'YGT', 'icao': 'C
YGT', 'latitude': 69.3647003174, 'longitude': -81.8161010742, 'timezone': -5.
0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55
09, 'name': 'Kimmirut Airport', 'city': 'Kimmirut', 'iata': 'YLC', 'icao': 'C
YLC', 'latitude': 62.8499984741, 'longitude': -69.88330078119999, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 10
0, 'name': 'Ottawa Macdonald-Cartier International Airport', 'city': 'Ottawa'
, 'iata': 'YOW', 'icao': 'CYOW', 'latitude': 45.3224983215332, 'longitude': -
75.66919708251953, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 13
2, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'ic
ao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'ti
mezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 14
0, 'name': 'Cape Dorset Airport', 'city': 'Cape Dorset', 'iata': 'YTE', 'icao
': 'CYTE', 'latitude': 64.2300033569, 'longitude': -76.5267028809, 'timezone'

: -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 14
8, 'name': 'Hall Beach Airport', 'city': 'Hall Beach', 'iata': 'YUX', 'icao':
'CYUX', 'latitude': 68.77610015869999, 'longitude': -81.2425, 'timezone': -5.
0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 15
4, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CY
VP', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 17
0, 'name': 'Pangnirtung Airport', 'city': 'Pangnirtung', 'iata': 'YXP', 'icao
': 'CYXP', 'latitude': 66.1449966431, 'longitude': -65.71360015869999, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 60, 'name': 'Fort Simpson Airport
', 'city': 'Fort Simpson', 'iata': 'YFS', 'icao': 'CYFS', 'latitude': 61.7602
0050048828, 'longitude': -121.23699951171876, 'timezone': -7.0, 'dst': 'A', '
tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellow
knife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longit
ude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Ed
monton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['AT4', 'AT7']}

{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 5495, 'name': 'Igloolik Airport',
'city': 'Igloolik', 'iata': 'YGT', 'icao': 'CYGT', 'latitude': 69.3647003174,
'longitude': -81.8161010742, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'ica
o': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0,
'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 5495, 'name': 'Igloolik Airport',
'city': 'Igloolik', 'iata': 'YGT', 'icao': 'CYGT', 'latitude': 69.3647003174,
'longitude': -81.8161010742, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 148, 'name': 'Hall Beach Airport', 'city': 'Hall Beach', 'iata': 'YUX
', 'icao': 'CYUX', 'latitude': 68.77610015869999, 'longitude': -81.2425, 'tim
ezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 68, 'name': 'Ulukhaktok Holman Ai
rport', 'city': 'Holman Island', 'iata': 'YHI', 'icao': 'CYHI', 'latitude': 7
0.76280212402344, 'longitude': -117.80599975585938, 'timezone': -7.0, 'dst':
'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport', 'city': 'Cop
permine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longitude':
-115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 69, 'name': 'Gjoa Haven Airport',
'city': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229
, 'longitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Americ
a/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 32, 'name': 'Cambridge Bay Airport', 'city': 'Cambridge Bay', 'iat
a': 'YCB', 'icao': 'CYCB', 'latitude': 69.1081008911, 'longitude': -105.13800
048799999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac

tive': True}, 'src_airport': {'airport_id': 69, 'name': 'Gjoa Haven Airport', 'city': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229, 'longitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 183, 'name': 'Taloyoak Airport', 'city': 'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude': 69.5466995239, 'longitude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 72, 'name': 'Hay River / Merlyn Carter Airport', 'city': 'Hay River', 'iata': 'YHY', 'icao': 'CYHY', 'latitude': 60.8396987915, 'longitude': -115.782997131, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 75, 'name': 'Pond Inlet Airport', 'city': 'Pond Inlet', 'iata': 'YIO', 'icao': 'CYIO', 'latitude': 72.6832962036, 'longitude': -77.9666976929, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 40, 'name': 'Clyde River Airport', 'city': 'Clyde River', 'iata': 'YCY', 'icao': 'CYCY', 'latitude': 70.4860992432, 'longitude': -68.5167007446, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 5509, 'name': 'Kimmirut Airport', 'city': 'Kimmirut', 'iata': 'YLC', 'icao': 'CYLC', 'latitude': 62.8499984741, 'longitude': -69.88330078119999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 100, 'name': 'Ottawa Macdonald-Ca

rtier International Airport', 'city': 'Ottawa', 'iata': 'YOW', 'icao': 'CYOW'
, 'latitude': 45.3224983215332, 'longitude': -75.66919708251953, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'c
ity': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longi
tude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 128, 'name': 'Resolute Bay Airpor
t', 'city': 'Resolute', 'iata': 'YRB', 'icao': 'CYRB', 'latitude': 74.7169036
8649999, 'longitude': -94.9693984985, 'timezone': -6.0, 'dst': 'A', 'tz_id':
'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 8225, 'name': 'Old Arctic Bay Airport', 'city': 'Arctic Bay
', 'iata': 'YAB', 'icao': 'CJX7', 'latitude': 73.0058922479, 'longitude': -85
.0325489044, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor
t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811
401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 29, 'name': 'Baker Lake Airport', 'city': 'Baker Lake'
, 'iata': 'YBK', 'icao': 'CYBK', 'latitude': 64.29889678960001, 'longitude':
-96.077796936, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor
t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811
401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 5487, 'name': 'Chesterfield Inlet Airport', 'city': 'C
hesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latitude': 63.34690093989
9996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Am
erica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor

t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811
401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 50, 'name': 'Arviat Airport', 'city': 'Eskimo Point',
'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343, 'longitude': -94.07
08007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor
t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811
401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iat
a': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor
t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811
401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 160, 'name': 'Winnipeg / James Armstrong Richardson In
ternational Airport', 'city': 'Winnipeg', 'iata': 'YWG', 'icao': 'CYWG', 'lat
itude': 49.909999847399995, 'longitude': -97.2398986816, 'timezone': -6.0, 'd
st': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M', 'AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor
t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811
401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Whale Cov
e', 'iata': 'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'longitude'
: -92.5980987549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airpor
t', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811

401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 140, 'name': 'Cape Dorset Airport', 'city': 'Cape Dorset', 'iata': 'YTE', 'icao': 'CYTE', 'latitude': 64.2300033569, 'longitude': -76.5267028809, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 140, 'name': 'Cape Dorset Airport', 'city': 'Cape Dorset', 'iata': 'YTE', 'icao': 'CYTE', 'latitude': 64.2300033569, 'longitude': -76.5267028809, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 41, 'name': 'Coral Harbour Airport', 'city': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'latitude': 64.1932983398, 'longitude': -83.3593978882, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Coral_Harbour', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 154, 'name': 'Kuujjuaq Airport', 'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351562, 'longitude': -68.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 147, 'name': 'Repulse Bay Airport', 'city': 'Repulse Bay', 'iata': 'YUT', 'icao': 'CYUT', 'latitude': 66.5214004517, 'longitude': -86.22470092770003, 'timezone': -6.0, 'dst': 'A', 'tz_id'

: 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 29, 'name': 'Baker Lake Airport', 'city': 'Baker Lake', '
iata': 'YBK', 'icao': 'CYBK', 'latitude': 64.29889678960001, 'longitude': -96
.077796936, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 148, 'name': 'Hall Beach Airport'
, 'city': 'Hall Beach', 'iata': 'YUX', 'icao': 'CYUX', 'latitude': 68.7761001
5869999, 'longitude': -81.2425, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', '
icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5
.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 148, 'name': 'Hall Beach Airport'
, 'city': 'Hall Beach', 'iata': 'YUX', 'icao': 'CYUX', 'latitude': 68.7761001
5869999, 'longitude': -81.2425, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 5495, 'name': 'Igloolik Airport', 'city': 'Igloolik', 'iata': 'YGT
', 'icao': 'CYGT', 'latitude': 69.3647003174, 'longitude': -81.8161010742, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 152, 'name': 'Qikiqtarjuaq Airpor
t', 'city': 'Broughton Island', 'iata': 'YVM', 'icao': 'CYVM', 'latitude': 67
.5457992554, 'longitude': -64.03140258789999, 'timezone': -5.0, 'dst': 'A', '
tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 170, 'name': 'Pangnirtung Airport', 'city': 'Pangnir
tung', 'iata': 'YXP', 'icao': 'CYXP', 'latitude': 66.1449966431, 'longitude':
-65.71360015869999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 154, 'name': 'Kuujjuaq Airport',
'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351
562, 'longitude': -68.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'Y

FB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 154, 'name': 'Kuujjuaq Airport',
'city': 'Quujjuaq', 'iata': 'YVP', 'icao': 'CYVP', 'latitude': 58.09609985351
562, 'longitude': -68.42690277099611, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau Internationa
l Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45
.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_i
d': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 155, 'name': 'Norman Wells Airpor
t', 'city': 'Norman Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latitude': 65.281
60095214844, 'longitude': -126.7979965209961, 'timezone': -7.0, 'dst': 'A', '
tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 54, 'name': 'Inuvik Mike Zubko Airport', 'city': 'I
nuvik', 'iata': 'YEV', 'icao': 'CYEV', 'latitude': 68.30419921880001, 'longit
ude': -133.483001709, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonto
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 155, 'name': 'Norman Wells Airpor
t', 'city': 'Norman Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latitude': 65.281
60095214844, 'longitude': -126.7979965209961, 'timezone': -7.0, 'dst': 'A', '
tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellow
knife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longit
ude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Ed
monton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 160, 'name': 'Winnipeg / James Ar
mstrong Richardson International Airport', 'city': 'Winnipeg', 'iata': 'YWG',
'icao': 'CYWG', 'latitude': 49.909999847399995, 'longitude': -97.2398986816,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin
Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latit

ude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M', 'AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Whale Cove', 'iata': 'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'longitude': -92.5980987549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 50, 'name': 'Arviat Airport', 'city': 'Eskimo Point', 'iata': 'YEK', 'icao': 'CYEK', 'latitude': 61.0942001343, 'longitude': -94.0708007812, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 5534, 'name': 'Whale Cove Airport', 'city': 'Whale Cove', 'iata': 'YXN', 'icao': 'CYXN', 'latitude': 62.24000167849999, 'longitude': -92.5980987549, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longitude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 170, 'name': 'Pangnirtung Airport', 'city': 'Pangnirtung', 'iata': 'YXP', 'icao': 'CYXP', 'latitude': 66.1449966431, 'longitude': -65.71360015869999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 55, 'name': 'Iqaluit Airport', 'city': 'Iqaluit', 'iata': 'YFB', 'icao': 'CYFB', 'latitude': 63.756402, 'longitude': -68.555801, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 170, 'name': 'Pangnirtung Airport', 'city': 'Pangnirtung', 'iata': 'YXP', 'icao': 'CYXP', 'latitude': 66.1449966431, 'longitude': -65.71360015869999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 152, 'name': 'Qikiqtarjuaq Airport', 'city': 'Broughton Island', 'iata': 'YVM', 'icao': 'CYVM', 'latitude': 67.5457992554, 'longitude': -64.03140258789999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 183, 'name': 'Taloyoak Airport', 'city': 'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude': 69.5466995239, 'longitude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 69, 'name': 'Gjoa Haven Airport', 'city': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229, 'longitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 183, 'name': 'Taloyoak Airport', 'city': 'Spence Bay', 'iata': 'YYH', 'icao': 'CYYH', 'latitude': 69.5466995239, 'longitude': -93.57669830319999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 32, 'name': 'Cambridge Bay Airport', 'city': 'Cambridge Bay', 'iata': 'YCB', 'icao': 'CYCB', 'latitude': 69.1081008911, 'longitude': -105.13800048799999, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M', 'AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 37, 'name': 'Kugluktuk Airport', 'city': 'Coppermine', 'iata': 'YCO', 'icao': 'CYCO', 'latitude': 67.816704, 'longitude': -115.143997, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 49, 'name': 'Edmonton International Airport', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG', 'latitude': 53.309700012200004, 'longitude': -113.580001831, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73M', '737']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 60, 'name': 'Fort Simpson Airport', 'city': 'Fort Simpson', 'iata': 'YFS', 'icao': 'CYFS', 'latitude': 61.76020050048828, 'longitude': -121.23699951171876, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 69, 'name': 'Gjoa Haven Airport', 'city': 'Gjoa Haven', 'iata': 'YHK', 'icao': 'CYHK', 'latitude': 68.635597229, 'longitude': -95.8497009277, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airline', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'active': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 72, 'name': 'Hay River / Merlyn Carter Airport', 'city': 'Hay River', 'iata': 'YHY', 'icao': 'CYHY', 'latitude': 60.8396987915, 'longitude': -115.782997131, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/E

dmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport
', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279
907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 132, 'name': 'Rankin Inlet Airport', 'city': 'Rankin
Inlet', 'iata': 'YRT', 'icao': 'CYRT', 'latitude': 62.811401367200006, 'longi
tude': -92.1157989502, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Winnip
eg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 196, 'name': 'Yellowknife Airport
', 'city': 'Yellowknife', 'iata': 'YZF', 'icao': 'CYZF', 'latitude': 62.46279
907226562, 'longitude': -114.44000244140624, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 155, 'name': 'Norman Wells Airport', 'city': 'Norman
Wells', 'iata': 'YVQ', 'icao': 'CYVQ', 'latitude': 65.28160095214844, 'longit
ude': -126.7979965209961, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edm
onton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73M']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 41, 'name': 'Coral Harbour Airpor
t', 'city': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'latitude': 64.19
32983398, 'longitude': -83.3593978882, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/Coral_Harbour', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 5487, 'name': 'Chesterfield Inlet Airport', 'city': 'C
hesterfield Inlet', 'iata': 'YCS', 'icao': 'CYCS', 'latitude': 63.34690093989
9996, 'longitude': -90.7311019897, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Am
erica/Winnipeg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 2354, 'name': 'First Air', 'alias': 'EasyJet Airli
ne', 'iata': '7F', 'icao': 'FAB', 'callsign': 'nan', 'country': 'Canada', 'ac
tive': True}, 'src_airport': {'airport_id': 41, 'name': 'Coral Harbour Airpor
t', 'city': 'Coral Harbour', 'iata': 'YZS', 'icao': 'CYZS', 'latitude': 64.19
32983398, 'longitude': -83.3593978882, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/Coral_Harbour', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 140, 'name': 'Cape Dorset Airport', 'city': 'Cape Dors
et', 'iata': 'YTE', 'icao': 'CYTE', 'latitude': 64.2300033569, 'longitude': -
76.5267028809, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['AT4']}
{'airline': {'airline_id': 4388, 'name': 'Star Flyer', 'alias': 'Sibir Airlin
es', 'iata': '7G', 'icao': 'SFJ', 'callsign': 'STARFLYER', 'country': 'Japan'
, 'active': True}, 'src_airport': {'airport_id': 2305, 'name': 'Fukuoka Airpo
rt', 'city': 'Fukuoka', 'iata': 'FUK', 'icao': 'RJFF', 'latitude': 33.5858993
53027344, 'longitude': 130.45100402832028, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2359, 'name': 'Tokyo Haneda International Airport', 'city': 'T
okyo', 'iata': 'HND', 'icao': 'RJTT', 'latitude': 35.552299, 'longitude': 139
.779999, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4388, 'name': 'Star Flyer', 'alias': 'Sibir Airlin
es', 'iata': '7G', 'icao': 'SFJ', 'callsign': 'STARFLYER', 'country': 'Japan'
, 'active': True}, 'src_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda
International Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'lati
tude': 35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2305, 'name': 'Fukuoka Airport', 'city': 'Fukuoka', 'iata': 'F
UK', 'icao': 'RJFF', 'latitude': 33.585899353027344, 'longitude': 130.4510040
2832028, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4388, 'name': 'Star Flyer', 'alias': 'Sibir Airlin
es', 'iata': '7G', 'icao': 'SFJ', 'callsign': 'STARFLYER', 'country': 'Japan'
, 'active': True}, 'src_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda
International Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'lati
tude': 35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka',
'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 13
5.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4388, 'name': 'Star Flyer', 'alias': 'Sibir Airlin
es', 'iata': '7G', 'icao': 'SFJ', 'callsign': 'STARFLYER', 'country': 'Japan'
, 'active': True}, 'src_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda
International Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'lati
tude': 35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2311, 'name': 'Kitakyūshū Airport', 'city': 'Kitakyushu', 'iat
a': 'KKJ', 'icao': 'RJFR', 'latitude': 33.8459014893, 'longitude': 131.035003
662, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', '

source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 4388, 'name': 'Star Flyer', 'alias': 'Sibir Airlin
es', 'iata': '7G', 'icao': 'SFJ', 'callsign': 'STARFLYER', 'country': 'Japan'
, 'active': True}, 'src_airport': {'airport_id': 3992, 'name': 'Kansai Intern
ational Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude':
34.42729949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': '
U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2359, 'name': 'Tokyo Haneda International Airport',
'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'latitude': 35.552299, 'longi
tude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 4388, 'name': 'Star Flyer', 'alias': 'Sibir Airlin
es', 'iata': '7G', 'icao': 'SFJ', 'callsign': 'STARFLYER', 'country': 'Japan'
, 'active': True}, 'src_airport': {'airport_id': 2311, 'name': 'Kitakyūshū Ai
rport', 'city': 'Kitakyushu', 'iata': 'KKJ', 'icao': 'RJFR', 'latitude': 33.8
459014893, 'longitude': 131.035003662, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 2359, 'name': 'Tokyo Haneda International Airport', 'city': 'Toky
o', 'iata': 'HND', 'icao': 'RJTT', 'latitude': 35.552299, 'longitude': 139.77
9999, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7177, 'name': 'Ambler Airport', 'ci
ty': 'Ambler', 'iata': 'ABL', 'icao': 'PAFM', 'latitude': 67.1063, 'longitude
': -157.856989, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 369
3, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ',
'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7177, 'name': 'Ambler Airport', 'ci
ty': 'Ambler', 'iata': 'ABL', 'icao': 'PAFM', 'latitude': 67.1063, 'longitude
': -157.856989, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 711
7, 'name': 'Shungnak Airport', 'city': 'Shungnak', 'iata': 'SHG', 'icao': 'PA
GH', 'latitude': 66.88809967041, 'longitude': -157.16200256348, 'timezone': -
9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7220, 'name': 'Wainwright Airport', 'city': 'Wainwright', 'iata': 'AIN', 'icao': 'PAWI', 'latitude': 70.6380004883, 'longitude': -159.994995117, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6714, 'name': 'Atqasuk Edward Burnell Sr Memorial Airport', 'city': 'Atqasuk', 'iata': 'ATK', 'icao': 'PATQ', 'latitude': 70.46730041503906, 'longitude': -157.43600463867188, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7220, 'name': 'Wainwright Airport', 'city': 'Wainwright', 'iata': 'AIN', 'icao': 'PAWI', 'latitude': 70.6380004883, 'longitude': -159.994995117, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3571, 'name': 'Wiley Post Will Rogers Memorial Airport', 'city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latitude': 71.285402, 'longitude': -156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1', 'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7217, 'name': 'Akiak Airport', 'city': 'Akiak', 'iata': 'AKI', 'icao': 'PFAK', 'latitude': 60.9029006958, 'longitude': -161.231002808, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7217, 'name': 'Akiak Airport', 'city': 'Akiak', 'iata': 'AKI', 'icao': 'PFAK', 'latitude': 60.9029006958, 'longi

tude': -161.231002808, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchor
age', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'code
share': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3531, 'name': 'Kodiak Airport',
'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitud
e': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5967, 'name': 'Aniak Airport',
'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898
, 'longitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport',
'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'lo
ngitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3610, 'name': 'Merle K (Mudhole
) Smith Airport', 'city': 'Cordova', 'iata': 'CDV', 'icao': 'PACV', 'latitude

': 60.49179839999999, 'longitude': -145.4779968, 'timezone': -9.0, 'dst': 'A'
, 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3628, 'name': 'Kenai Municipal
Airport', 'city': 'Kenai', 'iata': 'ENA', 'icao': 'PAEN', 'latitude': 60.5731
0104370117, 'longitude': -151.2449951171875, 'timezone': -9.0, 'dst': 'A', 't
z_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3832, 'name': 'Fairbanks Intern
ational Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitu
de': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3664, 'name': 'Homer Airport',
'city': 'Homer', 'iata': 'HOM', 'icao': 'PAHO', 'latitude': 59.64559936523438
, 'longitude': -151.4770050048828, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6718, 'name': "St Mary's Airpor
t", 'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.060501

1, 'longitude': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 7088, 'name': 'Unalakleet Airpo
rt', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.8884
0103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorag
e International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC',
'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3865, 'name': 'Valdez Pioneer F
ield', 'city': 'Valdez', 'iata': 'VDZ', 'icao': 'PAVD', 'latitude': 61.133899
69, 'longitude': -146.24800109999998, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5967, 'name': 'Aniak Airport', 'cit
y': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'l
ongitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'ci
ty': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.1744003295898
44, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5967, 'name': 'Aniak Airport', 'cit
y': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'l
ongitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 7091, 'name': 'Chuathbaluk Airport', 'city': 'Chuathbaluk', 'iat
a': 'CHU', 'icao': 'PACH', 'latitude': 61.579102, 'longitude': -159.216003, '

timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5962, 'name': 'Holy Cross Airport', 'city': 'Holy Cross', 'iata': 'HCR', 'icao': 'PAHC', 'latitude': 62.18830108642578, 'longitude': -159.77499389648438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5964, 'name': 'Kalskag Airport', 'city': 'Kalskag', 'iata': 'KLG', 'icao': 'PALG', 'latitude': 61.53630065917969, 'longitude': -160.34100341796875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', 'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7098, 'name': 'Russian Mission Airport', 'city': 'Russian Mission', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 61.7788848877, 'longitude': -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7090, 'name': 'Shageluk Airport', 'city': 'Shageluk', 'iata': 'SHX', 'icao': 'PAHX', 'latitude': 62.6922988892, 'longitude': -159.569000244,

'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC
']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6713, 'name': 'Anvik Airport', 'cit
y': 'Anvik', 'iata': 'ANV', 'icao': 'PANV', 'latitude': 62.646702000000005, '
longitude': -160.190994, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 5962, 'name': 'Holy Cross Airport', 'city': 'Holy Cross', 'iata': 'HCR'
, 'icao': 'PAHC', 'latitude': 62.18830108642578, 'longitude': -159.7749938964
8438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6713, 'name': 'Anvik Airport', 'cit
y': 'Anvik', 'iata': 'ANV', 'icao': 'PANV', 'latitude': 62.646702000000005, '
longitude': -160.190994, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'co
deshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6714, 'name': 'Atqasuk Edward Burne
ll Sr Memorial Airport', 'city': 'Atqasuk', 'iata': 'ATK', 'icao': 'PATQ', 'l
atitude': 70.46730041503906, 'longitude': -157.43600463867188, 'timezone': -9
.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 7220, 'name': 'Wainwright Airport
', 'city': 'Wainwright', 'iata': 'AIN', 'icao': 'PAWI', 'latitude': 70.638000
4883, 'longitude': -159.994995117, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6714, 'name': 'Atqasuk Edward Burne
ll Sr Memorial Airport', 'city': 'Atqasuk', 'iata': 'ATK', 'icao': 'PATQ', 'l
atitude': 70.46730041503906, 'longitude': -157.43600463867188, 'timezone': -9
.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3571, 'name': 'Wiley Post Will Ro
gers Memorial Airport', 'city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'lat
itude': 71.285402, 'longitude': -156.766008, 'timezone': -9.0, 'dst': 'A', 't
z_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7199, 'name': 'Alakanuk Airport', 'city': 'Alakanuk', 'iata': 'AUK', 'icao': 'PAUK', 'latitude': 62.6800422668, 'longitude': -164.65992736799998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7087, 'name': 'Emmonak Airport', 'city': 'Emmonak', 'iata': 'EMK', 'icao': 'PAEM', 'latitude': 62.78609848, 'longitude': -164.49099730000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7199, 'name': 'Alakanuk Airport', 'city': 'Alakanuk', 'iata': 'AUK', 'icao': 'PAUK', 'latitude': 62.6800422668, 'longitude': -164.65992736799998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6960, 'name': 'Chefornak Airport', 'city': 'Chefornak', 'iata': 'CYF', 'icao': 'PACK', 'latitude': 60.1492004395, 'longitude': -164.285995483, 'timezone

': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 7093, 'name': 'Eek Airport', 'city': 'Eek', 'iata': 'EEK', 'icao': 'PAEE',
'latitude': 60.21367264, 'longitude': -162.0438843, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 6716, 'name': 'Hooper Bay Airport', 'city': 'Hooper Bay', 'iata': 'HPB', 'i
cao': 'PAHP', 'latitude': 61.52389908, 'longitude': -166.1470032, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 7213, 'name': 'Kongiganak Airport', 'city': 'Kongiganak', 'iata': 'KKH', 'i
cao': 'PADY', 'latitude': 59.9608001709, 'longitude': -162.88099670399998, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 5964, 'name': 'Kalskag Airport', 'city': 'Kalskag', 'iata': 'KLG', 'icao':
'PALG', 'latitude': 61.53630065917969, 'longitude': -160.34100341796875, 'tim
ezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', '
CNC']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7094, 'name': 'Kasigluk Airport', 'city': 'Kasigluk', 'iata': 'KUK', 'icao': 'PFKA', 'latitude': 60.87440109, 'longitude': -162.5240021, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7096, 'name': 'Kwigillingok Airport', 'city': 'Kwigillingok', 'iata': 'KWK', 'icao': 'PAGG', 'latitude': 59.876499, 'longitude': -163.169005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7206, 'name': 'Quinhagak Airport', 'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'longitude': -161.845, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7095, 'name': 'Kwethluk Airport', 'city': 'Kwethluk', 'iata': 'KWT', 'icao': 'PFKW', 'latitude': 60.790298461899994, 'longitude': -161.444000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi

tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 7097, 'name': 'Marshall Don Hunter Sr Airport', 'city': 'Marshall', 'iata':
'MLL', 'icao': 'PADM', 'latitude': 61.8642997742, 'longitude': -162.026000977
, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['C
NA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 8199, 'name': 'Nightmute Airport', 'city': 'Nightmute', 'iata': 'NME', 'ica
o': 'PAGT', 'latitude': 60.471000671386996, 'longitude': -164.70100402832, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA',
'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 8200, 'name': 'Toksook Bay Airport', 'city': 'Toksook Bay', 'iata': 'OOK',
'icao': 'PAOO', 'latitude': 60.54140091, 'longitude': -165.0870056, 'timezone
': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', 'CNC']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codesh
are': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'ci
ty': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longi
tude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codesh
are': True, 'stops': 0, 'equipment': ['CNA']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5968, 'name': 'Chevak Airport', 'city': 'Chevak', 'iata': 'VAK', 'icao': 'PAVA', 'latitude': 61.5409, 'longitude': -165.6005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7178, 'name': 'Buckland Airport', 'city': 'Buckland', 'iata': 'BKC', 'icao': 'PABL', 'latitude': 65.9815979004, 'longitude': -161.149002075, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6755, 'name': 'Deering Airport', 'city': 'Deering', 'iata': 'DRG', 'icao': 'PADE', 'latitude': 66.0696029663, 'longitude': -162.76600647, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7178, 'name': 'Buckland Airport', 'city': 'Buckland', 'iata': 'BKC', 'icao': 'PABL', 'latitude': 65.9815979004, 'longitude': -161.149002075, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3571, 'name': 'Wiley Post Will Rogers Memorial Airport', 'city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latitude': 71.285402, 'longitude': -156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a

irport': {'airport_id': 7220, 'name': 'Wainwright Airport', 'city': 'Wainwrig
ht', 'iata': 'AIN', 'icao': 'PAWI', 'latitude': 70.6380004883, 'longitude': -
159.994995117, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['BE1', 'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3571, 'name': 'Wiley Post Will Roge
rs Memorial Airport', 'city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latit
ude': 71.285402, 'longitude': -156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 6714, 'name': 'Atqasuk Edward Burnell Sr Memorial Air
port', 'city': 'Atqasuk', 'iata': 'ATK', 'icao': 'PATQ', 'latitude': 70.46730
041503906, 'longitude': -157.43600463867188, 'timezone': -9.0, 'dst': 'A', 't
z_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3571, 'name': 'Wiley Post Will Roge
rs Memorial Airport', 'city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latit
ude': 71.285402, 'longitude': -156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 7092, 'name': 'Nuiqsut Airport', 'city': 'Nuiqsut', '
iata': 'NUI', 'icao': 'PAQT', 'latitude': 70.2099990845, 'longitude': -151.00
599670399998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3571, 'name': 'Wiley Post Will Roge
rs Memorial Airport', 'city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latit
ude': 71.285402, 'longitude': -156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3414, 'name': 'Point Lay LRRS Airport', 'city': 'Poin
t Lay', 'iata': 'PIZ', 'icao': 'PPIZ', 'latitude': 69.73290253, 'longitude':
-163.00500490000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['CNC', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3411, 'name': 'Barter Island LRRS A
irport', 'city': 'Barter Island', 'iata': 'BTI', 'icao': 'PABA', 'latitude':
70.13400268550001, 'longitude': -143.582000732, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd

st_airport': {'airport_id': 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort Yukon', 'iata': 'FYU', 'icao': 'PFYU', 'latitude': 66.57150268554689, 'longitude': -145.25, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3411, 'name': 'Barter Island LRRS Airport', 'city': 'Barter Island', 'iata': 'BTI', 'icao': 'PABA', 'latitude': 70.13400268550001, 'longitude': -143.582000732, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3620, 'name': 'Deadhorse Airport', 'city': 'Deadhorse', 'iata': 'SCC', 'icao': 'PASC', 'latitude': 70.19470215, 'longitude': -148.46499630000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3610, 'name': 'Merle K (Mudhole) Smith Airport', 'city': 'Cordova', 'iata': 'CDV', 'icao': 'PACV', 'latitude': 60.49179839999999, 'longitude': -145.4779968, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7091, 'name': 'Chuathbaluk Airport', 'city': 'Chuathbaluk', 'iata': 'CHU', 'icao': 'PACH', 'latitude': 61.579102, 'longitude': -159.216003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7240, 'name': 'Sleetmute Airport', 'city': 'Sleetmute', 'iata': 'SLQ', 'icao': 'PASL', 'latitude': 61.7005004883, 'longitude': -157.166000366, 'timezone': -9.0, 'dst':

'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6960, 'name': 'Chefornak Airport',
'city': 'Chefornak', 'iata': 'CYF', 'icao': 'PACK', 'latitude': 60.1492004395
, 'longitude': -164.285995483, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET',
'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone
': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6960, 'name': 'Chefornak Airport',
'city': 'Chefornak', 'iata': 'CYF', 'icao': 'PACK', 'latitude': 60.1492004395
, 'longitude': -164.285995483, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 7201, 'name': 'Kipnuk Airport', 'city': 'Kipnuk', 'iata': 'KPN',
'icao': 'PAKI', 'latitude': 59.9329986572, 'longitude': -164.031005859, 'time
zone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6755, 'name': 'Deering Airport', 'c
ity': 'Deering', 'iata': 'DRG', 'icao': 'PADE', 'latitude': 66.0696029663, 'l
ongitude': -162.76600647, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 7178, 'name': 'Buckland Airport', 'city': 'Buckland', 'iata': 'BKC', '
icao': 'PABL', 'latitude': 65.9815979004, 'longitude': -161.149002075, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6755, 'name': 'Deering Airport', 'c
ity': 'Deering', 'iata': 'DRG', 'icao': 'PADE', 'latitude': 66.0696029663, 'l
ongitude': -162.76600647, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata
': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC
']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7093, 'name': 'Eek Airport', 'city': 'Eek', 'iata': 'EEK', 'icao': 'PAEE', 'latitude': 60.21367264, 'longitude': -162.0438843, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7206, 'name': 'Quinhagak Airport', 'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'longitude': -161.845, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.2720032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams Airport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.2720032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7087, 'name': 'Emmonak Airport', 'city': 'Emmonak', 'iata': 'EMK', 'icao': 'PAEM', 'latitude': 62.78609848, 'longitude': -164.49099730000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7199, 'name': 'Alakanuk Airport', 'city': 'Alakanuk', 'iata': 'AUK', 'icao': 'PAUK', 'latitude': 62.6800422668, 'longitude': -164.65992736799998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7087, 'name': 'Emmonak Airport', 'c

ity': 'Emmonak', 'iata': 'EMK', 'icao': 'PAEM', 'latitude': 62.78609848, 'lon
gitude': -164.49099730000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7207, 'name': 'Kotlik Airport', 'city': 'Kotlik', 'iata': 'KOT', '
icao': 'PFKO', 'latitude': 63.030601501499994, 'longitude': -163.533004761, '
timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3628, 'name': 'Kenai Municipal Airp
ort', 'city': 'Kenai', 'iata': 'ENA', 'icao': 'PAEN', 'latitude': 60.57310104
370117, 'longitude': -151.2449951171875, 'timezone': -9.0, 'dst': 'A', 'tz_id
': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airp
ort', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.1744
00329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3832, 'name': 'Fairbanks Internatio
nal Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude':
64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage Internationa
l Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 6
1.174400329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3832, 'name': 'Fairbanks Internatio
nal Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude':
64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort
Yukon', 'iata': 'FYU', 'icao': 'PFYU', 'latitude': 66.57150268554689, 'longit
ude': -145.25, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3832, 'name': 'Fairbanks Internatio

nal Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr Airport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.73619843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6722, 'name': 'Ruby Airport', 'city': 'Ruby', 'iata': 'RBY', 'icao': 'PARY', 'latitude': 64.72720337, 'longitude': -155.47000119999998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3620, 'name': 'Deadhorse Airport', 'city': 'Deadhorse', 'iata': 'SCC', 'icao': 'PASC', 'latitude': 70.19470215, 'longitude': -148.46499630000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3420, 'name': 'Fort Yukon Airport', 'city': 'Fort Yukon', 'iata': 'FYU', 'icao': 'PFYU', 'latitude': 66.57150268554689, 'longitude': -145.25, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3411, 'name': 'Barter Island LRRS Airport', 'city': 'Barter Island', 'iata': 'BTI', 'icao': 'PABA', 'latitude': 70.13400268550001, 'longitude': -143.582000732, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3420, 'name': 'Fort Yukon Airport',

'city': 'Fort Yukon', 'iata': 'FYU', 'icao': 'PFYU', 'latitude': 66.571502685
54689, 'longitude': -145.25, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks
', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.
85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr A
irport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.7361
9843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'city':
'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitu
de': -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr A
irport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.7361
9843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 7108, 'name': 'Huslia Airport', 'city': 'Huslia', 'iata'
: 'HSL', 'icao': 'PAHL', 'latitude': 65.69789886, 'longitude': -156.3509979,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC
']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr A
irport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.7361
9843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 6717, 'name': 'Kaltag Airport', 'city': 'Kaltag', 'iata'
: 'KAL', 'icao': 'PAKV', 'latitude': 64.31909943, 'longitude': -158.740997300
00003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr A

irport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.7361
9843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 7111, 'name': 'Nulato Airport', 'city': 'Nulato', 'iata'
: 'NUL', 'icao': 'PANU', 'latitude': 64.729301, 'longitude': -158.074005, 'ti
mezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC',
'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr A
irport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.7361
9843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 6722, 'name': 'Ruby Airport', 'city': 'Ruby', 'iata': 'R
BY', 'icao': 'PARY', 'latitude': 64.72720337, 'longitude': -155.4700011999999
8, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'c
ity': 'Gambell', 'iata': 'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781
, 'longitude': -171.73300170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME',
'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.445007324218
75, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'c
ity': 'Gambell', 'iata': 'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781
, 'longitude': -171.73300170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 6724, 'name': 'Savoonga Airport', 'city': 'Savoonga', 'iata'
: 'SVA', 'icao': 'PASA', 'latitude': 63.6864013671875, 'longitude': -170.4929
962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7185, 'name': 'Golovin Airport', 'c

ity': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitude': 64.5504989624, 'l
ongitude': -163.007003784, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/An
chorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao':
'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'tim
ezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7185, 'name': 'Golovin Airport', 'c
ity': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitude': 64.5504989624, 'l
ongitude': -163.007003784, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/An
chorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 7188, 'name': 'White Mountain Airport', 'city': 'White Mountain', 'ia
ta': 'WMO', 'icao': 'PAWM', 'latitude': 64.689201355, 'longitude': -163.41299
4385, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5962, 'name': 'Holy Cross Airport',
'city': 'Holy Cross', 'iata': 'HCR', 'icao': 'PAHC', 'latitude': 62.188301086
42578, 'longitude': -159.77499389648438, 'timezone': -9.0, 'dst': 'A', 'tz_id
': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata':
'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299
926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5962, 'name': 'Holy Cross Airport',
'city': 'Holy Cross', 'iata': 'HCR', 'icao': 'PAHC', 'latitude': 62.188301086
42578, 'longitude': -159.77499389648438, 'timezone': -9.0, 'dst': 'A', 'tz_id
': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 6713, 'name': 'Anvik Airport', 'city': 'Anvik', 'iata':
'ANV', 'icao': 'PANV', 'latitude': 62.646702000000005, 'longitude': -160.1909
94, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3664, 'name': 'Homer Airport', 'cit
y': 'Homer', 'iata': 'HOM', 'icao': 'PAHO', 'latitude': 59.64559936523438, 'l

ongitude': -151.4770050048828, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'cit
y': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.17440032958984
4, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['BE1', 'DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6716, 'name': 'Hooper Bay Airport',
'city': 'Hooper Bay', 'iata': 'HPB', 'icao': 'PAHP', 'latitude': 61.52389908,
'longitude': -166.1470032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/An
chorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 7209, 'name': 'Scammon Bay Airport', 'city': 'Scammon Bay', 'iata': '
SCM', 'icao': 'PACM', 'latitude': 61.84529876710001, 'longitude': -165.570999
146, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6716, 'name': 'Hooper Bay Airport',
'city': 'Hooper Bay', 'iata': 'HPB', 'icao': 'PAHP', 'latitude': 61.52389908,
'longitude': -166.1470032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/An
chorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 5968, 'name': 'Chevak Airport', 'city': 'Chevak', 'iata': 'VAK', 'ica
o': 'PAVA', 'latitude': 61.5409, 'longitude': -165.6005, 'timezone': -9.0, 'd
st': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7108, 'name': 'Huslia Airport', 'ci
ty': 'Huslia', 'iata': 'HSL', 'icao': 'PAHL', 'latitude': 65.69789886, 'longi
tude': -156.3509979, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3764, 'name': 'Edward G. Pitka Sr Airport', 'city': 'Galena', 'iata': 'GAL'
, 'icao': 'PAGA', 'latitude': 64.73619843, 'longitude': -156.93699650000002,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC
']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7108, 'name': 'Huslia Airport', 'ci
ty': 'Huslia', 'iata': 'HSL', 'icao': 'PAHL', 'latitude': 65.69789886, 'longi
tude': -156.3509979, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag

e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 7208, 'name': 'Koyukuk Airport', 'city': 'Koyukuk', 'iata': 'KYU', 'icao':
'PFKU', 'latitude': 64.8760986328, 'longitude': -157.727005005, 'timezone': -
9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7179, 'name': 'Bob Baker Memorial A
irport', 'city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK', 'latitude': 66.97599
79248, 'longitude': -160.43699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7181, 'name': 'Robert (Bob) Curtis Memorial Airport', 'city':
'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitude': 66.81790161, 'longitude
': -161.01899719999997, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7179, 'name': 'Bob Baker Memorial A
irport', 'city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK', 'latitude': 66.97599
79248, 'longitude': -160.43699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue
', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.
598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6717, 'name': 'Kaltag Airport', 'ci
ty': 'Kaltag', 'iata': 'KAL', 'icao': 'PAKV', 'latitude': 64.31909943, 'longi
tude': -158.74099730000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/A
nchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3764, 'name': 'Edward G. Pitka Sr Airport', 'city': 'Galena', 'iata'
: 'GAL', 'icao': 'PAGA', 'latitude': 64.73619843, 'longitude': -156.936996500
00002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['CNC', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6717, 'name': 'Kaltag Airport', 'ci
ty': 'Kaltag', 'iata': 'KAL', 'icao': 'PAKV', 'latitude': 64.31909943, 'longi
tude': -158.74099730000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/A
nchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp

ort_id': 7111, 'name': 'Nulato Airport', 'city': 'Nulato', 'iata': 'NUL', 'ic
ao': 'PANU', 'latitude': 64.729301, 'longitude': -158.074005, 'timezone': -9.
0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 6713, 'name':
'Anvik Airport', 'city': 'Anvik', 'iata': 'ANV', 'icao': 'PANV', 'latitude':
62.646702000000005, 'longitude': -160.190994, 'timezone': -9.0, 'dst': 'A', '
tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7090, 'name':
'Shageluk Airport', 'city': 'Shageluk', 'iata': 'SHX', 'icao': 'PAHX', 'latit
ude': 62.6922988892, 'longitude': -159.569000244, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams A
irport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.93949
89014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'iata': 'ELI',
'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.2720032, 'timezone
': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams A
irport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.93949
89014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 7192, 'name': 'Shaktoolik Airport', 'city': 'Shaktoolik', 'i
ata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138, 'longitude': -161.22399
9, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams A
irport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.93949
89014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A

merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'i
ata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.79899
6, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7213, 'name': 'Kongiganak Airport',
'city': 'Kongiganak', 'iata': 'KKH', 'icao': 'PADY', 'latitude': 59.960800170
9, 'longitude': -162.88099670399998, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': '
BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'ti
mezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7213, 'name': 'Kongiganak Airport',
'city': 'Kongiganak', 'iata': 'KKH', 'icao': 'PADY', 'latitude': 59.960800170
9, 'longitude': -162.88099670399998, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 7096, 'name': 'Kwigillingok Airport', 'city': 'Kwigillingok
', 'iata': 'KWK', 'icao': 'PAGG', 'latitude': 59.876499, 'longitude': -163.16
9005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7217, 'name':
'Akiak Airport', 'city': 'Akiak', 'iata': 'AKI', 'icao': 'PFAK', 'latitude':
60.9029006958, 'longitude': -161.231002808, 'timezone': -9.0, 'dst': 'A', 'tz
_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7095, 'name':
'Kwethluk Airport', 'city': 'Kwethluk', 'iata': 'KWT', 'icao': 'PFKW', 'latit
ude': 60.790298461899994, 'longitude': -161.444000244, 'timezone': -9.0, 'dst
': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5964, 'name': 'Kalskag Airport', 'c

ity': 'Kalskag', 'iata': 'KLG', 'icao': 'PALG', 'latitude': 61.53630065917969
, 'longitude': -160.34100341796875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI
', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.542999267
57812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['CNA', 'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5964, 'name': 'Kalskag Airport', 'c
ity': 'Kalskag', 'iata': 'KLG', 'icao': 'PALG', 'latitude': 61.53630065917969
, 'longitude': -160.34100341796875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'B
ET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'tim
ezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', '
CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5964, 'name': 'Kalskag Airport', 'c
ity': 'Kalskag', 'iata': 'KLG', 'icao': 'PALG', 'latitude': 61.53630065917969
, 'longitude': -160.34100341796875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 7098, 'name': 'Russian Mission Airport', 'city': 'Russian Mi
ssion', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 61.7788848877, 'longitude'
: -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7207, 'name': 'Kotlik Airport', 'ci
ty': 'Kotlik', 'iata': 'KOT', 'icao': 'PFKO', 'latitude': 63.030601501499994,
'longitude': -163.533004761, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 7087, 'name': 'Emmonak Airport', 'city': 'Emmonak', 'iata': 'EMK',
'icao': 'PAEM', 'latitude': 62.78609848, 'longitude': -164.49099730000003, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7207, 'name': 'Kotlik Airport', 'ci

ty': 'Kotlik', 'iata': 'KOT', 'icao': 'PFKO', 'latitude': 63.030601501499994, 'longitude': -163.533004761, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6718, 'name': "St Mary's Airport", 'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.0605011, 'longitude': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7207, 'name': 'Kotlik Airport', 'city': 'Kotlik', 'iata': 'KOT', 'icao': 'PFKO', 'latitude': 63.030601501499994, 'longitude': -163.533004761, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7201, 'name': 'Kipnuk Airport', 'city': 'Kipnuk', 'iata': 'KPN', 'icao': 'PAKI', 'latitude': 59.9329986572, 'longitude': -164.031005859, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7201, 'name': 'Kipnuk Airport', 'city': 'Kipnuk', 'iata': 'KPN', 'icao': 'PAKI', 'latitude': 59.9329986572, 'longitude': -164.031005859, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6960, 'name': 'Chefornak Airport', 'city': 'Chefornak', 'iata': 'CYF', 'icao': 'PACK', 'latitude': 60.1492004395, 'longitude': -164.285995483, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6718, 'name': "St Mary's Airport", 'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.0605011, 'longitude': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id':

'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6718, 'name': "St Mary's Airport",
'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.0605011, '
longitude': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Amer
ica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 7207, 'name': 'Kotlik Airport', 'city': 'Kotlik', 'iata': 'KOT'
, 'icao': 'PFKO', 'latitude': 63.030601501499994, 'longitude': -163.533004761
, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['C
NA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6718, 'name': "St Mary's Airport",
'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.0605011, '
longitude': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Amer
ica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 5966, 'name': 'Mountain Village Airport', 'city': 'Mountain Vil
lage', 'iata': 'MOU', 'icao': 'PAMO', 'latitude': 62.09540176391602, 'longitu
de': -163.6820068359375, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6718, 'name': "St Mary's Airport",
'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.0605011, '
longitude': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Amer
ica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': N
one, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7183, 'name': 'Brevig Mission Airpo
rt', 'city': 'Brevig Mission', 'iata': 'KTS', 'icao': 'PFKT', 'latitude': 65.
3312988281, 'longitude': -166.46600341799999, 'timezone': -9.0, 'dst': 'A', '
tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 7186, 'name': 'Teller Airport', 'city': 'Teller',
'iata': 'TLA', 'icao': 'PATE', 'latitude': 65.2404022217, 'longitude': -166.3
39004517, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti

ve': True}, 'src_airport': {'airport_id': 7183, 'name': 'Brevig Mission Airpo
rt', 'city': 'Brevig Mission', 'iata': 'KTS', 'icao': 'PFKT', 'latitude': 65.
3312988281, 'longitude': -166.46600341799999, 'timezone': -9.0, 'dst': 'A', '
tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'i
ata': 'WAA', 'icao': 'PAIW', 'latitude': 65.62259300000001, 'longitude': -168
.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7094, 'name': 'Kasigluk Airport', '
city': 'Kasigluk', 'iata': 'KUK', 'icao': 'PFKA', 'latitude': 60.87440109, 'l
ongitude': -162.5240021, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'co
deshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6719, 'name': 'Kivalina Airport', '
city': 'Kivalina', 'iata': 'KVL', 'icao': 'PAVL', 'latitude': 67.736198425292
97, 'longitude': -164.56300354003906, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotz
ebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -
162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7096, 'name': 'Kwigillingok Airport
', 'city': 'Kwigillingok', 'iata': 'KWK', 'icao': 'PAGG', 'latitude': 59.8764
99, 'longitude': -163.169005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', '
icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7096, 'name': 'Kwigillingok Airport
', 'city': 'Kwigillingok', 'iata': 'KWK', 'icao': 'PAGG', 'latitude': 59.8764
99, 'longitude': -163.169005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7213, 'name': 'Kongiganak Airport', 'city': 'Kongiganak', 'iata':

'KKH', 'icao': 'PADY', 'latitude': 59.9608001709, 'longitude': -162.880996703
99998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7096, 'name': 'Kwigillingok Airport
', 'city': 'Kwigillingok', 'iata': 'KWK', 'icao': 'PAGG', 'latitude': 59.8764
99, 'longitude': -163.169005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7201, 'name': 'Kipnuk Airport', 'city': 'Kipnuk', 'iata': 'KPN', '
icao': 'PAKI', 'latitude': 59.9329986572, 'longitude': -164.031005859, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7206, 'name': 'Quinhagak Airport',
'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'lon
gitude': -161.845, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PAB
E', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'ds
t': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7206, 'name': 'Quinhagak Airport',
'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'lon
gitude': -161.845, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
6767, 'name': 'Togiak Airport', 'city': 'Togiak Village', 'iata': 'TOG', 'ica
o': 'PATG', 'latitude': 59.05279922485352, 'longitude': -160.39700317382812,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA
']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7095, 'name': 'Kwethluk Airport', '
city': 'Kwethluk', 'iata': 'KWT', 'icao': 'PFKW', 'latitude': 60.790298461899
994, 'longitude': -161.444000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET
', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timez

one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7095, 'name': 'Kwethluk Airport', '
city': 'Kwethluk', 'iata': 'KWT', 'icao': 'PFKW', 'latitude': 60.790298461899
994, 'longitude': -161.444000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7208, 'name': 'Koyukuk Airport', 'c
ity': 'Koyukuk', 'iata': 'KYU', 'icao': 'PFKU', 'latitude': 64.8760986328, 'l
ongitude': -157.727005005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/An
chorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3764, 'name': 'Edward G. Pitka Sr Airport', 'city': 'Galena', 'iata':
'GAL', 'icao': 'PAGA', 'latitude': 64.73619843, 'longitude': -156.93699650000
002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7097, 'name': 'Marshall Don Hunter
Sr Airport', 'city': 'Marshall', 'iata': 'MLL', 'icao': 'PADM', 'latitude': 6
1.8642997742, 'longitude': -162.026000977, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 7098, 'name': 'Russian Mission Airport', 'city': 'Rus
sian Mission', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 61.7788848877, 'lon
gitude': -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5966, 'name': 'Mountain Village Air
port', 'city': 'Mountain Village', 'iata': 'MOU', 'icao': 'PAMO', 'latitude':
62.09540176391602, 'longitude': -163.6820068359375, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 6718, 'name': "St Mary's Airport", 'city': "
St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'latitude': 62.0605011, 'longitude
': -163.30200200000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti

ve': True}, 'src_airport': {'airport_id': 5966, 'name': 'Mountain Village Air
port', 'city': 'Mountain Village', 'iata': 'MOU', 'icao': 'PAMO', 'latitude':
62.09540176391602, 'longitude': -163.6820068359375, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6720, 'name': 'Mekoryuk Airport', '
city': 'Mekoryuk', 'iata': 'MYU', 'icao': 'PAMY', 'latitude': 60.371398925781
25, 'longitude': -166.27099609375, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET
', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', 'CN
C']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 8199, 'name': 'Nightmute Airport',
'city': 'Nightmute', 'iata': 'NME', 'icao': 'PAGT', 'latitude': 60.4710006713
86996, 'longitude': -164.70100402832, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 8200, 'name': 'Toksook Bay Airport', 'city': 'Toksook Bay'
, 'iata': 'OOK', 'icao': 'PAOO', 'latitude': 60.54140091, 'longitude': -165.0
870056, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 8199, 'name': 'Nightmute Airport',
'city': 'Nightmute', 'iata': 'NME', 'icao': 'PAGT', 'latitude': 60.4710006713
86996, 'longitude': -164.70100402832, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNC', 'CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7092, 'name': 'Nuiqsut Airport', 'c
ity': 'Nuiqsut', 'iata': 'NUI', 'icao': 'PAQT', 'latitude': 70.2099990845, 'l
ongitude': -151.00599670399998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3571, 'name': 'Wiley Post Will Rogers Memorial Airport', 'city':
'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latitude': 71.285402, 'longitude':
-156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7092, 'name': 'Nuiqsut Airport', 'city': 'Nuiqsut', 'iata': 'NUI', 'icao': 'PAQT', 'latitude': 70.2099990845, 'longitude': -151.00599670399998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3620, 'name': 'Deadhorse Airport', 'city': 'Deadhorse', 'iata': 'SCC', 'icao': 'PASC', 'latitude': 70.19470215, 'longitude': -148.46499630000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7111, 'name': 'Nulato Airport', 'city': 'Nulato', 'iata': 'NUL', 'icao': 'PANU', 'latitude': 64.729301, 'longitude': -158.074005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3764, 'name': 'Edward G. Pitka Sr Airport', 'city': 'Galena', 'iata': 'GAL', 'icao': 'PAGA', 'latitude': 64.73619843, 'longitude': -156.93699650000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7111, 'name': 'Nulato Airport', 'city': 'Nulato', 'iata': 'NUL', 'icao': 'PANU', 'latitude': 64.729301, 'longitude': -158.074005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6717, 'name': 'Kaltag Airport', 'city': 'Kaltag', 'iata': 'KAL', 'icao': 'PAKV', 'latitude': 64.31909943, 'longitude': -158.74099730000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7180, 'name': 'Kobuk Airport', 'city': 'Kobuk', 'iata': 'OBU', 'icao': 'PAOB', 'latitude': 66.9123001099, 'longitude': -156.897003174, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7177, 'name': 'Ambler Airport', 'city': 'Ambler', 'iata': 'ABL', 'icao':

'PAFM', 'latitude': 67.1063, 'longitude': -157.856989, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7180, 'name': 'Kobuk Airport', 'city': 'Kobuk', 'iata': 'OBU', 'icao': 'PAOB', 'latitude': 66.9123001099, 'longitude': -156.897003174, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.2720032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'city': 'Gambell', 'iata': 'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781, 'longitude': -171.73300170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7185, 'name': 'Golovin Airport', 'city': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitude': 64.5504989624, 'longitude': -163.007003784, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7183, 'name': 'Brevig Mission Airport', 'city': 'Brevig Mission', 'iata': 'KTS', 'icao': 'PFKT', 'latitude': 65.3312988281, 'longitude': -166.46600341799999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6723, 'name': 'Shishmaref Airport', 'city': 'Shishmaref', 'iata': 'SHH', 'icao': 'PASH', 'latitude': 66.249604, 'longitude': -166.089112, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG', 'CNT']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', 'city': 'Savoonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.6864013671875, 'longitude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city
': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'lon
gitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7186, 'name': 'Teller Airport', 'city': 'Teller', 'iata': 'TLA', '
icao': 'PATE', 'latitude': 65.2404022217, 'longitude': -166.339004517, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city
': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'lon
gitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata':
'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'ti
mezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city
': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'lon
gitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'iata': 'WAA', 'ic
ao': 'PAIW', 'latitude': 65.62259300000001, 'longitude': -168.095, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city
': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'lon
gitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None
, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city
': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'lon
gitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7188, 'name': 'White Mountain Airport', 'city': 'White Mountain',

'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.689201355, 'longitude': -163.41
2994385, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 8200, 'name': 'Toksook Bay Airport'
, 'city': 'Toksook Bay', 'iata': 'OOK', 'icao': 'PAOO', 'latitude': 60.541400
91, 'longitude': -165.0870056, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 6720, 'name': 'Mekoryuk Airport', 'city': 'Mekoryuk', 'iata': 'MY
U', 'icao': 'PAMY', 'latitude': 60.37139892578125, 'longitude': -166.27099609
375, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['CNC', 'CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 8200, 'name': 'Toksook Bay Airport'
, 'city': 'Toksook Bay', 'iata': 'OOK', 'icao': 'PAOO', 'latitude': 60.541400
91, 'longitude': -165.0870056, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': Non
e, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7181, 'name': 'Robert (Bob) Curtis
Memorial Airport', 'city': 'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitud
e': 66.81790161, 'longitude': -161.01899719999997, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 7179, 'name': 'Bob Baker Memorial Airport', '
city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK', 'latitude': 66.9759979248, 'lo
ngitude': -160.43699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7181, 'name': 'Robert (Bob) Curtis
Memorial Airport', 'city': 'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitud
e': 66.81790161, 'longitude': -161.01899719999997, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport',
'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, '
longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7177, 'name': 'Ambler Airport', 'city': 'Ambler', 'iata': 'ABL
', 'icao': 'PAFM', 'latitude': 67.1063, 'longitude': -157.856989, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7178, 'name': 'Buckland Airport', 'city': 'Buckland', 'iata':
'BKC', 'icao': 'PABL', 'latitude': 65.9815979004, 'longitude': -161.149002075
, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['C
NC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 6755, 'name': 'Deering Airport', 'city': 'Deering', 'iata': 'D
RG', 'icao': 'PADE', 'latitude': 66.0696029663, 'longitude': -162.76600647, '
timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7179, 'name': 'Bob Baker Memorial Airport', 'city': 'Kiana', '
iata': 'IAN', 'icao': 'PAIK', 'latitude': 66.9759979248, 'longitude': -160.43
699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['CNC']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7181, 'name': 'Robert (Bob) Curtis Memorial Airport', 'city':
'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitude': 66.81790161, 'longitude
': -161.01899719999997, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
None, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7117, 'name': 'Shungnak Airport', 'city': 'Shungnak', 'iata':
'SHG', 'icao': 'PAGH', 'latitude': 66.88809967041, 'longitude': -157.16200256
348, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8
8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7182, 'name': 'Selawik Airport', 'city': 'Selawik', 'iata': 'W
LK', 'icao': 'PASK', 'latitude': 66.60009766, 'longitude': -159.9859924000000
1, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial
Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.8

8469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Am
erica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 6725, 'name': 'Noatak Airport', 'city': 'Noatak', 'iata': 'WTK
', 'icao': 'PAWN', 'latitude': 67.56610107421875, 'longitude': -162.975006103
51562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3693, 'name':
'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PA
OT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'ds
t': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3414, 'name':
'Point Lay LRRS Airport', 'city': 'Point Lay', 'iata': 'PIZ', 'icao': 'PPIZ',
'latitude': 69.73290253, 'longitude': -163.00500490000002, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3414, 'name': 'Point Lay LRRS Airpo
rt', 'city': 'Point Lay', 'iata': 'PIZ', 'icao': 'PPIZ', 'latitude': 69.73290
253, 'longitude': -163.00500490000002, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3571, 'name': 'Wiley Post Will Rogers Memorial Airport', '
city': 'Barrow', 'iata': 'BRW', 'icao': 'PABR', 'latitude': 71.285402, 'longi
tude': -156.766008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['CNC', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3414, 'name': 'Point Lay LRRS Airpo
rt', 'city': 'Point Lay', 'iata': 'PIZ', 'icao': 'PPIZ', 'latitude': 69.73290
253, 'longitude': -163.00500490000002, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': None, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3599, 'name':
'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude'
: 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_i

d': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 5966, 'name':
'Mountain Village Airport', 'city': 'Mountain Village', 'iata': 'MOU', 'icao'
: 'PAMO', 'latitude': 62.09540176391602, 'longitude': -163.6820068359375, 'ti
mezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6722, 'name': 'Ruby Airport', 'city
': 'Ruby', 'iata': 'RBY', 'icao': 'PARY', 'latitude': 64.72720337, 'longitude
': -155.47000119999998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3832, 'name': 'Fairbanks International Airport', 'city': 'Fairbanks', 'i
ata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude': -147.85600
280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6722, 'name': 'Ruby Airport', 'city
': 'Ruby', 'iata': 'RBY', 'icao': 'PARY', 'latitude': 64.72720337, 'longitude
': -155.47000119999998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3764, 'name': 'Edward G. Pitka Sr Airport', 'city': 'Galena', 'iata': 'G
AL', 'icao': 'PAGA', 'latitude': 64.73619843, 'longitude': -156.9369965000000
2, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7240, 'name':
'Sleetmute Airport', 'city': 'Sleetmute', 'iata': 'SLQ', 'icao': 'PASL', 'lat
itude': 61.7005004883, 'longitude': -157.166000366, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7098, 'name': 'Russian Mission Airp
ort', 'city': 'Russian Mission', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 6
1.7788848877, 'longitude': -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a

irport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata
': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54
299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7098, 'name': 'Russian Mission Airp
ort', 'city': 'Russian Mission', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 6
1.7788848877, 'longitude': -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'ia
ta': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.837997
4, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7098, 'name': 'Russian Mission Airp
ort', 'city': 'Russian Mission', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 6
1.7788848877, 'longitude': -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_
id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5964, 'name': 'Kalskag Airport', 'city': 'Kalskag', '
iata': 'KLG', 'icao': 'PALG', 'latitude': 61.53630065917969, 'longitude': -16
0.34100341796875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3620, 'name': 'Deadhorse Airport',
'city': 'Deadhorse', 'iata': 'SCC', 'icao': 'PASC', 'latitude': 70.19470215,
'longitude': -148.46499630000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3411, 'name': 'Barter Island LRRS Airport', 'city': 'Barter Is
land', 'iata': 'BTI', 'icao': 'PABA', 'latitude': 70.13400268550001, 'longitu
de': -143.582000732, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3620, 'name': 'Deadhorse Airport',
'city': 'Deadhorse', 'iata': 'SCC', 'icao': 'PASC', 'latitude': 70.19470215,
'longitude': -148.46499630000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':

{'airport_id': 3832, 'name': 'Fairbanks International Airport', 'city': 'Fair
banks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude':
-147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3620, 'name': 'Deadhorse Airport',
'city': 'Deadhorse', 'iata': 'SCC', 'icao': 'PASC', 'latitude': 70.19470215,
'longitude': -148.46499630000002, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 7092, 'name': 'Nuiqsut Airport', 'city': 'Nuiqsut', 'iata': 'N
UI', 'icao': 'PAQT', 'latitude': 70.2099990845, 'longitude': -151.00599670399
998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7209, 'name': 'Scammon Bay Airport'
, 'city': 'Scammon Bay', 'iata': 'SCM', 'icao': 'PACM', 'latitude': 61.845298
76710001, 'longitude': -165.570999146, 'timezone': -9.0, 'dst': 'A', 'tz_id':
'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata':
'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 't
imezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']
}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7117, 'name': 'Shungnak Airport', '
city': 'Shungnak', 'iata': 'SHG', 'icao': 'PAGH', 'latitude': 66.88809967041,
'longitude': -157.16200256348, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 7180, 'name': 'Kobuk Airport', 'city': 'Kobuk', 'iata': 'OBU', 'i
cao': 'PAOB', 'latitude': 66.9123001099, 'longitude': -156.897003174, 'timezo
ne': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6723, 'name': 'Shishmaref Airport',
'city': 'Shishmaref', 'iata': 'SHH', 'icao': 'PASH', 'latitude': 66.249604, '
longitude': -166.089112, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'P

AOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6723, 'name': 'Shishmaref Airport',
'city': 'Shishmaref', 'iata': 'SHH', 'icao': 'PASH', 'latitude': 66.249604, '
longitude': -166.089112, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'iata': 'WAA', 'icao':
'PAIW', 'latitude': 65.62259300000001, 'longitude': -168.095, 'timezone': -9.
0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNT']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7090, 'name': 'Shageluk Airport', '
city': 'Shageluk', 'iata': 'SHX', 'icao': 'PAHX', 'latitude': 62.6922988892,
'longitude': -159.569000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'ica
o': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC
']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7090, 'name': 'Shageluk Airport', '
city': 'Shageluk', 'iata': 'SHX', 'icao': 'PAHX', 'latitude': 62.6922988892,
'longitude': -159.569000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None,
'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport',
'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138,
'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 7190, 'name': 'Koyuk Alfred Adams Airport', 'city': 'Koyuk', 'iata': '
KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'longitude': -161.154006958,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG
', 'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti

ve': True}, 'src_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport',
'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138,
'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': '
PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'time
zone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport',
'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138,
'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK
', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezo
ne': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7240, 'name': 'Sleetmute Airport',
'city': 'Sleetmute', 'iata': 'SLQ', 'icao': 'PASL', 'latitude': 61.7005004883
, 'longitude': -157.166000366, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'i
cao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812
, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['C
NA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7240, 'name': 'Sleetmute Airport',
'city': 'Sleetmute', 'iata': 'SLQ', 'icao': 'PASL', 'latitude': 61.7005004883
, 'longitude': -157.166000366, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Americ
a/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': Non
e, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7191, 'name': 'St Michael Airport',
'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086
, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': '
UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'tim

ezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7191, 'name': 'St Michael Airport',
'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086
, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None,
'codeshare': True, 'stops': 0, 'equipment': ['CNA', 'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 5967, 'name':
'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitude':
61.58160018920898, 'longitude': -159.54299926757812, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', '
city': 'Savoonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.686401367187
5, 'longitude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 6715, 'name': 'Gambell Airport', 'city': 'Gambell', 'iata':
'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781, 'longitude': -171.73300
170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', '
city': 'Savoonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.686401367187
5, 'longitude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME',
'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.445007324218
75, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7199, 'name':
'Alakanuk Airport', 'city': 'Alakanuk', 'iata': 'AUK', 'icao': 'PAUK', 'latit
ude': 62.6800422668, 'longitude': -164.65992736799998, 'timezone': -9.0, 'dst

': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 6718, 'name':
"St Mary's Airport", 'city': "St Mary's", 'iata': 'KSM', 'icao': 'PASM', 'lat
itude': 62.0605011, 'longitude': -163.30200200000002, 'timezone': -9.0, 'dst'
: 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7186, 'name': 'Teller Airport', 'ci
ty': 'Teller', 'iata': 'TLA', 'icao': 'PATE', 'latitude': 65.2404022217, 'lon
gitude': -166.339004517, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 7183, 'name': 'Brevig Mission Airport', 'city': 'Brevig Mission', 'iata
': 'KTS', 'icao': 'PFKT', 'latitude': 65.3312988281, 'longitude': -166.466003
41799999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7186, 'name': 'Teller Airport', 'ci
ty': 'Teller', 'iata': 'TLA', 'icao': 'PATE', 'latitude': 65.2404022217, 'lon
gitude': -166.339004517, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'P
AOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7217, 'name':
'Akiak Airport', 'city': 'Akiak', 'iata': 'AKI', 'icao': 'PFAK', 'latitude':
60.9029006958, 'longitude': -161.231002808, 'timezone': -9.0, 'dst': 'A', 'tz
_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3599, 'name':
'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude'
: 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_i
d': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['CNA']}

{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['CNC', 'CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6767, 'name': 'Togiak Airport', 'city': 'Togiak Village', 'iata': 'TOG', 'icao': 'PATG', 'latitude': 59.05279922485352, 'longitude': -160.39700317382812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7206, 'name': 'Quinhagak Airport', 'city': 'Quinhagak', 'iata': 'KWN', 'icao': 'PAQH', 'latitude': 59.7551, 'longitude': -161.845, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', 'city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.174400329589844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7191, 'name': 'St Michael Airport', 'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086, 'longitude': -162.1100006, 'time

zone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', 'C
NC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5968, 'name': 'Chevak Airport', 'ci
ty': 'Chevak', 'iata': 'VAK', 'icao': 'PAVA', 'latitude': 61.5409, 'longitude
': -165.6005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6716,
'name': 'Hooper Bay Airport', 'city': 'Hooper Bay', 'iata': 'HPB', 'icao': 'P
AHP', 'latitude': 61.52389908, 'longitude': -166.1470032, 'timezone': -9.0, '
dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 5968, 'name': 'Chevak Airport', 'ci
ty': 'Chevak', 'iata': 'VAK', 'icao': 'PAVA', 'latitude': 61.5409, 'longitude
': -165.6005, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7209,
'name': 'Scammon Bay Airport', 'city': 'Scammon Bay', 'iata': 'SCM', 'icao':
'PACM', 'latitude': 61.84529876710001, 'longitude': -165.570999146, 'timezone
': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 3865, 'name': 'Valdez Pioneer Field
', 'city': 'Valdez', 'iata': 'VDZ', 'icao': 'PAVD', 'latitude': 61.13389969,
'longitude': -146.24800109999998, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3774, 'name': 'Ted Stevens Anchorage International Airport', '
city': 'Anchorage', 'iata': 'ANC', 'icao': 'PANC', 'latitude': 61.17440032958
9844, 'longitude': -149.99600219726562, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['DH8', 'BE1']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7187, 'name': 'Wales Airport', 'cit
y': 'Wales', 'iata': 'WAA', 'icao': 'PAIW', 'latitude': 65.62259300000001, 'l
ongitude': -168.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 7183, 'name': 'Brevig Mission Airport', 'city': 'Brevig Mission', 'iata': '
KTS', 'icao': 'PFKT', 'latitude': 65.3312988281, 'longitude': -166.4660034179
9999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai

rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'iata': 'WAA', 'icao': 'PAIW', 'latitude': 65.62259300000001, 'longitude': -168.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['PAG', 'CNT']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7207, 'name': 'Kotlik Airport', 'city': 'Kotlik', 'iata': 'KOT', 'icao': 'PFKO', 'latitude': 63.030601501499994, 'longitude': -163.533004761, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7191, 'name': 'St Michael Airport', 'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7182, 'name': 'Selawik Airport', 'city': 'Selawik', 'iata': 'WLK', 'icao': 'PASK', 'latitude': 66.60009766, 'lon

gitude': -159.98599240000001, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America
/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', '
iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.5989
99, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7188, 'name': 'White Mountain Airpo
rt', 'city': 'White Mountain', 'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.
689201355, 'longitude': -163.412994385, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 7185, 'name': 'Golovin Airport', 'city': 'Golovin', 'iat
a': 'GLV', 'icao': 'PAGL', 'latitude': 64.5504989624, 'longitude': -163.00700
3784, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 7188, 'name': 'White Mountain Airpo
rt', 'city': 'White Mountain', 'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.
689201355, 'longitude': -163.412994385, 'timezone': -9.0, 'dst': 'A', 'tz_id'
: 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'O
ME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.4450073
2421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['PAG']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': {'airport_id': 6725, 'name': 'Noatak Airport', 'ci
ty': 'Noatak', 'iata': 'WTK', 'icao': 'PAWN', 'latitude': 67.56610107421875,
'longitude': -162.97500610351562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ame
rica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 6719, 'name': 'Kivalina Airport', 'city': 'Kivalina', 'iata':
'KVL', 'icao': 'PAVL', 'latitude': 67.73619842529297, 'longitude': -164.56300
354003906, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['CNC']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata
': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'acti
ve': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3599, 'name':
'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude'

: 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 16726, 'name': 'Era Alaska', 'alias': 'nan', 'iata': '7H', 'icao': 'ERR', 'callsign': 'ERAH', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3599, 'name': 'Bethel Airport', 'city': 'Bethel', 'iata': 'BET', 'icao': 'PABE', 'latitude': 60.77980042, 'longitude': -161.8379974, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CNA', 'CNC']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83', 'F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1759, 'name': 'Casa De Campo International Airport', 'city': 'La Romana', 'iata': 'LRM', 'icao': 'MDLR', 'latitude': 18.45070075988769, 'longitude': -68.91179656982422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2868, 'name': 'Arturo Michelena International Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2896, 'name': 'Flamingo International Airport', 'city': 'Kralendijk', 'iata': 'BON', 'icao': 'TNCB', 'latitude': 12.130999565124512, 'longitude': -68.26850128173828, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2896, 'name': 'Flamingo International Airport', 'city': 'Kralendijk', 'iata': 'BON', 'icao': 'TNCB', 'latitude': 12.130999565124512, 'longitude': -68.26850128173828, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50', 'M83']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2824, 'name': 'Barquisimeto International Airport', 'city': 'Barquisimeto', 'iata': 'BRM', 'icao': 'SVBM', 'latitude': 10.042746543884276, 'longitude': -69.35861968994139, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83', 'F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83', 'F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 3876, 'name': 'Charlotte Douglas International Airport', 'city': 'Charlotte', 'iata': 'CLT', 'icao': 'KCLT', 'latitude': 35.2140007019043, 'longitude': -80.94309997558594, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83', 'F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2896, 'name': 'Flamingo International Airport', 'city': 'Kralendijk', 'iata': 'BON', 'icao': 'TNCB', 'latitude': 12.130999565124512, 'longitude': -68.26850128173828, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50', 'M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2824, 'name': 'Barquisimeto International Airport', 'city': 'Barquisimeto', 'iata': 'BRM', 'icao': 'SVBM', 'latitude': 10.042746543884276, 'longitude': -69.35861968994139, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83', 'F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83', 'F50']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3876, 'name': 'Charlotte Douglas International Airport', 'city': 'Charlotte', 'iata': 'CLT', 'icao': 'KCLT', 'latitude': 35.2140007019043, 'longitude': -80.94309997558594, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1779, 'name': 'Norman Manley International Airport', 'city': 'Kingston', 'iata': 'KIN', 'icao': 'MKJP', 'latitude': 17.935699462890625, 'longitude': -76.7874984741211, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Jamaica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2844, 'name': 'Josefa Camejo International Airport', 'city': 'Paraguana', 'iata': 'LSP', 'icao': 'SVJC', 'latitude': 11.78077507019043, 'longitude': -70.15149688720703, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2848, 'name': 'La Chinita International Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2745, 'name': 'Jose Maria Córdova International Airport', 'city': 'Rio Negro', 'iata': 'MDE', 'icao': 'SKRG', 'latitude': 6.164540000000001, 'longitude': -75.4231, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2773, 'name': 'Johan Adolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao': 'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2902, 'name': 'Piarco International Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao': 'TTPP', 'latitude': 10.595399856567383, 'longitude': -61.33720016479492, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1762, 'name': 'Las Américas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ', 'icao': 'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2899, 'name': 'Princess Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2868, 'name': 'Arturo Michelena International Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 1779, 'name': 'Norman Manley International Airport', 'city': 'Kingston', 'iata': 'KIN', 'icao': 'MKJP', 'latitude': 17.935699462890625, 'longitude': -76.7874984741211, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Jamaica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 1759, 'name': 'Casa De Campo International Airport', 'city': 'La Romana', 'iata': 'LRM', 'icao': 'MDLR', 'latitude': 18.45070075988769, 'longitude': -68.91179656982422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2844, 'name': 'Josefa Camejo International Airport', 'city': 'Paraguana', 'iata': 'LSP', 'icao': 'SVJC', 'latitude': 11.78077507019043, 'longitude': -70.15149688720703, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2848, 'name': 'La Chinita International Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherlands Antilles', 'active': True}, 'src_airport': {'airport_id': 2745, 'name': 'Jose Maria Córdova International Airport', 'city': 'Rio Negro', 'iata': 'MDE', 'icao': 'SKRG', 'latitude': 6.164540000000001, 'longitude': -75.4231, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}

{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 3576, 'name':
'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA'
, 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix Int
ernational Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'la
titude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_
id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 3576, 'name':
'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA'
, 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato Internationa
l Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude':
12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Ame
rica/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 1897, 'name':
'Toussaint Louverture International Airport', 'city': 'Port-au-prince', 'iata
': 'PAP', 'icao': 'MTPP', 'latitude': 18.57999992370605, 'longitude': -72.292
5033569336, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Port-au-Prince',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 28
99, 'name': 'Princess Juliana International Airport', 'city': 'Philipsburg',
'iata': 'SXM', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.10
8898162799996, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2773, 'name':
'Johan Adolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM',
'icao': 'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timez
one': -3.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato Inte
rnational Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'lat
itude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_i

d': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2773, 'name':
'Johan Adolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM',
'icao': 'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timez
one': -3.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2902, 'name': 'Piarco In
ternational Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao': 'TTPP',
'latitude': 10.595399856567383, 'longitude': -61.33720016479492, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2902, 'name':
'Piarco International Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao
': 'TTPP', 'latitude': 10.595399856567383, 'longitude': -61.33720016479492, '
timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'H
ato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNC
C', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U
', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2902, 'name':
'Piarco International Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao
': 'TTPP', 'latitude': 10.595399856567383, 'longitude': -61.33720016479492, '
timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2773, 'name': 'J
ohan Adolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', '
icao': 'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezo
ne': -3.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 1762, 'name':
'Las Américas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ',
'icao': 'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 't
imezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Ha
to International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC
', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U'

, 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 1762, 'name':
'Las Américas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ',
'icao': 'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 't
imezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2899, 'name': 'Pr
incess Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM',
'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996,
'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83'
]}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2899, 'name':
'Princess Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM
', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.10889816279999
6, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hat
o International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC'
, 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2899, 'name':
'Princess Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM
', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.10889816279999
6, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1897, 'name': 'Tou
ssaint Louverture International Airport', 'city': 'Port-au-prince', 'iata': '
PAP', 'icao': 'MTPP', 'latitude': 18.57999992370605, 'longitude': -72.2925033
569336, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Port-au-Prince', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2899, 'name':
'Princess Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM
', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.10889816279999
6, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1762, 'name': 'Las

Américas International Airport', 'city': 'Santo Domingo', 'iata': 'SDQ', 'ica
o': 'MDSD', 'latitude': 18.42970085144, 'longitude': -69.668899536133, 'timez
one': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83'
]}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2868, 'name':
'Arturo Michelena International Airport', 'city': 'Valencia', 'iata': 'VLN',
'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.9283981323242
2, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Que
en Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao
': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'd
st': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 18944, 'name': 'Insel Air (7I/INC) (Priv)', 'alias
': 'nan', 'iata': '7I', 'icao': 'M1F', 'callsign': 'nan', 'country': 'Netherl
ands Antilles', 'active': True}, 'src_airport': {'airport_id': 2868, 'name':
'Arturo Michelena International Airport', 'city': 'Valencia', 'iata': 'VLN',
'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.9283981323242
2, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hat
o International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC'
, 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2965, 'name': 'Sochi International Airport
', 'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS', 'latitude': 43.449902, 'lo
ngitude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2979,
'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD'
, 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0
, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'A
lma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'long
itude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylo
rda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'ica

o': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'time
zone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['MA6']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International
Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665
, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao'
: 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezo
ne': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Ai
rport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879
821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iat
a': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.82
49969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['752']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Ai
rport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879
821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudzhand', 'i
ata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitude': 69.6
947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2965, 'name': 'Sochi International Airport', 'city': 'Sochi', 'iata': 'AER'
, 'icao': 'URSS', 'latitude': 43.449902, 'longitude': 39.9566, 'timezone': 3.

0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao':
'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timez
one': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['MA6']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata
': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata':
'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995
9106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['752']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2912, 'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FR
U', 'icao': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 't
imezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['MA6']}

{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iat
a': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.15
2198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata':
'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone
': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', '
icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', '
icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'ti
mezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':

'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2974, 'name': 'Surgut Airport', 'city': 'Surgut', 'iata': 'SGC', 'icao': 'U
SRR', 'latitude': 61.34370040893555, 'longitude': 73.40180206298828, 'timezon
e': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iata': '
SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.51720046
99707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735'
]}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', '
icao': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'ti
mezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']
}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iat
a': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.474
19738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['752']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2912, 'name': 'Manas International Airport
', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.061298370

4, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bi
shkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'i
cao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'ti
mezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['MA6']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International
Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416
099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', '
tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'i
ata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.
8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airpo
rt', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898
, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbu
l', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao'
: 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezo
ne': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city':
'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'l
ongitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dush
anbe', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iat
a': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.906
29959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['733']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city':
'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'l
ongitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dush
anbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_

id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED'
, 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.262500762939
45, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733'
]}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city':
'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'l
ongitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dush
anbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB'
, 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733'
]}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city':
'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'l
ongitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dush
anbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2974, 'name': 'Surgut Airport', 'city': 'Surgut', 'iata': 'SGC', 'icao':
'USRR', 'latitude': 61.34370040893555, 'longitude': 73.40180206298828, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': '
St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453
, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Euro
pe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU'
, 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482,
'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': '
St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453
, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Euro
pe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudzhand', 'iata': 'LB
D', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitude': 69.6947021484

375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
5']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city'
: 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068,
'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Kra
snoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU',
'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, '
timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city'
: 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068,
'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Kra
snoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD
', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitude': 69.69470214843
75, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735'
]}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2974, 'name': 'Surgut Airport', 'city': 'S
urgut', 'iata': 'SGC', 'icao': 'USRR', 'latitude': 61.34370040893555, 'longit
ude': 73.40180206298828, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekateri
nburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'i
cao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'ti
mezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata':
'7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': Tr
ue}, 'src_airport': {'airport_id': 2974, 'name': 'Surgut Airport', 'city': 'S
urgut', 'iata': 'SGC', 'icao': 'USRR', 'latitude': 61.34370040893555, 'longit
ude': 73.40180206298828, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekateri
nburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD',
'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitude': 69.6947021484375,
'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}

{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata': '7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': True}, 'src_airport': {'airport_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata': '7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 9531, 'name': 'Tajik Air', 'alias': 'nan', 'iata': '7J', 'icao': 'GFY', 'callsign': 'nan', 'country': 'Tajikistan', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines ', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_AIr ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1852, 'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1800, 'name': 'Cozumel International Airport', 'city': 'Cozumel', 'iata': 'CZM', 'icao': 'MMCZ', 'latitude': 20.52239990234375, 'longitude': -86.92559814453125, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D28', 'CNA']}

{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
852, 'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN',
'icao': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835,
'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1819, 'name': 'Licenci
ado Manuel Crescencio Rejon Int Airport', 'city': 'Merida', 'iata': 'MID', 'i
cao': 'MMMD', 'latitude': 20.9370002747, 'longitude': -89.657699585, 'timezon
e': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D28']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
800, 'name': 'Cozumel International Airport', 'city': 'Cozumel', 'iata': 'CZM
', 'icao': 'MMCZ', 'latitude': 20.52239990234375, 'longitude': -86.9255981445
3125, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'C
ancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN'
, 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5
.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA', 'D28']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
819, 'name': 'Licenciado Manuel Crescencio Rejon Int Airport', 'city': 'Merid
a', 'iata': 'MID', 'icao': 'MMMD', 'latitude': 20.9370002747, 'longitude': -8
9.657699585, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852
, 'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'i
cao': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 't
imezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D28']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
819, 'name': 'Licenciado Manuel Crescencio Rejon Int Airport', 'city': 'Merid
a', 'iata': 'MID', 'icao': 'MMMD', 'latitude': 20.9370002747, 'longitude': -8
9.657699585, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1853
, 'name': 'Carlos Rovirosa Pérez International Airport', 'city': 'Villahermos
a', 'iata': 'VSA', 'icao': 'MMVA', 'latitude': 17.996999740600586, 'longitude
': -92.81739807128906, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico

_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['D28']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
854, 'name': 'General Heriberto Jara International Airport', 'city': 'Vera Cr
uz', 'iata': 'VER', 'icao': 'MMVR', 'latitude': 19.145900726300003, 'longitud
e': -96.1873016357, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_Ci
ty', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 1853, 'name': 'Carlos Rovirosa Pérez International Airport', 'city': 'Vill
ahermosa', 'iata': 'VSA', 'icao': 'MMVA', 'latitude': 17.996999740600586, 'lo
ngitude': -92.81739807128906, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America
/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['D28']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
853, 'name': 'Carlos Rovirosa Pérez International Airport', 'city': 'Villaher
mosa', 'iata': 'VSA', 'icao': 'MMVA', 'latitude': 17.996999740600586, 'longit
ude': -92.81739807128906, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mex
ico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1819, 'name': 'Licenciado Manuel Crescencio Rejon Int Airport', 'cit
y': 'Merida', 'iata': 'MID', 'icao': 'MMMD', 'latitude': 20.9370002747, 'long
itude': -89.657699585, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico
_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['D28']}
{'airline': {'airline_id': 16615, 'name': 'Mongolian International Air Lines
', 'alias': 'Mongol Air ', 'iata': '7M', 'icao': 'ZTF', 'callsign': 'Mongol_A
Ir ', 'country': 'Mongolia', 'active': True}, 'src_airport': {'airport_id': 1
853, 'name': 'Carlos Rovirosa Pérez International Airport', 'city': 'Villaher
mosa', 'iata': 'VSA', 'icao': 'MMVA', 'latitude': 17.996999740600586, 'longit
ude': -92.81739807128906, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mex
ico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1854, 'name': 'General Heriberto Jara International Airport', 'city'
: 'Vera Cruz', 'iata': 'VER', 'icao': 'MMVR', 'latitude': 19.145900726300003,
'longitude': -96.1873016357, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/
Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['D28']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id
': 1869, 'name': 'Marcos A. Gelabert International Airport', 'city': 'Panama'
, 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484863, 'longitude':
-79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi British Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': 'Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 5840, 'name': 'Jaqué Airport', 'city': 'Jaqué', 'iata': 'JQE', 'icao': 'MPJE', 'latitude': 7.51777982711792, 'longitude': -78.1572036743164, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi British Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 1865, 'name': 'Bocas Del Toro International Airport', 'city': 'Bocas Del Toro', 'iata': 'BOC', 'icao': 'MPBO', 'latitude': 9.340849876403807, 'longitude': -82.25080108642578, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1869, 'name': 'Marcos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi British Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 1866, 'name': 'Cap Manuel Niño International Airport', 'city': 'Changuinola', 'iata': 'CHX', 'icao': 'MPCH', 'latitude': 9.458962, 'longitude': -82.515062, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1865, 'name': 'Bocas Del Toro International Airport', 'city': 'Bocas Del Toro', 'iata': 'BOC', 'icao': 'MPBO', 'latitude': 9.340849876403807, 'longitude': -82.25080108642578, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi British Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 1867, 'name': 'Enrique Malek International Airport', 'city': 'David', 'iata': 'DAV', 'icao': 'MPDA', 'latitude': 8.390999794006348, 'longitude': -82.43499755859375, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1869, 'name': 'Marcos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'F50']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi British Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '

Indonesia', 'active': True}, 'src_airport': {'airport_id': 1867, 'name': 'Enr
ique Malek International Airport', 'city': 'David', 'iata': 'DAV', 'icao': 'M
PDA', 'latitude': 8.390999794006348, 'longitude': -82.43499755859375, 'timezo
ne': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamari
a International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC',
'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -
6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id
': 1869, 'name': 'Marcos A. Gelabert International Airport', 'city': 'Panama'
, 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484863, 'longitude':
-79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['BNI']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 5840, 'name': 'Jaq
ué Airport', 'city': 'Jaqué', 'iata': 'JQE', 'icao': 'MPJE', 'latitude': 7.51
777982711792, 'longitude': -78.1572036743164, 'timezone': -5.0, 'dst': 'U', '
tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1869, 'name': 'Marcos A. Gelabert International Airpo
rt', 'city': 'Panama', 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034
484863, 'longitude': -79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id
': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id
': 1869, 'name': 'Marcos A. Gelabert International Airport', 'city': 'Panama'
, 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484863, 'longitude':
-79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codes
hare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id
': 6783, 'name': 'Sinop Airport', 'city': 'Sinop', 'iata': 'NOP', 'icao': 'LT

CM', 'latitude': 42.015800476074, 'longitude': 35.066398620605, 'timezone': 3
.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1865, 'name': 'Bocas De
l Toro International Airport', 'city': 'Bocas Del Toro', 'iata': 'BOC', 'icao
': 'MPBO', 'latitude': 9.340849876403807, 'longitude': -82.25080108642578, 't
imezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1866, 'name': 'Cap Manu
el Niño International Airport', 'city': 'Changuinola', 'iata': 'CHX', 'icao':
'MPCH', 'latitude': 9.458962, 'longitude': -82.515062, 'timezone': -5.0, 'dst
': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1867, 'name': 'Enrique
Malek International Airport', 'city': 'David', 'iata': 'DAV', 'icao': 'MPDA',
'latitude': 8.390999794006348, 'longitude': -82.43499755859375, 'timezone': -
5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'F50']}

{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 7962, 'name': 'Puerto O
baldia Airport', 'city': 'Puerto Obaldia', 'iata': 'PUE', 'icao': 'MPOA', 'la
titude': 8.667, 'longitude': -77.418, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['DHT']}

{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 1869, 'name': 'Mar
cos A. Gelabert International Airport', 'city': 'Panama', 'iata': 'PAC', 'ica
o': 'MPMG', 'latitude': 8.973340034484863, 'longitude': -79.55560302734375, '
timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['BNI']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 7962, 'name': 'Pue
rto Obaldia Airport', 'city': 'Puerto Obaldia', 'iata': 'PUE', 'icao': 'MPOA'
, 'latitude': 8.667, 'longitude': -77.418, 'timezone': -5.0, 'dst': 'U', 'tz_
id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1869, 'name': 'Marcos A. Gelabert International Airport'
, 'city': 'Panama', 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484
863, 'longitude': -79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codes
hare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codes
hare': False, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': None, 'dst_airport': None, 'codes
hare': False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '
Indonesia', 'active': True}, 'src_airport': {'airport_id': 6783, 'name': 'Sin
op Airport', 'city': 'Sinop', 'iata': 'NOP', 'icao': 'LTCM', 'latitude': 42.0
15800476074, 'longitude': 35.066398620605, 'timezone': 3.0, 'dst': 'E', 'tz_i
d': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1869, 'name': 'Marcos A. Gelabert International Airport'
, 'city': 'Panama', 'iata': 'PAC', 'icao': 'MPMG', 'latitude': 8.973340034484
863, 'longitude': -79.55560302734375, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 1500, 'name': 'Metro Batavia', 'alias': 'bmi Briti
sh Midland', 'iata': '7P', 'icao': 'BTV', 'callsign': 'BATAVIA', 'country': '

Indonesia', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Jua
n Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao
': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 't
imezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1867, 'name': 'Enriqu
e Malek International Airport', 'city': 'David', 'iata': 'DAV', 'icao': 'MPDA
', 'latitude': 8.390999794006348, 'longitude': -82.43499755859375, 'timezone'
: -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
20, 'name': 'Aktobe Airport', 'city': 'Aktyubinsk', 'iata': 'AKX', 'icao': 'U
ATT', 'latitude': 50.2458, 'longitude': 57.206699, 'timezone': 5.0, 'dst': 'U
', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'cit
y': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, '
longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/
Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
62, 'name': 'Cheboksary Airport', 'city': 'Cheboksary', 'iata': 'CSY', 'icao'
: 'UWKS', 'latitude': 56.09030151367188, 'longitude': 47.3473014831543, 'time
zone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Int
ernational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitu
de': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst
': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
62, 'name': 'Cheboksary Airport', 'city': 'Cheboksary', 'iata': 'CSY', 'icao'
: 'UWKS', 'latitude': 56.09030151367188, 'longitude': 47.3473014831543, 'time
zone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airpor
t', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.8
0030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER

EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2920, 'name': 'Akt
obe Airport', 'city': 'Aktyubinsk', 'iata': 'AKX', 'icao': 'UATT', 'latitude'
: 50.2458, 'longitude': 57.206699, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asi
a/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6162, 'name': 'Che
boksary Airport', 'city': 'Cheboksary', 'iata': 'CSY', 'icao': 'UWKS', 'latit
ude': 56.09030151367188, 'longitude': 47.3473014831543, 'timezone': 3.0, 'dst
': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6156, 'name': 'Bel
gorod International Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUO
B', 'latitude': 50.643798828125, 'longitude': 36.5900993347168, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6125, 'name': 'Eli
sta Airport', 'city': 'Elista', 'iata': 'ESL', 'icao': 'URWI', 'latitude': 46
.3739013671875, 'longitude': 44.33089828491211, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER

EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6122, 'name': 'Kha
nkala Air Base', 'city': 'Grozny', 'iata': 'IAA', 'icao': 'URMG', 'latitude':
43.298099517822266, 'longitude': 45.78409957885742, 'timezone': 3.0, 'dst': '
N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6141, 'name': 'Izh
evsk Airport', 'city': 'Izhevsk', 'iata': 'IJK', 'icao': 'USII', 'latitude':
56.82809829711914, 'longitude': 53.45750045776367, 'timezone': 4.0, 'dst': 'N
', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2961, 'name': 'Uyt
ash Airport', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': 'URML', 'latitude
': 42.81679916381836, 'longitude': 47.65230178833008, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6114, 'name': 'Pet
rozavodsk Airport', 'city': 'Petrozavodsk', 'iata': 'PES', 'icao': 'ULPB', 'l
atitude': 61.88520050048828, 'longitude': 34.15470123291016, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER

EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6165, 'name': 'Pen
za Airport', 'city': 'Penza', 'iata': 'PEZ', 'icao': 'UWPP', 'latitude': 53.1
1059951782226, 'longitude': 45.02109909057617, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6166, 'name': 'Sar
ansk Airport', 'city': 'Saransk', 'iata': 'SKX', 'icao': 'UWPS', 'latitude':
54.12512969970703, 'longitude': 45.212257385253906, 'timezone': 3.0, 'dst': '
N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7003, 'name': 'Uly
anovsk Baratayevka Airport', 'city': 'Ulyanovsk', 'iata': 'ULV', 'icao': 'UWL
L', 'latitude': 54.268299102799986, 'longitude': 48.226699829100006, 'timezon
e': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6159, 'name': 'Vor
kuta Airport', 'city': 'Vorkuta', 'iata': 'VKT', 'icao': 'UUYW', 'latitude':
67.48860168457031, 'longitude': 63.99309921264648, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER

EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
29, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DM
E', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062995910
6445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2987, 'name': 'Vor
onezh International Airport', 'city': 'Voronezh', 'iata': 'VOZ', 'icao': 'UUO
O', 'latitude': 51.81420135498047, 'longitude': 39.22959899902344, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
56, 'name': 'Belgorod International Airport', 'city': 'Belgorod', 'iata': 'EG
O', 'icao': 'UUOB', 'latitude': 50.643798828125, 'longitude': 36.590099334716
8, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domode
dovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD',
'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
56, 'name': 'Belgorod International Airport', 'city': 'Belgorod', 'iata': 'EG
O', 'icao': 'UUOB', 'latitude': 50.643798828125, 'longitude': 36.590099334716
8, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2993, 'name': 'Kurumo
ch International Airport', 'city': 'Samara', 'iata': 'KUF', 'icao': 'UWWW', '
latitude': 53.504901885986, 'longitude': 50.16429901123, 'timezone': 4.0, 'ds
t': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
56, 'name': 'Belgorod International Airport', 'city': 'Belgorod', 'iata': 'EG
O', 'icao': 'UUOB', 'latitude': 50.643798828125, 'longitude': 36.590099334716
8, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2964, 'name': 'Platov
International Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP', 'lat
itude': 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst': '
N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER

EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
25, 'name': 'Elista Airport', 'city': 'Elista', 'iata': 'ESL', 'icao': 'URWI'
, 'latitude': 46.3739013671875, 'longitude': 44.33089828491211, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internation
al Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.
40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 39
64, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EV
N', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 't
imezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2967, 'name': 'Volgograd In
ternational Airport', 'city': 'Volgograd', 'iata': 'VOG', 'icao': 'URWW', 'la
titude': 48.78250122070313, 'longitude': 44.34550094604492, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
22, 'name': 'Khankala Air Base', 'city': 'Grozny', 'iata': 'IAA', 'icao': 'UR
MG', 'latitude': 43.298099517822266, 'longitude': 45.78409957885742, 'timezon
e': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Intern
ational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude'
: 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 69
40, 'name': 'Tunoshna Airport', 'city': 'Yaroslavl', 'iata': 'IAR', 'icao': '
UUDL', 'latitude': 57.56069946289063, 'longitude': 40.15739822387695, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport'
, 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.800
30059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER

EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
41, 'name': 'Izhevsk Airport', 'city': 'Izhevsk', 'iata': 'IJK', 'icao': 'USI
I', 'latitude': 56.82809829711914, 'longitude': 53.45750045776367, 'timezone'
: 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internat
ional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
46, 'name': 'Kurgan Airport', 'city': 'Kurgan', 'iata': 'KRO', 'icao': 'USUU'
, 'latitude': 55.47529983520508, 'longitude': 65.41560363769531, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport
', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743
099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
60, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar'
, 'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude':
39.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2967, '
name': 'Volgograd International Airport', 'city': 'Volgograd', 'iata': 'VOG',
'icao': 'URWW', 'latitude': 48.78250122070313, 'longitude': 44.34550094604492
, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']
}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
60, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar'
, 'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude':
39.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2987, '
name': 'Voronezh International Airport', 'city': 'Voronezh', 'iata': 'VOZ', '
icao': 'UUOO', 'latitude': 51.81420135498047, 'longitude': 39.22959899902344,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
93, 'name': 'Kurumoch International Airport', 'city': 'Samara', 'iata': 'KUF'
, 'icao': 'UWWW', 'latitude': 53.504901885986, 'longitude': 50.16429901123, '
timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 6156, 'name': 'Belgorod I
nternational Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUOB', 'la
titude': 50.643798828125, 'longitude': 36.5900993347168, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
93, 'name': 'Kurumoch International Airport', 'city': 'Samara', 'iata': 'KUF'
, 'icao': 'UWWW', 'latitude': 53.504901885986, 'longitude': 50.16429901123, '
timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo A
irport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude':
56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
42, 'name': 'Pobedilovo Airport', 'city': 'Kirov', 'iata': 'KVX', 'icao': 'US
KK', 'latitude': 58.50329971313501, 'longitude': 49.348300933838, 'timezone':
3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'ci
ty': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059
814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 6162, 'name': 'Cheboksary A
irport', 'city': 'Cheboksary', 'iata': 'CSY', 'icao': 'UWKS', 'latitude': 56.
09030151367188, 'longitude': 47.3473014831543, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 6940, 'name': 'Tunoshna Air
port', 'city': 'Yaroslavl', 'iata': 'IAR', 'icao': 'UUDL', 'latitude': 57.560
69946289063, 'longitude': 40.15739822387695, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 6142, 'name': 'Pobedilovo A
irport', 'city': 'Kirov', 'iata': 'KVX', 'icao': 'USKK', 'latitude': 58.50329
971313501, 'longitude': 49.348300933838, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2961, 'name': 'Uytash Airpo
rt', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': 'URML', 'latitude': 42.816
79916381836, 'longitude': 47.65230178833008, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 6166, 'name': 'Saransk Airp
ort', 'city': 'Saransk', 'iata': 'SKX', 'icao': 'UWPS', 'latitude': 54.125129
69970703, 'longitude': 45.212257385253906, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2967, 'name': 'Volgograd In
ternational Airport', 'city': 'Volgograd', 'iata': 'VOG', 'icao': 'URWW', 'la
titude': 48.78250122070313, 'longitude': 44.34550094604492, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
48, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao
': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2987, 'name': 'Voronezh Int
ernational Airport', 'city': 'Voronezh', 'iata': 'VOZ', 'icao': 'UUOO', 'lati
tude': 51.81420135498047, 'longitude': 39.22959899902344, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
61, 'name': 'Uytash Airport', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': '
URML', 'latitude': 42.81679916381836, 'longitude': 47.65230178833008, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Inter
national Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude
': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
61, 'name': 'Uytash Airport', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': '
URML', 'latitude': 42.81679916381836, 'longitude': 47.65230178833008, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport'
, 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.800
30059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
69, 'name': 'Magnitogorsk International Airport', 'city': 'Magnetiogorsk', 'i
ata': 'MQF', 'icao': 'USCM', 'latitude': 53.39310073852539, 'longitude': 58.7
5569915771485, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2975
, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao':
'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
62, 'name': 'Mineralnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'M
RV', 'icao': 'URMM', 'latitude': 44.22510147094727, 'longitude': 43.081901550
29297, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4317, 'name': 'Sa
biha Gökçen International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao'
: 'LTFJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3
.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 43
64, 'name': 'Novy Urengoy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'i
cao': 'USMU', 'latitude': 66.06939697265625, 'longitude': 76.52030181884766,
'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Kolt
sovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latit
ude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 40
78, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao
': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airp
ort', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.
743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_
id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
14, 'name': 'Petrozavodsk Airport', 'city': 'Petrozavodsk', 'iata': 'PES', 'i
cao': 'ULPB', 'latitude': 61.88520050048828, 'longitude': 34.15470123291016,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedov
o International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'l
atitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
65, 'name': 'Penza Airport', 'city': 'Penza', 'iata': 'PEZ', 'icao': 'UWPP',
'latitude': 53.11059951782226, 'longitude': 45.02109909057617, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internationa
l Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4
0879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
64, 'name': 'Platov International Airport', 'city': 'Rostov', 'iata': 'ROV',
'icao': 'URRP', 'latitude': 47.493888, 'longitude': 39.924721999999996, 'time
zone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 6156, 'name': 'Belgorod Inter
national Airport', 'city': 'Belgorod', 'iata': 'EGO', 'icao': 'UUOB', 'latitu
de': 50.643798828125, 'longitude': 36.5900993347168, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
64, 'name': 'Platov International Airport', 'city': 'Rostov', 'iata': 'ROV',
'icao': 'URRP', 'latitude': 47.493888, 'longitude': 39.924721999999996, 'time
zone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2967, 'name': 'Volgograd Inte
rnational Airport', 'city': 'Volgograd', 'iata': 'VOG', 'icao': 'URWW', 'lati
tude': 48.78250122070313, 'longitude': 44.34550094604492, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 43
17, 'name': 'Sabiha Gökçen International Airport', 'city': 'Istanbul', 'iata'
: 'SAW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'longitude': 29.3092002869
, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2962, 'name': 'Minera
lnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'URMM'
, 'latitude': 44.22510147094727, 'longitude': 43.08190155029297, 'timezone':
3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
89, 'name': 'Syktyvkar Airport', 'city': 'Syktyvkar', 'iata': 'SCW', 'icao':
'UUYY', 'latitude': 61.64699935913086, 'longitude': 50.84510040283203, 'timez
one': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport
', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743
099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
66, 'name': 'Saransk Airport', 'city': 'Saransk', 'iata': 'SKX', 'icao': 'UWP
S', 'latitude': 54.12512969970703, 'longitude': 45.212257385253906, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Interna
tional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
66, 'name': 'Saransk Airport', 'city': 'Saransk', 'iata': 'SKX', 'icao': 'UWP
S', 'latitude': 54.12512969970703, 'longitude': 45.212257385253906, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport',
'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030
059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6146, 'name': 'Kurgan Airp
ort', 'city': 'Kurgan', 'iata': 'KRO', 'icao': 'USUU', 'latitude': 55.4752998
3520508, 'longitude': 65.41560363769531, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2993, 'name': 'Kurumoch In
ternational Airport', 'city': 'Samara', 'iata': 'KUF', 'icao': 'UWWW', 'latit
ude': 53.504901885986, 'longitude': 50.16429901123, 'timezone': 4.0, 'dst': '
N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2969, 'name': 'Magnitogors
k International Airport', 'city': 'Magnetiogorsk', 'iata': 'MQF', 'icao': 'US
CM', 'latitude': 53.39310073852539, 'longitude': 58.75569915771485, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4364, 'name': 'Novy Urengo
y Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitude'
: 66.06939697265625, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo
Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 5
5.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 't
z_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2989, 'name': 'Syktyvkar A
irport', 'city': 'Syktyvkar', 'iata': 'SCW', 'icao': 'UUYY', 'latitude': 61.6
4699935913086, 'longitude': 50.84510040283203, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2992, 'name': 'Ufa Interna
tional Airport', 'city': 'Ufa', 'iata': 'UFA', 'icao': 'UWUU', 'latitude': 54
.55749893188501, 'longitude': 55.874401092529, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 7003, 'name': 'Ulyanovsk B
aratayevka Airport', 'city': 'Ulyanovsk', 'iata': 'ULV', 'icao': 'UWLL', 'lat
itude': 54.268299102799986, 'longitude': 48.226699829100006, 'timezone': 4.0,
'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
75, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao
': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4377, 'name': 'Uray Airpor
t', 'city': 'Uraj', 'iata': 'URJ', 'icao': 'USHU', 'latitude': 60.10329818725
586, 'longitude': 64.82669830322266, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'A
sia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
92, 'name': 'Ufa International Airport', 'city': 'Ufa', 'iata': 'UFA', 'icao'
: 'UWUU', 'latitude': 54.55749893188501, 'longitude': 55.874401092529, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo A
irport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude':
56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 70
03, 'name': 'Ulyanovsk Baratayevka Airport', 'city': 'Ulyanovsk', 'iata': 'UL
V', 'icao': 'UWLL', 'latitude': 54.268299102799986, 'longitude': 48.226699829
100006, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'D
omodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'U
UDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezon
e': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 70
03, 'name': 'Ulyanovsk Baratayevka Airport', 'city': 'Ulyanovsk', 'iata': 'UL
V', 'icao': 'UWLL', 'latitude': 54.268299102799986, 'longitude': 48.226699829
100006, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'K
oltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'la
titude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst
': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 43
77, 'name': 'Uray Airport', 'city': 'Uraj', 'iata': 'URJ', 'icao': 'USHU', 'l
atitude': 60.10329818725586, 'longitude': 64.82669830322266, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'c
ity': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.74309921
2646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'As
ia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['EM2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 61
59, 'name': 'Vorkuta Airport', 'city': 'Vorkuta', 'iata': 'VKT', 'icao': 'UUY
W', 'latitude': 67.48860168457031, 'longitude': 63.99309921264648, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internat
ional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
67, 'name': 'Volgograd International Airport', 'city': 'Volgograd', 'iata': '
VOG', 'icao': 'URWW', 'latitude': 48.78250122070313, 'longitude': 44.34550094
604492, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Z
vartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'U
DYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0,
'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
67, 'name': 'Volgograd International Airport', 'city': 'Volgograd', 'iata': '
VOG', 'icao': 'URWW', 'latitude': 48.78250122070313, 'longitude': 44.34550094
604492, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'K
rasnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR
', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.1705017089
84, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2'
]}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
67, 'name': 'Volgograd International Airport', 'city': 'Volgograd', 'iata': '
VOG', 'icao': 'URWW', 'latitude': 48.78250122070313, 'longitude': 44.34550094
604492, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'P
ulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'la
titude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
67, 'name': 'Volgograd International Airport', 'city': 'Volgograd', 'iata': '
VOG', 'icao': 'URWW', 'latitude': 48.78250122070313, 'longitude': 44.34550094
604492, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2964, 'name': 'P
latov International Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP'
, 'latitude': 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
87, 'name': 'Voronezh International Airport', 'city': 'Voronezh', 'iata': 'VO
Z', 'icao': 'UUOO', 'latitude': 51.81420135498047, 'longitude': 39.2295989990
2344, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
87, 'name': 'Voronezh International Airport', 'city': 'Voronezh', 'iata': 'VO
Z', 'icao': 'UUOO', 'latitude': 51.81420135498047, 'longitude': 39.2295989990
2344, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Kra
snodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR',
'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984,

'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 1469, 'name': 'BRA-Transportes Aereos', 'alias': '
bmi British Midland', 'iata': '7R', 'icao': 'BRB', 'callsign': 'BRA-TRANSPAER
EOS', 'country': 'Brazil', 'active': False}, 'src_airport': {'airport_id': 29
87, 'name': 'Voronezh International Airport', 'city': 'Voronezh', 'iata': 'VO
Z', 'icao': 'UUOO', 'latitude': 51.81420135498047, 'longitude': 39.2295989990
2344, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata
': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54
299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5962,
'name': 'Holy Cross Airport', 'city': 'Holy Cross', 'iata': 'HCR', 'icao': 'P
AHC', 'latitude': 62.18830108642578, 'longitude': -159.77499389648438, 'timez
one': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata
': 'ANI', 'icao': 'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54
299926757812, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5964,
'name': 'Kalskag Airport', 'city': 'Kalskag', 'iata': 'KLG', 'icao': 'PALG',
'latitude': 61.53630065917969, 'longitude': -160.34100341796875, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['', 'CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 6713, 'name': 'Anvik Airport', 'city': 'Anvik', 'iata
': 'ANV', 'icao': 'PANV', 'latitude': 62.646702000000005, 'longitude': -160.1
90994, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, '
stops': 0, 'equipment': ['', 'CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5962, 'name': 'Holy Cross Airport', 'city': 'Holy Cro
ss', 'iata': 'HCR', 'icao': 'PAHC', 'latitude': 62.18830108642578, 'longitude

': -159.77499389648438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 6713, 'name': 'Anvik Airport', 'city': 'Anvik', 'iata': 'ANV', 'icao': '
PANV', 'latitude': 62.646702000000005, 'longitude': -160.190994, 'timezone':
-9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': None, 'dst_airport': {'airport_id': 7090, 'name': 'Shageluk Airport'
, 'city': 'Shageluk', 'iata': 'SHX', 'icao': 'PAHX', 'latitude': 62.692298889
2, 'longitude': -159.569000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['', 'CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 5964, 'name': 'Kalskag Airport', 'city': 'Kalskag', '
iata': 'KLG', 'icao': 'PALG', 'latitude': 61.53630065917969, 'longitude': -16
0.34100341796875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 70
98, 'name': 'Russian Mission Airport', 'city': 'Russian Mission', 'iata': 'RS
H', 'icao': 'PARS', 'latitude': 61.7788848877, 'longitude': -161.319458008, '
timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['', '
CNA']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7098, 'name': 'Russian Mission Airport', 'city': 'Rus
sian Mission', 'iata': 'RSH', 'icao': 'PARS', 'latitude': 61.7788848877, 'lon
gitude': -161.319458008, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 5967, 'name': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao':
'PANI', 'latitude': 61.58160018920898, 'longitude': -159.54299926757812, 'tim
ezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['nan']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 7090, 'name': 'Shageluk Airport', 'city': 'Shageluk',
'iata': 'SHX', 'icao': 'PAHX', 'latitude': 62.6922988892, 'longitude': -159.5
69000244, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5967, 'nam
e': 'Aniak Airport', 'city': 'Aniak', 'iata': 'ANI', 'icao': 'PANI', 'latitud
e': 61.58160018920898, 'longitude': -159.54299926757812, 'timezone': -9.0, 'd
st': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['nan']}

{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'c
ity': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68109989166259
8, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city':
'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, '
longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'c
ity': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68109989166259
8, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3179, 'name': 'Phuket International Airport', 'city': 'Phuket', 'i
ata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.316902, 'tim
ezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'c
ity': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68109989166259
8, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'i
ata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.
45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Intern
ational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitu
de': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city
': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598,
'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['763']}

{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Intern
ational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitu
de': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airport
', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'long
itude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Mai International
Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18
.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul',
'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 12
6.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket International Airp
ort', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'l
ongitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 388
5, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao':
'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'tim
ezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket International Airp
ort', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'l
ongitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 339
3, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', '
iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 10
6.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['763']}

{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket International Airp
ort', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'l
ongitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 393
0, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', '
icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578
, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Air
port', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.4691009
5214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id
': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata
': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74
700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Air
port', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.4691009
5214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id
': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3931, 'name': 'Chiang Mai International Airport', 'city': 'Chi
ang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.7667999268, 'longitud
e': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['763']}
{'airline': {'airline_id': 17408, 'name': 'BusinessAir', 'alias': 'nan', 'iat
a': '8B', 'icao': 'BCC', 'callsign': 'nan', 'country': 'Thailand', 'active':
True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Air
port', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.4691009
5214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id
': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3179, 'name': 'Phuket International Airport', 'city': 'Phuket'
, 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.316902,
'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation
Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russ

ian Federation', 'active': True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7160, 'name': 'Akhiok Airport', 'city': 'Akhiok', 'iata': 'AKK', 'icao': 'PAKH', 'latitude': 56.9387016296, 'longitude': -154.182998657, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russian Federation', 'active': True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russian Federation', 'active': True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russian Federation', 'active': True}, 'src_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russian Federation', 'active': True}, 'src_airport': {'airport_id': 7160, 'name': 'Akhiok Airport', 'city': 'Akhiok', 'iata': 'AKK', 'icao': 'PAKH', 'latitude': 56.9387016296, 'longitude': -154.182998657, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'icao': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russian Federation', 'active': True}, 'src_airport': None, 'dst_airport': {'airpo

rt_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'ica
o': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, '
dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation
Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russ
ian Federation', 'active': True}, 'src_airport': None, 'dst_airport': {'airpo
rt_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'ica
o': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, '
dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1109, 'name': 'Astair', 'alias': 'Pulkovo Aviation
Enterprise', 'iata': '8D', 'icao': 'nan', 'callsign': 'nan', 'country': 'Russ
ian Federation', 'active': True}, 'src_airport': None, 'dst_airport': {'airpo
rt_id': 3531, 'name': 'Kodiak Airport', 'city': 'Kodiak', 'iata': 'ADQ', 'ica
o': 'PADQ', 'latitude': 57.75, 'longitude': -152.4940033, 'timezone': -9.0, '
dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7177, 'name':
'Ambler Airport', 'city': 'Ambler', 'iata': 'ABL', 'icao': 'PAFM', 'latitude'
: 67.1063, 'longitude': -157.856989, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotze
bue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -1
62.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7177, 'name':
'Ambler Airport', 'city': 'Ambler', 'iata': 'ABL', 'icao': 'PAFM', 'latitude'
: 67.1063, 'longitude': -157.856989, 'timezone': -9.0, 'dst': 'A', 'tz_id': '
America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 7117, 'name': 'Shungnak Airport', 'city': 'Shungnak', 'iata
': 'SHG', 'icao': 'PAGH', 'latitude': 66.88809967041, 'longitude': -157.16200
256348, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7178, 'name':
'Buckland Airport', 'city': 'Buckland', 'iata': 'BKC', 'icao': 'PABL', 'latit

ude': 65.9815979004, 'longitude': -161.149002075, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6755, 'name': 'Deering Airport', 'city': 'Deeri
ng', 'iata': 'DRG', 'icao': 'PADE', 'latitude': 66.0696029663, 'longitude': -
162.76600647, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7178, 'name':
'Buckland Airport', 'city': 'Buckland', 'iata': 'BKC', 'icao': 'PABL', 'latit
ude': 65.9815979004, 'longitude': -161.149002075, 'timezone': -9.0, 'dst': 'A
', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'c
ity': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'lo
ngitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchor
age', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 6755, 'name':
'Deering Airport', 'city': 'Deering', 'iata': 'DRG', 'icao': 'PADE', 'latitud
e': 66.0696029663, 'longitude': -162.76600647, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 7178, 'name': 'Buckland Airport', 'city': 'Buckla
nd', 'iata': 'BKC', 'icao': 'PABL', 'latitude': 65.9815979004, 'longitude': -
161.149002075, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 6755, 'name':
'Deering Airport', 'city': 'Deering', 'iata': 'DRG', 'icao': 'PADE', 'latitud
e': 66.0696029663, 'longitude': -162.76600647, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'cit
y': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'long
itude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorag
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7184, 'name':
'Elim Airport', 'city': 'Elim', 'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64

.61470032, 'longitude': -162.2720032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7185, 'name': 'Golovin Airport', 'city': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitude': 64.5504989624, 'longitude': -163.007003784, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.2720032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams Airport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.2720032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'city': 'Gambell', 'iata': 'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781, 'longitude': -171.73300170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'city': 'Gambell', 'iata': 'GAM', 'icao': 'PAGM', 'latitud

e': 63.76679992675781, 'longitude': -171.73300170898438, 'timezone': -9.0, 'd
st': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', 'city
': 'Savoonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.6864013671875, '
longitude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7185, 'name':
'Golovin Airport', 'city': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitud
e': 64.5504989624, 'longitude': -163.007003784, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim', 'ia
ta': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.272003
2, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7185, 'name':
'Golovin Airport', 'city': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitud
e': 64.5504989624, 'longitude': -163.007003784, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 7188, 'name': 'White Mountain Airport', 'city': '
White Mountain', 'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.689201355, 'lo
ngitude': -163.412994385, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7179, 'name':
'Bob Baker Memorial Airport', 'city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK',
'latitude': 66.9759979248, 'longitude': -160.43699646, 'timezone': -9.0, 'dst
': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 7181, 'name': 'Robert (Bob) Curtis Memori
al Airport', 'city': 'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitude': 66
.81790161, 'longitude': -161.01899719999997, 'timezone': -9.0, 'dst': 'A', 't
z_id': 'America/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7179, 'name':
'Bob Baker Memorial Airport', 'city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK',

'latitude': 66.9759979248, 'longitude': -160.43699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams Airport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams Airport', 'city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'longitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7183, 'name': 'Brevig Mission Airport', 'city': 'Brevig Mission', 'iata': 'KTS', 'icao': 'PFKT', 'latitude': 65.3312988281, 'longitude': -166.46600341799999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7183, 'name': 'Brevig Mission Airport', 'city': 'Brevig Mission', 'iata': 'KTS', 'icao': 'P

FKT', 'latitude': 65.3312988281, 'longitude': -166.46600341799999, 'timezone'
: -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 7187, 'name': 'Wales Airport'
, 'city': 'Wales', 'iata': 'WAA', 'icao': 'PAIW', 'latitude': 65.622593000000
01, 'longitude': -168.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/An
chorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 6719, 'name':
'Kivalina Airport', 'city': 'Kivalina', 'iata': 'KVL', 'icao': 'PAVL', 'latit
ude': 67.73619842529297, 'longitude': -164.56300354003906, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Ai
rport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.884
69696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Amer
ica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 6719, 'name':
'Kivalina Airport', 'city': 'Kivalina', 'iata': 'KVL', 'icao': 'PAVL', 'latit
ude': 67.73619842529297, 'longitude': -164.56300354003906, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3413, 'name':
'Cape Lisburne LRRS Airport', 'city': 'Cape Lisburne', 'iata': 'LUR', 'icao':
'PALU', 'latitude': 68.87509918, 'longitude': -166.1100006, 'timezone': -9.0,
'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Ai
rport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.884
69696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'Amer
ica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7180, 'name':
'Kobuk Airport', 'city': 'Kobuk', 'iata': 'OBU', 'icao': 'PAOB', 'latitude':
66.9123001099, 'longitude': -156.897003174, 'timezone': -9.0, 'dst': 'A', 'tz
_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 7177, 'name': 'Ambler Airport', 'city': 'Ambler', 'i

ata': 'ABL', 'icao': 'PAFM', 'latitude': 67.1063, 'longitude': -157.856989, '
timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC'
]}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7180, 'name':
'Kobuk Airport', 'city': 'Kobuk', 'iata': 'OBU', 'icao': 'PAOB', 'latitude':
66.9123001099, 'longitude': -156.897003174, 'timezone': -9.0, 'dst': 'A', 'tz
_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city':
'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitud
e': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 7184, 'name': 'Elim Airport', 'city': 'Elim',
'iata': 'ELI', 'icao': 'PFEL', 'latitude': 64.61470032, 'longitude': -162.272
0032, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'city': 'Gam
bell', 'iata': 'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781, 'longitu
de': -171.73300170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams Airport', '

city': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'lo
ngitude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport',
'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, '
longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 6723, 'name': 'Shishmaref Airport', 'city': '
Shishmaref', 'iata': 'SHH', 'icao': 'PASH', 'latitude': 66.249604, 'longitude
': -166.089112, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', 'city': 'Sa
voonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.6864013671875, 'longit
ude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anc
horage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name':
'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64
.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 7186, 'name': 'Teller Airport', 'city': 'Tell

er', 'iata': 'TLA', 'icao': 'PATE', 'latitude': 65.2404022217, 'longitude': -166.339004517, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7194, 'name': 'Tin City Long Range Radar Station Airport', 'city': 'Tin City', 'iata': 'TNC', 'icao': 'PATC', 'latitude': 65.56310272, 'longitude': -167.9219971, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7188, 'name': 'White Mountain Airport', 'city': 'White Mountain', 'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.689201355, 'longitude': -163.412994385, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7181, 'name': 'Robert (Bob) Curtis Memorial Airport', 'city': 'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitude': 66.81790161, 'longitude': -161.01899719999997, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7179, 'name': 'Bob Baker Memorial Airport', 'city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK', 'latitude': 66.9759979248, 'longitude': -160.43699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7181, 'name': 'Robert (Bob) Curtis Memorial Airport', 'city': 'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitude': 66.81790161, 'longitude': -161.01899719999997, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7177, 'name': 'Ambler Airport', 'city': 'Ambler', 'iata': 'ABL', 'icao': 'PAFM', 'latitude': 67.1063, 'longitude': -157.856989, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7178, 'name': 'Buckland Airport', 'city': 'Buckland', 'iata': 'BKC', 'icao': 'PABL', 'latitude': 65.9815979004, 'longitude': -161.149002075, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6755, 'name': 'Deering Airport', 'city': 'Deering', 'iata': 'DRG', 'icao': 'PADE', 'latitude': 66.0696029663, 'longitude': -162.76600647, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7179, 'name': 'Bob Baker Memorial Airport', 'city': 'Kiana', 'iata': 'IAN', 'icao': 'PAIK', 'latitude': 66.9759979248, 'longitude': -160.43699646, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6719, 'name': 'Kivalina Airport', 'city': 'Kivalina', 'iata': 'KVL', 'icao': 'PAVL', 'latitude': 67.73619842529297, 'longitude': -164.56300354003906, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7181, 'name': 'Robert (Bob) Curtis Memorial Airport', 'city': 'Noorvik', 'iata': 'ORV', 'icao': 'PFNO', 'latitude': 66.81790161, 'longitude': -161.01899719999997, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7117, 'name': 'Shungnak Airport', 'city': 'Shungnak', 'iata': 'SHG', 'icao': 'PAGH', 'latitude': 66.88809967041, 'longitude': -157.16200256348, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7182, 'name': 'Selawik Airport', 'city': 'Selawik', 'iata': 'WLK', 'icao': 'PASK', 'latitude': 66.60009766, 'longitude': -159.98599240000001, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3693, 'name':

'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PA
OT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'ds
t': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 6725, 'name': 'Noatak Airport', 'city':
'Noatak', 'iata': 'WTK', 'icao': 'PAWN', 'latitude': 67.56610107421875, 'long
itude': -162.97500610351562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/
Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airpor
t_id': 3413, 'name': 'Cape Lisburne LRRS Airport', 'city': 'Cape Lisburne', '
iata': 'LUR', 'icao': 'PALU', 'latitude': 68.87509918, 'longitude': -166.1100
006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airpor
t_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata
': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999,
'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CN
C']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7117, 'name':
'Shungnak Airport', 'city': 'Shungnak', 'iata': 'SHG', 'icao': 'PAGH', 'latit
ude': 66.88809967041, 'longitude': -157.16200256348, 'timezone': -9.0, 'dst':
'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 7180, 'name': 'Kobuk Airport', 'city': 'Kobu
k', 'iata': 'OBU', 'icao': 'PAOB', 'latitude': 66.9123001099, 'longitude': -1
56.897003174, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 6723, 'name':
'Shishmaref Airport', 'city': 'Shishmaref', 'iata': 'SHH', 'icao': 'PASH', 'l
atitude': 66.249604, 'longitude': -166.089112, 'timezone': -9.0, 'dst': 'A',
'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'ia
ta': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.
44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['BE1', 'CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7192, 'name':
'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'l
atitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A'
, 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7190, 'name': 'Koyuk Alfred Adams Airport', 'ci
ty': 'Koyuk', 'iata': 'KKA', 'icao': 'PAKK', 'latitude': 64.9394989014, 'long
itude': -161.154006958, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Ancho
rage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7192, 'name':
'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'l
atitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A'
, 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', '
iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -16
5.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7192, 'name':
'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'l
atitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A'
, 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Un
alakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude
': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British
Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': '
United States', 'active': True}, 'src_airport': {'airport_id': 7191, 'name':
'St Michael Airport', 'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', '
latitude': 63.49010086, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': '
A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': '
Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitu
de': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7191, 'name': 'St Michael Airport', 'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['CNC', 'PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', 'city': 'Savoonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.6864013671875, 'longitude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6715, 'name': 'Gambell Airport', 'city': 'Gambell', 'iata': 'GAM', 'icao': 'PAGM', 'latitude': 63.76679992675781, 'longitude': -171.73300170898438, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6724, 'name': 'Savoonga Airport', 'city': 'Savoonga', 'iata': 'SVA', 'icao': 'PASA', 'latitude': 63.6864013671875, 'longitude': -170.4929962158203, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7186, 'name': 'Teller Airport', 'city': 'Teller', 'iata': 'TLA', 'icao': 'PATE', 'latitude': 65.2404022217, 'longitude': -166.339004517, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7183, 'name': 'Brevig Mission Airport', 'city': 'Brevig Mission', 'iata': 'KTS', 'icao': 'PFKT', 'latitude': 65.3312988281, 'longitude': -166.46600341799999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7194, 'name': 'Tin City Long Range Radar Station Airport', 'city': 'Tin City', 'iata': 'TNC', 'icao': 'PATC', 'latitude': 65.56310272, 'longitude': -167.9219971, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'iata': 'WAA', 'icao': 'PAIW', 'latitude': 65.62259300000001, 'longitude': -168.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7192, 'name': 'Shaktoolik Airport', 'city': 'Shaktoolik', 'iata': 'SKK', 'icao': 'PFSH', 'latitude': 64.37110138, 'longitude': -161.223999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7191, 'name': 'St Michael Airport', 'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC', 'PA2']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'iata': 'WAA', 'icao': 'PAIW', 'latitude': 65.62259300000001, 'longitude': -168.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7187, 'name': 'Wales Airport', 'city': 'Wales', 'iata': 'WAA', 'icao': 'PAIW', 'latitude': 65.62259300000001, 'longitude': -168.095, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6723, 'name': 'Shishmaref Airport', 'city': 'Shishmaref', 'iata': 'SHH', 'icao': 'PASH', 'latitude': 66.249604, 'longitude': -166.089112, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7191, 'name': 'St Michael Airport', 'city': 'St. Michael', 'iata': 'SMK', 'icao': 'PAMK', 'latitude': 63.49010086, 'longitude': -162.1100006, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7088, 'name': 'Unalakleet Airport', 'city': 'Unalakleet', 'iata': 'UNK', 'icao': 'PAUN', 'latitude': 63.88840103, 'longitude': -160.798996, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7182, 'name': 'Selawik Airport', 'city': 'Selawik', 'iata': 'WLK', 'icao': 'PASK', 'latitude': 66.60009766, 'longitude': -159.98599240000001, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7188, 'name': 'White Mountain Airport', 'city': 'White Mountain', 'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.689201355, 'longitude': -163.412994385, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7185, 'name': 'Golovin Airport', 'city': 'Golovin', 'iata': 'GLV', 'icao': 'PAGL', 'latitude': 64.5504989624, 'longitude': -163.007003784, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 7188, 'name': 'White Mountain Airport', 'city': 'White Mountain', 'iata': 'WMO', 'icao': 'PAWM', 'latitude': 64.689201355, 'longitude': -163.412994385, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3615, 'name': 'Nome Airport', 'city': 'Nome', 'iata': 'OME', 'icao': 'PAOM', 'latitude': 64.51219940185547, 'longitude': -165.44500732421875, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PA2']}
{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6725, 'name': 'Noatak Airport', 'city': 'Noatak', 'iata': 'WTK', 'icao': 'PAWN', 'latitude': 67.56610107421875, 'longitude': -162.97500610351562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6719, 'name': 'Kivalina Airport', 'city': 'Kivalina', 'iata': 'KVL', 'icao': 'PAVL', 'latitude': 67.73619842529297, 'longitude': -164.56300354003906, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 1472, 'name': 'Bering Air', 'alias': 'bmi British Midland', 'iata': '8E', 'icao': 'BRG', 'callsign': 'BERING AIR', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 6725, 'name': 'Noatak Airport', 'city': 'Noatak', 'iata': 'WTK', 'icao': 'PAWN', 'latitude': 67.56610107421875, 'longitude': -162.97500610351562, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3693, 'name': 'Ralph Wien Memorial Airport', 'city': 'Kotzebue', 'iata': 'OTZ', 'icao': 'PAOT', 'latitude': 66.88469696, 'longitude': -162.598999, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 3534, 'name': 'Myway Airlines', 'alias': 'nan', 'iata': '8I', 'icao': 'nan', 'callsign': 'nan', 'country': 'Italy', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 3534, 'name': 'Myway Airlines', 'alias': 'nan', 'iata': '8I', 'icao': 'nan', 'callsign': 'nan', 'country': 'Italy', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.290603637695 31, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 3534, 'name': 'Myway Airlines', 'alias': 'nan', 'iata': '8I', 'icao': 'nan', 'callsign': 'nan', 'country': 'Italy', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2868, 'name': 'Arturo Michelena International Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}

{'airline': {'airline_id': 3534, 'name': 'Myway Airlines', 'alias': 'nan', 'i
ata': '8I', 'icao': 'nan', 'callsign': 'nan', 'country': 'Italy', 'active': T
rue}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Internationa
l Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.
601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Amer
ica/Caracas', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Ora
njestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -7
0.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['M82']}
{'airline': {'airline_id': 3534, 'name': 'Myway Airlines', 'alias': 'nan', 'i
ata': '8I', 'icao': 'nan', 'callsign': 'nan', 'country': 'Italy', 'active': T
rue}, 'src_airport': {'airport_id': 3576, 'name': 'Miami International Airpor
t', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.7931995391
8457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city'
: 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitud
e': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['M82']}
{'airline': {'airline_id': 3534, 'name': 'Myway Airlines', 'alias': 'nan', 'i
ata': '8I', 'icao': 'nan', 'callsign': 'nan', 'country': 'Italy', 'active': T
rue}, 'src_airport': {'airport_id': 2868, 'name': 'Arturo Michelena Internati
onal Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA', 'latitude':
10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -4.0, 'dst':
'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airp
ort', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.501
4, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/A
ruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 6346, 'n
ame': 'Baotou Airport', 'city': 'Baotou', 'iata': 'BAV', 'icao': 'ZBOW', 'lat
itude': 40.560001373291016, 'longitude': 109.99700164794922, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang Internation
al Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.4
47102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['738']}

{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3375, 'n
ame': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata'
: 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.841
00341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name
': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG
', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '
738', '737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3375, 'n
ame': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata'
: 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.841
00341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name
': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'lati
tude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3393, 'n
ame': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata'
: 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.641
99829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name
': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG
', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3393, 'n
ame': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata'
: 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.641
99829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name
': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'lati
tude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst'

: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3393, 'n
ame': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata'
: 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.641
99829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4149, 'name
': 'Xuzhou Guanyin Airport', 'city': 'Xuzhou', 'iata': 'XUZ', 'icao': 'ZSXZ',
'latitude': 34.059056, 'longitude': 117.555278, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3371, 'n
ame': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata':
'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.22000
1221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3385, 'name': 'Fuz
hou Changle International Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao':
'ZSFZ', 'latitude': 25.935100555419922, 'longitude': 119.66300201416016, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3371, 'n
ame': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata':
'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.22000
1221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kun
ming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'ica
o': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3371, 'n
ame': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata':
'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.22000
1221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lij
iang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude':
26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U',

'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['321', '319']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3371, 'n
ame': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata':
'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.22000
1221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nan
jing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latit
ude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3395, 'n
ame': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': '
CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998
5961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4301, 'name': '
Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'icao': 'ZUJ
Z', 'latitude': 32.8533333333, 'longitude': 103.68222222200001, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3395, 'n
ame': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': '
CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998
5961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': '
Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', '
icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'tim
ezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '737'
]}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3395, 'n
ame': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': '
CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998
5961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7862, 'name': '
Tengchong Tuofeng Airport', 'city': 'Tengchong', 'iata': 'TCZ', 'icao': 'ZUTC

', 'latitude': 24.9380555556, 'longitude': 98.4858333333, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3395, 'n
ame': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': '
CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998
5961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, 'name': '
Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'ica
o': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 6375, 'n
ame': 'Diqing Airport', 'city': 'Shangri-La', 'iata': 'DIG', 'icao': 'ZPDQ',
'latitude': 27.7936, 'longitude': 99.6772, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', '
city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.1019443999999
97, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3404, 'n
ame': 'Zhoushuizi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL',
'latitude': 38.9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai Internat
ional Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude':
39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3404, 'n
ame': 'Zhoushuizi Airport', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL',
'latitude': 38.9656982421875, 'longitude': 121.53900146484376, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe Internatio
nal Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.

7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4054, 'n
ame': 'Dali Airport', 'city': 'Dali', 'iata': 'DLU', 'icao': 'ZPDL', 'latitud
e': 25.649401, 'longitude': 100.319, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggas
a', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude
': 100.76000213623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4054, 'n
ame': 'Dali Airport', 'city': 'Dali', 'iata': 'DLU', 'icao': 'ZPDL', 'latitud
e': 25.649401, 'longitude': 100.319, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city':
'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'lo
ngitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3385, 'n
ame': 'Fuzhou Changle International Airport', 'city': 'Fuzhou', 'iata': 'FOC'
, 'icao': 'ZSFZ', 'latitude': 25.935100555419922, 'longitude': 119.6630020141
6016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Cha
ngsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'ic
ao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3385, 'n
ame': 'Fuzhou Changle International Airport', 'city': 'Fuzhou', 'iata': 'FOC'
, 'icao': 'ZSFZ', 'latitude': 25.935100555419922, 'longitude': 119.6630020141
6016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nan
ning Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitu

de': 22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4120, 'n
ame': 'Haikou Meilan International Airport', 'city': 'Haikou', 'iata': 'HAK',
'icao': 'ZJHK', 'latitude': 19.93490028381348, 'longitude': 110.4589996337890
6, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunmin
g Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao':
'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 6345, 'n
ame': 'Baita International Airport', 'city': 'Hohhot', 'iata': 'HET', 'icao':
'ZBHH', 'latitude': 40.851397999999996, 'longitude': 111.82399699999999, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu
Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74
689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3389, 'n
ame': 'Hefei Luogang International Airport', 'city': 'Hefei', 'iata': 'HFE',
'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitude': 117.2979965209961
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming
Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': '
ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3389, 'n
ame': 'Hefei Luogang International Airport', 'city': 'Hefei', 'iata': 'HFE',
'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitude': 117.2979965209961
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lijiang
Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.68

00003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3389, 'n
ame': 'Hefei Luogang International Airport', 'city': 'Hefei', 'iata': 'HFE',
'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitude': 117.2979965209961
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shangha
i Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': '
ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3386, 'n
ame': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata':
'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.433998
10791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name':
'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG',
'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3386, 'n
ame': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata':
'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.433998
10791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6379, 'name':
'Ganzhou Airport', 'city': 'Ganzhou', 'iata': 'KOW', 'icao': 'ZSGZ', 'latitud
e': 25.853333, 'longitude': 114.77888899999999, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3381, 'n
ame': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'i
cao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4054, 'name': 'Dali Ai
rport', 'city': 'Dali', 'iata': 'DLU', 'icao': 'ZPDL', 'latitude': 25.649401,

'longitude': 100.319, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4301, 'name': 'Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'icao': 'ZUJZ', 'latitude': 32.8533333333, 'longitude': 103.68222222200001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'ica

o': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '
738', '737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongq
ing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'ica
o': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changs
ha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao'
: 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengd
u Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao':
'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '737']
}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',

'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6375, 'name': 'Diqing Airport', 'city': 'Shangri-La', 'iata': 'DIG', 'icao': 'ZPDQ', 'latitude': 27.7936, 'longitude': 99.6772, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4054, 'name': 'Dali Airport', 'city': 'Dali', 'iata': 'DLU', 'icao': 'ZPDL', 'latitude': 25.649401, 'longitude': 100.319, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan International Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3389, 'name': 'Hefei Luogang International Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',

'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzh
ou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao'
: 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'ti
mezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3381, 'name': 'Xishua
ngbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH',
'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6379, 'name': 'Ganzho
u Airport', 'city': 'Ganzhou', 'iata': 'KOW', 'icao': 'ZSGZ', 'latitude': 25.
853333, 'longitude': 114.77888899999999, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdo
ngbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude':
26.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['737', '321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',

'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6376, 'name': 'Mangshi Airport', 'city': 'Luxi', 'iata': 'LUM', 'icao': 'ZPLX', 'latitude': 24.4011, 'longitude': 98.5317, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Horizon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',

'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nannin
g Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude'
: 22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijin
g Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': '
ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '737', '
321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shangh
ai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao':
'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6377, 'name': "Pu'er
Simao Airport", 'city': 'Simao', 'iata': 'SYM', 'icao': 'ZPSM', 'latitude': 2
2.793301, 'longitude': 100.959, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166

7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya
Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY
', 'latitude': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7862, 'name': 'Tengch
ong Tuofeng Airport', 'city': 'Tengchong', 'iata': 'TCZ', 'icao': 'ZUTC', 'la
titude': 24.9380555556, 'longitude': 98.4858333333, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqia
ng Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.8
57200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyua
n Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude'
: 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166

7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan
Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH'
, 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['738', '737', '321']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an
Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLX
Y', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6366, 'name': 'Xining
Caojiabu Airport', 'city': 'Xining', 'iata': 'XNN', 'icao': 'ZLXN', 'latitude
': 36.5275, 'longitude': 102.042999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166
7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 9107, 'name': 'Yichun
Mingyueshan Airport', 'city': 'Yichun', 'iata': 'YIC', 'icao': 'ZSYC', 'latit
ude': 27.8025, 'longitude': 114.3062, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2942, 'name': 'Cargo Plus Aviation', 'alias': 'Hor
izon Airlines', 'iata': '8L', 'icao': 'CGP', 'callsign': 'nan', 'country': 'U
nited Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3382, 'n
ame': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': '
KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.929166

7, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6361, 'name': 'Yichan
g Sanxia Airport', 'city': 'Yichang', 'iata': 'YIH', 'icao': 'ZHYC', 'latitud
e': 30.55655, 'longitude': 111.47998799999999, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['738']}
IOPub data rate exceeded.
The notebook server will temporarily stop sending output
to the client in order to avoid crashing it.
To change this limit, set the config variable
`--NotebookApp.iopub_data_rate_limit`.

Current values:
NotebookApp.iopub_data_rate_limit=1000000.0 (bytes/sec)
NotebookApp.rate_limit_window=3.0 (secs)

{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capital Int
ernational Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latit
ude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport',
'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.8583699999999
99, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luand
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['772']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 5674, 'name': 'Praia International
Airport', 'city': 'Praia, Santiago Island', 'iata': 'RAI', 'icao': 'GVNP', 'l
atitude': 14.924500465393065, 'longitude': -23.49349975585937, 'timezone': -1
.0, 'dst': 'U', 'tz_id': 'Atlantic/Cape_Verde', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 973, 'name': 'São Tomé Internat
ional Airport', 'city': 'Sao Tome', 'iata': 'TMS', 'icao': 'FPST', 'latitude'
: 0.3781749904155731, 'longitude': 6.712150096893311, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Sao_Tome', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 959, 'name': 'Lubango Airport', 'c
ity': 'Lubango', 'iata': 'SDD', 'icao': 'FNUB', 'latitude': -14.9246997833251
95, 'longitude': 13.574999809265135, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'A
frica/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'

airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'i
ata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.
2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
3G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 959, 'name': 'Lubango Airport', 'c
ity': 'Lubango', 'iata': 'SDD', 'icao': 'FNUB', 'latitude': -14.9246997833251
95, 'longitude': 13.574999809265135, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'A
frica/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata
': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.6837997
43700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 959, 'name': 'Lubango Airport', 'c
ity': 'Lubango', 'iata': 'SDD', 'icao': 'FNUB', 'latitude': -14.9246997833251
95, 'longitude': 13.574999809265135, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'A
frica/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 4105, 'name': 'Hosea Kutako International Airport', 'city': 'Win
dhoek', 'iata': 'WDH', 'icao': 'FYWH', 'latitude': -22.4799, 'longitude': 17.
4709, 'timezone': 1.0, 'dst': 'S', 'tz_id': 'Africa/Windhoek', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 953, 'name': 'Menongue Airport', '
city': 'Menongue', 'iata': 'SPP', 'icao': 'FNME', 'latitude': -14.65760040283
2033, 'longitude': 17.71980094909668, 'timezone': 1.0, 'dst': 'N', 'tz_id': '
Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', '
iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13
.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 953, 'name': 'Menongue Airport', '
city': 'Menongue', 'iata': 'SPP', 'icao': 'FNME', 'latitude': -14.65760040283
2033, 'longitude': 17.71980094909668, 'timezone': 1.0, 'dst': 'N', 'tz_id': '
Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {

'airport_id': 948, 'name': 'Nova Lisboa Airport', 'city': 'Huambo', 'iata': '
NOV', 'icao': 'FNHU', 'latitude': -12.808899879455565, 'longitude': 15.760499
954223633, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 953, 'name': 'Menongue Airport', '
city': 'Menongue', 'iata': 'SPP', 'icao': 'FNME', 'latitude': -14.65760040283
2033, 'longitude': 17.71980094909668, 'timezone': 1.0, 'dst': 'N', 'tz_id': '
Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iat
a': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799
743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 949, 'name': 'Kuito Airport', 'cit
y': 'Kuito', 'iata': 'SVP', 'icao': 'FNKU', 'latitude': -12.404600143433, 'lo
ngitude': 16.947399139404, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luan
da', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD
', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 949, 'name': 'Kuito Airport', 'cit
y': 'Kuito', 'iata': 'SVP', 'icao': 'FNKU', 'latitude': -12.404600143433, 'lo
ngitude': 16.947399139404, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luan
da', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE',
'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 958, 'name': 'Soyo Airport', 'city
': 'Soyo', 'iata': 'SZA', 'icao': 'FNSO', 'latitude': -6.141089916229247, 'lo
ngitude': 12.371800422668455, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/L
uanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 946, 'name': 'Cabinda Airport', 'city': 'Cabinda', 'iata': 'CAB', 'icao
': 'FNCA', 'latitude': -5.59699010848999, 'longitude': 12.188400268554688, 't

imezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732', '73
G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 958, 'name': 'Soyo Airport', 'city
': 'Soyo', 'iata': 'SZA', 'icao': 'FNSO', 'latitude': -6.141089916229247, 'lo
ngitude': 12.371800422668455, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/L
uanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': '
LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 973, 'name': 'São Tomé Internation
al Airport', 'city': 'Sao Tome', 'iata': 'TMS', 'icao': 'FPST', 'latitude': 0
.3781749904155731, 'longitude': 6.712150096893311, 'timezone': 0.0, 'dst': 'N
', 'tz_id': 'Africa/Sao_Tome', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'cit
y': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999,
'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 973, 'name': 'São Tomé Internation
al Airport', 'city': 'Sao Tome', 'iata': 'TMS', 'icao': 'FPST', 'latitude': 0
.3781749904155731, 'longitude': 6.712150096893311, 'timezone': 0.0, 'dst': 'N
', 'tz_id': 'Africa/Sao_Tome', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 5674, 'name': 'Praia International Airport', 'ci
ty': 'Praia, Santiago Island', 'iata': 'RAI', 'icao': 'GVNP', 'latitude': 14.
924500465393065, 'longitude': -23.49349975585937, 'timezone': -1.0, 'dst': 'U
', 'tz_id': 'Atlantic/Cape_Verde', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 957, 'name': 'Saurimo Airport', 'c
ity': 'Saurimo', 'iata': 'VHC', 'icao': 'FNSA', 'latitude': -9.68906974792480
5, 'longitude': 20.431900024414066, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Af
rica/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'ia
ta': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2
312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport'

, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G', '732']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 957, 'name': 'Saurimo Airport', 'city': 'Saurimo', 'iata': 'VHC', 'icao': 'FNSA', 'latitude': -9.689069747924805, 'longitude': 20.431900024414066, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 952, 'name': 'Malanje Airport', 'city': 'Malanje', 'iata': 'MEG', 'icao': 'FNMA', 'latitude': -9.525090217590332, 'longitude': 16.312400817871097, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5630, 'name': 'Catumbela Airport', 'city': 'Catumbela', 'iata': 'CBT', 'icao': 'FNCT', 'latitude': -12.4792, 'longitude': 13.4869, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 948, 'name': 'Nova Lisboa Airport', 'city': 'Huambo', 'iata': 'NOV', 'icao': 'FNHU', 'latitude': -12.808899879455565, 'longitude': 15.760499954223633, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 959, 'name': 'Lubango Airport', 'city': 'Lubango', 'iata': 'SDD', 'icao': 'FNUB', 'latitude': -14.924699783325195, 'longitude': 13.574999809265135, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 953, 'name': 'Menongue Airport', 'city': 'Menongue', 'iata': 'SPP', 'icao': 'FNME', 'latitude': -14.657600402832033, 'longitude': 17.71980094909668, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 5632, 'name': 'Ngjiva Pereira Airport', 'city': 'Ondjiva', 'iata': 'VPE', 'icao': 'FNGI', 'latitude': -17.0435009003, 'longitude': 15.683799743700002, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 949, 'name': 'Kuito Airport', 'city': 'Kuito', 'iata': 'SVP', 'icao': 'FNKU', 'latitude': -12.404600143433, 'longitude': 16.947399139404, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TWA', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'active': True}, 'src_airport': {'airport_id': 4105, 'name': 'Hosea Kutako International Airport', 'city': 'Windhoek', 'iata': 'WDH', 'icao': 'FYWH', 'latitude': -22.4799, 'longitude': 17.4709, 'timezone': 1.0, 'dst': 'S', 'tz_id': 'Africa/Windhoek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73G']}
{'airline': {'airline_id': 5133, 'name': 'TAAG Angola Airlines', 'alias': 'TW
A', 'iata': 'DT', 'icao': 'DTA', 'callsign': 'DTA', 'country': 'Angola', 'act
ive': True}, 'src_airport': {'airport_id': 4105, 'name': 'Hosea Kutako Intern
ational Airport', 'city': 'Windhoek', 'iata': 'WDH', 'icao': 'FYWH', 'latitud
e': -22.4799, 'longitude': 17.4709, 'timezone': 1.0, 'dst': 'S', 'tz_id': 'Af
rica/Windhoek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 959, 'name': 'Lubango Airport', 'city': 'Lubango', 'iata': 'SDD
', 'icao': 'FNUB', 'latitude': -14.924699783325195, 'longitude': 13.574999809
265135, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73G']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city':
'Aktyubinsk', 'iata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude'
: 57.206699, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': '
Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude
': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst':
'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city':
'Aktyubinsk', 'iata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude'
: 57.206699, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': '
Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': '
UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city':
'Aktyubinsk', 'iata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude'
: 57.206699, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4367, 'name': '
Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 4
3.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/O
ral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CRJ', '735']}

{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city':
'Aktyubinsk', 'iata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude'
: 57.206699, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': '
Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao':
'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timez
one': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2920, 'name': 'Aktobe Airport', 'city': 'Aktyubinsk', 'iata': 'AKX', 'i
cao': 'UATT', 'latitude': 50.2458, 'longitude': 57.206699, 'timezone': 5.0, '
dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'i
cao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656,
'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2911, 'name': 'Taraz Airport', 'city': 'Dzhambul', 'iata': 'DMB', 'icao
': 'UADD', 'latitude': 42.853599548339844, 'longitude': 71.30359649658203, 't
imezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo

ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 6085, 'name': 'Zhezkazgan Airport', 'city': 'Zhezkazgan', 'iata': 'DZN'
, 'icao': 'UAKD', 'latitude': 47.708302, 'longitude': 67.733299, 'timezone':
6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4375, 'name': 'Sary-Arka Airport', 'city': 'Karaganda', 'iata': 'KGF',
'icao': 'UAKK', 'latitude': 49.670799255371094, 'longitude': 73.3343963623046
9, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 6083, 'name': 'Kokshetau Airport', 'city': 'Kokshetau', 'iata': 'KOV',
'icao': 'UACK', 'latitude': 53.329102, 'longitude': 69.594597, 'timezone': 6.
0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 6088, 'name': 'Kostanay West Airport', 'city': 'Kostanay', 'iata': 'KSN
', 'icao': 'UAUU', 'latitude': 53.20690155029297, 'longitude': 63.55030059814
453, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['C
RJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city':
'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'lo
ngitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport

_id': 2918, 'name': 'Semipalatinsk Airport', 'city': 'Semiplatinsk', 'iata': 'PLX', 'icao': 'UASS', 'latitude': 50.351295, 'longitude': 80.234398, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6084, 'name': 'Petropavlosk South Airport', 'city': 'Petropavlosk', 'iata': 'PPK', 'icao': 'UACP', 'latitude': 54.77470016479492, 'longitude': 69.18389892578125, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ', '735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport', 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.036598205566406, 'longitude': 82.

49420166015625, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2966, 'name': 'Astrakhan Airport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.2832984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2896, 'name': 'Flamingo International Airport', 'city': 'Kralendijk', 'iata': 'BON', 'icao': 'TNCB', 'latitude': 12.130999565124512, 'longitude': -68.26850128173828, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato International Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'latitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2896, 'name': 'Flamingo International Airport', 'city': 'Kralendijk', 'iata': 'BON', 'icao': 'TNCB', 'latitude': 12.130999565124512, 'longitude': -68.26850128173828, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 2911, 'name': 'Taraz Airport', 'city': 'Dzhambul', 'iata': 'DMB', 'icao': 'UADD', 'latitude': 42.853599548339844, 'longitude': 71.30359649658203, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}

{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2911, 'name': 'Taraz Airport', 'city': '
Dzhambul', 'iata': 'DMB', 'icao': 'UADD', 'latitude': 42.853599548339844, 'lo
ngitude': 71.30359649658203, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzy
lorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'i
ata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.4
6690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International
Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city': 'Aktyubinsk', 'i
ata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude': 57.206699, 'ti
mezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International
Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'i
ata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.
47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International
Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata':
'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone
': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':

True}, 'src_airport': {'airport_id': 6085, 'name': 'Zhezkazgan Airport', 'cit
y': 'Zhezkazgan', 'iata': 'DZN', 'icao': 'UAKD', 'latitude': 47.708302, 'long
itude': 67.733299, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908
, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA'
, 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone':
6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 3964, 'name': 'Zvartnots International A
irport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.147
3007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'A
sia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'i
cao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, '
dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4357, 'name': 'Atyrau Airport', 'city':
'Atyrau', 'iata': 'GUW', 'icao': 'UATG', 'latitude': 47.12189865112305, 'long
itude': 51.8213996887207, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 43
67, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE',
'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz
_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4357, 'name': 'Atyrau Airport', 'city':
'Atyrau', 'iata': 'GUW', 'icao': 'UATG', 'latitude': 47.12189865112305, 'long
itude': 51.8213996887207, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 29
10, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'T
SE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.466903686
52344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev Internation
al Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46
749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 't

z_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SC
O', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone':
5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4375, 'name': 'Sary-Arka Airport', 'city
': 'Karaganda', 'iata': 'KGF', 'icao': 'UAKK', 'latitude': 49.670799255371094
, 'longitude': 73.33439636230469, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia
/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA',
'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188
, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ'
]}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4375, 'name': 'Sary-Arka Airport', 'city
': 'Karaganda', 'iata': 'KGF', 'icao': 'UAKK', 'latitude': 49.670799255371094
, 'longitude': 73.33439636230469, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia
/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4358, 'name': 'Kzyl-Orda Southwest Airport', 'city': 'Kzyl-Orda',
'iata': 'KZO', 'icao': 'UAOO', 'latitude': 44.706902, 'longitude': 65.592499,
'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4375, 'name': 'Sary-Arka Airport', 'city
': 'Karaganda', 'iata': 'KGF', 'icao': 'UAKK', 'latitude': 49.670799255371094
, 'longitude': 73.33439636230469, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia
/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 6086, 'name': 'Ust-Kamennogorsk Airport', 'city': 'Ust Kamenogorsk
', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.036598205566406, 'longitude'
: 82.49420166015625, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6083, 'name': 'Kokshetau Airport', 'city
': 'Kokshetau', 'iata': 'KOV', 'icao': 'UACK', 'latitude': 53.329102, 'longit
ude': 69.594597, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908,
'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA',

'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.
0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky Inte
rnational Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', 'lati
tude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Akta
u', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.09199
9, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6088, 'name': 'Kostanay West Airport', '
city': 'Kostanay', 'iata': 'KSN', 'icao': 'UAUU', 'latitude': 53.206901550292
97, 'longitude': 63.55030059814453, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'As
ia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA
', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617
188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['C
RJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4358, 'name': 'Kzyl-Orda Southwest Airpo
rt', 'city': 'Kzyl-Orda', 'iata': 'KZO', 'icao': 'UAOO', 'latitude': 44.70690
2, 'longitude': 65.592499, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylo
rda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 4375, 'name': 'Sary-Arka Airport', 'city': 'Karaganda', 'iata': 'KGF', 'i
cao': 'UAKK', 'latitude': 49.670799255371094, 'longitude': 73.33439636230469,
'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4358, 'name': 'Kzyl-Orda Southwest Airpo
rt', 'city': 'Kzyl-Orda', 'iata': 'KZO', 'icao': 'UAOO', 'latitude': 44.70690
2, 'longitude': 65.592499, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylo
rda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'U
ATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U
', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['AN4']}

{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2961, 'name': 'Uytash Airport', 'city':
'Makhachkala', 'iata': 'MCX', 'icao': 'URML', 'latitude': 42.81679916381836,
'longitude': 47.65230178833008, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao'
: 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst'
: 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2962, 'name': 'Mineralnyye Vody Airport'
, 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'URMM', 'latitude': 44.22
510147094727, 'longitude': 43.08190155029297, 'timezone': 3.0, 'dst': 'N', 't
z_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata':
'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone
': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2918, 'name': 'Semipalatinsk Airport', '
city': 'Semiplatinsk', 'iata': 'PLX', 'icao': 'UASS', 'latitude': 50.351295,
'longitude': 80.234398, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'U
AAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezon
e': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2918, 'name': 'Semipalatinsk Airport', '
city': 'Semiplatinsk', 'iata': 'PLX', 'icao': 'UASS', 'latitude': 50.351295,
'longitude': 80.234398, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata':
'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.4669036
8652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2918, 'name': 'Semipalatinsk Airport', '

city': 'Semiplatinsk', 'iata': 'PLX', 'icao': 'UASS', 'latitude': 50.351295, 'longitude': 80.234398, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport', 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.036598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 6084, 'name': 'Petropavlosk South Airport', 'city': 'Petropavlosk', 'iata': 'PPK', 'icao': 'UACP', 'latitude': 54.77470016479492, 'longitude': 69.18389892578125, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 6084, 'name': 'Petropavlosk South Airport', 'city': 'Petropavlosk', 'iata': 'PPK', 'icao': 'UACP', 'latitude': 54.77470016479492, 'longitude': 69.18389892578125, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city': 'Aktyubinsk', 'iata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude': 57.206699, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ', '735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0

91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2966, 'name': 'Astrakhan Airport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.2832984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata': 'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active': True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst'

: 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4357, 'name': 'Atyrau
Airport', 'city': 'Atyrau', 'iata': 'GUW', 'icao': 'UATG', 'latitude': 47.121
89865112305, 'longitude': 51.8213996887207, 'timezone': 5.0, 'dst': 'U', 'tz_
id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2922, 'name': 'Heydar
Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB',
'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.
0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasno
dar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'i
cao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, '
timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4358, 'name': 'Kzyl-O
rda Southwest Airport', 'city': 'Kzyl-Orda', 'iata': 'KZO', 'icao': 'UAOO', '
latitude': 44.706902, 'longitude': 65.592499, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':

True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2961, 'name': 'Uytash
Airport', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': 'URML', 'latitude': 4
2.81679916381836, 'longitude': 47.65230178833008, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2962, 'name': 'Minera
lnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'URMM'
, 'latitude': 44.22510147094727, 'longitude': 43.08190155029297, 'timezone':
3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3973, 'name': 'Tbilis
i International Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', '
latitude': 41.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': '
N', 'tz_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': 'Astana
International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC',
'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.
0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': '
Aktau', 'iata': 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.0
91999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2916, 'name': 'Uralsk

Airport', 'city': 'Uralsk', 'iata': 'URA', 'icao': 'UARR', 'latitude': 51.150
79879760742, 'longitude': 51.54309844970703, 'timezone': 5.0, 'dst': 'U', 'tz
_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': None, 'dst_airport': {'airport_id': 6086, 'name': 'Ust-
Kamennogorsk Airport', 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UAS
K', 'latitude': 50.036598205566406, 'longitude': 82.49420166015625, 'timezone
': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 3973, 'name': 'Tbilisi International Air
port', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitude': 41.66920
08972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Asia/
Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao'
: 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst'
: 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2920, 'name': 'Aktobe Airport', 'city': 'Aktyubinsk',
'iata': 'AKX', 'icao': 'UATT', 'latitude': 50.2458, 'longitude': 57.206699, '
timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'i
ata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.0
4049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['735', 'CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':

True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent',
'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 6
9.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2911, 'name': 'Taraz Airport', 'city': 'Dzhambul', 'ia
ta': 'DMB', 'icao': 'UADD', 'latitude': 42.853599548339844, 'longitude': 71.3
0359649658203, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4357, 'name': 'Atyrau Airport', 'city': 'Atyrau', 'iat
a': 'GUW', 'icao': 'UATG', 'latitude': 47.12189865112305, 'longitude': 51.821
3996887207, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2918, 'name': 'Semipalatinsk Airport', 'city': 'Semipl
atinsk', 'iata': 'PLX', 'icao': 'UASS', 'latitude': 50.351295, 'longitude': 8
0.234398, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':

True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 6084, 'name': 'Petropavlosk South Airport', 'city': 'P
etropavlosk', 'iata': 'PPK', 'icao': 'UACP', 'latitude': 54.77470016479492, '
longitude': 69.18389892578125, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qy
zylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4367, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata'
: 'SCO', 'icao': 'UATE', 'latitude': 43.8601, 'longitude': 51.091999, 'timezo
ne': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airp
ort', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02
220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport', 'city': 'Ust
Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.036598205566406,
'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Q
yzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport'
, 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.03
6598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', '
iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.
04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport'

, 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.03
6598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4375, 'name': 'Sary-Arka Airport', 'city': 'Karaganda
', 'iata': 'KGF', 'icao': 'UAKK', 'latitude': 49.670799255371094, 'longitude'
: 73.33439636230469, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport'
, 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.03
6598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2918, 'name': 'Semipalatinsk Airport', 'city': 'Semip
latinsk', 'iata': 'PLX', 'icao': 'UASS', 'latitude': 50.351295, 'longitude':
80.234398, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport'
, 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.03
6598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Airport'
, 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude': 50.03
6598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': 'U', '
tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2910, 'name': 'Astana International Airport', 'city':
'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594,
'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Q
yzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 4840, 'name': 'Scat Air', 'alias': 'nan', 'iata':
'DV', 'icao': 'VSV', 'callsign': 'VLASTA', 'country': 'Kazakhstan', 'active':
True}, 'src_airport': {'airport_id': 2916, 'name': 'Uralsk Airport', 'city':
'Uralsk', 'iata': 'URA', 'icao': 'UARR', 'latitude': 51.15079879760742, 'long
itude': 51.54309844970703, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 43
67, 'name': 'Aktau Airport', 'city': 'Aktau', 'iata': 'SCO', 'icao': 'UATE',

'latitude': 43.8601, 'longitude': 51.091999, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Oral', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AN4']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias': 'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'country': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias': 'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'country': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias': 'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'country': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias': 'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'country': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 610, 'name': 'Esbjerg Airport', 'city': 'Esbjerg', 'iata': 'EBJ', 'icao': 'EKEB', 'latitude': 55.525902, 'longitude': 8.5534, 't

imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5',
'SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 608, 'name':
'Billund Airport', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitud
e': 55.7402992249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'St
avanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude
': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['AT5', 'SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 609, 'name':
'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'E
KCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 618, 'name': 'Bornholm Airpor
t', 'city': 'Ronne', 'iata': 'RNN', 'icao': 'EKRN', 'latitude': 55.0633010864
2578, 'longitude': 14.759599685668945, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 610, 'name':
'Esbjerg Airport', 'city': 'Esbjerg', 'iata': 'EBJ', 'icao': 'EKEB', 'latitud
e': 55.525902, 'longitude': 8.5534, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 608, 'name': 'Billund Airport', 'city': 'Billund', 'iata': 'BL
L', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitude': 9.15178012848, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5',
'SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 651, 'name':
'Molde Airport', 'city': 'Molde', 'iata': 'MOL', 'icao': 'ENML', 'latitude':
62.744701385498, 'longitude': 7.262499809265099, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 660, 'name': 'Stord Airport', 'city': 'Stord', 'iata':
'SRP', 'icao': 'ENSO', 'latitude': 59.79190063476562, 'longitude': 5.34084987

6403809, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 644, 'name':
'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 6
0.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Os
lo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 660, 'name': 'Stord Airport', 'city': 'Stord', 'iata': 'SRP', 'icao': 'ENS
O', 'latitude': 59.79190063476562, 'longitude': 5.340849876403809, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 618, 'name':
'Bornholm Airport', 'city': 'Ronne', 'iata': 'RNN', 'icao': 'EKRN', 'latitude
': 55.06330108642578, 'longitude': 14.759599685668945, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport',
'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848
389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 660, 'name':
'Stord Airport', 'city': 'Stord', 'iata': 'SRP', 'icao': 'ENSO', 'latitude':
59.79190063476562, 'longitude': 5.340849876403809, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 651, 'name': 'Molde Airport', 'city': 'Molde', 'iata
': 'MOL', 'icao': 'ENML', 'latitude': 62.744701385498, 'longitude': 7.2624998
09265099, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 660, 'name':
'Stord Airport', 'city': 'Stord', 'iata': 'SRP', 'icao': 'ENSO', 'latitude':
59.79190063476562, 'longitude': 5.340849876403809, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata'
: 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone'

: 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 660, 'name':
'Stord Airport', 'city': 'Stord', 'iata': 'SRP', 'icao': 'ENSO', 'latitude':
59.79190063476562, 'longitude': 5.340849876403809, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stav
anger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude':
5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 666, 'name':
'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV',
'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalb
org', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitu
de': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 666, 'name':
'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV',
'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city': 'Bill
und', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitude':
9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['AT5', 'SF3']}
{'airline': {'airline_id': 1954, 'name': 'DAT Danish Air Transport', 'alias':
'CSA Czech Airlines', 'iata': 'DX', 'icao': 'DTR', 'callsign': 'DANISH', 'cou
ntry': 'Denmark', 'active': True}, 'src_airport': {'airport_id': 666, 'name':
'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV',
'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 660, 'name': 'Stord Airport', 'city': 'Stord'
, 'iata': 'SRP', 'icao': 'ENSO', 'latitude': 59.79190063476562, 'longitude':
5.340849876403809, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', 'AT7']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,

'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 628, 'name': 'Aalborg Air
port', 'city': 'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.09275
8913800004, 'longitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma
de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996,
'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Mad
rid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1055, 'name': 'Lanzarote
Airport', 'city': 'Arrecife', 'iata': 'ACE', 'icao': 'GCRR', 'latitude': 28.9
45498999999998, 'longitude': -13.6052, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'ia
ta': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 630, 'name': 'Ålesund Air
port', 'city': 'Alesund', 'iata': 'AES', 'icao': 'ENAL', 'latitude': 62.5625,
'longitude': 6.119699954986572, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante', 'ia
ta': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0.55
81560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 630, 'name': 'Ålesund Air
port', 'city': 'Alesund', 'iata': 'AES', 'icao': 'ENAL', 'latitude': 62.5625,
'longitude': 6.119699954986572, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW',
'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.
0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 630, 'name': 'Ålesund Air
port', 'city': 'Alesund', 'iata': 'AES', 'icao': 'ENAL', 'latitude': 62.5625,
'longitude': 6.119699954986572, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'E
NGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata':
'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.8492431
6406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockho
lm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitud
e': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen',
'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140
125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne', 'i
ata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7.1
427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenh
agen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude
': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhag
en', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airport', 'city': 'Got
henborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662799835205, 'longit
ude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockhol
m', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata':
'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882297
51586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki'
, 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24
.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', '
iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': '
MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL
', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air

port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 657, 'name': 'Moss Airport, Rygge', 'city': 'Rygge', 'iata
': 'RYG', 'icao': 'ENRY', 'latitude': 59.378817000000005, 'longitude': 10.785
439, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger'
, 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.637
780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondhei
m', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude'
: 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air
port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefjo
rd', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude': 1
0.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'Málaga Air

port', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900
05493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'i
ata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.96710
01434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1324, 'name': 'Ajaccio-Na
poléon Bonaparte Airport', 'city': 'Ajaccio', 'iata': 'AJA', 'icao': 'LFKJ',
'latitude': 41.92359924316406, 'longitude': 8.8029203414917, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport',
'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012451
16996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1324, 'name': 'Ajaccio-Na
poléon Bonaparte Airport', 'city': 'Ajaccio', 'iata': 'AJA', 'icao': 'LFKJ',
'latitude': 41.92359924316406, 'longitude': 8.8029203414917, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Osl
o', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city':
'Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'lo
ngitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenh
agen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la

titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 630, 'name': 'Ålesund Airport', 'city':
'Alesund', 'iata': 'AES', 'icao': 'ENAL', 'latitude': 62.5625, 'longitude': 6
.119699954986572, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport
', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012
45116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland',
'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'lo
ngitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city':
'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitu
de': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la

titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'c
ity': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.86589813229999
6, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airpor
t', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.61790
0848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 641, 'name': 'Harstad/Narvik Airport, E
venes', 'city': 'Harstad/Narvik', 'iata': 'EVE', 'icao': 'ENEV', 'latitude':
68.491302490234, 'longitude': 16.678100585938, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Air
port', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.66
2799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la

titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city':
'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'lo
ngitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Be
rlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport',
'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.31719970703
1, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5595, 'name': 'Karlstad Airport', 'city
': 'Karlstad', 'iata': 'KSD', 'icao': 'ESOK', 'latitude': 59.444698333699996,
'longitude': 13.337400436400001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport',
'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'long
itude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la

titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 651, 'name': 'Molde Airport', 'city': '
Molde', 'iata': 'MOL', 'icao': 'ENML', 'latitude': 62.744701385498, 'longitud
e': 7.262499809265099, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city':
'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude':
11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': '
Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.050
2, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 446, 'name': 'Oulu Airport', 'city': 'O
ulu', 'iata': 'OUL', 'icao': 'EFOU', 'latitude': 64.930099487305, 'longitude'
: 25.354600906372, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0

, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 657, 'name': 'Moss Airport, Rygge', 'ci
ty': 'Rygge', 'iata': 'RYG', 'icao': 'ENRY', 'latitude': 59.378817000000005,
'longitude': 10.785439, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 666, 'name': 'Stavanger Airport Sola',
'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354,
'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 460, 'name': 'Turku Airport', 'city': '
Turku', 'iata': 'TKU', 'icao': 'EFTU', 'latitude': 60.514099121094, 'longitud
e': 22.262800216675, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 663, 'name': 'Tromsø Airport,', 'city':
'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.68329620361328, 'long
itude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0

, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes'
, 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179
999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp'
, 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989
136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Alicante I
nternational Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'la
titude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 728, 'name': 'Umeå Airport', 'city': 'U
mea', 'iata': 'UME', 'icao': 'ESNU', 'latitude': 63.791801452636996, 'longitu
de': 20.282800674438, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 632, 'name': 'Alta Airpor
t', 'city': 'Alta', 'iata': 'ALF', 'icao': 'ENAT', 'latitude': 69.97609710693
4, 'longitude': 23.371700286865, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': '
ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 632, 'name': 'Alta Airpor
t', 'city': 'Alta', 'iata': 'ALF', 'icao': 'ENAT', 'latitude': 69.97609710693
4, 'longitude': 23.371700286865, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor

t_id': 663, 'name': 'Tromsø Airport,', 'city': 'Tromso', 'iata': 'TOS', 'icao
': 'ENTC', 'latitude': 69.68329620361328, 'longitude': 18.91889953613281, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam A
irport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitu
de': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm
', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude'
: 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam A
irport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitu
de': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhag
en', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude':
12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam A
irport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitu
de': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL',
'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Mala
ga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude

': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1324, 'name': 'Ajaccio-Napoléon Bonaparte Air
port', 'city': 'Ajaccio', 'iata': 'AJA', 'icao': 'LFKJ', 'latitude': 41.92359
924316406, 'longitude': 8.8029203414917, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Airport
', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985
961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'c
ity': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'lon
gitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos Internat
ional Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude':

37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Airpor
t', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971,
'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Airport'
, 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.818401336
7, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city
': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitu
de': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city':
'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'lo

ngitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1474, 'name': 'Chania International Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitude': 35.531700134277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000

004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'D
ubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'long
itude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zag
reb', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 535, 'name': 'Edinburgh Airport', 'city': 'Ed
inburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.95000076293945, 'long
itude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lon
don', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Faro',
'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitude': -
7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Ai
rport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.8002777

99999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood Inte
rnational Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KFLL',
'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airport',
'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662799835
205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city
': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'l
ongitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Hel
sinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International A
irport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63

980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Am
erica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 669, 'name': 'Kraków John Paul II Internation
al Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.
077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/W
arsaw', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 724, 'name': 'Kiruna Airport', 'city': 'Kirun
a', 'iata': 'KRN', 'icao': 'ESNQ', 'latitude': 67.821998596191, 'longitude':
20.336799621582, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airp
ort', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94
250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_i
d': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport'
, 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.8750991821

28906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city'
: 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude'
: -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 734, 'name': 'Luleå Airport', 'city': 'Lulea'
, 'iata': 'LLA', 'icao': 'ESPA', 'latitude': 65.543800354004, 'longitude': 22
.121999740601, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city':
'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066
, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atl
antic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'M
anchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'lo

ngitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 708, 'name': 'Malmö Sturup Airport', 'city': 'Malmoe', 'iata': 'MMX', 'icao': 'ESMS', 'latitude': 55.53630536399999, 'longitude': 13.3761978149, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3453, 'name': 'Metropolitan Oakland International Airport', 'city': 'Oakland', 'iata': 'OAK', 'icao': 'KOAK', 'latitude':

37.721298, 'longitude': -122.221001, 'timezone': -8.0, 'dst': 'A', 'tz_id': '
America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1520, 'name': 'Olbia Costa Smeralda Airport',
'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitude': 40.898701, 'longi
tude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1386, 'name': 'Paris-Orly Airport', 'city': '
Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233333, 'longitude': 2
.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo',
'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'c
ity': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.5517
00591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id'

: 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1512, 'name': 'Falcone-Borsellino Airport', '
city': 'Palermo', 'iata': 'PMO', 'icao': 'LICJ', 'latitude': 38.175999, 'long
itude': 13.091, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague',
'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longit
ude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1562, 'name': 'Pisa International Airport', '
city': 'Pisa', 'iata': 'PSA', 'icao': 'LIRP', 'latitude': 43.683899, 'longitu
de': 10.3927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3953, 'name': 'Riga International Airport', '
city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude': 56.92359924316406,
'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ

e/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1646, 'name': 'Sarajevo International Airport
', 'city': 'Sarajevo', 'iata': 'SJJ', 'icao': 'LQSA', 'latitude': 43.82460021
972656, 'longitude': 18.331499099731445, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Sarajevo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split
', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude':
16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'ci
ty': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitu
de': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airpo
rt', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398
315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_i

d': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 728, 'name': 'Umeå Airport', 'city': 'Umea',
'iata': 'UME', 'icao': 'ESNU', 'latitude': 63.791801452636996, 'longitude': 2
0.282800674438, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 462, 'name': 'Vaasa Airport', 'city': 'Vaasa'
, 'iata': 'VAA', 'icao': 'EFVA', 'latitude': 63.050701141357, 'longitude': 21
.762199401855, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'c
ity': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longit
ude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-A
rlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitud
e': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3959, 'name': 'Vilnius International Airport'
, 'city': 'Vilnius', 'iata': 'VNO', 'icao': 'EYVI', 'latitude': 54.634102, 'l
ongitude': 25.285801, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Vilnius',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw ay', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherio s Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone ': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'O urAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda A irport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6 51901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 't z_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'code share': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw ay', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherio s Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone ': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'O urAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55 .617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'c odeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw ay', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherio s Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone ': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'O urAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Air port', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.3171 99707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw ay', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherio s Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone ': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'O urAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'ci ty': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1688, 'name': 'Antalya In
ternational Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'lati
tude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id
': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen',
'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140
125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1688, 'name': 'Antalya In
ternational Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'lati
tude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id
': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OS
L', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1688, 'name': 'Antalya In
ternational Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'lati
tude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id
': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondhe
im', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude
': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1688, 'name': 'Antalya In
ternational Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'lati
tude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id
': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefj
ord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude':
10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ

e/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg
', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude'
: 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city':
'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'long
itude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsin
ki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': '
London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -
0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'i
ata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timez

one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city'
: 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude'
: 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city':
'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'long
itude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona
International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', '
latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'W
arsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude'
: 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 640, 'name': 'Bardufoss A
irport', 'city': 'Bardufoss', 'iata': 'BDU', 'icao': 'ENDU', 'latitude': 69.0
55801391602, 'longitude': 18.540399551392, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL',
'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'd

st': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1739, 'name': 'Belgrade N
ikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'lat
itude': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city'
: 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996,
'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/S
tockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1739, 'name': 'Belgrade N
ikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'lat
itude': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'i
ata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP',
'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.49911022186279
3, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante
', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude':
-0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'i
ata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.
918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1688, 'name': 'Antalya International Airport', 'city': 'Antalya',
'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude': 30.800501,
'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelo
na', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.07845
99999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1474, 'name': 'Chania International Airport', 'city': 'Chania', '
iata': 'CHQ', 'icao': 'LGSA', 'latitude': 35.531700134277344, 'longitude': 24
.149700164794922, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen',
'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.6
56000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': '
DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.268199920
654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 535, 'name': 'Edinburgh Airport', 'city': 'Edinburgh', 'iata': 'E
DI', 'icao': 'EGPH', 'latitude': 55.95000076293945, 'longitude': -3.372499942
779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rom
e', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude
': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'Ne
w York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude':
-73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik',
'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.
605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city':
'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude':
19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata':
'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezo

ne': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1386, 'name': 'Paris-Orly Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mall
orca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longit
ude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'i
ata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata
': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.6377801895
00001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city': 'Berlin', 'iata
': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude': 13.5225, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'ia
ta': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.92
39998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airp
ort Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 6
0.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefjord', 'i
ata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude': 10.25860
0235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1216, 'name': 'Bilbao Air
port', 'city': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latitude': 43.301101
68457031, 'longitude': -2.9106099605560303, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OS
L', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhu
mi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13
.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U
', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': '
Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'l
ongitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhu

mi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13
.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U
', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata
': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 608, 'name': 'Billund Air
port', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.74029
92249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alica
nte', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitud
e': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 608, 'name': 'Billund Air
port', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.74029
92249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', '
icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1191, 'name': 'Burgas Air
port', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959
915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenh
agen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude
': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhag
en', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1191, 'name': 'Burgas Air
port', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959
915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_

id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki'
, 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24
.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1191, 'name': 'Burgas Air
port', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959
915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL
', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 635, 'name': 'Bodø Airpor
t', 'city': 'Bodo', 'iata': 'BOO', 'icao': 'ENBO', 'latitude': 67.26920318603
516, 'longitude': 14.365300178527832, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'ica
o': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1745, 'name': 'M. R. Štef
ánik Airport', 'city': 'Bratislava', 'iata': 'BTS', 'icao': 'LZIB', 'latitude
': 48.17020034790039, 'longitude': 17.212699890136722, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Bratislava', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Osl
o', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '73
3']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest L
iszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao'
: 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Ai

rport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65
1901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest L
iszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao'
: 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup A
irport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.
617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest L
iszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao'
: 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airp
ort', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.31719
9707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest L
iszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao'
: 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airpo
rt', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102,
'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest L
iszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao'
: 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'cit

y': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 1
1.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
33']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bon
n Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.
865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata':
'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.4991102
21862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bon
n Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.
865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': '
Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'lon
gitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/M
adrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bon
n Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.
865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canar
ia', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitud
e': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canar
y', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bon
n Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.
865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OS

L', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 344, 'name': 'Cologne Bon
n Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.
865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife
', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.
5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1474, 'name': 'Chania Int
ernational Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitu
de': 35.531700134277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1474, 'name': 'Chania Int
ernational Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitu
de': 35.531700134277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'ci
ty': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longi
tude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1474, 'name': 'Chania Int
ernational Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitu
de': 35.531700134277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport',
'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848

389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1474, 'name': 'Chania Int
ernational Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitu
de': 35.531700134277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'ci
ty': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031,
'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/H
elsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1474, 'name': 'Chania Int
ernational Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitu
de': 35.531700134277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo
', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': '
Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'lon
gitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenha
gen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H', 'AT7']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': '
Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longi
tude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madr

id', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Air
port', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.2821
9985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol'
, 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601,
'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport',
'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012451
16996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos Inte
rnational Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitud
e': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': '

E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Ai
rport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.29
71, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', '
city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'lon
gitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'city': '
Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133, 'long
itude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sof
ia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc Inte
rnational Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latit
ude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E'

, 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1474, 'name': 'Chania International Airpo
rt', 'city': 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitude': 35.53170013
4277344, 'longitude': 24.149700164794922, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airpo
rt', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latitude': 37.4668010
00000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'D
ublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6
.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 535, 'name': 'Edinburgh Airport', 'city':
'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.95000076293945, 'l
ongitude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/

London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Fa
ro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitud
e': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicin
o Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800
277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hollywood
International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'icao': 'KF
LL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', '
city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031
, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe

/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 612, 'name': 'Karup Airport', 'city': 'Karup', 'iata': 'KRP', 'icao': 'EKKA', 'latitude': 56.29750061035156, 'longitude': 9.124629974365234, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', '

tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'c
ity': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longit
ude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (
Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'l
atitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'ci
ty': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.9319000244
14066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Baraj
as Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.
471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/

Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1606, 'name': 'Malta International Airpor
t', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude': 35.857498, 'l
ongitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Malta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport",
'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005
, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1386, 'name': 'Paris-Orly Airport', 'city
': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233333, 'longitude
': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Os
lo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sour

ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '73
3']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport'
, 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.
551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Pragu
e', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'lo
ngitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1562, 'name': 'Pisa International Airport
', 'city': 'Pisa', 'iata': 'PSA', 'icao': 'LIRP', 'latitude': 43.683899, 'lon
gitude': 10.3927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1075, 'name': 'Menara Airport', 'city': '
Marrakech', 'iata': 'RAK', 'icao': 'GMMX', 'latitude': 31.6068992615, 'longit
ude': -8.036299705510002, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casab

lanca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3953, 'name': 'Riga International Airport
', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude': 56.923599243164
06, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'E
urope/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'S
plit', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitu
de': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport',
'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'long
itude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International A
irport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.01
1398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', '

tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes',
'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.4578017999
9999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport'
, 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'lo
ngitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen
Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latit
ude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1208, 'name': 'Zagreb Airport', 'city': '
Zagreb', 'iata': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005, 'long
itude': 16.0687999725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania-Fo
ntanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latit
ude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stoc
kholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longi
tude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockho

lm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania-Fo
ntanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latit
ude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Cop
enhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longit
ude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copen
hagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania-Fo
ntanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latit
ude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London'
, 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.19027
8, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik
Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.
5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'St
ockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'lon
gitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stock
holm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik
Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.
5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Berg
en', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.2
18140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik
Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.
5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Hels
inki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude
': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik
Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.
5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'Londo
n', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190
278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik
Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.
5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata':
'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik
Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.
5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Tro
ndheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longi
tude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'Edinburgh A
irport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.9
5000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'St
ockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'lon
gitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stock
holm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'Edinburgh A
irport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.9
5000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Berg
en', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.2
18140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'Edinburgh A
irport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.9
5000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'C
openhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'long
itude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Cop
enhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'Edinburgh A
irport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.9
5000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata':
'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 641, 'name': 'Harstad/Nar
vik Airport, Evenes', 'city': 'Harstad/Narvik', 'iata': 'EVE', 'icao': 'ENEV'
, 'latitude': 68.491302490234, 'longitude': 16.678100585938, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Airpo
rt', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.282199
85961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 641, 'name': 'Harstad/Nar
vik Airport, Evenes', 'city': 'Harstad/Narvik', 'iata': 'EVE', 'icao': 'ENEV'
, 'latitude': 68.491302490234, 'longitude': 16.678100585938, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo
', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733
']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 641, 'name': 'Harstad/Nar
vik Airport, Evenes', 'city': 'Harstad/Narvik', 'iata': 'EVE', 'icao': 'ENEV'
, 'latitude': 68.491302490234, 'longitude': 16.678100585938, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'c
ity': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.457801799999
99, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Os
lo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Airpo
rt', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004821
99996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm',
'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 1
7.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Airpo
rt', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004821
99996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen
', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 1
2.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Airpo
rt', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004821
99996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata
': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Airpo
rt', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.0144004821
99996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', '
icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport'
, 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124
5116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland',
'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'lo
ngitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport
', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900
848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airp
ort', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662
799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport',
'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.31719970703
1, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', '
city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longi
tude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo d
a Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'l
atitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'O
slo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '
733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'Fort Laude
rdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'F
LL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arla
nda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude':
59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'Fort Laude
rdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'F
LL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kas
trup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude
': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'Fort Laude
rdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'F
LL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn'
, 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitu
de': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1051, 'name': 'Fuertevent
ura Airport', 'city': 'Fuerteventura', 'iata': 'FUE', 'icao': 'GCFV', 'latitu
de': 28.452699661254886, 'longitude': -13.863800048828125, 'timezone': 0.0, '
dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', '
city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longi
tude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 668, 'name': 'Gdańsk Lech
Wałęsa Airport', 'city': 'Gdansk', 'iata': 'GDN', 'icao': 'EPGD', 'latitude':
54.377601623535156, 'longitude': 18.46619987487793, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'ia
ta': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-
Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'M
alaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longit
ude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madri
d', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-

Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Airp
ort', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219
985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-
Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport',
'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012451
16996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-
Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Air
port', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.297
1, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-
Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino
Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.80027
7799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-

Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'ci
ty': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitu
de': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 687, 'name': 'Gothenburg-
Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'la
titude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport",
'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005
, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Coi
ntrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG'
, 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city':
'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.05
02, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Air
port', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040
1611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata':
'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.4991102
21862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Air

port', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040
1611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': '
Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'lon
gitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/M
adrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Air
port', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040
1611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city':
'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude':
2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Air
port', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040
1611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canar
ia', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitud
e': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canar
y', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Air
port', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040
1611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OS
L', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Air
port', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.63040

1611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 645, 'name': 'Haugesund Airport', 'city': 'Haugesund', 'iata': 'HAU', 'icao': 'ENHD', 'latitude': 59.34529876709001, 'longitude': 5.208360195159901, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '

tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'S
tockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'lo
ngitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stoc
kholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International A
irport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364
013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'ci
ty': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longit
ude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madri
d', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'city': 'Bourgas', '
iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133, 'longitude': 27.
515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '

tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International A
irport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.42
9759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1474, 'name': 'Chania International Airport', 'city'
: 'Chania', 'iata': 'CHQ', 'icao': 'LGSA', 'latitude': 35.531700134277344, 'l
ongitude': 24.149700164794922, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/
Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': '
Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'lon
gitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Co
penhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovni
k', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude':
18.268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '

tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'ia
ta': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport',
'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996
, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'Lond
on', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.19
0278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
3H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'N
ice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitu
de': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_

airport': {'airport_id': 1386, 'name': 'Paris-Orly Airport', 'city': 'Paris',
'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233333, 'longitude': 2.3794444
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata'
: 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 446, 'name': 'Oulu Airport', 'city': 'Oulu', 'iata':
'OUL', 'icao': 'EFOU', 'latitude': 64.930099487305, 'longitude': 25.354600906
372, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': '
Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.55170059199
9996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city':
'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14

.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 453, 'name': 'Rovaniemi Airport', 'city': 'Rovaniemi
', 'iata': 'RVN', 'icao': 'EFRO', 'latitude': 66.564796447754, 'longitude': 2
5.830400466919, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Va
ntaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude':
60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iat
a': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.298
00033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1225, 'name': 'Ibiza Airp
ort', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 38.87289810
18, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata':
'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezo
ne': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Ken
nedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK
', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport',
'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012451
16996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E

urope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Ken
nedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK
', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'c
ity': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'long
itude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Ken
nedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK
', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport',
'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848
389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Ken
nedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK
', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Osl
o', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1479, 'name': 'Santorini
Airport', 'city': 'Thira', 'iata': 'JTR', 'icao': 'LGSR', 'latitude': 36.3992
0043945313, 'longitude': 25.47929954528809, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London',
'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil I
nternational Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitu
de': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', '
iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Int
ernational Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'lati
tude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'd
st': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland'
, 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, '
longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Int
ernational Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'lati
tude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'd
st': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city':
'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.05
02, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 649, 'name': 'Kirkenes Ai
rport (Høybuktmoen)', 'city': 'Kirkenes', 'iata': 'KKN', 'icao': 'ENKR', 'lat
itude': 69.725799560547, 'longitude': 29.891300201416, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'i
ata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków John

Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPK
K', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stava
nger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude':
5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 669, 'name': 'Kraków John
Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPK
K', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Tro
ndheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longi
tude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 724, 'name': 'Kiruna Airp
ort', 'city': 'Kiruna', 'iata': 'KRN', 'icao': 'ESNQ', 'latitude': 67.8219985
96191, 'longitude': 20.336799621582, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm',
'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 1
7.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 612, 'name': 'Karup Airpo
rt', 'city': 'Karup', 'iata': 'KRP', 'icao': 'EKKA', 'latitude': 56.297500610
35156, 'longitude': 9.124629974365234, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenh
agen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude
': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhag
en', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 638, 'name': 'Kristiansan

d Airport', 'city': 'Kristiansand', 'iata': 'KRS', 'icao': 'ENCN', 'latitude'
: 58.204201, 'longitude': 8.08537, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao':
'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 5595, 'name': 'Karlstad A
irport', 'city': 'Karlstad', 'iata': 'KSD', 'icao': 'ESOK', 'latitude': 59.44
4698333699996, 'longitude': 13.337400436400001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1212, 'name': 'Alicante International Airport', 'c
ity': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.2821998596191
4, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angele
s International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX
', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.
0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda
Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.
651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angele
s International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX
', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.
0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup
Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55
.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca In
ternational Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'lati

tude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca In
ternational Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'lati
tude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'cit
y': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitud
e': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca In
ternational Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'lati
tude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo
', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Ai
rport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude':
59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iat
a': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp

ort_id': 628, 'name': 'Aalborg Airport', 'city': 'Aalborg', 'iata': 'AAL', 'i
cao': 'EKYT', 'latitude': 57.092758913800004, 'longitude': 9.84924316406, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1055, 'name': 'Lanzarote Airport', 'city': 'Arrecife', 'iata': 'ACE'
, 'icao': 'GCRR', 'latitude': 28.945498999999998, 'longitude': -13.6052, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 630, 'name': 'Ålesund Airport', 'city': 'Alesund', 'iata': 'AES', 'i
cao': 'ENAL', 'latitude': 62.5625, 'longitude': 6.119699954986572, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'ic
ao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.499110221862793,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante',
'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0
.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata
': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918
600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona'
, 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.07845999
99999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'B
GO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city':
'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'l
ongitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest'

, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'ia
ta': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.6560
00137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Catania', 'ia
ta': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'longitude': 15.0
664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DBV
', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.268199920654
297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao':
'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909957889999, 'tim

ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1051, 'name': 'Fuerteventura Airport', 'city': 'Fuerteventura', 'iata': 'FUE', 'icao': 'GCFV', 'latitude': 28.452699661254886, 'longitude': -13.863800048828125, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662799835205, 'longitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1225, 'name': 'Ibiza Airport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao
': 'LEIB', 'latitude': 38.8728981018, 'longitude': 1.3731199502899998, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1479, 'name': 'Santorini Airport', 'city': 'Thira', 'iata': 'JTR', '
icao': 'LGSR', 'latitude': 36.39920043945313, 'longitude': 25.47929954528809,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'i
ata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.
62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata'
: 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.386
59954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'N
CE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903
560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao':
'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorc
a', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude
': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata': 'SPU', 'icao
': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.29800033569336, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata':
'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.6377801895000
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata':
'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 663, 'name': 'Tromsø Airport,', 'city': 'Tromso', 'iata': 'TOS', 'ic
ao': 'ENTC', 'latitude': 69.68329620361328, 'longitude': 18.91889953613281, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw
ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata'
: 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.92399
98, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatw

ick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51
.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefjord', 'iata
': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude': 10.25860023
5, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'Humberto D
elgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'i
cao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport',
'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848
389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'Humberto D
elgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'i
cao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo
', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 734, 'name': 'Luleå Airpo
rt', 'city': 'Lulea', 'iata': 'LLA', 'icao': 'ESPA', 'latitude': 65.543800354
004, 'longitude': 22.121999740601, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm',
'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 1
7.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst

': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', '
city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124511
6996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'ci
ty': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longi
tude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city'
: 'Cologne', 'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, '
longitude': 7.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport',
'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848
389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst

': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Ha
mburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longi
tude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'cit
y': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitud
e': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Mun
ich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7
861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo
', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports

'}, 'dst_airport': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', '
city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longi
tude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canar
ia Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude
': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'c
ity': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136,
'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 658, 'name': 'Svalbard Ai
rport, Longyear', 'city': 'Svalbard', 'iata': 'LYR', 'icao': 'ENSB', 'latitud
e': 78.246101379395, 'longitude': 15.465600013733, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Arctic/Longyearbyen', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo'
, 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo Suá
rez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD',
'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Cop
enhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longit
ude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copen
hagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester
Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53
.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city':

'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, '
longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/St
ockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester
Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53
.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iat
a': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester
Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53
.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'St
avanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude
': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1227, 'name': 'San Javier
Airport', 'city': 'Murcia', 'iata': 'MJV', 'icao': 'LELC', 'latitude': 37.775
001525878906, 'longitude': -0.8123890161514282, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata':
'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1606, 'name': 'Malta Inte
rnational Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude
': 35.857498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Malta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', '
iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.65
6000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1606, 'name': 'Malta Inte
rnational Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude
': 35.857498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Malta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao
': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 708, 'name': 'Malmö Sturu
p Airport', 'city': 'Malmoe', 'iata': 'MMX', 'icao': 'ESMS', 'latitude': 55.5
3630536399999, 'longitude': 13.3761978149, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stoc
kholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longi
tude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockho
lm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 651, 'name': 'Molde Airpo
rt', 'city': 'Molde', 'iata': 'MOL', 'icao': 'ENML', 'latitude': 62.744701385
498, 'longitude': 7.262499809265099, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante'
, 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude':
-0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 651, 'name': 'Molde Airpo
rt', 'city': 'Molde', 'iata': 'MOL', 'icao': 'ENML', 'latitude': 62.744701385
498, 'longitude': 7.262499809265099, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao
': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['733', '73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airp
ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802,
'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 12
30, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG'
, 'latitude': 36.67490005493164, 'longitude': -4.499110221862793, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airp
ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802,
'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 12
12, 'name': 'Alicante International Airport', 'city': 'Alicante', 'iata': 'AL
C', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134
887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airp
ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802,
'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 73
7, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', '
icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airp
ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802,
'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 10
54, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'i
cao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045
, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airp
ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802,
'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 64
4, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'l
atitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airp
ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802,
'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 10
56, 'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata': 'TFS', 'ica
o': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpensa I
nternational Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'lati
tude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': '
OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': '
Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'l
ongitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte

d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Be
rgen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5
.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city':
'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'lo
ngitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/C
openhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airport', 'city
': 'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662799835205,
'longitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/S
tockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'He
lsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitu
de': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte

d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'Lon
don', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.1
90278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata
': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'T
rondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'lon
gitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "Nice-Côte
d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 4
3.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'S
andefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longit
ude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3453, 'name': 'Metropolit
an Oakland International Airport', 'city': 'Oakland', 'iata': 'OAK', 'icao':

'KOAK', 'latitude': 37.721298, 'longitude': -122.221001, 'timezone': -8.0, 'd
st': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airpo
rt', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190
1245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1520, 'name': 'Olbia Cost
a Smeralda Airport', 'city': 'Olbia', 'iata': 'OLB', 'icao': 'LIEO', 'latitud
e': 40.898701, 'longitude': 9.51763, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'ia
ta': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.9
18600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1386, 'name': 'Paris-Orly
Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233
333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pa
ris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'A
RN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.91860008
2397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1386, 'name': 'Paris-Orly
Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233
333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pa
ris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO',
'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1386, 'name': 'Paris-Orly
Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233
333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pa

ris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata':
'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137
328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1386, 'name': 'Paris-Orly
Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233
333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pa
ris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL'
, 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1386, 'name': 'Paris-Orly
Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233
333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pa
ris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENG
M', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 630, 'name
': 'Ålesund Airport', 'city': 'Alesund', 'iata': 'AES', 'icao': 'ENAL', 'lati
tude': 62.5625, 'longitude': 6.119699954986572, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1230, 'nam
e': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latit

ude': 36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1324, 'nam
e': 'Ajaccio-Napoléon Bonaparte Airport', 'city': 'Ajaccio', 'iata': 'AJA', '
icao': 'LFKJ', 'latitude': 41.92359924316406, 'longitude': 8.8029203414917, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1212, 'nam
e': 'Alicante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'ica
o': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 632, 'name
': 'Alta Airport', 'city': 'Alta', 'iata': 'ALF', 'icao': 'ENAT', 'latitude':
69.976097106934, 'longitude': 23.371700286865, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name
': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao':
'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name
': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': '
ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3941, 'nam
e': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata':
'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.94449996949
9997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
3H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1688, 'nam
e': 'Antalya International Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao'
: 'LTAI', 'latitude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'ds
t': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1218, 'nam
e': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'i
cao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 640, 'name
': 'Bardufoss Airport', 'city': 'Bardufoss', 'iata': 'BDU', 'icao': 'ENDU', '
latitude': 69.055801391602, 'longitude': 18.540399551392, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1739, 'nam
e': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao
': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 636, 'name
': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR'
, 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1216, 'nam
e': 'Bilbao Airport', 'city': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latit
ude': 43.30110168457031, 'longitude': -2.9106099605560303, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'nam

e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 635, 'name': 'Bodø Airport', 'city': 'Bodo', 'iata': 'BOO', 'icao': 'ENBO', 'latitude': 67.26920318603516, 'longitude': 14.365300178527832, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1745, 'name': 'M. R. Štefánik Airport', 'city': 'Bratislava', 'iata': 'BTS', 'icao': 'LZIB', 'latitude': 48.17020034790039, 'longitude': 17.212699890136722, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Bratislava', 'type': 'airport', 'sourc

e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733
']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1489, 'nam
e': 'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata'
: 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.2610
93, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
33']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 344, 'name
': 'Cologne Bonn Airport', 'city': 'Cologne', 'iata': 'CGN', 'icao': 'EDDK',
'latitude': 50.865898132299996, 'longitude': 7.1427397728, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1474, 'nam
e': 'Chania International Airport', 'city': 'Chania', 'iata': 'CHQ', 'icao':
'LGSA', 'latitude': 35.531700134277344, 'longitude': 24.149700164794922, 'tim
ezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name
': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao':
'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733
']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1200, 'nam
e': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU',
'latitude': 42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name
': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitu
de': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 535, 'name
': 'Edinburgh Airport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', '
latitude': 55.95000076293945, 'longitude': -3.372499942779541, 'timezone': 0.
0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 641, 'name
': 'Harstad/Narvik Airport, Evenes', 'city': 'Harstad/Narvik', 'iata': 'EVE',
'icao': 'ENEV', 'latitude': 68.491302490234, 'longitude': 16.678100585938, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha

vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1626, 'nam
e': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude'
: 37.014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst'
: 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'nam
e': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ic
ao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '73
3']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'nam
e': 'Fort Lauderdale Hollywood International Airport', 'city': 'Fort Lauderda
le', 'iata': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.1
52702, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 668, 'name
': 'Gdańsk Lech Wałęsa Airport', 'city': 'Gdansk', 'iata': 'GDN', 'icao': 'EP
GD', 'latitude': 54.377601623535156, 'longitude': 18.46619987487793, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':

'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1665, 'nam
e': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA',
'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 342, 'name
': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'lati
tude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 645, 'name
': 'Haugesund Airport', 'city': 'Haugesund', 'iata': 'HAU', 'icao': 'ENHD', '
latitude': 59.34529876709001, 'longitude': 5.208360195159901, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 421, 'name
': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFH
K', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'nam
e': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK'
, 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezo

ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'nam
e': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao':
'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16, 'name'
: 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao'
: 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'tim
ezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 649, 'name
': 'Kirkenes Airport (Høybuktmoen)', 'city': 'Kirkenes', 'iata': 'KKN', 'icao
': 'ENKR', 'latitude': 69.725799560547, 'longitude': 29.891300201416, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 669, 'name
': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KR
K', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 638, 'name
': 'Kristiansand Airport', 'city': 'Kristiansand', 'iata': 'KRS', 'icao': 'EN
CN', 'latitude': 58.204201, 'longitude': 8.08537, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'nam
e': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao'
: 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'ti
mezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'nam
e': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI
', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone':
3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 502, 'name
': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK',
'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', '
tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'nam

e': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'i
ata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1054, 'nam
e': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'G
CLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 658, 'name
': 'Svalbard Airport, Longyear', 'city': 'Svalbard', 'iata': 'LYR', 'icao': '
ENSB', 'latitude': 78.246101379395, 'longitude': 15.465600013733, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Arctic/Longyearbyen', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 478, 'name
': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC',
'latitude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1227, 'nam
e': 'San Javier Airport', 'city': 'Murcia', 'iata': 'MJV', 'icao': 'LELC', 'l
atitude': 37.775001525878906, 'longitude': -0.8123890161514282, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1606, 'nam
e': 'Malta International Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'L
MML', 'latitude': 35.857498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Malta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 651, 'name
': 'Molde Airport', 'city': 'Molde', 'iata': 'MOL', 'icao': 'ENML', 'latitude
': 62.744701385498, 'longitude': 7.262499809265099, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name
': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitu
de': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'nam
e': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao'
: 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long

itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1386, 'name': 'Paris-Orly Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3958, 'name': 'Palanga International Airport', 'city': 'Palanga', 'iata': 'PLQ', 'icao': 'EYPA', 'latitude': 55.97320175170898, 'longitude': 21.093900680541992, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E',

'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1562, 'nam
e': 'Pisa International Airport', 'city': 'Pisa', 'iata': 'PSA', 'icao': 'LIR
P', 'latitude': 43.683899, 'longitude': 10.3927, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1203, 'nam
e': 'Pula Airport', 'city': 'Pula', 'iata': 'PUY', 'icao': 'LDPL', 'latitude'
: 44.89350128173828, 'longitude': 13.922200202941895, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1075, 'nam
e': 'Menara Airport', 'city': 'Marrakech', 'iata': 'RAK', 'icao': 'GMMX', 'la
titude': 31.6068992615, 'longitude': -8.036299705510002, 'timezone': 0.0, 'ds
t': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3953, 'nam
e': 'Riga International Airport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVR
A', 'latitude': 56.92359924316406, 'longitude': 23.971099853515625, 'timezone
': 2.0, 'dst': 'E', 'tz_id': 'Europe/Riga', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1206, 'nam
e': 'Split Airport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitud
e': 43.53889846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 666, 'name
': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZ
V', 'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 337, 'name
': 'Berlin-Schönefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDD
B', 'latitude': 52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 676, 'name
': 'Szczecin-Goleniów "Solidarność" Airport', 'city': 'Szczecin', 'iata': 'SZ
Z', 'icao': 'EPSC', 'latitude': 53.584701538100006, 'longitude': 14.902199745
199999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':

'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1056, 'nam
e': 'Tenerife South Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCT
S', 'latitude': 28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, '
dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 415, 'name
': 'Lennart Meri Tallinn Airport', 'city': 'Tallinn-ulemiste International',
'iata': 'TLL', 'icao': 'EETN', 'latitude': 59.41329956049999, 'longitude': 24
.8327999115, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Tallinn', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 663, 'name
': 'Tromsø Airport,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latit
ude': 69.68329620361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 665, 'name
': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'E
NVA', 'latitude': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1551, 'nam
e': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LI
PZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E'

, 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'nam
e': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao':
'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3959, 'nam
e': 'Vilnius International Airport', 'city': 'Vilnius', 'iata': 'VNO', 'icao'
: 'EYVI', 'latitude': 54.634102, 'longitude': 25.285801, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 679, 'name
': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA',
'latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 446, 'name': 'Oulu Airpor
t', 'city': 'Oulu', 'iata': 'OUL', 'icao': 'EFOU', 'latitude': 64.93009948730
5, 'longitude': 25.354600906372, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante'
, 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude':
-0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 446, 'name': 'Oulu Airpor
t', 'city': 'Oulu', 'iata': 'OUL', 'icao': 'EFOU', 'latitude': 64.93009948730
5, 'longitude': 25.354600906372, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata'
: 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.9633007
04956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3958, 'name': 'Palanga In
ternational Airport', 'city': 'Palanga', 'iata': 'PLQ', 'icao': 'EYPA', 'lati
tude': 55.97320175170898, 'longitude': 21.093900680541992, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Os
lo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 628, 'name': 'Aalborg Airport', 'city': '
Aalborg', 'iata': 'AAL', 'icao': 'EKYT', 'latitude': 57.092758913800004, 'lon
gitude': 9.84924316406, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenha
gen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport',
'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012451
16996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland', '
city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'lon
gitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport'
, 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.6179008
48389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', '
city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031
, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'c
ity': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longit
ude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Os
lo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De M
allorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA',
'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp',
'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.186698913
6, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/O
slo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1512, 'name': 'Falcone-Bo
rsellino Airport', 'city': 'Palermo', 'iata': 'PMO', 'icao': 'LICJ', 'latitud
e': 38.175999, 'longitude': 13.091, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iat
a': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.91
8600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav Hav
el Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitud
e': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata
': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918
600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav Hav
el Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitud
e': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'B
GO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav Hav
el Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitud
e': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'ia
ta': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.6560
00137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav Hav
el Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitud
e': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata':
'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704
956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav Hav
el Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitud
e': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao':
'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw

ay', 'active': True}, 'src_airport': {'airport_id': 1562, 'name': 'Pisa Inter
national Airport', 'city': 'Pisa', 'iata': 'PSA', 'icao': 'LIRP', 'latitude':
43.683899, 'longitude': 10.3927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata':
'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600
082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1562, 'name': 'Pisa Inter
national Airport', 'city': 'Pisa', 'iata': 'PSA', 'icao': 'LIRP', 'latitude':
43.683899, 'longitude': 10.3927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata
': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000
137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1562, 'name': 'Pisa Inter
national Airport', 'city': 'Pisa', 'iata': 'PSA', 'icao': 'LIRP', 'latitude':
43.683899, 'longitude': 10.3927, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': '
ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1203, 'name': 'Pula Airpo
rt', 'city': 'Pula', 'iata': 'PUY', 'icao': 'LDPL', 'latitude': 44.8935012817
3828, 'longitude': 13.922200202941895, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', '
icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1075, 'name': 'Menara Air
port', 'city': 'Marrakech', 'iata': 'RAK', 'icao': 'GMMX', 'latitude': 31.606

8992615, 'longitude': -8.036299705510002, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Cop
enhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longit
ude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copen
hagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1075, 'name': 'Menara Air
port', 'city': 'Marrakech', 'iata': 'RAK', 'icao': 'GMMX', 'latitude': 31.606
8992615, 'longitude': -8.036299705510002, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': '
OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3953, 'name': 'Riga Inter
national Airport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude':
56.92359924316406, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': '
E', 'tz_id': 'Europe/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': '
Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'l
ongitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Sto
ckholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3953, 'name': 'Riga Inter
national Airport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude':
56.92359924316406, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': '
E', 'tz_id': 'Europe/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city':
'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'lo
ngitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/C
openhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3953, 'name': 'Riga Inter
national Airport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude':
56.92359924316406, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': '

E', 'tz_id': 'Europe/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata
': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3953, 'name': 'Riga Inter
national Airport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude':
56.92359924316406, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': '
E', 'tz_id': 'Europe/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'T
rondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'lon
gitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 453, 'name': 'Rovaniemi A
irport', 'city': 'Rovaniemi', 'iata': 'RVN', 'icao': 'EFRO', 'latitude': 66.5
64796447754, 'longitude': 25.830400466919, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsink
i', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude':
24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 657, 'name': 'Moss Airpor
t, Rygge', 'city': 'Rygge', 'iata': 'RYG', 'icao': 'ENRY', 'latitude': 59.378
817000000005, 'longitude': 10.785439, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP',
'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.49911022186279
3, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 657, 'name': 'Moss Airpor
t, Rygge', 'city': 'Rygge', 'iata': 'RYG', 'icao': 'ENRY', 'latitude': 59.378
817000000005, 'longitude': 10.785439, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a

irport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante
', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude':
-0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1646, 'name': 'Sarajevo I
nternational Airport', 'city': 'Sarajevo', 'iata': 'SJJ', 'icao': 'LQSA', 'la
titude': 43.82460021972656, 'longitude': 18.331499099731445, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Sarajevo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport
', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.6519012
45116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split Airp
ort', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846
801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm',
'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 1
7.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split Airp
ort', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846
801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen
', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 1
2.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split Airp
ort', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846
801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':

{'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'i
ata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963
300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split Airp
ort', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846
801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata
': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1206, 'name': 'Split Airp
ort', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude': 43.53889846
801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', '
icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata':
'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.4991102
21862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': '
Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'lon

gitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/M
adrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen',
'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140
125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport',
'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'long
itude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London',
'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester',
'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2
.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OS
L', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city': 'Berlin
', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude': 13.5225
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger A
irport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude':
58.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', '
iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671
001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata
': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918
600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona'
, 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.07845999
99999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'B
GO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'ia
ta': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.6560
00137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata'
: 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.386
59954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao':
'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata':
'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.6377801895000
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata':
'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'Berlin-Schö
nefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', 'latitude':
52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata'
: 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.92399
98, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '

source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 676, 'name': 'Szczecin-Go
leniów "Solidarność" Airport', 'city': 'Szczecin', 'iata': 'SZZ', 'icao': 'EP
SC', 'latitude': 53.584701538100006, 'longitude': 14.902199745199999, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', '
city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude'
: 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife S
outh Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude':
28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 344, 'name': 'Cologne Bonn Airport', 'city': 'Cologne',
'iata': 'CGN', 'icao': 'EDDK', 'latitude': 50.865898132299996, 'longitude': 7
.1427397728, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife S
outh Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude':
28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata
': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.9882
29751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife S
outh Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude':
28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London',
'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,

'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife S
outh Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude':
28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata':
'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife S
outh Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude':
28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'O
SL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife S
outh Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude':
28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city': 'Berli
n', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude': 13.522
5, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 460, 'name': 'Turku Airpo
rt', 'city': 'Turku', 'iata': 'TKU', 'icao': 'EFTU', 'latitude': 60.514099121
094, 'longitude': 22.262800216675, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eur
ope/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicant
e', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude'
: -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 415, 'name': 'Lennart Mer
i Tallinn Airport', 'city': 'Tallinn-ulemiste International', 'iata': 'TLL',
'icao': 'EETN', 'latitude': 59.41329956049999, 'longitude': 24.8327999115, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Tallinn', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Luftha
vn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'long
itude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion
International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'l
atitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0
, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airpor
t', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901
245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion
International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'l
atitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0
, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airpo
rt', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.6179
00848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 663, 'name': 'Tromsø Airp
ort,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.683296
20361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alica
nte', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitud
e': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}

{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 663, 'name': 'Tromsø Airp
ort,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.683296
20361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 632, 'name': 'Alta Airport', 'city': 'Alta', 'iata': 'ALF', 'i
cao': 'ENAT', 'latitude': 69.976097106934, 'longitude': 23.371700286865, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 663, 'name': 'Tromsø Airp
ort,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.683296
20361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata
': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 663, 'name': 'Tromsø Airp
ort,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.683296
20361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', '
icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 663, 'name': 'Tromsø Airp
ort,', 'city': 'Tromso', 'iata': 'TOS', 'icao': 'ENTC', 'latitude': 69.683296
20361328, 'longitude': 18.91889953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim',
'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10
.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A

irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata'
: 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.49911
0221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city':
'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'lo
ngitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1688, 'name': 'Antalya International Airport', 'city': '
Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude':
30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen'
, 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.2181
40125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A

irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 641, 'name': 'Harstad/Narvik Airport, Evenes', 'city': 'Harstad/Narvik', 'iata': 'EVE', 'icao': 'ENEV', 'latitude': 68.491302490234, 'longitude': 16.678100585938, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 669, 'name': 'Kraków John Paul II International Airport', 'city': 'Krakow', 'iata': 'KRK', 'icao': 'EPKK', 'latitude': 50.077702, 'longitude': 19.7848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A

irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London',
'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice'
, 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude':
7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'O
SL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3953, 'name': 'Riga International Airport', 'city': 'Rig
a', 'iata': 'RIX', 'icao': 'EVRA', 'latitude': 56.92359924316406, 'longitude'
: 23.971099853515625, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Riga', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '

tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city': 'Berli
n', 'iata': 'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude': 13.522
5, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 663, 'name': 'Tromsø Airport,', 'city': 'Tromso', 'iata'
: 'TOS', 'icao': 'ENTC', 'latitude': 69.68329620361328, 'longitude': 18.91889
953613281, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim A
irport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude
': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandef
jord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude':
10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata':
'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.4991102
21862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't

z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': '
Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'lon
gitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/M
adrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1688, 'name': 'Antalya International Airport', 'city': 'A
ntalya', 'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude': 3
0.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city':
'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude':
2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 636, 'name': 'Bergen Airport Flesland', 'city': 'Bergen',
'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140
125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H'
]}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't

z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', '
iata': 'DBV', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.2
68199920654297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London',
'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canar
ia', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitud
e': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canar
y', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice',
'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7
.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord
Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitud
e': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo

rt': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 664, 'name': 'Sandefjord Airport, Torp', 'city': 'Sandefjord', 'iata': 'TRF', 'icao': 'ENTO', 'latitude': 59.1866989136, 'longitude': 10.258600235, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 728, 'name': 'Umeå Airport', 'city': 'Umea', 'iata': 'UME', 'icao': 'ESNU', 'latitude': 63.791801452636996, 'longitude': 20.282800674438, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 728, 'name': 'Umeå Airport', 'city': 'Umea', 'iata': 'UME', 'icao': 'ESNU', 'latitude': 63.791801452636996, 'longitude': 20.282800674438, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'nan', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norway', 'active': True}, 'src_airport': {'airport_id': 462, 'name': 'Vaasa Airport', 'city': 'Vaasa', 'iata': 'VAA', 'icao': 'EFVA', 'latitude': 63.050701141357, 'longitude': 21.762199401855, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'

airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', '
iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17
.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Mar
co Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude'
: 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata
': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918
600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Mar
co Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude'
: 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'ia
ta': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.6560
00137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Mar
co Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude'
: 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao':
'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna Int
ernational Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitu
de': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo

', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3959, 'name': 'Vilnius In
ternational Airport', 'city': 'Vilnius', 'iata': 'VNO', 'icao': 'EYVI', 'lati
tude': 54.634102, 'longitude': 25.285801, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockho
lm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitud
e': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 3959, 'name': 'Vilnius In
ternational Airport', 'city': 'Vilnius', 'iata': 'VNO', 'icao': 'EYVI', 'lati
tude': 54.634102, 'longitude': 25.285801, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL
', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '733']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chop
in Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.
1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP
', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.49911022186
2793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
3H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chop
in Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.
1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barc
elona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.07
84599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chop
in Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.
1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', '
icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['733', '73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chop
in Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.
1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'i
ata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.6377801
89500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 3737, 'name': 'Norwegian Air Shuttle', 'alias': 'n
an', 'iata': 'DY', 'icao': 'NAX', 'callsign': 'NOR SHUTTLE', 'country': 'Norw
ay', 'active': True}, 'src_airport': {'airport_id': 1208, 'name': 'Zagreb Air
port', 'city': 'Zagreb', 'iata': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900
848400005, 'longitude': 16.0687999725, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen
', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 1
2.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 11963, 'name': 'Starline.kz', 'alias': 'nan', 'iat
a': 'DZ', 'icao': 'FVM', 'callsign': 'ALUNK', 'country': 'Kazakhstan', 'activ
e': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushuizi Airport',
'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.9656982421875
, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3387, 'name': 'Ningbo Lishe International Airport', 'city': 'Ninbo
', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29.82670021057129, 'longitude':
121.46199798583984, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['738']}
{'airline': {'airline_id': 11963, 'name': 'Starline.kz', 'alias': 'nan', 'iat
a': 'DZ', 'icao': 'FVM', 'callsign': 'ALUNK', 'country': 'Kazakhstan', 'activ
e': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Internat
ional Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 2
9.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3404, 'name': 'Zhoushuizi Airport', 'city': 'Dalia
n', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.9656982421875, 'longitude':
121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['738']}
{'airline': {'airline_id': 11963, 'name': 'Starline.kz', 'alias': 'nan', 'iat
a': 'DZ', 'icao': 'FVM', 'callsign': 'ALUNK', 'country': 'Kazakhstan', 'activ
e': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Internat
ional Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 2
9.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an International Airpo
rt", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299
392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 11963, 'name': 'Starline.kz', 'alias': 'nan', 'iat
a': 'DZ', 'icao': 'FVM', 'callsign': 'ALUNK', 'country': 'Kazakhstan', 'activ
e': True}, 'src_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an Inter
national Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitu
de': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe International A
irport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29.82670
021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 253, 'name': 'Port Bouet Airport
', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.2613902091
97998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra
', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude':
-0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 253, 'name': 'Port Bouet Airport
', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.2613902091
97998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freet
own', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitud
e': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 253, 'name': 'Port Bouet Airport
', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.2613902091
97998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1063, 'name': 'Roberts International Airport', 'city': 'Mon
rovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude': 6.23379, 'longitude': -10.
3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka Internation
al Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.60
5189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N'
, 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan'
, 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude':
-3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka Internation
al Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.60
5189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N'
, 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city':
'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'lo
ngitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias': 'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'active': True}, 'src_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias': 'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias': 'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias': 'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'active': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id':

'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 1059, 'name': 'Lungi Internation
al Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8
.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 1063, 'name': 'Roberts International Airport', 'city': 'Mo
nrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude': 6.23379, 'longitude': -10
.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 1063, 'name': 'Roberts Internati
onal Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude':
6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa
/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ'
, 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude': -3.926290035247
8023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
M82']}
{'airline': {'airline_id': 20047, 'name': 'Eagle Atlantic Airlines', 'alias':
'nan', 'iata': 'E2', 'icao': 'OTJ', 'callsign': 'nan', 'country': 'Ghana', 'a
ctive': True}, 'src_airport': {'airport_id': 1063, 'name': 'Roberts Internati
onal Airport', 'city': 'Monrovia', 'iata': 'ROB', 'icao': 'GLRB', 'latitude':
6.23379, 'longitude': -10.3623, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa
/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1059, 'name': 'Lungi International Airport', 'city': 'Freetown', 'i
ata': 'FNA', 'icao': 'GFLL', 'latitude': 8.616439999999999, 'longitude': -13.
1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'M82']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan',
'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active':
True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International
Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226
009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'As
ia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexand
ria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitud
e': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan', 'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active': True}, 'src_airport': {'airport_id': 2064, 'name': 'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan', 'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active': True}, 'src_airport': {'airport_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan', 'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active': True}, 'src_airport': {'airport_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan', 'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active': True}, 'src_airport': {'airport_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan',
'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active':
True}, 'src_airport': {'airport_id': 3410, 'name': 'Borg El Arab Internationa
l Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude':
30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': '
U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'cit
y': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656,
'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/K
uwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan',
'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active':
True}, 'src_airport': {'airport_id': 3410, 'name': 'Borg El Arab Internationa
l Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude':
30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': '
U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2082, 'name': 'King Khaled International Airport',
'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.9575996398925
75, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'As
ia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan',
'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active':
True}, 'src_airport': {'airport_id': 2072, 'name': 'King Abdulaziz Internatio
nal Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21
.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Ri
yadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria'
, 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude':
29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan',
'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active':
True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait International Airp
ort', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.2266006
46972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'A
lexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'lo
ngitude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/C

airo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 16963, 'name': 'Air Arabia Egypt', 'alias': 'nan',
'iata': 'E5', 'icao': 'RBG', 'callsign': 'nan', 'country': 'Egypt', 'active':
True}, 'src_airport': {'airport_id': 2082, 'name': 'King Khaled International
Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957
599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3410, 'name': 'Borg El Arab International Airport', 'city
': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277
, 'longitude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Afr
ica/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2217, 'name': 'Estafeta Carga Aerea', 'alias': 'Em
irates Airlines', 'iata': 'E7', 'icao': 'ESF', 'callsign': 'nan', 'country':
'Mexico', 'active': False}, 'src_airport': {'airport_id': 883, 'name': 'Maya-
Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'latitud
e': -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 886, 'name': 'Pointe Noire Airport', 'c
ity': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude': -4.816030025
482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 2217, 'name': 'Estafeta Carga Aerea', 'alias': 'Em
irates Airlines', 'iata': 'E7', 'icao': 'ESF', 'callsign': 'nan', 'country':
'Mexico', 'active': False}, 'src_airport': {'airport_id': 886, 'name': 'Point
e Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'lat
itude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0,
'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 883, 'name': 'Maya-Maya Airport', 'c
ity': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'latitude': -4.2516999244
68993, 'longitude': 15.253000259399414, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 2217, 'name': 'Estafeta Carga Aerea', 'alias': 'Em
irates Airlines', 'iata': 'E7', 'icao': 'ESF', 'callsign': 'nan', 'country':
'Mexico', 'active': False}, 'src_airport': {'airport_id': 886, 'name': 'Point
e Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'lat
itude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0,
'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 967, 'name': 'Port Gentil Airport',
'city': 'Port Gentil', 'iata': 'POG', 'icao': 'FOOG', 'latitude': -0.71173900
36582947, 'longitude': 8.754380226135254, 'timezone': 1.0, 'dst': 'N', 'tz_id

': 'Africa/Libreville', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 2217, 'name': 'Estafeta Carga Aerea', 'alias': 'Em
irates Airlines', 'iata': 'E7', 'icao': 'ESF', 'callsign': 'nan', 'country':
'Mexico', 'active': False}, 'src_airport': {'airport_id': 967, 'name': 'Port
Gentil Airport', 'city': 'Port Gentil', 'iata': 'POG', 'icao': 'FOOG', 'latit
ude': -0.7117390036582947, 'longitude': 8.754380226135254, 'timezone': 1.0, '
dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 886, 'name': 'Pointe Noire Airport', '
city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude': -4.81603002
5482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst': 'N', 'tz_id'
: 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 20160, 'name': 'City Airways', 'alias': 'nan', 'ia
ta': 'E8', 'icao': 'GTA', 'callsign': 'CITY AIR', 'country': 'Thailand', 'act
ive': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua I
nternational Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'la
titude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airp
ort', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599
563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 20160, 'name': 'City Airways', 'alias': 'nan', 'ia
ta': 'E8', 'icao': 'GTA', 'callsign': 'CITY AIR', 'country': 'Thailand', 'act
ive': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Mueang Internat
ional Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude':
13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport
', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.18919944
7600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 20160, 'name': 'City Airways', 'alias': 'nan', 'ia
ta': 'E8', 'icao': 'GTA', 'callsign': 'CITY AIR', 'country': 'Thailand', 'act
ive': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Mueang Internat
ional Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude':
13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3179, 'name': 'Phuket International Airport', 'city':
'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.
316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
734']}
{'airline': {'airline_id': 20160, 'name': 'City Airways', 'alias': 'nan', 'ia
ta': 'E8', 'icao': 'GTA', 'callsign': 'CITY AIR', 'country': 'Thailand', 'act
ive': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Mueang Internat
ional Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude':
13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3384, 'name': 'Nanchang Changbei International Airport
', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'latitude': 28.86499977
1118164, 'longitude': 115.9000015258789, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 20160, 'name': 'City Airways', 'alias': 'nan', 'ia
ta': 'E8', 'icao': 'GTA', 'callsign': 'CITY AIR', 'country': 'Thailand', 'act
ive': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket Internationa
l Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.11
32, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangk
ok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 3157, 'name': 'Don Mueang International Airport', 'city': 'Bangkok', 'iata
': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'longitude': 100.60
7002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'734']}
{'airline': {'airline_id': 20160, 'name': 'City Airways', 'alias': 'nan', 'ia
ta': 'E8', 'icao': 'GTA', 'callsign': 'CITY AIR', 'country': 'Thailand', 'act
ive': True}, 'src_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei I
nternational Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'la
titude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International A
irport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912
599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id
': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 11806, 'name': "Compagnie Africaine d\\\\'Aviation
", 'alias': 'nan', 'iata': 'E9', 'icao': 'CEL', 'callsign': 'AFRICOMPANY', 'c
ountry': 'Congo (Kinshasa)', 'active': True}, 'src_airport': {'airport_id': 1
852, 'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN',
'icao': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835,
'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo
Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEM
D', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E'

, 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 11806, 'name': "Compagnie Africaine d\\\\'Aviation
", 'alias': 'nan', 'iata': 'E9', 'icao': 'CEL', 'callsign': 'AFRICOMPANY', 'c
ountry': 'Congo (Kinshasa)', 'active': True}, 'src_airport': {'airport_id': 1
229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata'
: 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún Internati
onal Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 2
1.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S',
'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 11806, 'name': "Compagnie Africaine d\\\\'Aviation
", 'alias': 'nan', 'iata': 'E9', 'icao': 'CEL', 'callsign': 'AFRICOMPANY', 'c
ountry': 'Congo (Kinshasa)', 'active': True}, 'src_airport': {'airport_id': 1
229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata'
: 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1760, 'name': 'Punta Cana Inter
national Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'lati
tude': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0,
'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 11806, 'name': "Compagnie Africaine d\\\\'Aviation
", 'alias': 'nan', 'iata': 'E9', 'icao': 'CEL', 'callsign': 'AFRICOMPANY', 'c
ountry': 'Congo (Kinshasa)', 'active': True}, 'src_airport': {'airport_id': 1
760, 'name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata'
: 'PUJ', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.363
40332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 12
29, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata':
'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 1852, 'name': 'Cancún International Airport', 'city':
'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 21.036500930800003, 'lon
gitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Canc
un', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'i
ata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 't

imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport',
'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'long
itude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1218,
'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN'
, 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport',
'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'long
itude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852,
'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'ica
o': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'tim
ezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport',
'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'long
itude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1760,
'name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PU
J', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.36340332
030001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['744']}
{'airline': {'airline_id': -1, 'name': 'Unknown', 'alias': '\\N', 'iata': '-'
, 'icao': 'nan', 'callsign': '\\N', 'country': '\\N', 'active': True}, 'src_a
irport': {'airport_id': 1760, 'name': 'Punta Cana International Airport', 'ci
ty': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.567399978599
997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport',
'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'long
itude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['744']}

{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 6795, 'na
me': 'Choibalsan Airport', 'city': 'Choibalsan', 'iata': 'COQ', 'icao': 'ZMCD
', 'latitude': 48.13570022583008, 'longitude': 114.64600372314452, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3380, 'name': 'Chinggis Khaan I
nternational Airport', 'city': 'Ulan Bator', 'iata': 'ULN', 'icao': 'ZMUB', '
latitude': 47.843102, 'longitude': 106.766998, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 6374, 'na
me': 'Mörön Airport', 'city': 'Muren', 'iata': 'MXV', 'icao': 'ZMMN', 'latitu
de': 49.66329956054688, 'longitude': 100.0989990234375, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3380, 'name': 'Chinggis Khaan Internationa
l Airport', 'city': 'Ulan Bator', 'iata': 'ULN', 'icao': 'ZMUB', 'latitude':
47.843102, 'longitude': 106.766998, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Ulaanbaatar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 7470, 'na
me': 'Ulgii Mongolei Airport', 'city': 'Olgii', 'iata': 'ULG', 'icao': 'ZMUL'
, 'latitude': 48.9933013916, 'longitude': 89.92250061040001, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Hovd', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3380, 'name': 'Chinggis Khaan International A
irport', 'city': 'Ulan Bator', 'iata': 'ULN', 'icao': 'ZMUB', 'latitude': 47.
843102, 'longitude': 106.766998, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Ulaanbaatar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 3380, 'na
me': 'Chinggis Khaan International Airport', 'city': 'Ulan Bator', 'iata': 'U
LN', 'icao': 'ZMUB', 'latitude': 47.843102, 'longitude': 106.766998, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 6795, 'name': 'Choibalsan Air
port', 'city': 'Choibalsan', 'iata': 'COQ', 'icao': 'ZMCD', 'latitude': 48.13
570022583008, 'longitude': 114.64600372314452, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH4']}

{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 3380, 'na
me': 'Chinggis Khaan International Airport', 'city': 'Ulan Bator', 'iata': 'U
LN', 'icao': 'ZMUB', 'latitude': 47.843102, 'longitude': 106.766998, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 6374, 'name': 'Mörön Airport'
, 'city': 'Muren', 'iata': 'MXV', 'icao': 'ZMMN', 'latitude': 49.663299560546
88, 'longitude': 100.0989990234375, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Ulaanbaatar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 3380, 'na
me': 'Chinggis Khaan International Airport', 'city': 'Ulan Bator', 'iata': 'U
LN', 'icao': 'ZMUB', 'latitude': 47.843102, 'longitude': 106.766998, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 7470, 'name': 'Ulgii Mongolei
Airport', 'city': 'Olgii', 'iata': 'ULG', 'icao': 'ZMUL', 'latitude': 48.9933
013916, 'longitude': 89.92250061040001, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Hovd', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 3380, 'na
me': 'Chinggis Khaan International Airport', 'city': 'Ulan Bator', 'iata': 'U
LN', 'icao': 'ZMUB', 'latitude': 47.843102, 'longitude': 106.766998, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Ulaanbaatar', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 7558, 'name': 'Ulaangom Airpo
rt', 'city': 'Ulaangom', 'iata': 'ULO', 'icao': 'ZMUG', 'latitude': 50.066588
, 'longitude': 91.938273, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Hovd',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH4']}
{'airline': {'airline_id': 2324, 'name': 'Far Eastern Air Transport', 'alias'
: 'EasyJet Airline', 'iata': 'EF', 'icao': 'EFA', 'callsign': 'Far Eastern',
'country': 'Taiwan', 'active': True}, 'src_airport': {'airport_id': 7558, 'na
me': 'Ulaangom Airport', 'city': 'Ulaangom', 'iata': 'ULO', 'icao': 'ZMUG', '
latitude': 50.066588, 'longitude': 91.938273, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Hovd', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3380, 'name': 'Chinggis Khaan International Airport', 'city
': 'Ulan Bator', 'iata': 'ULN', 'icao': 'ZMUB', 'latitude': 47.843102, 'longi
tude': 106.766998, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Ulaanbaatar',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH4']}

{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL
Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country':
'Japan', 'active': True}, 'src_airport': {'airport_id': 2914, 'name': 'Shymke
nt Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 4
2.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U
', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Pet
ersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'long
itude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL
Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country':
'Japan', 'active': True}, 'src_airport': {'airport_id': 2911, 'name': 'Taraz
Airport', 'city': 'Dzhambul', 'iata': 'DMB', 'icao': 'UADD', 'latitude': 42.8
53599548339844, 'longitude': 71.30359649658203, 'timezone': 6.0, 'dst': 'U',
'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'c
ity': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344,
'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL
Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country':
'Japan', 'active': True}, 'src_airport': {'airport_id': 2911, 'name': 'Taraz
Airport', 'city': 'Dzhambul', 'iata': 'DMB', 'icao': 'UADD', 'latitude': 42.8
53599548339844, 'longitude': 71.30359649658203, 'timezone': 6.0, 'dst': 'U',
'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterin
burg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longitude
': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL
Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country':
'Japan', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domode
dovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD',
'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL
Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country':
'Japan', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domode

dovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2911, 'name': 'Taraz Airport', 'city': 'Dzhambul', 'iata': 'DMB', 'icao': 'UADD', 'latitude': 42.853599548339844, 'longitude': 71.30359649658203, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2989, 'name': 'Japan Asia Airways', 'alias': 'JAL Japan Airlines', 'iata': 'EG', 'icao': 'JAA', 'callsign': 'ASIA', 'country': 'Japan', 'active': True}, 'src_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 532, 'name': 'Aberdeen Dyce Airport', 'city': 'Aberdeen', 'iata': 'ABZ', 'icao': 'EGPD', 'latitude': 57.20190048217773, 'longitude': -2.1977798938751216, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1055, 'name': '
Lanzarote Airport', 'city': 'Arrecife', 'iata': 'ACE', 'icao': 'GCRR', 'latit
ude': 28.945498999999998, 'longitude': -13.6052, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'i
ata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1055, 'name': '
Lanzarote Airport', 'city': 'Arrecife', 'iata': 'ACE', 'icao': 'GCRR', 'latit
ude': 28.945498999999998, 'longitude': -13.6052, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata'
: 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.49110
9848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1706, 'name': '
Adnan Menderes International Airport', 'city': 'Izmir', 'iata': 'ADB', 'icao'
: 'LTBJ', 'latitude': 38.292400360100004, 'longitude': 27.156999588, 'timezon
e': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport',
'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'long
itude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': '
Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude':
36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 467, 'name': 'George Best Belfast City Airport',
'city': 'Belfast', 'iata': 'BHD', 'icao': 'EGAC', 'latitude': 54.618099212646
48, 'longitude': -5.872499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'E
urope/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': '
Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude':
36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin',
'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '
320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': '
Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude':
36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iat
a': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491
109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': '
Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude':
36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 603, 'name': 'Shannon Airport', 'city': 'Shannon'
, 'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longitude': -8.92482, '
timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': '
Alicante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': '
LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport'
, 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'lo
ngitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': '
Alicante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': '
LEAL', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport',
'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547,
'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'A
msterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM
', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', '
iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, '
timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'A
msterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM
', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata
': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.4911
09848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'S
tockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA'
, 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'ci
ty': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitu
de': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': '
Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH'
, 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Air
port', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299
, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': '
Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata':
'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Har
e International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', '
latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['CR7', 'ERJ', 'E70']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': '
Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao':
'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'tim
ezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport',
'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'long
itude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['77W', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': '
Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao':
'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city':
'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude':
-6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': '
Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao':
'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'C
ork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitud
e': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 467, 'name': 'G
eorge Best Belfast City Airport', 'city': 'Belfast', 'iata': 'BHD', 'icao': '
EGAC', 'latitude': 54.61809921264648, 'longitude': -5.872499942779541, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport',
'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.6749000549316
4, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 467, 'name': 'G
eorge Best Belfast City Airport', 'city': 'Belfast', 'iata': 'BHD', 'icao': '
EGAC', 'latitude': 54.61809921264648, 'longitude': -5.872499942779541, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1626, 'name': 'Faro Airport', '
city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996,
'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 467, 'name': 'G
eorge Best Belfast City Airport', 'city': 'Belfast', 'iata': 'BHD', 'icao': '
EGAC', 'latitude': 54.61809921264648, 'longitude': -5.872499942779541, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Ai
rport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.14810
2, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lond
on', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320', '319']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 467, 'name': 'G
eorge Best Belfast City Airport', 'city': 'Belfast', 'iata': 'BHD', 'icao': '
EGAC', 'latitude': 54.61809921264648, 'longitude': -5.872499942779541, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow A
irport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706
, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Londo
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 467, 'name': 'G
eorge Best Belfast City Airport', 'city': 'Belfast', 'iata': 'BHD', 'icao': '
EGAC', 'latitude': 54.61809921264648, 'longitude': -5.872499942779541, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorc
a Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'lati
tude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 469, 'name': 'B
irmingham International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao'
: 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport',
'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'long
itude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 469, 'name': 'B
irmingham International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao'
: 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'c
ity': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, '
longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe
/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 469, 'name': 'B
irmingham International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao'
: 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 603, 'name': 'Shannon Airport',
'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longit
ude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['AT4', 'AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1216, 'name': '
Bilbao Airport', 'city': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latitude':
43.30110168457031, 'longitude': -2.9106099605560303, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin',
'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 514, 'name': 'B
lackpool International Airport', 'city': 'Blackpool', 'iata': 'BLK', 'icao':
'EGNH', 'latitude': 53.77170181274414, 'longitude': -3.0286099910736084, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport
', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'l
ongitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1538, 'name': '
Bologna Guglielmo Marconi Airport', 'city': 'Bologna', 'iata': 'BLQ', 'icao':
'LIPE', 'latitude': 44.5354, 'longitude': 11.2887, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'ia
ta': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr

y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1264, 'name': '
Bordeaux-Mérignac Airport', 'city': 'Bordeaux', 'iata': 'BOD', 'icao': 'LFBD'
, 'latitude': 44.8283004761, 'longitude': -0.7155560255050001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city':
'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude':
-6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 494, 'name': 'B
ournemouth Airport', 'city': 'Bournemouth', 'iata': 'BOH', 'icao': 'EGHH', 'l
atitude': 50.77999877929688, 'longitude': -1.8424999713897705, 'timezone': 0.
0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city':
'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude':
-6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1191, 'name': '
Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude'
: 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin',
'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3448, 'name': '
General Edward Lawrence Logan International Airport', 'city': 'Boston', 'iata
': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin
Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421
299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dub
lin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['332', '330']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3448, 'name': '

General Edward Lawrence Logan International Airport', 'city': 'Boston', 'iata
': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 603, 'name': 'Shannon
Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.70
2, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dubli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['757']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 490, 'name': 'B
ristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'icao': 'EGGD', 'latitude'
: 51.382702, 'longitude': -2.71909, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', '
icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 490, 'name': 'B
ristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'icao': 'EGGD', 'latitude'
: 51.382702, 'longitude': -2.71909, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao
': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 490, 'name': 'B
ristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'icao': 'EGGD', 'latitude'
: 51.382702, 'longitude': -2.71909, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 603, 'name': 'Shannon Airport', 'city': 'Shannon', 'iata': 'SNN',
'icao': 'EINN', 'latitude': 52.702, 'longitude': -8.92482, 'timezone': 0.0, '
dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'B
russels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitud
e': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_

airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'ia
ta': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'B
russels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitud
e': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata':
'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.4911098
48022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': '
Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BU
D', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Ai
rport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.42129
9, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dubli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': '
Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'ic
ao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin'
, 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007
, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320',
'319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': '
Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'ic
ao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'i

ata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.4
91109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1460, 'name': '
Ioannis Kapodistrias International Airport', 'city': 'Kerkyra/corfu', 'iata':
'CFU', 'icao': 'LGKR', 'latitude': 39.601898193359375, 'longitude': 19.911699
295043945, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name':
'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude'
: 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/Dublin', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'C
openhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKC
H', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', '
city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longi
tude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1509, 'name': '
Catania-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LIC
C', 'latitude': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dubli
n', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.270
07, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 488, 'name': 'C
ardiff International Airport', 'city': 'Cardiff', 'iata': 'CWL', 'icao': 'EGF
F', 'latitude': 51.39670181274414, 'longitude': -3.343329906463623, 'timezone
': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'c

ity': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longit
ude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1200, 'name': '
Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DBV', 'icao': 'LDDU', 'lati
tude': 42.5614013671875, 'longitude': 18.268199920654297, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dub
lin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.2
7007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 532, 'name': 'Aberdeen Dyce Airport', 'city': 'Aberdeen', 'iata': '
ABZ', 'icao': 'EGPD', 'latitude': 57.20190048217773, 'longitude': -2.19777989
38751216, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1055, 'name': 'Lanzarote Airport', 'city': 'Arrecife', 'iata': 'ACE
', 'icao': 'GCRR', 'latitude': 28.945498999999998, 'longitude': -13.6052, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1706, 'name': 'Adnan Menderes International Airport', 'city': 'Izmi
r', 'iata': 'ADB', 'icao': 'LTBJ', 'latitude': 38.292400360100004, 'longitude

': 27.156999588, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'i
cao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.499110221862793,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '
320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1212, 'name': 'Alicante International Airport', 'city': 'Alicante',
'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914, 'longitude': -0
.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'ia
ta': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iat
a': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.91
8600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3941, 'name': 'Eleftherios Venizelos International Airport', 'city'
: 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longit
ude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athen
s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi
', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude'
: 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['77W', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona
', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599
999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 469, 'name': 'Birmingham International Airport', 'city': 'Birmingha
m', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'longitude': -1
.7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1216, 'name': 'Bilbao Airport', 'city': 'Bilbao', 'iata': 'BIO', 'i
cao': 'LEBB', 'latitude': 43.30110168457031, 'longitude': -2.9106099605560303
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 514, 'name': 'Blackpool International Airport', 'city': 'Blackpool'
, 'iata': 'BLK', 'icao': 'EGNH', 'latitude': 53.77170181274414, 'longitude':
-3.0286099910736084, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1538, 'name': 'Bologna Guglielmo Marconi Airport', 'city': 'Bologna
', 'iata': 'BLQ', 'icao': 'LIPE', 'latitude': 44.5354, 'longitude': 11.2887,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1264, 'name': 'Bordeaux-Mérignac Airport', 'city': 'Bordeaux', 'iat
a': 'BOD', 'icao': 'LFBD', 'latitude': 44.8283004761, 'longitude': -0.7155560
255050001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 494, 'name': 'Bournemouth Airport', 'city': 'Bournemouth', 'iata': 'BOH', 'icao': 'EGHH', 'latitude': 50.77999877929688, 'longitude': -1.8424999713897705, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3448, 'name': 'General Edward Lawrence Logan International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '330']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 490, 'name': 'Bristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'icao': 'EGGD', 'latitude': 51.382702, 'longitude': -2.71909, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', 'AT4']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU',
'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city'
: 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995,
'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapes
t', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1382, 'name': 'Charles de Gaulle International Airport', 'city': 'P
aris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.5
5, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320',
'319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1460, 'name': 'Ioannis Kapodistrias International Airport', 'city':
'Kerkyra/corfu', 'iata': 'CFU', 'icao': 'LGKR', 'latitude': 39.60189819335937
5, 'longitude': 19.911699295043945, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'i
ata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656
000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Catania', 'i
ata': 'CTA', 'icao': 'LICC', 'latitude': 37.466801000000004, 'longitude': 15.
0664, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 488, 'name': 'Cardiff International Airport', 'city': 'Cardiff', 'i
ata': 'CWL', 'icao': 'EGFF', 'latitude': 51.39670181274414, 'longitude': -3.3
43329906463623, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1200, 'name': 'Dubrovnik Airport', 'city': 'Dubrovnik', 'iata': 'DB
V', 'icao': 'LDDU', 'latitude': 42.5614013671875, 'longitude': 18.26819992065
4297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': '
DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 535, 'name': 'Edinburgh Airport', 'city': 'Edinburgh', 'iata': 'EDI
', 'icao': 'EGPH', 'latitude': 55.95000076293945, 'longitude': -3.37249994277
9541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT
7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao'
: 'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909957889999, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '32
1', '330', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome'
, 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude':
12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iat
a': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1051, 'name': 'Fuerteventura Airport', 'city': 'Fuerteventura', 'ia
ta': 'FUE', 'icao': 'GCFV', 'latitude': 28.452699661254886, 'longitude': -13.
863800048828125, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 534, 'name': 'Glasgow International Airport', 'city': 'Glasgow', 'i
ata': 'GLA', 'icao': 'EGPF', 'latitude': 55.8718986511, 'longitude': -4.43306
016922, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
AT7', 'AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Gen
eva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitud
e': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 352, 'name': 'Hannover Airport', 'city': 'Hannover', 'iata': 'HAJ',
'icao': 'EDDV', 'latitude': 52.461101532, 'longitude': 9.68507957458, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', '
icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3714, 'name': 'Washington Dulles International Airport', 'city': 'W
ashington', 'iata': 'IAD', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitud
e': -77.45580292, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['752']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1225, 'name': 'Ibiza Airport', 'city': 'Ibiza', 'iata': 'IBZ', 'ica
o': 'LEIB', 'latitude': 38.8728981018, 'longitude': 1.3731199502899998, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr

y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 520, 'name': 'Isle of Man Airport', 'city': 'Isle Of Man', 'iata':
'IOM', 'icao': 'EGNS', 'latitude': 54.08330154418945, 'longitude': -4.6238899
23095703, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Isle_of_Man', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 499, 'name': 'Jersey Airport', 'city': 'Jersey', 'iata': 'JER', 'ic
ao': 'EGJJ', 'latitude': 49.20790100097656, 'longitude': -2.1955099105834956,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Jersey', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New
York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -
73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['330']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 601, 'name': 'Kerry Airport', 'city': 'Kerry', 'iata': 'KIR', 'icao
': 'EIKY', 'latitude': 52.18090057373047, 'longitude': -9.52377986907959, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':

53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'L
GW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone
': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': '
LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1529, 'name': 'Milano Linate Airport', 'city': 'Milan', 'iata': 'LI
N', 'icao': 'LIML', 'latitude': 45.445099, 'longitude': 9.27674, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)',
'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longit
ude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata

': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38
659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1335, 'name': 'Lyon Saint-Exupéry Airport', 'city': 'Lyon', 'iata':
'LYS', 'icao': 'LFLL', 'latitude': 45.725556, 'longitude': 5.081111, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madr
id', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56
264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': 'M
AN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.274950027
4658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3878, 'name': 'Orlando International Airport', 'city': 'Orlando', '
iata': 'MCO', 'icao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -8

1.30899810791016, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['330', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1353, 'name': 'Marseille Provence Airport', 'city': 'Marseille', 'i
ata': 'MRS', 'icao': 'LFML', 'latitude': 43.439271921999996, 'longitude': 5.2
2142410278, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'ic
ao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', '
iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.72811000000
0001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1561, 'name': 'Naples International Airport', 'city': 'Naples', 'ia
ta': 'NAP', 'icao': 'LIRN', 'latitude': 40.886002000000005, 'longitude': 14.2
908, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': '
NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.21586990
3560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 521, 'name': 'Newcastle Airport', 'city': 'Newcastle', 'iata': 'NCL
', 'icao': 'EGNT', 'latitude': 55.037498474121094, 'longitude': -1.6916699409
484863, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chic
ago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.90
48, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
330', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1356, 'name': 'Perpignan-Rivesaltes (Llabanère) Airport', 'city': '
Perpignan', 'iata': 'PGF', 'icao': 'LFMP', 'latitude': 42.74039840698242, 'lo
ngitude': 2.8706700801849365, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/P

aris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallor
ca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitud
e': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iat
a': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1203, 'name': 'Pula Airport', 'city': 'Pula', 'iata': 'PUY', 'icao'
: 'LDPL', 'latitude': 44.89350128173828, 'longitude': 13.922200202941895, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1243, 'name': 'Santiago de Compostela Airport', 'city': 'Santiago',
'iata': 'SCQ', 'icao': 'LEST', 'latitude': 42.89630126953125, 'longitude': -8
.415140151977539, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 508, 'name': 'Southend Airport', 'city': 'Southend', 'iata': 'SEN',
'icao': 'EGMC', 'latitude': 51.5713996887207, 'longitude': 0.6955559849739075
, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4',
'AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3469, 'name': 'San Francisco International Airport', 'city': 'San F
rancisco', 'iata': 'SFO', 'icao': 'KSFO', 'latitude': 37.61899948120117, 'lon
gitude': -122.375, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angele
s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 350, 'name': 'Stuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR
', 'icao': 'EDDS', 'latitude': 48.6898994446, 'longitude': 9.22196006775, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 337, 'name': 'Berlin-Schönefeld Airport', 'city': 'Berlin', 'iata':
'SXF', 'icao': 'EDDB', 'latitude': 52.380001, 'longitude': 13.5225, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr

y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata':
'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1273, 'name': 'Toulouse-Blagnac Airport', 'city': 'Toulouse', 'iata
': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101, 'longitude': 1.36382, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata'
: 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'ia
ta': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.5
69700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':

53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'Villafranca',
'iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude': 10.8885, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WA
W', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671001434, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'To
ronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude'
: -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['757']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 599, 'name': 'D
ublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'i
cao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'D
üsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'la
titude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin',

'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'E
dinburgh Airport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latit
ude': 55.95000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dub
lin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.2
7007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT
7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'E
dinburgh Airport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latit
ude': 55.95000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork'
, 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude':
-8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 535, 'name': 'E
dinburgh Airport', 'city': 'Edinburgh', 'iata': 'EDI', 'icao': 'EGPH', 'latit
ude': 55.95000076293945, 'longitude': -3.372499942779541, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 603, 'name': 'Shannon Airport', 'city': 'Sh
annon', 'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longitude': -8.92
482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7
']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': '
Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.
014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E'
, 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 467, 'name': 'George Best Belfast City Airport', 'c
ity': 'Belfast', 'iata': 'BHD', 'icao': 'EGAC', 'latitude': 54.61809921264648

, 'longitude': -5.872499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': '
Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.
014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E'
, 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'i
ata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '32
1', '330', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': '
Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.
014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E'
, 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata'
: 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.49110
9848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': '
Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.
014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E'
, 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 603, 'name': 'Shannon Airport', 'city': 'Shannon',
'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longitude': -8.92482, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': '
Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao':
'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport',
'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'long
itude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'F
rankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF'
, 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iat
a': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1051, 'name': '
Fuerteventura Airport', 'city': 'Fuerteventura', 'iata': 'FUE', 'icao': 'GCFV
', 'latitude': 28.452699661254886, 'longitude': -13.863800048828125, 'timezon
e': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport',
'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'long
itude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 534, 'name': 'G
lasgow International Airport', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EGP
F', 'latitude': 55.8718986511, 'longitude': -4.43306016922, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'D
ublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6
.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
AT7', 'AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 534, 'name': 'G
lasgow International Airport', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EGP
F', 'latitude': 55.8718986511, 'longitude': -4.43306016922, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cor
k', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude'
: -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': '
Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'ica
o': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airpor
t', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, '
longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 352, 'name': 'H
annover Airport', 'city': 'Hannover', 'iata': 'HAJ', 'icao': 'EDDV', 'latitud
e': 52.461101532, 'longitude': 9.68507957458, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata'
: 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timez
one': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'H
amburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude'
: 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin',
'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3714, 'name': '
Washington Dulles International Airport', 'city': 'Washington', 'iata': 'IAD'
, 'icao': 'KIAD', 'latitude': 38.94449997, 'longitude': -77.45580292, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airpor
t', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, '
longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['752']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1225, 'name': '
Ibiza Airport', 'city': 'Ibiza', 'iata': 'IBZ', 'icao': 'LEIB', 'latitude': 3
8.8728981018, 'longitude': 1.3731199502899998, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata
': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'time
zone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 520, 'name': 'I
sle of Man Airport', 'city': 'Isle Of Man', 'iata': 'IOM', 'icao': 'EGNS', 'l
atitude': 54.08330154418945, 'longitude': -4.623889923095703, 'timezone': 0.0
, 'dst': 'E', 'tz_id': 'Europe/Isle_of_Man', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'ci
ty': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitu
de': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 499, 'name': 'J
ersey Airport', 'city': 'Jersey', 'iata': 'JER', 'icao': 'EGJJ', 'latitude':
49.20790100097656, 'longitude': -2.1955099105834956, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Europe/Jersey', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin',
'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 499, 'name': 'J
ersey Airport', 'city': 'Jersey', 'iata': 'JER', 'icao': 'EGJJ', 'latitude':
49.20790100097656, 'longitude': -2.1955099105834956, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Europe/Jersey', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'ia
ta': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.49
1109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr

y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': '
John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'ic
ao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', '
city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longi
tude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['330']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': '
John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'ic
ao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 603, 'name': 'Shannon Airport',
'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longit
ude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['757']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 601, 'name': 'K
erry Airport', 'city': 'Kerry', 'iata': 'KIR', 'icao': 'EIKY', 'latitude': 52
.18090057373047, 'longitude': -9.52377986907959, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iat
a': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'L
ondon Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'lat
itude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 467, 'name': 'George Best Belfast City Airport', 'city': '
Belfast', 'iata': 'BHD', 'icao': 'EGAC', 'latitude': 54.61809921264648, 'long
itude': -5.872499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lon
don', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'L

ondon Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'lat
itude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': '
DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone
': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'L
ondon Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'lat
itude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 600, 'name': 'Ireland West Knock Airport', 'city': 'Connau
ght', 'iata': 'NOC', 'icao': 'EIKN', 'latitude': 53.9103012084961, 'longitude
': -8.818490028381348, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'L
ondon Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'la
titude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 467, 'name': 'George Best Belfast City Airport', 'city': 'B
elfast', 'iata': 'BHD', 'icao': 'EGAC', 'latitude': 54.61809921264648, 'longi
tude': -5.872499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lond
on', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'L
ondon Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'la
titude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'D
UB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'L
ondon Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'la
titude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id

': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK',
'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.49110984802246
1, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'L
ondon Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'la
titude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 603, 'name': 'Shannon Airport', 'city': 'Shannon', 'iata':
'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longitude': -8.92482, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1529, 'name': '
Milano Linate Airport', 'city': 'Milan', 'iata': 'LIN', 'icao': 'LIML', 'lati
tude': 45.445099, 'longitude': 9.27674, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB',
'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0
, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': '
Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'ci
ty': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitu
de': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': '
Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city

': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'lon
gitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Du
blin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': '
Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP',
'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'ci
ty': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitu
de': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1335, 'name': '
Lyon Saint-Exupéry Airport', 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL', '
latitude': 45.725556, 'longitude': 5.081111, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata':
'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezon
e': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': '
Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao
': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dubl
in', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27
007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'M
anchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'lat
itude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'D
ublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6

.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'M
anchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'lat
itude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cor
k', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude'
: -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'M
anchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'lat
itude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 603, 'name': 'Shannon Airport', 'city': '
Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude': 52.702, 'longitude': -8.
92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['A
T7', 'AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3878, 'name': '
Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KM
CO', 'latitude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airpor
t', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, '
longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['330', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1353, 'name': '
Marseille Provence Airport', 'city': 'Marseille', 'iata': 'MRS', 'icao': 'LFM
L', 'latitude': 43.439271921999996, 'longitude': 5.22142410278, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city':
'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude':

-6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3861, 'name': '
Louis Armstrong New Orleans International Airport', 'city': 'New Orleans', 'i
ata': 'MSY', 'icao': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.
25800323486328, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830,
'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'O
RD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone':
-6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'M
unich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'ica
o': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'M
unich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao':
'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 'time
zone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': '
Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LI
MC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dubli
n', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.270
07, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1561, 'name': '
Naples International Airport', 'city': 'Naples', 'iata': 'NAP', 'icao': 'LIRN
', 'latitude': 40.886002000000005, 'longitude': 14.2908, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin'
, 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007
, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "
Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'la
titude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Du
blin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.
27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1354, 'name': "
Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'la
titude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork
', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude':
-8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 521, 'name': 'N
ewcastle Airport', 'city': 'Newcastle', 'iata': 'NCL', 'icao': 'EGNT', 'latit
ude': 55.037498474121094, 'longitude': -1.6916699409484863, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'D
ublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6
.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 521, 'name': 'N
ewcastle Airport', 'city': 'Newcastle', 'iata': 'NCL', 'icao': 'EGNT', 'latit
ude': 55.037498474121094, 'longitude': -1.6916699409484863, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cor
k', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude'
: -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 600, 'name': 'I
reland West Knock Airport', 'city': 'Connaught', 'iata': 'NOC', 'icao': 'EIKN
', 'latitude': 53.9103012084961, 'longitude': -8.818490028381348, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport
', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'l
ongitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "
Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'ica
o': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'ds
t': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta
International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'la
titude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_
id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['CR7', 'E70']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "
Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'ica
o': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'ds
t': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Du
blin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.
27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
330', '332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "
Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'ica
o': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'ds
t': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans
International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY',
'latitude': 29.99340057373047, 'longitude': -90.25800323486328, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1055, 'name': 'Lanzarote Airport', 'city': 'Arrecife'
, 'iata': 'ACE', 'icao': 'GCRR', 'latitude': 28.945498999999998, 'longitude':
-13.6052, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'ia
ta': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.49
9110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1212, 'name': 'Alicante International Airport', 'city
': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude': 38.28219985961914,
'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro

pe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 469, 'name': 'Birmingham International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 490, 'name': 'Bristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'icao': 'EGGD', 'latitude': 51.382702, 'longitude': -2.71909, 't

imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels',
'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.4844
3984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airpor
t', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'l
ongitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 535, 'name': 'Edinburgh Airport', 'city': 'Edinburgh'
, 'iata': 'EDI', 'icao': 'EGPH', 'latitude': 55.95000076293945, 'longitude':
-3.372499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata':
'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909
957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'ai

rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 534, 'name': 'Glasgow International Airport', 'city':
'Glasgow', 'iata': 'GLA', 'icao': 'EGPF', 'latitude': 55.8718986511, 'longitu
de': -4.43306016922, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 499, 'name': 'Jersey Airport', 'city': 'Jersey', 'iat
a': 'JER', 'icao': 'EGJJ', 'latitude': 49.20790100097656, 'longitude': -2.195
5099105834956, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Jersey', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'Lond
on', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.4619
41, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Porte
la Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38
.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/L

isbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'Mancheste
r', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude'
: -2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iat
a': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Ni
ce', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitud
e': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'C
ork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.8
4130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 521, 'name': 'Newcastle Airport', 'city': 'Newcastle'
, 'iata': 'NCL', 'icao': 'EGNT', 'latitude': 55.037498474121094, 'longitude':
-1.6916699409484863, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 596, 'name': 'Cork Airport', 'city': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, 'longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1356, 'name': 'Perpignan-Rivesaltes (Llabanère) Airport', 'city': 'Perpignan', 'iata': 'PGF', 'icao': 'LFMP', 'latitude': 42.74039840698242, 'longitude': 2.8706700801849365, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 467, 'name': 'George Best Belfast City Airport', 'city': 'Belfast', 'iata': 'BHD', 'icao': 'EGAC', 'latitude': 54.61809921264648, 'longitude': -5.872499942779541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3998, 'name': '
Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'icao
': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 596, 'name': 'Cork Airport', 'c
ity': 'Cork', 'iata': 'ORK', 'icao': 'EICK', 'latitude': 51.84130096435547, '
longitude': -8.491109848022461, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe
/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': '
Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR'
, 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': '
DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone
': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1203, 'name': '
Pula Airport', 'city': 'Pula', 'iata': 'PUY', 'icao': 'LDPL', 'latitude': 44.
89350128173828, 'longitude': 13.922200202941895, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iat
a': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1243, 'name': '
Santiago de Compostela Airport', 'city': 'Santiago', 'iata': 'SCQ', 'icao': '
LEST', 'latitude': 42.89630126953125, 'longitude': -8.415140151977539, 'timez
one': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport',
'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'long
itude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 508, 'name': 'S
outhend Airport', 'city': 'Southend', 'iata': 'SEN', 'icao': 'EGMC', 'latitud
e': 51.5713996887207, 'longitude': 0.6955559849739075, 'timezone': 0.0, 'dst'
: 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin'
, 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007
, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4',
'AT7']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 3469, 'name': '
San Francisco International Airport', 'city': 'San Francisco', 'iata': 'SFO',
'icao': 'KSFO', 'latitude': 37.61899948120117, 'longitude': -122.375, 'timezo
ne': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Air
port', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299
, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['332']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'ic
ao': 'LEMG', 'latitude': 36.67490005493164, 'longitude': -4.499110221862793,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 469, 'name': 'Birmingham International Airport', 'city': 'Birmingham
', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.
7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['AT4', 'AT7']}

{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3448, 'name': 'General Edward Lawrence Logan International Airport',
'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'lo
ngitude': -71.00520325, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_Y
ork', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['757']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 490, 'name': 'Bristol Airport', 'city': 'Bristol', 'iata': 'BRS', 'i
cao': 'EGGD', 'latitude': 51.382702, 'longitude': -2.71909, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 535, 'name': 'Edinburgh Airport', 'city': 'Edinburgh', 'iata': 'EDI'
, 'icao': 'EGPH', 'latitude': 55.95000076293945, 'longitude': -3.372499942779
541, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7
']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao':
'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909957889999, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr

y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New Y
ork', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -7
3.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['757']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'L
HR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 603, 'name': 'S
hannon Airport', 'city': 'Shannon', 'iata': 'SNN', 'icao': 'EINN', 'latitude'
: 52.702, 'longitude': -8.92482, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MA
N', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.2749500274
658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
AT7', 'AT4']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'S
tuttgart Airport', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latit
ude': 48.6898994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iat
a': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 337, 'name': 'B
erlin-Schönefeld Airport', 'city': 'Berlin', 'iata': 'SXF', 'icao': 'EDDB', '

latitude': 52.380001, 'longitude': 13.5225, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1273, 'name': 'Toulouse-Blagnac Airport', 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101, 'longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'country': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'c

ity': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longit
ude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': '
Verona Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'L
IPX', 'latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'ia
ta': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'W
arsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'lati
tude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'i
ata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'L
ester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'i
cao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'ti
mezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Air
port', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299
, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['757']}
{'airline': {'airline_id': 837, 'name': 'Aer Lingus', 'alias': 'Pulkovo Aviat
ion Enterprise', 'iata': 'EI', 'icao': 'EIN', 'callsign': 'SHAMROCK', 'countr
y': 'Ireland', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': '
Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude':
47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'D
UB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone'

: 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 253, 'name': '
Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latit
ude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka International Airpor
t', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.60518980026
2451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 248, 'name': '
Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA'
, 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bouet Airport',
'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.2613902091979
98, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': '
Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 248, 'name': '
Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA'
, 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':

'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3341, 'name':
'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao':
'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5
, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2006, 'name':
'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao':
'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezon
e': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane Inte
rnational Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latit
ude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0,
'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2006, 'name':
'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao':
'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezon
e': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne Int
ernational Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'lat
itude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 't
z_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2006, 'name':
'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao':
'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezon
e': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsf
ord Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'Y
SSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezon

e': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 210, 'name': '
Houari Boumediene Airport', 'city': 'Algier', 'iata': 'ALG', 'icao': 'DAAG',
'latitude': 36.691001892089844, 'longitude': 3.215409994125366, 'timezone': 1
.0, 'dst': 'N', 'tz_id': 'Africa/Algiers', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International A
irport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279
9987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2994, 'name':
'Sardar Vallabhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata'
: 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.634696960
39998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Du
bai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', '
latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, '
dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2170, 'name':
'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': '
OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0
, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport
', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780
0003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia
/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['773', '77W', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 580, 'name': '
Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHA
M', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city
': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'l
ongitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2057, 'name': 'Bahrain International Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '772', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':

'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2177, 'name':
'Beirut Rafic Hariri International Airport', 'city': 'Beirut', 'iata': 'BEY',
'icao': 'OLBA', 'latitude': 33.820899963378906, 'longitude': 35.4883995056152
34, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4130, 'name':
'Baghdad International Airport', 'city': 'Baghdad', 'iata': 'BGW', 'icao': 'O
RBI', 'latitude': 33.262500762900004, 'longitude': 44.2346000671, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Ai
rport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799
987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 469, 'name': '
Birmingham International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao
': 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'time
zone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internat
ional Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 2
5.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', '
tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airpo
rt', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987
800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'As

ia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International A
irport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.3
08901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith In
ternational Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latit
ude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'd
st': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3131, 'name':
'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao
': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst
': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim
ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Aucklan
d International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA',
'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0

, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim
ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4217, 'name': 'Blackal
l Airport', 'city': 'Blackall', 'iata': 'BKQ', 'icao': 'YBCK', 'latitude': -2
4.427799224900003, 'longitude': 145.429000854, 'timezone': 10.0, 'dst': 'O',
'tz_id': 'Australia/Brisbane', type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim
ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim
ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 6289, 'name': 'Longrea
ch Airport', 'city': 'Longreach', 'iata': 'LRE', 'icao': 'YLRE', 'latitude':
-23.4342002869, 'longitude': 144.279998779, 'timezone': 10.0, 'dst': 'O', 'tz
_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim
ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3329, 'name': 'Rockham
pton Airport', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK', 'latitud
e': -23.3819007874, 'longitude': 150.475006104, 'timezone': 10.0, 'dst': 'O',

'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['DH8', 'DH4']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim
ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapo
re Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'lati
tude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2997, 'name':
'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM',
'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Inte
rnational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude
': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U
', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['77W', '772', '73H', '332', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3448, 'name':
'General Edward Lawrence Logan International Airport', 'city': 'Boston', 'iat
a': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dub
ai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'l
atitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2234, 'name':
'Basrah International Airport', 'city': 'Basrah', 'iata': 'BSR', 'icao': 'ORM
M', 'latitude': 30.54910087585449, 'longitude': 47.66210174560547, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'

: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1128, 'name':
'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA'
, 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Ai
rport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799
987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['773', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3370, 'name':
'Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN',
'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.2990036010742
2, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai
International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'lati
tude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3137, 'name':
'Calicut International Airport', 'city': 'Calicut', 'iata': 'CCJ', 'icao': 'V
OCL', 'latitude': 11.1367998123, 'longitude': 75.95529937740001, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International A
irport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279
9987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['332', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3043, 'name':
'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata
': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.446
70104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name
': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OM
DB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone':

4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1382, 'name':
'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'i
cao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3275, 'name':
'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ic
ao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone'
: 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2009, 'name':
'Christchurch International Airport', 'city': 'Christchurch', 'iata': 'CHC',
'icao': 'NZCH', 'latitude': -43.48939895629883, 'longitude': 172.531997680664
06, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'S
ydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD'
, 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.1770019531
25, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3024, 'name':
'Bandaranaike International Colombo Airport', 'city': 'Colombo', 'iata': 'CMB
', 'icao': 'VCBI', 'latitude': 7.180759906768799, 'longitude': 79.88410186767
578, 'timezone': 5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai
International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'lati

tude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3024, 'name':
'Bandaranaike International Colombo Airport', 'city': 'Colombo', 'iata': 'CMB
', 'icao': 'VCBI', 'latitude': 7.180759906768799, 'longitude': 79.88410186767
578, 'timezone': 5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3156, 'name': 'Malé I
nternational Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitu
de': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'ds
t': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1074, 'name':
'Mohammed V International Airport', 'city': 'Casablanca', 'iata': 'CMN', 'ica
o': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7.589970111846924, '
timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai
International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'lati
tude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3322, 'name':
'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBC
S', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0,
'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 6316, 'name': 'Gove Airport', 'city'
: 'Gove', 'iata': 'GOV', 'icao': 'YPGV', 'latitude': -12.269399642899998, 'lo
ngitude': 136.817993164, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Dar
win', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['717']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3136, 'name':
'Cochin International Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI
', 'latitude': 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport
', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780

0003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia
/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['772', '773', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 609, 'name': '
Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EK
CH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.
252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz
_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 797, 'name': '
Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao':
'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2
.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.
252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz
_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3076, 'name':
'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'ic
ao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone
': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International A
irport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279
9987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1177, 'name':
'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR
', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internat
ional Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 2

5.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', '
tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3093, 'name':
'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao'
: 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst'
: 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['773', '772', '73H', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3670, 'name':
'Dallas Fort Worth International Airport', 'city': 'Dallas-Fort Worth', 'iata
': 'DFW', 'icao': 'KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'ti
mezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Int
ernational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitud
e': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': '
U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1084, 'name':
'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR'
, 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.4902000427
2461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Duba
i International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'la
titude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'ds
t': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4029, 'name':
'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao':
'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timez
one': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.

252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2064, 'name': 'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '773', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['772', '77W', '773', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6316, 'name': 'Gove Airport', 'city': 'Gove', 'iata': 'GOV', 'icao': 'YPGV', 'latitude': -12.26939964289999

8, 'longitude': 136.817993164, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Austral
ia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 599, 'name': '
Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude':
53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata
': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.364
3989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
7W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 799, 'name': '
King Shaka International Airport', 'city': 'Durban', 'iata': 'DUR', 'icao': '
FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199997, 'timezone
': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 345, 'name': '
Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'l
atitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'ci
ty': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka International Airport
', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262

451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 210, 'name': 'Houari Boumediene Airport', 'city': 'Algier', 'iata': 'ALG', 'icao': 'DAAG', 'latitude': 36.691001892089844, 'longitude': 3.215409994125366, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Algiers', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'la

titude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773', '77W', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude

': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E
', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2057, 'name': 'Bahrain International Airpo
rt', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.2707996
3684082, 'longitude': 50.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['332', '772', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Air
port', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.297
1, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2177, 'name': 'Beirut Rafic Hariri Interna
tional Airport', 'city': 'Beirut', 'iata': 'BEY', 'icao': 'OLBA', 'latitude':
33.820899963378906, 'longitude': 35.488399505615234, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4130, 'name': 'Baghdad International Airpo
rt', 'city': 'Baghdad', 'iata': 'BGW', 'icao': 'ORBI', 'latitude': 33.2625007

62900004, 'longitude': 44.2346000671, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 469, 'name': 'Birmingham International Air
port', 'city': 'Birmingham', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.45
38993835, 'longitude': -1.7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_
id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'cit
y': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598,
'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Ai
rport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.19
79, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airp
ort', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841

9914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 't
z_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Interna
tional Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude':
19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['772', '332', '77W', '73H', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3448, 'name': 'General Edward Lawrence Log
an International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS', '
latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0, 'dst': '
A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2234, 'name': 'Basrah International Airpor
t', 'city': 'Basrah', 'iata': 'BSR', 'icao': 'ORMM', 'latitude': 30.549100875
85449, 'longitude': 47.66210174560547, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo International Airport
', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847

168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'A
frica/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['773', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun Internatio
nal Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude':
23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3137, 'name': 'Calicut International Airpo
rt', 'city': 'Calicut', 'iata': 'CCJ', 'icao': 'VOCL', 'latitude': 11.1367998
123, 'longitude': 75.95529937740001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['332', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose
International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'la
titude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle Internati
onal Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49

.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Par
is', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Internationa
l Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.
1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id':
'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3024, 'name': 'Bandaranaike International
Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI', 'latitude
': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone': 5.5, 'dst':
'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1074, 'name': 'Mohammed V International Ai
rport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.3
6750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3136, 'name': 'Cochin International Airpor
t', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.1520000000

00001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['772', '773', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport',
'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848
389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 797, 'name': 'Cape Town International Airp
ort', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.964
8017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'A
frica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal Internatio
nal Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.
843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id':
'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere Internationa
l Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitude

': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'A
frica/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International
Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665
, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['772', '73H', '77W', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth Internati
onal Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': 'KDFW', 'l
atitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst': 'A', '
tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor Inter
national Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude'
: 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst'
: 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Ai
rport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879

821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd International Air
port', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200
942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['332', '773', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airpor
t', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'lo
ngitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['772', '77W', '773', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Du
blin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.
27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 799, 'name': 'King Shaka International Air
port', 'city': 'Durban', 'iata': 'DUR', 'icao': 'FALE', 'latitude': -29.61444

44444, 'longitude': 31.119722222199997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1187, 'name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['345']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3989, 'name': 'Erbil International Airport', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'ORER', 'latitude': 36.23759841918945, 'longitude': 43.96319961547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.80027

7799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2560, 'name': 'Rio Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 534, 'name': 'Glasgow International Airport', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EGPF', 'latitude': 55.8718986511, 'longitude': -4.43306016922, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU',

'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321
289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin Internation
al Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.
23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['77L', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'H
amburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'long
itude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berl
in', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Air
port', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308
901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airpor

t', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'lon
gitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda International
Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'latitude': 35.5522
99, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Toky
o', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['772'
, '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3714, 'name': 'Washington Dulles Internati
onal Airport', 'city': 'Washington', 'iata': 'IAD', 'icao': 'KIAD', 'latitude
': 38.94449997, 'longitude': -77.45580292, 'timezone': -5.0, 'dst': 'A', 'tz_
id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3550, 'name': 'George Bush Intercontinenta
l Houston Airport', 'city': 'Houston', 'iata': 'IAH', 'icao': 'KIAH', 'latitu
de': 29.98439979553223, 'longitude': -95.34140014648438, 'timezone': -6.0, 'd

st': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airpo
rt', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.469100952
14844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International
Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416
099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', '
tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['772', '77W', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto Internationa
l Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 3
3.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia
/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk International Airpo
rt', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898
, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbu

l', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['345']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airp
ort', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.345001220
70313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['345']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah International Airpor
t', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'l
ongitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3992, 'name': 'Kansai International Airpor
t', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.4272994995
1172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1175, 'name': 'Khartoum International Airp
ort', 'city': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS', 'latitude': 15.58950
0427246096, 'longitude': 32.55319976806641, 'timezone': 3.0, 'dst': 'U', 'tz_

id': 'Africa/Khartoum', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International
Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude':
2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airpor
t', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646
972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['77W', '772', '332', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport'
, 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.85836999999
9999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lua
nda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['77W', '332', '77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles International A
irport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33
.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 't

z_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airpo
rt', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.8750991
82128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': '
St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453
, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Euro
pe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['77L', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'ci
ty': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitu
de': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International A
irport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216
007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_i

d': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 273, 'name': 'Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 907, 'name': 'Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN', 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791, 'timezone': 2.0, 'dst': 'U',

'tz_id': 'Africa/Lusaka', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1335, 'name': 'Lyon Saint-Exupéry Airport'
, 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL', 'latitude': 45.725556, 'long
itude': 5.081111, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airpo
rt', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.99000549
3164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id'
: 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W', '772', '332', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Baraja
s Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.4
71926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/M
adrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 478, 'name': 'Manchester Airport', 'city':
'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, '
longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ

e/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat International Airpor
t', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865
722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['738', '332', 'E75', '73H', '77W', '772', 'E90
']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2074, 'name': 'Prince Mohammad Bin Abdulaz
iz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24
.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Ri
yadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Air
port', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.67
3302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austra
lia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1606, 'name': 'Malta International Airport
', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude': 35.857498, 'lo

ngitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Malta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3156, 'name': 'Malé International Airport'
, 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19183015823364
35, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'In
dian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['773', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International
Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.508
6, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 893, 'name': 'Sir Seewoosagur Ramgoolam In
ternational Airport', 'city': 'Plaisance', 'iata': 'MRU', 'icao': 'FIMP', 'la
titude': -20.430201, 'longitude': 57.683601, 'timezone': 4.0, 'dst': 'N', 'tz
_id': 'Indian/Mauritius', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Mu
nich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.

7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
88']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airp
ort', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, '
longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['77W', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta International
Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31
923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport",
'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005
, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 521, 'name': 'Newcastle Airport', 'city':
'Newcastle', 'iata': 'NCL', 'icao': 'EGNT', 'latitude': 55.037498474121094, '

longitude': -1.6916699409484863, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europ
e/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International Airpor
t', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.7647018432
99996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asi
a/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital Internation
al Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40
.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport
', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.9402999877
9297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2219, 'name': 'Peshawar International Airp
ort', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS', 'latitude': 33.99390

0299072266, 'longitude': 71.51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['772', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '773', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3980, 'name': "Sana'a International Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': 'OYSN', 'latitude': 15.4763002395

62988, 'longitude': 44.21969985961914, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3577, 'name': 'Seattle Tacoma International Airport', 'city': 'Seattle', 'iata': 'SEA', 'icao': 'KSEA', 'latitude': 47.449001, 'longitude': -122.308998, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 994, 'name': 'Seychelles International Airport', 'city': 'Mahe', 'iata': 'SEZ', 'icao': 'FSIA', 'latitude': -4.67434, 'longitude': 55.521801, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Indian/Mahe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3469, 'name': 'San Francisco International Airport', 'city': 'San Francisco', 'iata': 'SFO', 'icao': 'KSFO', 'latitude': 37.61899948120117, 'longitude': -122.375, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitud

e': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', '
tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport',
'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'lon
gitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 6776, 'name': 'Sialkot Airport', 'city': '
Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'latitude': 32.5355567932, 'longitud
e': 74.3638916016, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Inte
rnational Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitud
e': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan Internationa
l Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0

777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 287, 'name': 'Tunis Carthage International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA', 'latitude': 36.85100173950195, 'longitude': 10.22719955444336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156

738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'cit
y': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'long
itude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson Internatio
nal Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 4
3.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Z
urich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longi
tude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1187, 'name':
'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'H
UEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'ci
ty': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,

'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['345']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3989, 'name':
'Erbil International Airport', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'ORER'
, 'latitude': 36.23759841918945, 'longitude': 43.96319961547852, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Ai
rport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799
987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3988, 'name':
'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': '
EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone'
: -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2560, 'name': 'Rio Galeão
– Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG',
'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458,
'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77
W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1555, 'name':
'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao':
'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.
252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz
_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city':

'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'long
itude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2560, 'name':
'Rio Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'ia
ta': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43
.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188,
'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao'
: 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezo
ne': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2560, 'name':
'Rio Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'ia
ta': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43
.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3988,
'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', '
iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 't
imezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
7W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 534, 'name': '
Glasgow International Airport', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EG
PF', 'latitude': 55.8718986511, 'longitude': -4.43306016922, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airpor
t', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527999878
00003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asi
a/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2564, 'name':
'Guarulhos - Governador André Franco Montoro International Airport', 'city':
'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164,
'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'Amer

ica/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', '
iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55
.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1665, 'name':
'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'ic
ao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Inter
national Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude'
: 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U'
, 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['77L', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 342, 'name': '
Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude
': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'name':
'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao'
: 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airpo
rt', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.6810998
91662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_i
d': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'name':
'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao'
: 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone'

: 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internationa
l Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25
2799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_i
d': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3179, 'name':
'Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTS
P', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': '
Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longi
tude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2359, 'name':
'Tokyo Haneda International Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao':
'RJTT', 'latitude': 35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst
': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'ci
ty': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1005, 'name':
'Robert Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE
', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 907, 'name': 'Kenneth Kaunda Interna
tional Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN', 'icao': 'FLLS', 'lat
itude': -15.330800056500001, 'longitude': 28.4526004791, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': None, 'dst_airport': {'airpor
t_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata':
'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.364398

9563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332'
, '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3714, 'name':
'Washington Dulles International Airport', 'city': 'Washington', 'iata': 'IAD
', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitude': -77.45580292, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Inter
national Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude'
: 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U'
, 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3550, 'name':
'George Bush Intercontinental Houston Airport', 'city': 'Houston', 'iata': 'I
AH', 'icao': 'KIAH', 'latitude': 29.98439979553223, 'longitude': -95.34140014
648438, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3930, 'name':
'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKS
I', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone
': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International A
irport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279
9987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4330, 'name':
'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao
': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, '
timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Intern
ational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':

25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['772', '77W', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2223, 'name':
'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', '
icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airpo
rt', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987
800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'As
ia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1701, 'name':
'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': '
LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': '
E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2072, 'name':
'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'ica
o': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3797, 'name':
'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'i
cao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2

52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['345']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279

9987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['345']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1175, 'name': 'Khartoum International Airport', 'city': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS', 'latitude': 15.589500427246096, 'longitude': 32.55319976806641, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB',

'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports' }, 'codeshare': False, 'stops': 0, 'equipment': ['773', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.709999084469 98, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '772', '332', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'lati

tude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1197, 'name':
'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'L
CLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezo
ne': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1197, 'name':
'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'L
CLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezo
ne': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1606, 'name': 'Malta Internation
al Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude': 35.8
57498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Ma
lta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2948, 'name':
'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', '
latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0
, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airp
ort', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998
7800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'A
sia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['77L', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 502, 'name': '
London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'la
titude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_
id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dub
ai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitud

e': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2207, 'name':
'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 507, 'name': '
London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'l
atitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Duba
i', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude
': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1638, 'name':
'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata'
: 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezon
e': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 273, 'name': '
Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'ica
o': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Inter
national Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude'

: 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U'
, 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 907, 'name': '
Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN'
, 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 907, 'name': '
Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN'
, 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1005, 'name': 'Robert
Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE', 'icao
': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1335, 'name':
'Lyon Saint-Exupéry Airport', 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL',
'latitude': 45.725556, 'longitude': 5.081111, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Du
bai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitu
de': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3144, 'name':
'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VO
MM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezon
e': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2

52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '77W', '772', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '332', 'E75', '73H', '77W', '772', 'E90', '73G']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',

'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3339, 'name':
'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao'
: 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0,
'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland International
Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.
0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 't
z_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3339, 'name':
'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao'
: 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0,
'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Air
port', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527999
87800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': '
Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3339, 'name':
'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao'
: 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0,
'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur Internatio
nal Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitud
e': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3339, 'name':
'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao'
: 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0,
'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpor

t', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2042, 'name': 'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'icao': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1606, 'name': 'Malta International Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude': 35.857498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Malta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1606, 'name': 'Malta International Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude': 35.857498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Malta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1157, 'name': 'Tripoli International Airport', 'city': 'Tripoli', 'iata': 'TIP', 'icao': 'HLLT', 'latitude': 32.6635017395, 'longitude': 13.159000396700002, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Africa/Tripoli', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3024, 'name': 'Bandaranaike Interna

tional Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI', 'l
atitude': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone': 5.5,
'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3156, 'name':
'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM',
'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5
.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['773', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2397, 'name':
'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao'
: 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst
': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 893, 'name': '
Sir Seewoosagur Ramgoolam International Airport', 'city': 'Plaisance', 'iata'
: 'MRU', 'icao': 'FIMP', 'latitude': -20.430201, 'longitude': 57.683601, 'tim
ezone': 4.0, 'dst': 'N', 'tz_id': 'Indian/Mauritius', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Inte
rnational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude
': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U
', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 346, 'name': '
Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata'

: 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643
989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['38
8']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1524, 'name':
'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'L
IMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['77W', '773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1524, 'name':
'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'L
IMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International
Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.6
3980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'A
merica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4059, 'name':
'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'ica
o': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1354, 'name':
"Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'l
atitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airpo

rt', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987
800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'As
ia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 521, 'name': '
Newcastle Airport', 'city': 'Newcastle', 'iata': 'NCL', 'icao': 'EGNT', 'lati
tude': 55.037498474121094, 'longitude': -1.6916699409484863, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airpor
t', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527999878
00003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asi
a/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2279, 'name':
'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA
', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.
0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airpor
t', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527999878
00003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asi
a/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3364, 'name':
'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'i
cao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Int
ernational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitud
e': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': '
U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3351, 'name':
'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH'
, 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Air

port', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -2
3.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': '
N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3351, 'name':
'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH'
, 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3351, 'name':
'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH'
, 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2219, 'name':
'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao':
'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, 'time
zone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.
252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz
_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['772', '332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1587, 'name':
'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR
', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dub

ai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitud
e': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3406, 'name':
'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', '
icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.8050003051757
8, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai
International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'lati
tude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3329, 'name':
'Rockhampton Airport', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK',
'latitude': -23.3819007874, 'longitude': 150.475006104, 'timezone': 10.0, 'ds
t': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International A
irport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3
8419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N',
'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['DH8', 'DH4']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2082, 'name':
'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao':
'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.
252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz
_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W', '773', '772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3980, 'name':
"Sana'a International Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': 'OYSN
', 'latitude': 15.476300239562988, 'longitude': 44.21969985961914, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Air

port', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527999
87800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': '
Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3577, 'name':
'Seattle Tacoma International Airport', 'city': 'Seattle', 'iata': 'SEA', 'ic
ao': 'KSEA', 'latitude': 47.449001, 'longitude': -122.308998, 'timezone': -8.
0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 994, 'name': '
Seychelles International Airport', 'city': 'Mahe', 'iata': 'SEZ', 'icao': 'FS
IA', 'latitude': -4.67434, 'longitude': 55.521801, 'timezone': 4.0, 'dst': 'U
', 'tz_id': 'Indian/Mahe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city':
'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'long
itude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3469, 'name':
'San Francisco International Airport', 'city': 'San Francisco', 'iata': 'SFO'
, 'icao': 'KSFO', 'latitude': 37.61899948120117, 'longitude': -122.375, 'time
zone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3205, 'name':
'Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SG
N', 'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 't
imezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Interna

tional Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airlines', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city':

'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'long
itude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/
Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International
Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94
609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 't
z_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['333', '744']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 6776, 'name':
'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'latitud
e': 32.5355567932, 'longitude': 74.3638916016, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'D
ubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longit
ude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name':
'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao':
'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezon
e': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name':

'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2009, 'name':
'Christchurch International Airport', 'city': 'Christchurch', 'iata': 'CHC',
'icao': 'NZCH', 'latitude': -43.48939895629883, 'longitude': 172.531997680664
06, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['333', '744']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air

port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2042, 'name':
'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'ica
o': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998,
'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']
}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2030, 'name':
'Queenstown International Airport', 'city': 'Queenstown International', 'iata
': 'ZQN', 'icao': 'NZQN', 'latitude': -45.0210990906, 'longitude': 168.738998
413, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1157, 'name':
'Tripoli International Airport', 'city': 'Tripoli', 'iata': 'TIP', 'icao': 'H
LLT', 'latitude': 32.6635017395, 'longitude': 13.159000396700002, 'timezone':
2.0, 'dst': 'N', 'tz_id': 'Africa/Tripoli', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2276, 'name':
'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'ica
o': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3153, 'name':
'Trivandrum International Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'ica

o': 'VOTV', 'latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone'
: 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 287, 'name': '
Tunis Carthage International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao'
: 'DTTA', 'latitude': 36.85100173950195, 'longitude': 10.22719955444336, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internat
ional Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 2
5.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', '
tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1551, 'name':
'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ',
'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Duba
i', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude
': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1613, 'name':
'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOW
W', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 679, 'name': '
Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'lat

itude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city
': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'l
ongitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['332']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2042, 'name':
'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'ica
o': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998,
'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbou
rne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML
', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst':
'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2042, 'name':
'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'ica
o': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998,
'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney
Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'ica
o': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 't
imezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 193, 'name': '
Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', '
icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai In
ternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitu
de': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2030, 'name':
'Queenstown International Airport', 'city': 'Queenstown International', 'iata

': 'ZQN', 'icao': 'NZQN', 'latitude': -45.0210990906, 'longitude': 168.738998
413, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': '
Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD
', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953
125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'73H']}
{'airline': {'airline_id': 2183, 'name': 'Emirates', 'alias': 'Emirates Airli
nes', 'iata': 'EK', 'icao': 'UAE', 'callsign': 'EMIRATES', 'country': 'United
Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1678, 'name':
'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude'
: 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dub
ai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitud
e': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['388', '77W']}
{'airline': {'airline_id': 336, 'name': 'Air Nippon', 'alias': 'ANA All Nippo
n Airways', 'iata': 'EL', 'icao': 'ANK', 'callsign': 'ANK AIR', 'country': 'J
apan', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedo
vo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', '
latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0
, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia I
nternational Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS',
'latitude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 336, 'name': 'Air Nippon', 'alias': 'ANA All Nippo
n Airways', 'iata': 'EL', 'icao': 'ANK', 'callsign': 'ANK AIR', 'country': 'J
apan', 'active': True}, 'src_airport': {'airport_id': 2940, 'name': 'Donetsk
International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'la
titude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia Inter
national Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'la
titude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 336, 'name': 'Air Nippon', 'alias': 'ANA All Nippo
n Airways', 'iata': 'EL', 'icao': 'ANK', 'callsign': 'ANK AIR', 'country': 'J
apan', 'active': True}, 'src_airport': {'airport_id': 2964, 'name': 'Platov I

nternational Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP', 'lati
tude': 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia Internationa
l Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude'
: 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 336, 'name': 'Air Nippon', 'alias': 'ANA All Nippo
n Airways', 'iata': 'EL', 'icao': 'ANK', 'callsign': 'ANK AIR', 'country': 'J
apan', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessalo
niki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG',
'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918
, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domoded
ovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD',
'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 336, 'name': 'Air Nippon', 'alias': 'ANA All Nippo
n Airways', 'iata': 'EL', 'icao': 'ANK', 'callsign': 'ANK AIR', 'country': 'J
apan', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessalo
niki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG',
'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918
, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2940, 'name': 'Donetsk
International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'la
titude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 336, 'name': 'Air Nippon', 'alias': 'ANA All Nippo
n Airways', 'iata': 'EL', 'icao': 'ANK', 'callsign': 'ANK AIR', 'country': 'J
apan', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'Thessalo
niki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG',
'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918
, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2964, 'name': 'Platov
International Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP', 'lat
itude': 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst': '
N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 1501, 'name': '

Bari Karol Wojtyła Airport', 'city': 'Bari', 'iata': 'BRI', 'icao': 'LIBD', '
latitude': 41.138901000000004, 'longitude': 16.760599, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich',
'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 1563, 'name': '
Peretola Airport', 'city': 'Florence', 'iata': 'FLR', 'icao': 'LIRQ', 'latitu
de': 43.810001, 'longitude': 11.2051, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', '
icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'F
rankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF'
, 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1529, 'name': 'Milano Linate Airport', 'city': 'Milan
', 'iata': 'LIN', 'icao': 'LIML', 'latitude': 45.445099, 'longitude': 9.27674
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '
E90', '320', '319', '32A']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'F
rankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF'
, 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1550, 'name': 'Verona Villafranca Airport', 'city': '
Villafranca', 'iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitud
e': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 1529, 'name': '
Milano Linate Airport', 'city': 'Milan', 'iata': 'LIN', 'icao': 'LIML', 'lati
tude': 45.445099, 'longitude': 9.27674, 'timezone': 1.0, 'dst': 'E', 'tz_id':

'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', '
iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '3
21', 'E90', '319', '32A']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'M
unich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1501, 'name': 'Bari Karol Wojtyła Airport', 'city': 'Bari', 'iata':
'BRI', 'icao': 'LIBD', 'latitude': 41.138901000000004, 'longitude': 16.760599
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'M
unich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1563, 'name': 'Peretola Airport', 'city': 'Florence', 'iata': 'FLR',
'icao': 'LIRQ', 'latitude': 43.810001, 'longitude': 11.2051, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'M
unich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata':
'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Avi
ation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'coun
try': 'Italy', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'M
unich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'Villafranca', '
iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude': 10.8885, 't

imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'country': 'Italy', 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'country': 'Italy', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 807, 'name': 'Air Dolomiti', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'EN', 'icao': 'DLA', 'callsign': 'DOLOMOTI', 'country': 'Italy', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': 'Verona Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', 'latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias': 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1128, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2067, 'name': 'Gassim Airport', 'city': 'Gassim', 'iata': 'ELQ', 'icao': 'OEGS', 'latitude': 26.30279922485352, 'longitude': 43.77439880371094, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 112
8, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'ic
ao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2090, 'name': 'Ta'if Regio
nal Airport', 'city': 'Taif', 'iata': 'TIF', 'icao': 'OETF', 'latitude': 21.4
83001, 'longitude': 40.543442, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Ri
yadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 112
8, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'ic
ao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2089, 'name': 'Tabuk Airpo
rt', 'city': 'Tabuk', 'iata': 'TUU', 'icao': 'OETB', 'latitude': 28.3654, 'lo
ngitude': 36.6189, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 112
8, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'ic
ao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2096, 'name': 'Prince Abdu
lmohsin Bin Abdulaziz Airport', 'city': 'Yenbo', 'iata': 'YNB', 'icao': 'OEYN
', 'latitude': 24.144199, 'longitude': 38.0634, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 206
7, 'name': 'Gassim Airport', 'city': 'Gassim', 'iata': 'ELQ', 'icao': 'OEGS',
'latitude': 26.30279922485352, 'longitude': 43.77439880371094, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo International Airpo
rt', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.121900558
47168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 341
0, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria', 'iata'
: 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude': 29.69639
9688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name':
'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'ica
o': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 341
0, 'name': 'Borg El Arab International Airport', 'city': 'Alexandria', 'iata'
: 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longitude': 29.69639
9688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name':
'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKB
K', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone
': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 207
2, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata':
'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone
': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3410, 'name': 'Borg El Arab Interna
tional Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA', 'latitu
de': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 217
6, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', '
icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336
, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3410, 'name': 'Borg El A
rab International Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEB
A', 'latitude': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone
': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 209
0, 'name': 'Ta’if Regional Airport', 'city': 'Taif', 'iata': 'TIF', 'icao': '
OETF', 'latitude': 21.483001, 'longitude': 40.543442, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1128, 'name': 'Cairo International Airport', 'city
': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'lo
ngitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Ca
iro', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 208
9, 'name': 'Tabuk Airport', 'city': 'Tabuk', 'iata': 'TUU', 'icao': 'OETB', '
latitude': 28.3654, 'longitude': 36.6189, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1128, 'name': 'Cairo International Airport', 'city': 'Cairo',
'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31
.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 2293, 'name': 'Express One International', 'alias'
: 'Emirates Airlines', 'iata': 'EO', 'icao': 'LHN', 'callsign': 'LONGHORN', '
country': 'United States', 'active': True}, 'src_airport': {'airport_id': 209
6, 'name': 'Prince Abdulmohsin Bin Abdulaziz Airport', 'city': 'Yenbo', 'iata
': 'YNB', 'icao': 'OEYN', 'latitude': 24.144199, 'longitude': 38.0634, 'timez
one': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo Internation
al Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.1
2190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', '
tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2097, 'name': 'Abadan A
irport', 'city': 'Abadan', 'iata': 'ABD', 'icao': 'OIAA', 'latitude': 30.3710
99471999997, 'longitude': 48.2282981873, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport',
'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.5391998291015
6, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asi
a/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2097, 'name': 'Abadan Airport', 'city': 'Abadan', 'iata': 'ABD', 'icao': 'OIAA', 'latitude': 30.371099471999997, 'longitude': 48.2282981873, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2165, 'name': 'Zabol Airport', 'city': 'Zabol', 'iata': 'ACZ', 'icao': 'OIZB', 'latitude': 31.09830093383789, 'longitude': 61.54389953613281, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5935, 'name': 'Ardabil Airport', 'city': 'Ardabil', 'iata': 'ADU', 'icao': 'OITL', 'latitude': 38.3256988525, 'longitude': 48.4244003296, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5931, 'name': 'Sabzevar National Airport', 'city': 'Sabzevar', 'iata': 'AFZ', 'icao': 'OIMS', 'latitude': 36.16809844970703, 'longitude': 57.59519958496094, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.4160995483398 44, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['340']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2164, 'name': 'Shahid Sadooghi Airport', 'city': 'Yazd', 'iata': 'AZD', 'icao': 'OIYY', 'latitude': 31.904899597199996, 'longitude': 54.2765007019, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2164, 'name': 'Shahid Sadooghi Airport', 'city': 'Yazd', 'iata': 'AZD', 'icao': 'OIYY', 'latitude': 31.904899597199996, 'longitude': 54.2765007019, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2164, 'name': 'Shahid Sadooghi Airport', 'city': 'Yazd', 'iata': 'AZD', 'icao': 'OIYY', 'latitude': 31.904899597199996, 'longitude': 54.2765007019, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2110, 'name': 'Bandar Lengeh Airport', 'city': 'Bandar Lengeh', 'iata': 'BDH', 'icao': 'OIBL', 'latitude': 26.531999588, 'longitude': 54.82479858399999, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5930, 'name': 'Bojnord Airport', 'city': 'Bojnourd', 'iata': 'BJB', 'icao': 'OIMN', 'latitude': 37.49300003051758, 'longitude': 57.30820083618164, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2164, 'name': 'Shahid Sadooghi Airport', 'city': 'Yazd', 'iata': 'AZD', 'icao': 'OIYY', 'latitude': 31.904899597199996, 'longitude': 54.2765007019, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti International Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitude': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2123, 'name': 'Sardar-e-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude': 37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2106, 'name': 'Bushehr Airport', 'city': 'Bushehr', 'iata': 'BUZ', 'icao': 'OIBB', 'latitude': 28.944799423200003, 'longitude': 50.834598541300004, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2106, 'name': 'Bushehr Airport', 'city': 'Bushehr', 'iata': 'BUZ', 'icao': 'OIBB', 'latitude': 28.944799423200003, 'longitude': 50.834598541300004, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2106, 'name': 'Bushehr Airport', 'city': 'Bushehr', 'iata': 'BUZ', 'icao': 'OIBB', 'latitude': 28.944799423200003, 'longitude': 50.834598541300004, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5928, 'name': 'Bam Airport', 'city': 'Bam', 'iata': 'BXR', 'icao': 'OIKM', 'latitude': 29.08419990539551, 'longitude': 58.45000076293945, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2110, 'name': 'Bandar Lengeh Airport', 'city': 'Bandar Lengeh', 'iata': 'BDH', 'icao': 'OIBL', 'latitude': 26.531999588, 'longitude': 54.82479858399999, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai In

ternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitu
de': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport',
'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.2182998
65722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id
': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai In
ternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitu
de': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2106, 'name': 'Bushehr Airport', 'city': 'Bushehr',
'iata': 'BUZ', 'icao': 'OIBB', 'latitude': 28.944799423200003, 'longitude': 5
0.834598541300004, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai In
ternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitu
de': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport'
, 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.41609954833
9844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id':
'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai In
ternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitu
de': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai In
ternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitu
de': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 5934, 'name': 'Lar Airport', 'city': 'Lar', 'iata':

'LRR', 'icao': 'OISL', 'latitude': 27.6746997833, 'longitude': 54.3833007812, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2167, 'name': 'Zahedan International Airport', 'cit

y': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'latitude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2166, 'name': 'Konarak Airport', 'city': 'Chah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25.443300247199996, 'longitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airpor

t', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548
339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 6747, 'name': 'Gorgan A
irport', 'city': 'Gorgan', 'iata': 'GBT', 'icao': 'OING', 'latitude': 36.9094
00939899996, 'longitude': 54.4012985229, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashha
d', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude
': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 6747, 'name': 'Gorgan A
irport', 'city': 'Gorgan', 'iata': 'GBT', 'icao': 'OING', 'latitude': 36.9094
00939899996, 'longitude': 54.4012985229, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teher
an', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude
': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 6747, 'name': 'Gorgan A
irport', 'city': 'Gorgan', 'iata': 'GBT', 'icao': 'OING', 'latitude': 36.9094
00939899996, 'longitude': 54.4012985229, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2167, 'name': 'Zahedan International Airport', 'city': 'Zaheda
n', 'iata': 'ZAH', 'icao': 'OIZH', 'latitude': 29.47570037841797, 'longitude'
: 60.90620040893555, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 21
31, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR
', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855
469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport',

'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7'
]}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 21
57, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz'
, 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude':
52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 6790, 'name': 'Hamadan
Airport', 'city': 'Hamadan', 'iata': 'HDM', 'icao': 'OIHH', 'latitude': 34.86
920166015625, 'longitude': 48.5525016784668, 'timezone': 3.5, 'dst': 'E', 'tz
_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Ma
shhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longi
tude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2048, 'name': 'Herat Ai
rport', 'city': 'Herat', 'iata': 'HEA', 'icao': 'OAHR', 'latitude': 34.209999
084472656, 'longitude': 62.22829818725586, 'timezone': 4.5, 'dst': 'U', 'tz_i
d': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashha
d', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude
': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2121, 'name': 'Esfahan
Shahid Beheshti International Airport', 'city': 'Esfahan', 'iata': 'IFN', 'ic
ao': 'OIFM', 'latitude': 32.75080108642578, 'longitude': 51.86130142211914, '
timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2134, 'name': 'Bandar Abbas
International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB'
, 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone':
3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti International Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitude': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti International Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitude': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti International Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitude': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 6748, 'name': 'Ilam Airport', 'city': 'Ilam', 'iata': 'IIL', 'icao': 'OICI', 'latitude': 33.58660125732422, 'longitude': 46.40480041503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['340']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['340']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['340']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5952, 'name': 'Sulaymaniyah International Airport', 'city': 'Sulaymaniyah', 'iata': 'ISU', 'icao': 'ORSU', 'latitude': 35.5617485046, 'longitude': 45.316738128699996, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['340']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5952, 'name': 'Sulaymaniyah International Airport', 'city': 'Sulaymaniyah', 'iata': 'ISU', 'icao': 'ORSU', 'latitude': 35.5617485046, 'longitude': 45.316738128699996, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2051, 'name': 'Kandahar Airport', 'city': 'Kandahar', 'iata': 'KDH', 'icao': 'OAKN', 'latitude': 31.505800247192386, 'longitude': 65.84780120849611, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2136, 'name': 'Kerman Airport', 'city': 'Kerman', 'iata': 'KER', 'icao': 'OIKK', 'latitude': 30.2744007111, 'longitude': 56.9510993958, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2114, 'name': 'Shahid A

shrafi Esfahani Airport', 'city': 'Bakhtaran', 'iata': 'KSH', 'icao': 'OICC', 'latitude': 34.3459014893, 'longitude': 47.1581001282, 'timezone': 3.5, 'dst' : 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, ' dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.689201354980 47, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'As ia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': ' Iran', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait I nternational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'lati tude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, ' dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwa z', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48 .7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'ai rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment' : ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': ' Iran', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait I nternational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'lati tude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, ' dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': ' Iran', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait I nternational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'lati tude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, ' dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport ', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974 609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals e, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': ' Iran', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait I nternational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'lati tude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, ' dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports' }, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib Inter

national Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5934, 'name': 'Lar Airport', 'city': 'Lar', 'iata': 'LRR', 'icao': 'OISL', 'latitude': 27.6746997833, 'longitude': 54.3833007812, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 5934, 'name': 'Lar Airport', 'city': 'Lar', 'iata': 'LRR', 'icao': 'OISL', 'latitude': 27.6746997833, 'longitude': 54.3833007812, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'S

hiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longit
ude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat I
nternational Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'lati
tude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib Inte
rnational Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitud
e': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst'
: 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat I
nternational Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'lati
tude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2166, 'name': 'Konarak Airport', 'city': 'C
hah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25.443300247199996, 'l
ongitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Te
hran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2165, 'name': 'Zabol Airport', 'city': 'Zab
ol', 'iata': 'ACZ', 'icao': 'OIZB', 'latitude': 31.09830093383789, 'longitude
': 61.54389953613281, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahw

az', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 4
8.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2164, 'name': 'Shahid Sadooghi Airport', 'c
ity': 'Yazd', 'iata': 'AZD', 'icao': 'OIYY', 'latitude': 31.904899597199996,
'longitude': 54.2765007019, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2106, 'name': 'Bushehr Airport', 'city': 'B
ushehr', 'iata': 'BUZ', 'icao': 'OIBB', 'latitude': 28.944799423200003, 'long
itude': 50.834598541300004, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport'
, 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800
003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/
Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': '

Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'lo
ngitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6747, 'name': 'Gorgan Airport', 'city': 'Go
rgan', 'iata': 'GBT', 'icao': 'OING', 'latitude': 36.909400939899996, 'longit
ude': 54.4012985229, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6790, 'name': 'Hamadan Airport', 'city': 'H
amadan', 'iata': 'HDM', 'icao': 'OIHH', 'latitude': 34.86920166015625, 'longi
tude': 48.5525016784668, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2048, 'name': 'Herat Airport', 'city': 'Her
at', 'iata': 'HEA', 'icao': 'OAHR', 'latitude': 34.209999084472656, 'longitud
e': 62.22829818725586, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti Inte

rnational Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitu
de': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst
': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International A
irport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.56589
9, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2051, 'name': 'Kandahar Airport', 'city': '
Kandahar', 'iata': 'KDH', 'icao': 'OAKN', 'latitude': 31.505800247192386, 'lo
ngitude': 65.84780120849611, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabu
l', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport
', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.2266006469
72656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2053, 'name': 'Mazar I Sharif Airport', 'ci

ty': 'Mazar-i-sharif', 'iata': 'MZR', 'icao': 'OAMS', 'latitude': 36.70690155
029297, 'longitude': 67.20970153808594, 'timezone': 4.5, 'dst': 'U', 'tz_id':
'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 5932, 'name': 'Noshahr Airport', 'city': 'N
oshahr', 'iata': 'NSH', 'icao': 'OINN', 'latitude': 36.66329956054688, 'longi
tude': 51.464698791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2123, 'name': 'Sardar-e-Jangal Airport', 'c
ity': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude': 37.323333, 'longitu
de': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2151, 'name': 'Ramsar Airport', 'city': 'Ra
msar', 'iata': 'RZR', 'icao': 'OINR', 'latitude': 36.9099006652832, 'longitud
e': 50.67959976196289, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib Inte

rnational Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitud
e': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst'
: 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport
', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887
207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'A
sia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airpo
rt', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.6892013
5498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2167, 'name': 'Zahedan International Airpor
t', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'latitude': 29.47570037
841797, 'longitude': 60.90620040893555, 'timezone': 3.5, 'dst': 'E', 'tz_id':
'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad
International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'la
titude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2166, 'name': 'Konarak Airport', 'city': 'C

hah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25.443300247199996, 'l
ongitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Te
hran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2053, 'name': 'Mazar I
Sharif Airport', 'city': 'Mazar-i-sharif', 'iata': 'MZR', 'icao': 'OAMS', 'la
titude': 36.70690155029297, 'longitude': 67.20970153808594, 'timezone': 4.5,
'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khomeini International A
irport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.4160
99548339844, 'longitude': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 't
z_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 5932, 'name': 'Noshahr
Airport', 'city': 'Noshahr', 'iata': 'NSH', 'icao': 'OINN', 'latitude': 36.66
329956054688, 'longitude': 51.464698791503906, 'timezone': 3.5, 'dst': 'E', '
tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': '
Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'lon
gitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 5932, 'name': 'Noshahr
Airport', 'city': 'Noshahr', 'iata': 'NSH', 'icao': 'OINN', 'latitude': 36.66
329956054688, 'longitude': 51.464698791503906, 'timezone': 3.5, 'dst': 'E', '
tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city':
'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'lon
gitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 5936, 'name': 'Urmia Ai
rport', 'city': 'Uromiyeh', 'iata': 'OMH', 'icao': 'OITR', 'latitude': 37.668
0984497, 'longitude': 45.068698883100005, 'timezone': 3.5, 'dst': 'E', 'tz_id
': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teher

an', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 6749, 'name': 'Parsabade Moghan Airport', 'city': 'Parsabad', 'iata': 'PFQ', 'icao': 'OITP', 'latitude': 39.60359954834, 'longitude': 47.881500244140994, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti International Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitude': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2123, 'name': 'Sardar-e-Jangal Airport', 'city': '

Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude': 37.323333, 'longitude': 49
.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 7546, 'name': 'Persian
Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': '
OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst':
'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib Internation
al Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.
53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E',
'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 7546, 'name': 'Persian
Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': '
OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst':
'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'c
ity': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047
, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia
/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2123, 'name': 'Sardar-e
-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude':
37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asi
a/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar
Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longi
tude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2123, 'name': 'Sardar-e
-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude':
37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asi
a/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'i

ata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.
64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2123, 'name': 'Sardar-e
-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude':
37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asi
a/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije
Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.
737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['1
00']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2123, 'name': 'Sardar-e
-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude':
37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asi
a/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city
': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'l
ongitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Teh
ran', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2123, 'name': 'Sardar-e
-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude':
37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asi
a/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', '
iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.
31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2151, 'name': 'Ramsar A
irport', 'city': 'Ramsar', 'iata': 'RZR', 'icao': 'OINR', 'latitude': 36.9099
006652832, 'longitude': 50.67959976196289, 'timezone': 3.5, 'dst': 'E', 'tz_i
d': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mash

had', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitu
de': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2151, 'name': 'Ramsar A
irport', 'city': 'Ramsar', 'iata': 'RZR', 'icao': 'OINR', 'latitude': 36.9099
006652832, 'longitude': 50.67959976196289, 'timezone': 3.5, 'dst': 'E', 'tz_i
d': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teh
eran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitu
de': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2117, 'name': 'Sanandaj
Airport', 'city': 'Sanandaj', 'iata': 'SDG', 'icao': 'OICS', 'latitude': 35.2
4589920043945, 'longitude': 47.00920104980469, 'timezone': 3.5, 'dst': 'E', '
tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city':
'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'lon
gitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 5933, 'name': 'Dasht-e
Naz Airport', 'city': 'Dasht-e-naz', 'iata': 'SRY', 'icao': 'OINZ', 'latitude
': 36.635799408000004, 'longitude': 53.1935997009, 'timezone': 3.5, 'dst': 'E
', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International
Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.539
19982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz
_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz S
hahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'ica
o': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 't
imezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2097, 'name': 'Abadan Airpor

t', 'city': 'Abadan', 'iata': 'ABD', 'icao': 'OIAA', 'latitude': 30.371099471
999997, 'longitude': 48.2282981873, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'As
ia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz S
hahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'ica
o': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 't
imezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport
', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364,
'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz S
hahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'ica
o': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 't
imezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2134, 'name': 'Bandar Abbas
International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB'
, 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone':
3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz S
hahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'ica
o': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 't
imezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Interna
tional Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude':
25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz S
hahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'ica
o': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 't
imezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source

': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2136, 'name': 'Kerman Airport', 'city': 'Kerman', 'iata': 'KER', 'icao': 'OIKK', 'latitude': 30.2744007111, 'longitude': 56.9510993958, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5934, 'name': 'Lar Airport', 'city': 'Lar', 'iata': 'LRR', 'icao': 'OISL', 'latitude': 27.6746997833, 'longitude': 54.3833007812, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7546, 'name': 'Persian Gulf International Airport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 27.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2123, 'name': 'Sardar-e-Jangal Airport', 'city': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude': 37.323333, 'longitude': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5933, 'name': 'Dasht-e Naz Airport', 'city': 'Dasht-e-naz', 'iata': 'SRY', 'icao': 'OINZ', 'latitude': 36.635799408000004, 'longitude': 53.1935997009, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2167, 'name': 'Zahedan International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'latitude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2097, 'name': 'Abadan Airport', 'city': 'Abadan', 'iata': 'ABD', 'icao': 'OIAA', 'latitude': 30.371099471999997, 'longitude': 48.2282981873, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5935, 'name': 'Ardabil Airport', 'city': 'Ardabil', 'iata': 'ADU', 'icao': 'OITL', 'latitude': 38.3256988525, 'longitude': 48.4244003296, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5931, 'name': 'Sabzevar National Airport', 'city': 'Sabzevar', 'iata': 'AFZ', 'icao': 'OIMS', 'latitude': 36.16809844970703, 'longitude': 57.59519958496094, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2104, 'name': 'Ahwaz Airport', 'city': 'Ahwaz', 'iata': 'AWZ', 'icao': 'OIAW', 'latitude': 31.3374004364, 'longitude': 48.7620010376, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2164, 'name': 'Shahid Sadooghi Airport', 'city': 'Yazd', 'iata': 'AZD', 'icao': 'OIYY', 'latitude': 31.904899597199996, 'longitude': 54.2765007019, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5930, 'name': 'Bojnord Airport', 'city': 'Bojnourd', 'iata': 'BJB', 'icao': 'OIMN', 'latitude': 37.49300003051758, 'longitude': 57.30820083618164, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}

{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2106, 'name': 'Bushehr Airport', 'city': 'Bushehr', 'iata': 'BUZ', 'icao': 'OIBB', 'latitude': 28.944799423200003, 'longitude': 50.834598541300004, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5928, 'name': 'Bam Airport', 'city': 'Bam', 'iata': 'BXR', 'icao': 'OIKM', 'latitude': 29.08419990539551, 'longitude': 58.45000076293945, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6747, 'name': 'Gorgan Airport', 'city': 'Gorgan', 'iata': 'GBT', 'icao': 'OING', 'latitude': 36.909400939899996, 'longitude': 54.4012985229, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad

International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2121, 'name': 'Esfahan Shahid Beheshti Inte
rnational Airport', 'city': 'Esfahan', 'iata': 'IFN', 'icao': 'OIFM', 'latitu
de': 32.75080108642578, 'longitude': 51.86130142211914, 'timezone': 3.5, 'dst
': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6748, 'name': 'Ilam Airport', 'city': 'Ilam
', 'iata': 'IIL', 'icao': 'OICI', 'latitude': 33.58660125732422, 'longitude':
46.40480041503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2114, 'name': 'Shahid Ashrafi Esfahani Airp
ort', 'city': 'Bakhtaran', 'iata': 'KSH', 'icao': 'OICC', 'latitude': 34.3459
014893, 'longitude': 47.1581001282, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'As

ia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5932, 'name': 'Noshahr Airport', 'city': 'Noshahr', 'iata': 'NSH', 'icao': 'OINN', 'latitude': 36.66329956054688, 'longitude': 51.464698791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5936, 'name': 'Urmia Airport', 'city': 'Uromiyeh', 'iata': 'OMH', 'icao': 'OITR', 'latitude': 37.6680984497, 'longitude': 45.068698883100005, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6749, 'name': 'Parsabade Moghan Airport', 'city': 'Parsabad', 'iata': 'PFQ', 'icao': 'OITP', 'latitude': 39.60359954834, 'longitude': 47.881500244140994, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/

Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 7546, 'name': 'Persian Gulf International A
irport', 'city': 'Khalije Fars', 'iata': 'PGU', 'icao': 'OIBP', 'latitude': 2
7.379601, 'longitude': 52.737701, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia
/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2123, 'name': 'Sardar-e-Jangal Airport', 'c
ity': 'Rasht', 'iata': 'RAS', 'icao': 'OIGG', 'latitude': 37.323333, 'longitu
de': 49.617778, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2151, 'name': 'Ramsar Airport', 'city': 'Ra
msar', 'iata': 'RZR', 'icao': 'OINR', 'latitude': 36.9099006652832, 'longitud
e': 50.67959976196289, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2117, 'name': 'Sanandaj Airport', 'city': '
Sanandaj', 'iata': 'SDG', 'icao': 'OICS', 'latitude': 35.24589920043945, 'lon
gitude': 47.00920104980469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehra

n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2162, 'name': 'Tabriz International Airport', 'city': 'Tabriz', 'iata': 'TBZ', 'icao': 'OITT', 'latitude': 38.1338996887207, 'longitude': 46.23500061035156, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7547, 'name': 'Yasouj Airport', 'city': 'Yasuj', 'iata': 'YES', 'icao': 'OISY', 'latitude': 30.700500488281, 'longitude': 51.545101165771, 'timezone': 3.5, 'dst': 'U', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Horizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': 'Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2167, 'name': 'Zahedan International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'latitude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5, 'dst': 'E', 'tz_id':

'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2131, 'name': 'Mehrabad
International Airport', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'la
titude': 35.68920135498047, 'longitude': 51.31340026855469, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2166, 'name': 'Konarak Airport', 'city': 'C
hah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25.443300247199996, 'l
ongitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Te
hran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 7547, 'name': 'Yasouj A
irport', 'city': 'Yasuj', 'iata': 'YES', 'icao': 'OISY', 'latitude': 30.70050
0488281, 'longitude': 51.545101165771, 'timezone': 3.5, 'dst': 'U', 'tz_id':
'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2131, 'name': 'Mehrabad International Airport', 'city': 'Teheran
', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047, 'longitude':
51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT7']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2167, 'name': 'Zahedan
International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'la
titude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport'
, 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800
003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/
Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2167, 'name': 'Zahedan
International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'la
titude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 6747, 'name': 'Gorgan Airport', 'city': 'Go
rgan', 'iata': 'GBT', 'icao': 'OING', 'latitude': 36.909400939899996, 'longit
ude': 54.4012985229, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2167, 'name': 'Zahedan
International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'la
titude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4331, 'name': 'Mashhad International Airpor
t', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.23519897
4609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2167, 'name': 'Zahedan
International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'la
titude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib Inte
rnational Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitud
e': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst'
: 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2167, 'name': 'Zahedan
International Airport', 'city': 'Zahedan', 'iata': 'ZAH', 'icao': 'OIZH', 'la
titude': 29.47570037841797, 'longitude': 60.90620040893555, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2131, 'name': 'Mehrabad International Airpo
rt', 'city': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.6892013
5498047, 'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id'
: 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2166, 'name': 'Konarak
Airport', 'city': 'Chah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25
.443300247199996, 'longitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E
', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2194, 'name': 'Muscat International Airport', 'city'
: 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'l
ongitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Mu

scat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2166, 'name': 'Konarak
Airport', 'city': 'Chah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25
.443300247199996, 'longitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E
', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4331, 'name': 'Mashhad International Airport', 'city
': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375,
'longitude': 59.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/T
ehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['100']}
{'airline': {'airline_id': 2923, 'name': 'Iran Aseman Airlines', 'alias': 'Ho
rizon Airlines', 'iata': 'EP', 'icao': 'IRC', 'callsign': 'nan', 'country': '
Iran', 'active': True}, 'src_airport': {'airport_id': 2166, 'name': 'Konarak
Airport', 'city': 'Chah Bahar', 'iata': 'ZBR', 'icao': 'OIZC', 'latitude': 25
.443300247199996, 'longitude': 60.382099151599995, 'timezone': 3.5, 'dst': 'E
', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2131, 'name': 'Mehrabad International Airport', 'cit
y': 'Teheran', 'iata': 'THR', 'icao': 'OIII', 'latitude': 35.68920135498047,
'longitude': 51.31340026855469, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/T
ehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['100']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2709, 'name': 'El Dorado International Airport',
'city': 'Bogota', 'iata': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longit
ude': -74.1469, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2851,
'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CC
S', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone
': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2709, 'name': 'El Dorado International Airport',
'city': 'Bogota', 'iata': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longit
ude': -74.1469, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2688,
'name': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO
', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timez
one': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}

{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airpo
rt', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194,
'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Cara
cas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota', 'iata'
: 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 'timezon
e': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2715, 'name': 'Alfonso Bonilla Aragon Internatio
nal Airport', 'city': 'Cali', 'iata': 'CLO', 'icao': 'SKCL', 'latitude': 3.54
322, 'longitude': -76.3816, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/B
ogota', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 6047, 'name': 'General Rivadeneira Airport', 'city': 'Esmeraldas', 'iat
a': 'ESM', 'icao': 'SETN', 'latitude': 0.9785190224647522, 'longitude': -79.6
2660217285156, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2671, 'name': 'Mariscal Lamar Airport', 'city':
'Cuenca', 'iata': 'CUE', 'icao': 'SECU', 'latitude': -2.88947, 'longitude': -
78.984398, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2673, 'n
ame': 'José Joaquín de Olmedo International Airport', 'city': 'Guayaquil', 'i
ata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longitude': -79.883
59832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320', 'E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2671, 'name': 'Mariscal Lamar Airport', 'city':
'Cuenca', 'iata': 'CUE', 'icao': 'SECU', 'latitude': -2.88947, 'longitude': -
78.984398, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2688, 'n
ame': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO',
'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone
': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '

src_airport': {'airport_id': 6047, 'name': 'General Rivadeneira Airport', 'ci
ty': 'Esmeraldas', 'iata': 'ESM', 'icao': 'SETN', 'latitude': 0.9785190224647
522, 'longitude': -79.62660217285156, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2715, 'name': 'Alfonso Bonilla Aragon International Airpor
t', 'city': 'Cali', 'iata': 'CLO', 'icao': 'SKCL', 'latitude': 3.54322, 'long
itude': -76.3816, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 6047, 'name': 'General Rivadeneira Airport', 'ci
ty': 'Esmeraldas', 'iata': 'ESM', 'icao': 'SETN', 'latitude': 0.9785190224647
522, 'longitude': -79.62660217285156, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo International Airpor
t', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.157419
91997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id'
: 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 6047, 'name': 'General Rivadeneira Airport', 'ci
ty': 'Esmeraldas', 'iata': 'ESM', 'icao': 'SETN', 'latitude': 0.9785190224647
522, 'longitude': -79.62660217285156, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'cit
y': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'lon
gitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2690, 'name': 'Santa Rosa International Airport'
, 'city': 'Santa Rosa', 'iata': 'ETR', 'icao': 'SERO', 'latitude': -3.441986,
'longitude': -79.996957, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guay
aquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city': 'Quito',
'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.
3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '

src_airport': {'airport_id': 2672, 'name': 'Seymour Airport', 'city': 'Galapa
gos', 'iata': 'GPS', 'icao': 'SEGS', 'latitude': -0.4537580013275146, 'longit
ude': -90.26589965820312, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Pacific/Gal
apagos', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city':
'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'long
itude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/G
uayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Fran
co Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao'
: 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, '
timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2688, 'name': 'Marisc
al Sucre International Airport', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQ
M', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone': -5.0, 'ds
t': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2671, 'name': 'Mariscal Lamar Airport', 'city':
'Cuenca', 'iata': 'CUE', 'icao': 'SECU', 'latitude': -2.88947, 'longitude': -
78.984398, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320', 'E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6047, 'name': 'General Rivadeneira Airport', 'c
ity': 'Esmeraldas', 'iata': 'ESM', 'icao': 'SETN', 'latitude': 0.978519022464
7522, 'longitude': -79.62660217285156, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '

src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2672, 'name': 'Seymour Airport', 'city': 'Galap
agos', 'iata': 'GPS', 'icao': 'SEGS', 'latitude': -0.4537580013275146, 'longi
tude': -90.26589965820312, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Pacific/Ga
lapagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6046, 'name': 'Camilo Ponce Enriquez Airport',
'city': 'La Toma (Catamayo)', 'iata': 'LOH', 'icao': 'SETM', 'latitude': -3.9
9589, 'longitude': -79.371902, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Americ
a/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2678, 'name': 'Cotopaxi International Airport',
'city': 'Latacunga', 'iata': 'LTX', 'icao': 'SELT', 'latitude': -0.906833, 'l
ongitude': -78.615799, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaq
uil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1871, 'name': 'Tocumen International Airport',
'city': 'Panama City', 'iata': 'PTY', 'icao': 'MPTO', 'latitude': 9.071359634
4, 'longitude': -79.3834991455, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Ameri
ca/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '

src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6045, 'name': 'San Cristóbal Airport', 'city':
'San Cristóbal', 'iata': 'SCY', 'icao': 'SEST', 'latitude': -0.910206, 'longi
tude': -89.617401, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Pacific/Galapagos'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2673, 'name': 'José Joaquín de Olmedo Internatio
nal Airport', 'city': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude':
-2.15741991997, 'longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Air
port', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.1291666
66667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America
/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 1909, 'name': 'José Martí International Airport'
, 'city': 'Havana', 'iata': 'HAV', 'icao': 'MUHA', 'latitude': 22.98920059204
1016, 'longitude': -82.40910339355469, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Havana', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city':
'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitu
de': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': None, 'dst_airport': {'airport_id': 2688, 'name': 'Mariscal Suc
re International Airport', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'l
atitude': -0.129166666667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U
', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['E70', 'E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2789, 'name': 'Jorge Chávez International Airpor
t', 'city': 'Lima', 'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219, 'lon
gitude': -77.114305, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 268

8, 'name': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': '
UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'ti
mezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']
}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 6046, 'name': 'Camilo Ponce Enriquez Airport', '
city': 'La Toma (Catamayo)', 'iata': 'LOH', 'icao': 'SETM', 'latitude': -3.99
589, 'longitude': -79.371902, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America
/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'cit
y': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, '
longitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Ameri
ca/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 6046, 'name': 'Camilo Ponce Enriquez Airport', '
city': 'La Toma (Catamayo)', 'iata': 'LOH', 'icao': 'SETM', 'latitude': -3.99
589, 'longitude': -79.371902, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America
/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city': 'Qui
to', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitude':
-78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['E90', 'E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2678, 'name': 'Cotopaxi International Airport',
'city': 'Latacunga', 'iata': 'LTX', 'icao': 'SELT', 'latitude': -0.906833, 'l
ongitude': -78.615799, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaq
uil', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'Gu
ayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longitu
de': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guay
aquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2678, 'name': 'Cotopaxi International Airport',
'city': 'Latacunga', 'iata': 'LTX', 'icao': 'SELT', 'latitude': -0.906833, 'l
ongitude': -78.615799, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaq
uil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i

d': 2670, 'name': 'Francisco De Orellana Airport', 'city': 'Coca', 'iata': 'O
CC', 'icao': 'SECO', 'latitude': -0.4628860056400299, 'longitude': -76.986801
14746094, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2683, 'name': 'Eloy Alfaro International Airport
', 'city': 'Manta', 'iata': 'MEC', 'icao': 'SEMT', 'latitude': -0.94607800245
28505, 'longitude': -80.67880249023438, 'timezone': -5.0, 'dst': 'U', 'tz_id'
: 'America/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'c
ity': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'l
ongitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaqui
l', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2670, 'name': 'Francisco De Orellana Airport', '
city': 'Coca', 'iata': 'OCC', 'icao': 'SECO', 'latitude': -0.4628860056400299
, 'longitude': -76.98680114746094, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Am
erica/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2678, 'name': 'Cotopaxi International Airport', 'city': 'Latac
unga', 'iata': 'LTX', 'icao': 'SELT', 'latitude': -0.906833, 'longitude': -78
.615799, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2670, 'name': 'Francisco De Orellana Airport', '
city': 'Coca', 'iata': 'OCC', 'icao': 'SECO', 'latitude': -0.4628860056400299
, 'longitude': -76.98680114746094, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Am
erica/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2688, 'name': 'Mariscal Sucre International Airport', 'city':
'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.129166666667, 'longitu
de': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 1871, 'name': 'Tocumen International Airport', '
city': 'Panama City', 'iata': 'PTY', 'icao': 'MPTO', 'latitude': 9.0713596344
, 'longitude': -79.3834991455, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Americ
a/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp

ort_id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city'
: 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'lo
ngitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America
/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 6045, 'name': 'San Cristóbal Airport', 'city': '
San Cristóbal', 'iata': 'SCY', 'icao': 'SEST', 'latitude': -0.910206, 'longit
ude': -89.617401, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'Pacific/Galapagos',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 26
73, 'name': 'José Joaquín de Olmedo International Airport', 'city': 'Guayaqui
l', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'longitude': -
79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 10792, 'name': 'Jumandy Airport', 'city': 'Tena'
, 'iata': 'TNW', 'icao': 'SEJD', 'latitude': -1.0597219999999998, 'longitude'
: -77.583333, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'Asia/Anadyr', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2688, 'name
': 'Mariscal Sucre International Airport', 'city': 'Quito', 'iata': 'UIO', 'i
cao': 'SEQM', 'latitude': -0.129166666667, 'longitude': -78.3575, 'timezone':
-5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2709, 'name': 'El Dorado International Airport', 'city': 'Bogota',
'iata': 'BOG', 'icao': 'SKBO', 'latitude': 4.70159, 'longitude': -74.1469, 't
imezone': -5.0, 'dst': 'U', 'tz_id': 'America/Bogota', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2671, 'name': 'Mariscal Lamar Airport', 'city': 'Cuenca', 'iata': '
CUE', 'icao': 'SECU', 'latitude': -2.88947, 'longitude': -78.984398, 'timezon

e': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 6047, 'name': 'General Rivadeneira Airport', 'city': 'Esmeraldas',
'iata': 'ESM', 'icao': 'SETN', 'latitude': 0.9785190224647522, 'longitude': -
79.62660217285156, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2690, 'name': 'Santa Rosa International Airport', 'city': 'Santa Ro
sa', 'iata': 'ETR', 'icao': 'SERO', 'latitude': -3.441986, 'longitude': -79.9
96957, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro Internat
ional Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude
': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2673, 'name': 'José Joaquín de Olmedo International Airport', 'city
': 'Guayaquil', 'iata': 'GYE', 'icao': 'SEGU', 'latitude': -2.15741991997, 'l
ongitude': -79.88359832760001, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Americ

a/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1909, 'name': 'José Martí International Airport', 'city': 'Havana',
'iata': 'HAV', 'icao': 'MUHA', 'latitude': 22.989200592041016, 'longitude': -
82.40910339355469, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Havana', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None,
'codeshare': False, 'stops': 0, 'equipment': ['E70', 'E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2789, 'name': 'Jorge Chávez International Airport', 'city': 'Lima',
'iata': 'LIM', 'icao': 'SPIM', 'latitude': -12.0219, 'longitude': -77.114305,
'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Lima', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 6046, 'name': 'Camilo Ponce Enriquez Airport', 'city': 'La Toma (Ca
tamayo)', 'iata': 'LOH', 'icao': 'SETM', 'latitude': -3.99589, 'longitude': -
79.371902, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp

ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2683, 'name': 'Eloy Alfaro International Airport', 'city': 'Manta',
'iata': 'MEC', 'icao': 'SEMT', 'latitude': -0.9460780024528505, 'longitude':
-80.67880249023438, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2670, 'name': 'Francisco De Orellana Airport', 'city': 'Coca', 'iat
a': 'OCC', 'icao': 'SECO', 'latitude': -0.4628860056400299, 'longitude': -76.
98680114746094, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2697, 'name': 'Teniente Coronel Luis a Mantilla Airport', 'city': '
Tulcan', 'iata': 'TUA', 'icao': 'SETU', 'latitude': 0.8095059990882874, 'long
itude': -77.70809936523438, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/G
uayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2688, 'name': 'Mariscal Sucre International Airp
ort', 'city': 'Quito', 'iata': 'UIO', 'icao': 'SEQM', 'latitude': -0.12916666
6667, 'longitude': -78.3575, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/
Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2680, 'name': 'Coronel E Carvajal Airport', 'city': 'Macas', 'iata'
: 'XMS', 'icao': 'SEMC', 'latitude': -2.299170017242432, 'longitude': -78.120
79620361328, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Guayaquil', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['E90']}
{'airline': {'airline_id': 4863, 'name': 'TAME', 'alias': 'nan', 'iata': 'EQ'
, 'icao': 'TAE', 'callsign': 'TAME', 'country': 'Ecuador', 'active': True}, '
src_airport': {'airport_id': 2680, 'name': 'Coronel E Carvajal Airport', 'cit

y': 'Macas', 'iata': 'XMS', 'icao': 'SEMC', 'latitude': -2.299170017242432, '
longitude': -78.12079620361328, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Ameri
ca/Guayaquil', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 10792, 'name': 'Jumandy Airport', 'city': 'Tena', 'iata': 'TNW',
'icao': 'SEJD', 'latitude': -1.0597219999999998, 'longitude': -77.583333, 'ti
mezone': -5.0, 'dst': 'S', 'tz_id': 'Asia/Anadyr', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 253, 'name': '
Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latit
ude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 4162, 'name': 'Conakry International Airp
ort', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY', 'latitude': 9.5768899
99999999, 'longitude': -13.612, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa
/Conakry', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 253, 'name': '
Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latit
ude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 245, 'name': 'Cadjehoun Airport', 'city':
'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.357230186462402, 'lon
gitude': 2.384350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Por
to-Novo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['73W', '752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 253, 'name': '
Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latit
ude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city
': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'lon
gitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lo
me', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 253, 'name': '
Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latit

ude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 273, 'name': 'Murtala Muhammed Internatio
nal Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5
773701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 253, 'name': '
Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latit
ude': 5.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city
': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longit
ude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 260, 'name': '
Nnamdi Azikiwe International Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao'
: 'DNAA', 'latitude': 9.006790161132812, 'longitude': 7.263169765472412, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bo
le International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAA
B', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 260, 'name': '
Nnamdi Azikiwe International Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao'
: 'DNAA', 'latitude': 9.006790161132812, 'longitude': 7.263169765472412, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 245, 'name': 'Cadjehoun Airpo
rt', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.35723018
6462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id'
: 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 260, 'name': '
Nnamdi Azikiwe International Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao'

: 'DNAA', 'latitude': 9.006790161132812, 'longitude': 7.263169765472412, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Air
port', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836
578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id'
: 'Africa/Lome', type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 260, 'name': '
Nnamdi Azikiwe International Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao'
: 'DNAA', 'latitude': 9.006790161132812, 'longitude': 7.263169765472412, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 999, 'name': "N'Djamena Inter
national Airport", 'city': "N'djamena", 'iata': 'NDJ', 'icao': 'FTTJ', 'latit
ude': 12.1337, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Af
rica/Ndjamena', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 260, 'name': '
Nnamdi Azikiwe International Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao'
: 'DNAA', 'latitude': 9.006790161132812, 'longitude': 7.263169765472412, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 280, 'name': 'Diori Hamani In
ternational Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao': 'DRRN', 'latit
ude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'A
frica/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': '
Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA'
, 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole In
ternational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', '
latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': '
Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA'

, 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1059, 'name': 'Lungi International
Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.61
6439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': '
Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': '
Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA'
, 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport'
, 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.16560983657836
9, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Af
rica/Lome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 248, 'name': '
Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA'
, 'latitude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone
': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1062, 'name': 'Spriggs Payne Airpo
rt', 'city': 'Monrovia', 'iata': 'MLW', 'icao': 'GLMR', 'latitude': 6.2890601
15814209, 'longitude': -10.758700370788574, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 260, 'name': 'Nnamdi A
zikiwe International Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao': 'DNAA'
, 'latitude': 9.006790161132812, 'longitude': 7.263169765472412, 'timezone':
1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD

', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka I
nternational Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latit
ude': 5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1109, 'name': 'Arba Mi
nch Airport', 'city': 'Arba Minch', 'iata': 'AMH', 'icao': 'HAAM', 'latitude'
: 6.0393900871276855, 'longitude': 37.59049987792969, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1119, 'name': 'Asosa A
irport', 'city': 'Asosa', 'iata': 'ASO', 'icao': 'HASO', 'latitude': 10.01850
0328063963, 'longitude': 34.586299896240234, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1110, 'name': 'Axum Ai
rport', 'city': 'Axum', 'iata': 'AXU', 'icao': 'HAAX', 'latitude': 14.1468000
4119873, 'longitude': 38.77280044555664, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD

', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2177, 'name': 'Beirut
Rafic Hariri International Airport', 'city': 'Beirut', 'iata': 'BEY', 'icao':
'OLBA', 'latitude': 33.820899963378906, 'longitude': 35.488399505615234, 'tim
ezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1111, 'name': 'Bahir D
ar Airport', 'city': 'Bahar Dar', 'iata': 'BJR', 'icao': 'HABD', 'latitude':
11.608099937438965, 'longitude': 37.32160186767578, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarna
bhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude':
13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1044, 'name': 'Modibo
Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao': 'GABS'
, 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst': 'N', 't
z_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD

', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatra
pati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao':
'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone
': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo I
nternational Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latit
ude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['73W', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzh
ou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao':
'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles
de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LF
PG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD

', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 245, 'name': 'Cadjehou
n Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.3
57230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73W', '752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius
Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao
': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira
Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP'
, 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1112, 'name': 'Aba Ten
na Dejazmach Yilma International Airport', 'city': 'Dire Dawa', 'iata': 'DIR'
, 'icao': 'HADR', 'latitude': 9.624699592590332, 'longitude': 41.854198455810
55, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala I
nternational Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'lati
tude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fa
hd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', '
latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['77L', '738', '788', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1187, 'name': 'Entebbe
International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'la
titude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['763', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 264, 'name': 'Akanu Ib
iam International Airport', 'city': 'Enugu', 'iata': 'ENU', 'icao': 'DNEN', '
latitude': 6.4742698669433585, 'longitude': 7.561960220336914, 'timezone': 1.
0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1038, 'name': 'Lubumba
shi International Airport', 'city': 'Lubumashi', 'iata': 'FBM', 'icao': 'FZQA
', 'latitude': -11.5913000107, 'longitude': 27.5308990479, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Lubumbashi', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1020, 'name': 'Ndjili
International Airport', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZAA', 'l
atitude': -4.38575, 'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N', 'tz_id
': 'Africa/Kinshasa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfur
t am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'lati
tude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1114, 'name': 'Gonder
Airport', 'city': 'Gondar', 'iata': 'GDQ', 'icao': 'HAGN', 'latitude': 12.519
90032196045, 'longitude': 37.433998107910156, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1113, 'name': 'Gambell
a Airport', 'city': 'Gambella', 'iata': 'GMB', 'icao': 'HAGM', 'latitude': 8.
12876033782959, 'longitude': 34.563098907470696, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1121, 'name': 'Egal In
ternational Airport', 'city': 'Hargeisa', 'iata': 'HGA', 'icao': 'HCMH', 'lat
itude': 9.518170356750488, 'longitude': 44.08879852294922, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Mogadishu', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Ko
ng International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH'
, 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1005, 'name': 'Robert
Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE', 'icao
': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Ab
dulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJ
N', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['738', '752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4119, 'name': 'Djibout
i-Ambouli Airport', 'city': 'Djibouti', 'iata': 'JIB', 'icao': 'HDAM', 'latit
ude': 11.547300338745115, 'longitude': 43.15950012207031, 'timezone': 3.0, 'd
st': 'U', 'tz_id': 'Africa/Djibouti', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 7417, 'name': 'Wilwal
International Airport', 'city': 'Jijiga', 'iata': 'JIJ', 'icao': 'HAJJ', 'lat
itude': 9.3325, 'longitude': 42.9121, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1116, 'name': 'Jimma A
irport', 'city': 'Jimma', 'iata': 'JIM', 'icao': 'HAJM', 'latitude': 7.666090
01159668, 'longitude': 36.81660079956055, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo
International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR'
, 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz
_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kiliman
jaro International Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'H
TKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0
, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1173, 'name': 'Juba In
ternational Airport', 'city': 'Juba', 'iata': 'JUB', 'icao': 'HSSJ', 'latitud
e': 4.87201023102, 'longitude': 31.601100921599997, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Juba', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1165, 'name': 'Kigali
International Airport', 'city': 'Kigali', 'iata': 'KGL', 'icao': 'HRYR', 'lat
itude': -1.9686299999999999, 'longitude': 30.1395, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Kigali', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1175, 'name': 'Khartou
m International Airport', 'city': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS',
'latitude': 15.589500427246096, 'longitude': 32.55319976806641, 'timezone': 3
.0, 'dst': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait
International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'lat
itude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 951, 'name': 'Quatro d
e Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latit
ude': -8.858369999999999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Librevil
le Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'ic
ao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tok
oin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.16
5609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['788', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London H
eathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude'
: 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['788', '77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1016, 'name': 'Lilongw
e International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao': 'FWKI',
'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 273, 'name': 'Murtala
Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNM
M', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone
': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 907, 'name': 'Kenneth
Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN', 'icao'
: 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791, 'timez
one': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1145, 'name': 'Mombasa
Moi International Airport', 'city': 'Mombasa', 'iata': 'MBA', 'icao': 'HKMO',
'latitude': -4.034830093383788, 'longitude': 39.594200134277344, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat
International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'lat
itude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 979, 'name': 'Maputo A
irport', 'city': 'Maputo', 'iata': 'MPM', 'icao': 'FQMA', 'latitude': -25.920
799, 'longitude': 32.572601, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Ma
puto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73W', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1118, 'name': 'Mekele
Airport', 'city': 'Makale', 'iata': 'MQX', 'icao': 'HAMK', 'latitude': 13.467
399597167967, 'longitude': 39.53350067138672, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['738', 'DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jomo Ke
nyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJ
K', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['763', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 999, 'name': "N'Djamen
a International Airport", 'city': "N'djamena", 'iata': 'NDJ', 'icao': 'FTTJ',
'latitude': 12.1337, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N', 'tz_id
': 'Africa/Ndjamena', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['738', '752', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 280, 'name': 'Diori Ha
mani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao': 'DRRN',
'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N', 'tz_i
d': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 246, 'name': 'Ouagadou
gou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude
': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Afr
ica/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing
Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZB
AA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':

'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 886, 'name': 'Pointe N
oire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitu
de': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shangha
i Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': '
ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788', '77L']
}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Kh
aled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK',
'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3
.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 891, 'name': 'Malabo A
irport', 'city': 'Malabo', 'iata': 'SSG', 'icao': 'FGSL', 'latitude': 3.75527
00042724614, 'longitude': 8.708720207214355, 'timezone': 1.0, 'dst': 'N', 'tz
_id': 'Africa/Malabo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1107, 'name':
'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD
', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'ti
mezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gur
ion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG'
, 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name':
'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao':
'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5
, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Ai
rport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.350
19, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Sing
apore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name':
'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao':
'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezon
e': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Cha
ngi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude':
1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia
/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1109, 'name':
'Arba Minch Airport', 'city': 'Arba Minch', 'iata': 'AMH', 'icao': 'HAAM', 'l
atitude': 6.0393900871276855, 'longitude': 37.59049987792969, 'timezone': 3.0

, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['32A', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone':

1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main A
irport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.0
33333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['321', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 737, 'name': '
Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA
', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Air
port', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.3171
99707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 737, 'name': '
Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA
', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'ci
ty': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude':
11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
738', '736', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1119, 'name':
'Asosa Airport', 'city': 'Asosa', 'iata': 'ASO', 'icao': 'HASO', 'latitude':
10.018500328063963, 'longitude': 34.586299896240234, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internation
al Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude'
: 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1110, 'name':
'Axum Airport', 'city': 'Axum', 'iata': 'AXU', 'icao': 'HAAX', 'latitude': 14
.14680004119873, 'longitude': 38.77280044555664, 'timezone': 3.0, 'dst': 'U',

'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Ai
rport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.9
7789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1110, 'name':
'Axum Airport', 'city': 'Axum', 'iata': 'AXU', 'icao': 'HAAX', 'latitude': 14
.14680004119873, 'longitude': 38.77280044555664, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1117, 'name': 'Lalibella Airport', 'city': 'Lali
bella', 'iata': 'LLI', 'icao': 'HALL', 'latitude': 11.975000381469727, 'longi
tude': 38.97999954223633, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis
_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1218, 'name':
'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao'
: 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airpo
rt', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.03333
3, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2177, 'name':
'Beirut Rafic Hariri International Airport', 'city': 'Beirut', 'iata': 'BEY',
'icao': 'OLBA', 'latitude': 33.820899963378906, 'longitude': 35.4883995056152
34, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis A
baba Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao
': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 888, 'name': "
Bangui M'Poko International Airport", 'city': 'Bangui', 'iata': 'BGF', 'icao'
: 'FEFF', 'latitude': 4.39847993850708, 'longitude': 18.518800735473636, 'tim

ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Bangui', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala Interna
tional Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude':
4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id
': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1120, 'name':
'Bujumbura International Airport', 'city': 'Bujumbura', 'iata': 'BJM', 'icao'
: 'HBBA', 'latitude': -3.3240199089050293, 'longitude': 29.318500518798828, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Bujumbura', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1165, 'name': 'Kigali
International Airport', 'city': 'Kigali', 'iata': 'KGL', 'icao': 'HRYR', 'lat
itude': -1.9686299999999999, 'longitude': 30.1395, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Kigali', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1111, 'name':
'Bahir Dar Airport', 'city': 'Bahar Dar', 'iata': 'BJR', 'icao': 'HABD', 'lat
itude': 11.608099937438965, 'longitude': 37.32160186767578, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Inte
rnational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'la
titude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1111, 'name':
'Bahir Dar Airport', 'city': 'Bahar Dar', 'iata': 'BJR', 'icao': 'HABD', 'lat
itude': 11.608099937438965, 'longitude': 37.32160186767578, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1117, 'name': 'Lalibella Airport', '
city': 'Lalibella', 'iata': 'LLI', 'icao': 'HALL', 'latitude': 11.97500038146
9727, 'longitude': 38.97999954223633, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0

, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internat
ional Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitu
de': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Air
port', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.4691009
5214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id
': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['333', '772']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur Internationa
l Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude'
: 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst'
: 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport'
, 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'l
ongitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['772', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1044, 'name':
'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao'
: 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst':

'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Ai
rport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.9
7789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1044, 'name':
'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao'
: 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4162, 'name': 'Conakry International Airport', '
city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY', 'latitude': 9.57688999999999
9, 'longitude': -13.612, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Conakr
y', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1044, 'name':
'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao'
: 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor Internation
al Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.7
39700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1044, 'name':
'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao'
: 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city': 'Lom
e', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'longitude'
: 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lome', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1044, 'name':
'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao'
: 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst':

'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city': 'Oua
gadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitude': -
1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1013, 'name':
'Chileka International Airport', 'city': 'Blantyre', 'iata': 'BLZ', 'icao': '
FWCL', 'latitude': -15.679100036621096, 'longitude': 34.9739990234375, 'timez
one': 2.0, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa B
ole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HA
AB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1013, 'name':
'Chileka International Airport', 'city': 'Blantyre', 'iata': 'BLZ', 'icao': '
FWCL', 'latitude': -15.679100036621096, 'longitude': 34.9739990234375, 'timez
one': 2.0, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo Inter
national Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'la
titude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1013, 'name':
'Chileka International Airport', 'city': 'Blantyre', 'iata': 'BLZ', 'icao': '
FWCL', 'latitude': -15.679100036621096, 'longitude': 34.9739990234375, 'timez
one': 2.0, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1016, 'name': 'Lilongwe Inte
rnational Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao': 'FWKI', 'latit
ude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name':
'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao':
'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'tim

ezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapo
re Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'lati
tude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2997, 'name':
'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM',
'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Abab
a Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao':
'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 302, 'name': '
Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitu
de': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airp
ort', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798,
'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 302, 'name': '
Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitu
de': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': '
Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude'
: 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['319', '320', '733', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1489, 'name':
'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'B
UD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093,

'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfur
t am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'lati
tude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['321', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 883, 'name': '
Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'la
titude': -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0
, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole In
ternational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', '
latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 883, 'name': '
Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'la
titude': -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0
, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala International
Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060
801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Af
rica/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1128, 'name':
'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA'
, 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Inter
national Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'lat
itude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U
', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['73W', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1128, 'name':
'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA'
, 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone':

2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International
Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.87
5099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3370, 'name':
'Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN',
'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.2990036010742
2, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis
Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'ica
o': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1382, 'name':
'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'i
cao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International A
irport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.
97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1382, 'name':
'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'i
cao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Bruss
els', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude':
4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2009, 'name':
'Christchurch International Airport', 'city': 'Christchurch', 'iata': 'CHC',
'icao': 'NZCH', 'latitude': -43.48939895629883, 'longitude': 172.531997680664

06, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'S
ingapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS',
'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4162, 'name':
'Conakry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'G
UCY', 'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city'
: 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'l
ongitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa
/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4162, 'name':
'Conakry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'G
UCY', 'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1044, 'name': 'Modibo Keita International
Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao': 'GABS', 'latitude': 12.533
5, 'longitude': -7.94994, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bamak
o', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4162, 'name':
'Conakry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'G
UCY', 'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Senghor Inte
rnational Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'latitude
': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4162, 'name':
'Conakry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'G
UCY', 'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, '

dst': 'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city
': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'lon
gitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lo
me', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4162, 'name':
'Conakry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'G
UCY', 'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 5665, 'name': 'Osvaldo Vieira Internation
al Airport', 'city': 'Bissau', 'iata': 'OXB', 'icao': 'GGOV', 'latitude': 11.
894800186157227, 'longitude': -15.65369987487793, 'timezone': 0.0, 'dst': 'N'
, 'tz_id': 'Africa/Bissau', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 245, 'name': '
Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitu
de': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city'
: 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'l
ongitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa
/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73W', '752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 245, 'name': '
Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitu
de': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 260, 'name': 'Nnamdi Azikiwe Internationa
l Airport', 'city': 'Abuja', 'iata': 'ABV', 'icao': 'DNAA', 'latitude': 9.006
790161132812, 'longitude': 7.263169765472412, 'timezone': 1.0, 'dst': 'N', 't
z_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 245, 'name': '
Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitu
de': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst

': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internati
onal Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitud
e': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', '
tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73W', '752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 245, 'name': '
Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitu
de': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city
': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'lon
gitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lo
me', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 245, 'name': '
Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitu
de': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 280, 'name': 'Diori Hamani International
Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao': 'DRRN', 'latitude': 13.481
5, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Niamey
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 609, 'name': '
Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EK
CH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda
Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.
651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 609, 'name': '
Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EK
CH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone'

: 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1177, 'name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1177, 'name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1016, 'name': 'Lilongwe International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao': 'FWKI', 'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1177, 'name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1186, 'name': 'Abeid Amani Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao': 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst'

: 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International A
irport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.
97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1112, 'name':
'Aba Tenna Dejazmach Yilma International Airport', 'city': 'Dire Dawa', 'iata
': 'DIR', 'icao': 'HADR', 'latitude': 9.624699592590332, 'longitude': 41.8541
9845581055, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, '
name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata
': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.79930114
75, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1112, 'name':
'Aba Tenna Dejazmach Yilma International Airport', 'city': 'Dire Dawa', 'iata
': 'DIR', 'icao': 'HADR', 'latitude': 9.624699592590332, 'longitude': 41.8541
9845581055, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4119, '
name': 'Djibouti-Ambouli Airport', 'city': 'Djibouti', 'iata': 'JIB', 'icao':
'HDAM', 'latitude': 11.547300338745115, 'longitude': 43.15950012207031, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Djibouti', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W', 'DH8
']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1112, 'name':
'Aba Tenna Dejazmach Yilma International Airport', 'city': 'Dire Dawa', 'iata
': 'DIR', 'icao': 'HADR', 'latitude': 9.624699592590332, 'longitude': 41.8541
9845581055, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7417, '
name': 'Wilwal International Airport', 'city': 'Jijiga', 'iata': 'JIJ', 'icao
': 'HAJJ', 'latitude': 9.3325, 'longitude': 42.9121, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name':

'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR'
, 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.4902000427
2461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1044, 'name': 'Modi
bo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO', 'icao': 'GA
BS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1084, 'name':
'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DKR'
, 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.4902000427
2461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4162, 'name': 'Cona
kry International Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY',
'latitude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': '
Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD
', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internationa
l Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude':
8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': '
Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD
', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 888, 'name': "Bangui M'Poko International Ai
rport", 'city': 'Bangui', 'iata': 'BGF', 'icao': 'FEFF', 'latitude': 4.398479
93850708, 'longitude': 18.518800735473636, 'timezone': 1.0, 'dst': 'N', 'tz_i
d': 'Africa/Bangui', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': '

Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD
', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 883, 'name': 'Maya-Maya Airport', 'city': 'B
razzaville', 'iata': 'BZV', 'icao': 'FCBB', 'latitude': -4.251699924468993, '
longitude': 15.253000259399414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa
/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': '
Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD
', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city':
'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'longit
ude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lome'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['73W', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': '
Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD
', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 999, 'name': "N'Djamena International Airpor
t", 'city': "N'djamena", 'iata': 'NDJ', 'icao': 'FTTJ', 'latitude': 12.1337,
'longitude': 15.034, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Ndjamena',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 897, 'name': '
Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD
', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 891, 'name': 'Malabo Airport', 'city': 'Mala
bo', 'iata': 'SSG', 'icao': 'FGSL', 'latitude': 3.7552700042724614, 'longitud
e': 8.708720207214355, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Malabo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2064, 'name':

'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': '
OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timez
one': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 345, 'name': '
Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'l
atitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city'
: 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitu
de': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['319', '320', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internatio
nal Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude
': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['77L', '738', '788', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport',
'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'lon
gitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['77W', '333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1187, 'name':

'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'H
UEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Ai
rport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.9
7789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1187, 'name':
'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'H
UEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1165, 'name': 'Kigali International Airport', 'c
ity': 'Kigali', 'iata': 'KGL', 'icao': 'HRYR', 'latitude': -1.968629999999999
, 'longitude': 30.1395, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Kigali
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 264, 'name': '
Akanu Ibiam International Airport', 'city': 'Enugu', 'iata': 'ENU', 'icao': '
DNEN', 'latitude': 6.4742698669433585, 'longitude': 7.561960220336914, 'timez
one': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1038, 'name':
'Lubumbashi International Airport', 'city': 'Lubumashi', 'iata': 'FBM', 'icao
': 'FZQA', 'latitude': -11.5913000107, 'longitude': 27.5308990479, 'timezone'
: 2.0, 'dst': 'U', 'tz_id': 'Africa/Lubumbashi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 910, 'name': 'Simon Mwansa Kapw
epwe International Airport', 'city': 'Ndola', 'iata': 'NLA', 'icao': 'FLND',
'latitude': -12.998100280762, 'longitude': 28.66489982605, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1555, 'name':

'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1020, 'name': 'Ndjili International Airport', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZAA', 'latitude': -4.38575, 'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Kinshasa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1020, 'name': 'Ndjili International Airport', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZAA', 'latitude': -4.38575, 'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Kinshasa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1059, 'name':

'Lungi International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GF
LL', 'latitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka International Airpo
rt', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.6051898002
62451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1059, 'name':
'Lungi International Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GF
LL', 'latitude': 8.616439999999999, 'longitude': -13.1955, 'timezone': 0.0, '
dst': 'N', 'tz_id': 'Africa/Freetown', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1062, 'name': 'Spriggs Payne Airport', '
city': 'Monrovia', 'iata': 'MLW', 'icao': 'GLMR', 'latitude': 6.2890601158142
09, 'longitude': -10.758700370788574, 'timezone': 0.0, 'dst': 'N', 'tz_id': '
Africa/Monrovia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport
', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.977890
01465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afr
ica/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'A
msterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude':
4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['733']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '

Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'St
ockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'lon
gitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stock
holm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['32A', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'cit
y': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitu
de': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels',
'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.4844
3984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['735', '733']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Ai
rport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429
759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['733', '735']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '

Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'C
openhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'long
itude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Cop
enhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['319', '321', '320']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldo
rf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766
780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['319', '320', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 687, 'name': 'Gothenburg-Landvetter Airport', 'city':
'Gothenborg', 'iata': 'GOT', 'icao': 'ESGG', 'latitude': 57.662799835205, 'lo
ngitude': 12.279800415039, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stoc
kholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['32A', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport'
, 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453
125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['E90', 'CR7']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '

Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Hels
inki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude
': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['32A', '321', '320']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport',
'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longit
ude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport',
'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, '
longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New
_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Porte
la Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38
.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/L
isbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['321', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '

Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1335, 'name': 'Lyon Saint-Exupéry Airport', 'city': '
Lyon', 'iata': 'LYS', 'icao': 'LFLL', 'latitude': 45.725556, 'longitude': 5.0
81111, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['31
9', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid–Barajas Airport',
'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'long
itude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['321', '319', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1353, 'name': 'Marseille Provence Airport', 'city': '
Marseille', 'iata': 'MRS', 'icao': 'LFML', 'latitude': 43.439271921999996, 'l
ongitude': 5.22142410278, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['320', '32A', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iat
a': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF

', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['32A', '320', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',

'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1273, 'name': 'Toulouse-Blagnac Airport', 'city': 'To
ulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101, 'longitude': 1
.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['7
33']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin'
, 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['321', '32
0', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city':
'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'lon
gitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vi
enna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw
', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.
9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['321', '320', '32A', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': '
Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF
', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E',

'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'ia
ta': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54
917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319
']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 5680, 'name':
'Gode Airport', 'city': 'Gode', 'iata': 'GDE', 'icao': 'HAGO', 'latitude': 5.
935130119319999, 'longitude': 43.578601837200004, 'timezone': 3.0, 'dst': 'U'
, 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7417, 'name': 'Wilwal International Airport', '
city': 'Jijiga', 'iata': 'JIJ', 'icao': 'HAJJ', 'latitude': 9.3325, 'longitud
e': 42.9121, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1114, 'name':
'Gonder Airport', 'city': 'Gondar', 'iata': 'GDQ', 'icao': 'HAGN', 'latitude'
: 12.51990032196045, 'longitude': 37.433998107910156, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internation
al Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude'
: 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1114, 'name':
'Gonder Airport', 'city': 'Gondar', 'iata': 'GDQ', 'icao': 'HAGN', 'latitude'
: 12.51990032196045, 'longitude': 37.433998107910156, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1117, 'name': 'Lalibella Airport', 'city':
'Lalibella', 'iata': 'LLI', 'icao': 'HALL', 'latitude': 11.975000381469727, '
longitude': 38.97999954223633, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/
Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2560, 'name':
'Rio Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'ia
ta': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43

.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2564,
'name': 'Guarulhos - Governador André Franco Montoro International Airport',
'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411
743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id
': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1113, 'name':
'Gambella Airport', 'city': 'Gambella', 'iata': 'GMB', 'icao': 'HAGM', 'latit
ude': 8.12876033782959, 'longitude': 34.563098907470696, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Interna
tional Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latit
ude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1113, 'name':
'Gambella Airport', 'city': 'Gambella', 'iata': 'GMB', 'icao': 'HAGM', 'latit
ude': 8.12876033782959, 'longitude': 34.563098907470696, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1119, 'name': 'Asosa Airport', 'city':
'Asosa', 'iata': 'ASO', 'icao': 'HASO', 'latitude': 10.018500328063963, 'long
itude': 34.586299896240234, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Add
is_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 687, 'name': '
Gothenburg-Landvetter Airport', 'city': 'Gothenborg', 'iata': 'GOT', 'icao':
'ESGG', 'latitude': 57.662799835205, 'longitude': 12.279800415039, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main
Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.
033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['319', '733']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2564, 'name':
'Guarulhos - Governador André Franco Montoro International Airport', 'city':

'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['32A', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1121, 'name':

'Egal International Airport', 'city': 'Hargeisa', 'iata': 'HGA', 'icao': 'HCM
H', 'latitude': 9.518170356750488, 'longitude': 44.08879852294922, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Africa/Mogadishu', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3077, 'name':
'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao'
: 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole I
nternational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['763', '788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3077, 'name':
'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao'
: 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internatio
nal Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.
46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1005, 'name':
'Robert Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE
', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Inte
rnational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'la
titude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1005, 'name':

'Robert Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE
', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1016, 'name': 'Lilongwe Internationa
l Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao': 'FWKI', 'latitude': -1
3.7894001007, 'longitude': 33.78099823, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1005, 'name':
'Robert Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE
', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 907, 'name': 'Kenneth Kaunda Interna
tional Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN', 'icao': 'FLLS', 'lat
itude': -15.330800056500001, 'longitude': 28.4526004791, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3714, 'name':
'Washington Dulles International Airport', 'city': 'Washington', 'iata': 'IAD
', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitude': -77.45580292, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa
Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'H
AAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L', '788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3930, 'name':
'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKS
I', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone
': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport'
, 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.6810998916
62598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['333', '772']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3930, 'name':

'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKS
I', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone
': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Internation
al Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude':
22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2072, 'name':
'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'ica
o': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International A
irport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.
97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['738', '752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2072, 'name':
'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'ica
o': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city
': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longit
ude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3797, 'name':
'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'i
cao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main
Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.
033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['744']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4119, 'name':

'Djibouti-Ambouli Airport', 'city': 'Djibouti', 'iata': 'JIB', 'icao': 'HDAM'
, 'latitude': 11.547300338745115, 'longitude': 43.15950012207031, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Djibouti', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole In
ternational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', '
latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4119, 'name':
'Djibouti-Ambouli Airport', 'city': 'Djibouti', 'iata': 'JIB', 'icao': 'HDAM'
, 'latitude': 11.547300338745115, 'longitude': 43.15950012207031, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Djibouti', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1112, 'name': 'Aba Tenna Dejazmach
Yilma International Airport', 'city': 'Dire Dawa', 'iata': 'DIR', 'icao': 'HA
DR', 'latitude': 9.624699592590332, 'longitude': 41.85419845581055, 'timezone
': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '73W'
]}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 7417, 'name':
'Wilwal International Airport', 'city': 'Jijiga', 'iata': 'JIJ', 'icao': 'HAJ
J', 'latitude': 9.3325, 'longitude': 42.9121, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airp
ort', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.977
89001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 7417, 'name':
'Wilwal International Airport', 'city': 'Jijiga', 'iata': 'JIJ', 'icao': 'HAJ
J', 'latitude': 9.3325, 'longitude': 42.9121, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1112, 'name': 'Aba Tenna Dejazmach Yilma Internati
onal Airport', 'city': 'Dire Dawa', 'iata': 'DIR', 'icao': 'HADR', 'latitude'
: 9.624699592590332, 'longitude': 41.85419845581055, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 7417, 'name':
'Wilwal International Airport', 'city': 'Jijiga', 'iata': 'JIJ', 'icao': 'HAJ
J', 'latitude': 9.3325, 'longitude': 42.9121, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 5680, 'name': 'Gode Airport', 'city': 'Gode', 'iat
a': 'GDE', 'icao': 'HAGO', 'latitude': 5.935130119319999, 'longitude': 43.578
601837200004, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1116, 'name':
'Jimma Airport', 'city': 'Jimma', 'iata': 'JIM', 'icao': 'HAJM', 'latitude':
7.66609001159668, 'longitude': 36.81660079956055, 'timezone': 3.0, 'dst': 'U'
, 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International A
irport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.
97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1116, 'name':
'Jimma Airport', 'city': 'Jimma', 'iata': 'JIM', 'icao': 'HAJM', 'latitude':
7.66609001159668, 'longitude': 36.81660079956055, 'timezone': 3.0, 'dst': 'U'
, 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1109, 'name': 'Arba Minch Airport', 'city': 'Ar
ba Minch', 'iata': 'AMH', 'icao': 'HAAM', 'latitude': 6.0393900871276855, 'lo
ngitude': 37.59049987792969, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Ad
dis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 813, 'name': '
OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao
': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internatio
nal Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude
': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 813, 'name': '
OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao
': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1013, 'name': 'Chileka International Airpo
rt', 'city': 'Blantyre', 'iata': 'BLZ', 'icao': 'FWCL', 'latitude': -15.67910
0036621096, 'longitude': 34.9739990234375, 'timezone': 2.0, 'dst': 'U', 'tz_i
d': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 813, 'name': '
OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao
': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4105, 'name': 'Hosea Kutako International
Airport', 'city': 'Windhoek', 'iata': 'WDH', 'icao': 'FYWH', 'latitude': -22.
4799, 'longitude': 17.4709, 'timezone': 1.0, 'dst': 'S', 'tz_id': 'Africa/Win
dhoek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['319', '320', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1180, 'name':
'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'i
cao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezo
ne': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Aba
ba Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao':
'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1180, 'name':
'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'i
cao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezo
ne': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1186, 'name': 'Abeid Ama
ni Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao':
'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1173, 'name':
'Juba International Airport', 'city': 'Juba', 'iata': 'JUB', 'icao': 'HSSJ',
'latitude': 4.87201023102, 'longitude': 31.601100921599997, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Juba', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internation
al Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude'
: 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1165, 'name':
'Kigali International Airport', 'city': 'Kigali', 'iata': 'KGL', 'icao': 'HRY
R', 'latitude': -1.9686299999999999, 'longitude': 30.1395, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Kigali', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internatio
nal Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude
': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 't
z_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73W', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1165, 'name':
'Kigali International Airport', 'city': 'Kigali', 'iata': 'KGL', 'icao': 'HRY
R', 'latitude': -1.9686299999999999, 'longitude': 30.1395, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Kigali', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1120, 'name': 'Bujumbura International Air
port', 'city': 'Bujumbura', 'iata': 'BJM', 'icao': 'HBBA', 'latitude': -3.324
0199089050293, 'longitude': 29.318500518798828, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Bujumbura', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1175, 'name':
'Khartoum International Airport', 'city': 'Khartoum', 'iata': 'KRT', 'icao':
'HSSS', 'latitude': 15.589500427246096, 'longitude': 32.55319976806641, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa
Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'H
AAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name':
'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL',
'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.709999084469
98, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'S
uvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'lati
tude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2176, 'name':
'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKB
K', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone
': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Int
ernational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'l
atitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 951, 'name': '
Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU'
, 'latitude': -8.858369999999999, 'longitude': 13.2312, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International
Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8
.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 970, 'name': "
Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'L
BV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.41228008
27, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'A
ddis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD',
'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timez
one': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 970, 'name': "
Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'L
BV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.41228008
27, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1020, 'name': 'N
djili International Airport', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZA
A', 'latitude': -4.38575, 'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Kinshasa', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 970, 'name': "
Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'L
BV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.41228008
27, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 298, 'name': 'Lo
mé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude'
: 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 970, 'name': "
Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'L
BV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.41228008
27, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 273, 'name': 'Mu
rtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao'
: 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'ti
mezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 970, 'name': "
Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'L
BV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.41228008
27, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4161, 'name': 'Y
aoundé Nsimalen International Airport', 'city': 'Yaounde', 'iata': 'NSI', 'ic
ao': 'FKYS', 'latitude': 3.722559928894043, 'longitude': 11.553299903869627,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 970, 'name': "
Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'L
BV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.41228008
27, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 886, 'name': 'Po
inte Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', '
latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.
0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1197, 'name':
'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'L
CLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezo
ne': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo Internation
al Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.1
2190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', '
tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abi
djan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitu
de': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidj
an', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 260, 'name': 'Nnamdi Azikiwe International Airp
ort', 'city': 'Abuja', 'iata': 'ABV', 'icao': 'DNAA', 'latitude': 9.006790161
132812, 'longitude': 7.263169765472412, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 248, 'name': 'Kotoka International Airport', 'c
ity': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451,
'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Afr
ica/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International A
irport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.
97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73W', '788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1044, 'name': 'Modibo Keita International Airpo
rt', 'city': 'Bamako', 'iata': 'BKO', 'icao': 'GABS', 'latitude': 12.5335, 'l
ongitude': -7.94994, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bamako', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4162, 'name': 'Conakry International Airport',
'city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY', 'latitude': 9.5768899999999
99, 'longitude': -13.612, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Conak
ry', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Coto
nou', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.357230186462402, 'longitud
e': 2.384350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-No
vo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'c
ity': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'lon
gitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['73W', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2560, 'name': 'Rio Galeão - Tom Jobim Internati
onal Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'icao': 'SBGL', 'lati
tude': -22.809999465900002, 'longitude': -43.2505569458, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 970, 'name': "Libreville Leon M'ba Internationa
l Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude':
0.45860001444799997, 'longitude': 9.4122800827, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': True, 'stops': 0, 'equipment': ['73W', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 273, 'name': 'Murtala Muhammed International Ai
rport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5773701
667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_i
d': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 298, 'name': '
Lomé-Tokoin Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitud
e': 6.165609836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city': 'Ou
agadougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitude':
-1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 507, 'name': '
London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'l
atitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'c
ity': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465
, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/A
ddis_Ababa', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['788', '77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 507, 'name': '
London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'l
atitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'c
ity': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'l
ongitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1117, 'name': 'Lalibella Airport', 'city': 'Lalibella', 'iata': 'LLI', 'icao': 'HALL', 'latitude': 11.975000381469727, 'longitude': 38.97999954223633, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1117, 'name': 'Lalibella Airport', 'city': 'Lalibella', 'iata': 'LLI', 'icao': 'HALL', 'latitude': 11.975000381469727, 'longitude': 38.97999954223633, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1110, 'name': 'Axum Airport', 'city': 'Axum', 'iata': 'AXU', 'icao': 'HAAX', 'latitude': 14.14680004119873, 'longitude': 38.77280044555664, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1117, 'name': 'Lalibella Airport', 'city': 'Lalibella', 'iata': 'LLI', 'icao': 'HALL', 'latitude': 11.975000381469727, 'longitude': 38.97999954223633, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1114, 'name': 'Gonder Airport', 'city': 'Gondar', 'iata': 'GDQ', 'icao': 'HAGN', 'latitude': 12.51990032196045, 'longitude': 37.433998107910156, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1016, 'name':
'Lilongwe International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao':
'FWKI', 'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1013, 'name': 'Chileka International
Airport', 'city': 'Blantyre', 'iata': 'BLZ', 'icao': 'FWCL', 'latitude': -15.
679100036621096, 'longitude': 34.9739990234375, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['738', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1016, 'name':
'Lilongwe International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao':
'FWKI', 'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere Interna
tional Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'lat
itude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1016, 'name':
'Lilongwe International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao':
'FWKI', 'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1005, 'name': 'Robert Gabriel Mugabe
International Airport', 'city': 'Harare', 'iata': 'HRE', 'icao': 'FVHA', 'lat
itude': -17.931801, 'longitude': 31.0928, 'timezone': 2.0, 'dst': 'U', 'tz_id
': 'Africa/Harare', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1016, 'name':
'Lilongwe International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao':
'FWKI', 'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 907, 'name': 'Kenneth Kaunda Internat
ional Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN', 'icao': 'FLLS', 'lati
tude': -15.330800056500001, 'longitude': 28.4526004791, 'timezone': 2.0, 'dst
': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': '
Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'ica
o': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bouet A
irport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.2613
90209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', '
tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': '
Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'ica
o': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa
Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'H
AAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': '
Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'ica
o': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Libreville L
eon M'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao':
'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'timezone
': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 273, 'name': '
Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'ica
o': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 298, 'name': 'Lomé-Tokoin
Airport', 'city': 'Lome', 'iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609
836578369, 'longitude': 1.2545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Africa/Lome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 907, 'name': '
Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN'
, 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis A
baba Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao
': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 907, 'name': '
Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN'
, 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1013, 'name': 'Chileka
International Airport', 'city': 'Blantyre', 'iata': 'BLZ', 'icao': 'FWCL', 'l
atitude': -15.679100036621096, 'longitude': 34.9739990234375, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 907, 'name': '
Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN'
, 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1005, 'name': 'Robert
Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE', 'icao
': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 907, 'name': '
Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN'
, 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.4526004791
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1016, 'name': 'Lilongw
e International Airport', 'city': 'Lilongwe', 'iata': 'LLW', 'icao': 'FWKI',
'latitude': -13.7894001007, 'longitude': 33.78099823, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Blantyre', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1335, 'name':
'Lyon Saint-Exupéry Airport', 'city': 'Lyon', 'iata': 'LYS', 'icao': 'LFLL',
'latitude': 45.725556, 'longitude': 5.081111, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frank
furt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.5
70556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['7
33', '32A', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1229, 'name':
'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'ica
o': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', '
city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'lo
ngitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['321', '320']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1145, 'name':
'Mombasa Moi International Airport', 'city': 'Mombasa', 'iata': 'MBA', 'icao'
: 'HKMO', 'latitude': -4.034830093383788, 'longitude': 39.594200134277344, 't
imezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Abab
a Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao':
'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1145, 'name':
'Mombasa Moi International Airport', 'city': 'Mombasa', 'iata': 'MBA', 'icao'
: 'HKMO', 'latitude': -4.034830093383788, 'longitude': 39.594200134277344, 't
imezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kilimanjar
o International Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ
', 'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2194, 'name':
'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOM
S', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezon
e': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole In
ternational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', '
latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3339, 'name':
'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao'
: 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0,
'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpor
t', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019,
'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapor
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['388']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1062, 'name':
'Spriggs Payne Airport', 'city': 'Monrovia', 'iata': 'MLW', 'icao': 'GLMR', '
latitude': 6.289060115814209, 'longitude': -10.758700370788574, 'timezone': 0
.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka International
Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.60518
9800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', '
tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1062, 'name':
'Spriggs Payne Airport', 'city': 'Monrovia', 'iata': 'MLW', 'icao': 'GLMR', '
latitude': 6.289060115814209, 'longitude': -10.758700370788574, 'timezone': 0
.0, 'dst': 'N', 'tz_id': 'Africa/Monrovia', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 1059, 'name': 'Lungi International
Airport', 'city': 'Freetown', 'iata': 'FNA', 'icao': 'GFLL', 'latitude': 8.61
6439999999999, 'longitude': -13.1955, 'timezone': 0.0, 'dst': 'N', 'tz_id': '
Africa/Freetown', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr

y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 979, 'name': '
Maputo Airport', 'city': 'Maputo', 'iata': 'MPM', 'icao': 'FQMA', 'latitude':
-25.920799, 'longitude': 32.572601, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af
rica/Maputo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': '
Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'long
itude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ab
aba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73W', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1118, 'name':
'Mekele Airport', 'city': 'Makale', 'iata': 'MQX', 'icao': 'HAMK', 'latitude'
: 13.467399597167967, 'longitude': 39.53350067138672, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole Internation
al Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude'
: 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['738', 'DH8', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1118, 'name':
'Mekele Airport', 'city': 'Makale', 'iata': 'MQX', 'icao': 'HAMK', 'latitude'
: 13.467399597167967, 'longitude': 39.53350067138672, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']
}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1118, 'name':
'Mekele Airport', 'city': 'Makale', 'iata': 'MQX', 'icao': 'HAMK', 'latitude'
: 13.467399597167967, 'longitude': 39.53350067138672, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']
}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1353, 'name':
'Marseille Provence Airport', 'city': 'Marseille', 'iata': 'MRS', 'icao': 'LF
ML', 'latitude': 43.439271921999996, 'longitude': 5.22142410278, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airpo
rt', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.03333

3, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['320', '32A', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 346, 'name': '
Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude':
48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata
': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1524, 'name':
'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'L
IMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino A
irport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277
799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1524, 'name':
'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'L
IMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'c
ity': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'lon
gitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['321', '319', '32A', '320']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4059, 'name':
'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'ica
o': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'

: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 999, 'name': "
N'Djamena International Airport", 'city': "N'djamena", 'iata': 'NDJ', 'icao':
'FTTJ', 'latitude': 12.1337, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Ndjamena', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 260, 'name': 'Nnamdi Azikiwe International Airpor
t', 'city': 'Abuja', 'iata': 'ABV', 'icao': 'DNAA', 'latitude': 9.00679016113
2812, 'longitude': 7.263169765472412, 'timezone': 1.0, 'dst': 'N', 'tz_id': '
Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 999, 'name': "
N'Djamena International Airport", 'city': "N'djamena", 'iata': 'NDJ', 'icao':
'FTTJ', 'latitude': 12.1337, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Ndjamena', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Air
port', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97
789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['738', '752', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 999, 'name': "
N'Djamena International Airport", 'city': "N'djamena", 'iata': 'NDJ', 'icao':
'FTTJ', 'latitude': 12.1337, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Ndjamena', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'cit
y': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longi
tude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 999, 'name': "
N'Djamena International Airport", 'city': "N'djamena", 'iata': 'NDJ', 'icao':
'FTTJ', 'latitude': 12.1337, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Ndjamena', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 280, 'name': 'Diori Hamani International Airport'
, 'city': 'Niamey', 'iata': 'NIM', 'icao': 'DRRN', 'latitude': 13.4815, 'long
itude': 2.18361, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Niamey', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 280, 'name': '
Diori Hamani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao':
'DRRN', 'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 260, 'name': 'Nnamdi Azikiwe International Airport
', 'city': 'Abuja', 'iata': 'ABV', 'icao': 'DNAA', 'latitude': 9.006790161132
812, 'longitude': 7.263169765472412, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'A
frica/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 280, 'name': '
Diori Hamani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao':
'DRRN', 'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airp
ort', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.977
89001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 280, 'name': '
Diori Hamani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao':
'DRRN', 'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou
', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.357230186462402, 'longitude':
2.384350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 280, 'name': '
Diori Hamani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao':
'DRRN', 'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 999, 'name': "N'Djamena International Airport", 'c
ity': "N'djamena", 'iata': 'NDJ', 'icao': 'FTTJ', 'latitude': 12.1337, 'longi
tude': 15.034, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Ndjamena', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 280, 'name': '
Diori Hamani International Airport', 'city': 'Niamey', 'iata': 'NIM', 'icao':
'DRRN', 'latitude': 13.4815, 'longitude': 2.18361, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Niamey', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 246, 'name': 'Ouagadougou Airport', 'city': 'Ouaga
dougou', 'iata': 'OUA', 'icao': 'DFFD', 'latitude': 12.3532, 'longitude': -1.
51242, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ouagadougou', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 910, 'name': '
Simon Mwansa Kapwepwe International Airport', 'city': 'Ndola', 'iata': 'NLA',
'icao': 'FLND', 'latitude': -12.998100280762, 'longitude': 28.66489982605, 't
imezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa
Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'H
AAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4161, 'name':
'Yaoundé Nsimalen International Airport', 'city': 'Yaounde', 'iata': 'NSI', '
icao': 'FKYS', 'latitude': 3.722559928894043, 'longitude': 11.553299903869627
, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Librevil
le Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'ic
ao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'tim
ezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 644, 'name': '
Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60
.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Osl
o', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN
', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.9186000823
97, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
736', '73W', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 644, 'name': '
Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60
.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Osl
o', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA
', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319', '320', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1657, 'name':
'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'ic
ao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport'
, 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333,
'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['733']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 246, 'name': '
Ouagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', '
latitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_i
d': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan',
'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude': -3
.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 246, 'name': '
Ouagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', '
latitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_i
d': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport
', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.977890
01465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afr

ica/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 246, 'name': '
Ouagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', '
latitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_i
d': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1044, 'name': 'Modibo Keita International Airport', '
city': 'Bamako', 'iata': 'BKO', 'icao': 'GABS', 'latitude': 12.5335, 'longitu
de': -7.94994, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bamako', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 246, 'name': '
Ouagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', '
latitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_i
d': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 298, 'name': 'Lomé-Tokoin Airport', 'city': 'Lome', '
iata': 'LFW', 'icao': 'DXXX', 'latitude': 6.165609836578369, 'longitude': 1.2
545100450515747, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Lome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['73W', 'DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 246, 'name': '
Ouagadougou Airport', 'city': 'Ouagadougou', 'iata': 'OUA', 'icao': 'DFFD', '
latitude': 12.3532, 'longitude': -1.51242, 'timezone': 0.0, 'dst': 'N', 'tz_i
d': 'Africa/Ouagadougou', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 280, 'name': 'Diori Hamani International Airport', 'c
ity': 'Niamey', 'iata': 'NIM', 'icao': 'DRRN', 'latitude': 13.4815, 'longitud
e': 2.18361, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Niamey', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['752']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 5665, 'name':
'Osvaldo Vieira International Airport', 'city': 'Bissau', 'iata': 'OXB', 'ica
o': 'GGOV', 'latitude': 11.894800186157227, 'longitude': -15.65369987487793,
'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Bissau', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 4162, 'name': 'Conakry I
nternational Airport', 'city': 'Conakry', 'iata': 'CKY', 'icao': 'GUCY', 'lat
itude': 9.576889999999999, 'longitude': -13.612, 'timezone': 0.0, 'dst': 'N',

'tz_id': 'Africa/Conakry', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name':
'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'i
cao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Aba
ba Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao':
'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name':
'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH'
, 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 886, 'name': '
Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP',
'latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1
.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 886, 'name': '
Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP',
'latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1
.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Libreville Leon M'
ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao': 'FOOL
', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'timezone': 1.

0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'Our
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1587, 'name':
'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR
', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankf
urt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.57
0556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['32
0', '321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3406, 'name':
'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', '
icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.8050003051757
8, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis
Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'ica
o': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L', '788']
}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 2082, 'name':
'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao':
'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': None, 'dst_airport': {'airpor
t_id': 1118, 'name': 'Mekele Airport', 'city': 'Makale', 'iata': 'MQX', 'icao
': 'HAMK', 'latitude': 13.467399597167967, 'longitude': 39.53350067138672, 't
imezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}

{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'cit
y': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitud
e': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adel
aide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'cit
y': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'l
ongitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacifi
c/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangk
ok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitud
e': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['333', '763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'cit
y': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605
, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Au
stralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['333']}

{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2009, 'name': 'Christchurch International Airport',
'city': 'Christchurch', 'iata': 'CHC', 'icao': 'NZCH', 'latitude': -43.489398
95629883, 'longitude': 172.53199768066406, 'timezone': 12.0, 'dst': 'Z', 'tz_
id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city':
'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'long
itude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['77W', '333']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'ci
ty': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'lon
gitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['388']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city':
'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'long
itude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/
Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['333']}

{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International
Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94
609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 't
z_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1194, 'name':
'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude':
42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city':
'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude
': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['320', '32A', '319']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 891, 'name': '
Malabo Airport', 'city': 'Malabo', 'iata': 'SSG', 'icao': 'FGSL', 'latitude':
3.7552700042724614, 'longitude': 8.708720207214355, 'timezone': 1.0, 'dst': '
N', 'tz_id': 'Africa/Malabo', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Air
port', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97
789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 891, 'name': '
Malabo Airport', 'city': 'Malabo', 'iata': 'SSG', 'icao': 'FGSL', 'latitude':
3.7552700042724614, 'longitude': 8.708720207214355, 'timezone': 1.0, 'dst': '
N', 'tz_id': 'Africa/Malabo', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'cit
y': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longi
tude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['763']}

{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name':
'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SY
D', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700195
3125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name':
'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS
', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': None, 'dst_airport': {'airpor
t_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis
Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude'
: 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': None, 'dst_airport': {'airpor
t_id': 1118, 'name': 'Mekele Airport', 'city': 'Makale', 'iata': 'MQX', 'icao
': 'HAMK', 'latitude': 13.467399597167967, 'longitude': 39.53350067138672, 't
imezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8'
]}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1273, 'name':
'Toulouse-Blagnac Airport', 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO'
, 'latitude': 43.629101, 'longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Fran
kfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.
570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
735']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1590, 'name':
'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao'
: 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'ti
mezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'sour

ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['321', '320', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '321', '32A']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emirates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'country': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 4105, 'name': 'Hosea Kutako International Airport', 'city': 'Windhoek', 'iata': 'WDH', 'icao': 'FYWH', 'latitude': -22.4799, 'longitude': 17.4709, 'timezone': 1.0, 'dst': 'S', 'tz_id': 'Africa/Windhoek', 'type': 'airport', 'source': 'OurAirports

'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airpor
t', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.13
92, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johann
esburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['319', '320', '738']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 193, 'name': '
Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', '
icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ab
aba Bole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao'
: 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone':
3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1186, 'name':
'Abeid Amani Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ'
, 'icao': 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3
.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole
International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB',
'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1186, 'name':
'Abeid Amani Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ'
, 'icao': 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3
.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kilimanjaro Inte
rnational Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ', 'la
titude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 2220, 'name': 'Ethiopian Airlines', 'alias': 'Emir
ates Airlines', 'iata': 'ET', 'icao': 'ETH', 'callsign': 'ETHIOPIAN', 'countr
y': 'Ethiopia', 'active': True}, 'src_airport': {'airport_id': 1678, 'name':
'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude'
: 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo

rt': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankf
urt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.57
0556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6351, 'name': 'Beihai Airport', 'city': 'Beihai', 'iata': 'BHY', 'icao': 'ZGB
H', 'latitude': 21.5394, 'longitude': 109.293999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Air
port', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719
200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6351, 'name': 'Beihai Airport', 'city': 'Beihai', 'iata': 'BHY', 'icao': 'ZGB
H', 'latitude': 21.5394, 'longitude': 109.293999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airp
ort', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500
747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3370, 'name': 'Guangzhou Baiyun International Airport', 'city': 'Guangzhou',
'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 11
3.29900360107422, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395,
'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata':
'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.94699
85961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4380, 'name': 'Longjia Airport', 'city': 'Changchun', 'iata': 'CGQ', 'icao':
'ZYCC', 'latitude': 43.9962005615, 'longitude': 125.684997559, 'timezone': 8.

0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'cit
y': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, '
longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing'
, 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude':
106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6351
, 'name': 'Beihai Airport', 'city': 'Beihai', 'iata': 'BHY', 'icao': 'ZGBH',
'latitude': 21.5394, 'longitude': 109.293999, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha',
'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 1
13.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'nam
e': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CT
U', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.94699859
61914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha',
'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 1
13.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'nam
e': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'H
GH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810
791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':

3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha',
'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 1
13.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3387, 'nam
e': 'Ningbo Lishe International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'ic
ao': 'ZSNB', 'latitude': 29.82670021057129, 'longitude': 121.46199798583984,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha',
'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 1
13.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'nam
e': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ'
, 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha',
'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 1
13.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, 'nam
e': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX', 'i
cao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.41200256347656,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6351, '
name': 'Beihai Airport', 'city': 'Beihai', 'iata': 'BHY', 'icao': 'ZGBH', 'la
titude': 21.5394, 'longitude': 109.293999, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':

3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3370, '
name': 'Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata':
'CAN', 'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.299003
60107422, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, '
name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata':
'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.22000
1221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, '
name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata':
'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.433998
10791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':

3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3381, '
name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', '
icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.7600021362304
8, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6944, '
name': 'Jining Qufu Airport', 'city': 'Jining', 'iata': 'JNG', 'icao': 'ZLJN'
, 'latitude': 35.292778000000006, 'longitude': 116.346667, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4301, '
name': 'Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'ica
o': 'ZUJZ', 'latitude': 32.8533333333, 'longitude': 103.68222222200001, 'time
zone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, '
name': 'Kunming Changshui International Airport', 'city': 'Kunming', 'iata':
'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.92916
67, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}

{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, '
name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY
', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4033, '
name': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', '
latitude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6383, '
name': 'Lianyungang Airport', 'city': 'Lianyungang', 'iata': 'LYG', 'icao': '
ZSLG', 'latitude': 34.571667, 'longitude': 118.87361100000001, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6356, '
name': 'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'icao': '
ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, '
name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZS
NJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, '
name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': '
PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.805000
30517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030, '
name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX',
'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.4120025634765
6, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3374, '
name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'iata': '
SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113.810997

00927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4108, '
name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'l
atitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3368, '
name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TS
N', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 't
imezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6392, '
name': 'Wenzhou Longwan International Airport', 'city': 'Wenzhou', 'iata': 'W
NZ', 'icao': 'ZSWZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, '
name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH',

'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3379, '
name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY'
, 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', '
iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 10
3.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 9846, '
name': 'Zunyi Xinzhou Airport', 'city': 'Zunyi', 'iata': 'ZYI', 'icao': 'ZUZY
', 'latitude': 27.5895, 'longitude': 107.0007, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3385, 'name': 'Fuzhou Changle International Airport', 'city': 'Fuzhou', 'iata
': 'FOC', 'icao': 'ZSFZ', 'latitude': 25.935100555419922, 'longitude': 119.66
300201416016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, 'nam
e': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY',
'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou',
'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 12
0.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371,
'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata'

: 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220
001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou',
'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 12
0.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395,
'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata':
'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.94699
85961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou',
'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 12
0.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4030,
'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata': 'SYX'
, 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.41200256347
656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6384, 'name': 'Huangyan Luqiao Airport', 'city': 'Huangyan', 'iata': 'HYN', '
icao': 'ZSLQ', 'latitude': 28.56220054626465, 'longitude': 121.4290008544922,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tia
nhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', '
latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': None, 'dst_airp
ort': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport',
'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680

664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': None, 'dst_airp
ort': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'cit
y': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, '
longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': '
JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.760002
13623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name':
'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU',
'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998596191
4, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': '
JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.760002
13623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3382, 'name':
'Kunming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG',
'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6944, 'name': 'Jining Qufu Airport', 'city': 'Jining', 'iata': 'JNG', 'icao':
'ZLJN', 'latitude': 35.292778000000006, 'longitude': 116.346667, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Int
ernational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latit
ude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'd

st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6944, 'name': 'Jining Qufu Airport', 'city': 'Jining', 'iata': 'JNG', 'icao':
'ZLJN', 'latitude': 35.292778000000006, 'longitude': 116.346667, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'ci
ty': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063
, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4301, 'name': 'Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH
', 'icao': 'ZUJZ', 'latitude': 32.8533333333, 'longitude': 103.68222222200001
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu
Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': '
ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', '
iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 10
2.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name':
'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU',
'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998596191
4, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', '
iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 10
2.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3381, 'name':
'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao':

'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3382, 'name': 'Kunming Changshui International Airport', 'city': 'Kunming', '
iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 10
2.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6356, 'name':
'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'icao': 'ZGZH',
'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao'
: 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuan
gliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU'
, 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao'
: 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3385, 'name': 'Fuzhou Changl
e International Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'l
atitude': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4033, 'name': 'Lijiang Airport', 'city': 'Lijiang', 'iata': 'LJG', 'icao': 'Z
PLJ', 'latitude': 26.6800003052, 'longitude': 100.24600219700001, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Int
ernational Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latit

ude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6383, 'name': 'Lianyungang Airport', 'city': 'Lianyungang', 'iata': 'LYG', 'i
cao': 'ZSLG', 'latitude': 34.571667, 'longitude': 118.87361100000001, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangli
u International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', '
latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6383, 'name': 'Lianyungang Airport', 'city': 'Lianyungang', 'iata': 'LYG', 'i
cao': 'ZSLG', 'latitude': 34.571667, 'longitude': 118.87361100000001, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport'
, 'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.639801025
39063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6356, 'name': 'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'i
cao': 'ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Internat
ional Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude':
30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6356, 'name': 'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'i
cao': 'ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Internat
ional Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude':

25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6356, 'name': 'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'i
cao': 'ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an Internatio
nal Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude':
22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
6356, 'name': 'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'i
cao': 'ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International
Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.544
00062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3387, 'name': 'Ningbo Lishe International Airport', 'city': 'Ninbo', 'iata':
'NGB', 'icao': 'ZSNB', 'latitude': 29.82670021057129, 'longitude': 121.461997
98583984, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name':
'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX',
'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, '
timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'ica
o': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha
Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': '

ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'ica
o': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu S
huangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'Z
UUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'i
ata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121
.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, '
name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata':
'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.94699
85961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': '
ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6944, 'name': 'Jining Qufu Airp
ort', 'city': 'Jining', 'iata': 'JNG', 'icao': 'ZLJN', 'latitude': 35.2927780
00000006, 'longitude': 116.346667, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4144, 'name': 'Taoxian Airport', 'city': 'Shenyang', 'iata': 'SHE', 'icao': '
ZYTX', 'latitude': 41.63980102539063, 'longitude': 123.48300170898438, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6383, 'name': 'Lianyungang Airp

ort', 'city': 'Lianyungang', 'iata': 'LYG', 'icao': 'ZSLG', 'latitude': 34.57
1667, 'longitude': 118.87361100000001, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata':
'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.412002
56347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name':
'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX',
'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, '
timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata':
'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.412002
56347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name':
'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU',
'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.946998596191
4, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4030, 'name': 'Sanya Phoenix International Airport', 'city': 'Sanya', 'iata':
'SYX', 'icao': 'ZJSY', 'latitude': 18.30290031433105, 'longitude': 109.412002
56347656, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3386, 'name':
'Hangzhou Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH',
'icao': 'ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.4339981079101
6, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3374, 'name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'i
ata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113

.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, '
name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata':
'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.94699
85961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3374, 'name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'i
ata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113
.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6356, '
name': 'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'icao': '
ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'Z
SQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang Internation
al Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.4
47102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZS
JN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4380, 'name': 'Longjia Airport'
, 'city': 'Changchun', 'iata': 'CGQ', 'icao': 'ZYCC', 'latitude': 43.99620056
15, 'longitude': 125.684997559, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', '
alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATO
RIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id':
4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZS

JN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 6392, 'name': 'Wenzhou Longwan International Airport', 'city': 'Wenzhou', 'iata': 'WNZ', 'icao': 'ZSWZ', 'latitude': 27.912201, 'longitude': 120.851997, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata':

'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6384, 'name': 'Huangyan Luqiao Airport', 'city': 'Huangyan', 'iata': 'HYN', 'icao': 'ZSLQ', 'latitude': 28.56220054626465, 'longitude': 121.4290008544922, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6356, 'name':

'Liuzhou Bailian Airport', 'city': 'Liuzhou', 'iata': 'LZH', 'icao': 'ZGZH', 'latitude': 24.2075, 'longitude': 109.390999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2193, 'name': 'Empresa Ecuatoriana De Aviacion', 'alias': 'Emirates Airlines', 'iata': 'EU', 'icao': 'EEA', 'callsign': 'ECUATORIANA', 'country': 'Ecuador', 'active': True}, 'src_airport': {'airport_id': 9846, 'name': 'Zunyi Xinzhou Airport', 'city': 'Zunyi', 'iata': 'ZYI', 'icao': 'ZUZY', 'latitude': 27.5895, 'longitude': 107.0007, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2260, 'name': 'Eurowings', 'alias': 'Emirates Airlines', 'iata': 'EW', 'icao': 'EWG', 'callsign': 'EUROWINGS', 'country': 'Germany', 'active': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name':

'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao'
: 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 't
imezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2170, 'nam
e': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao
': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International
Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.
433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U'
, 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 580, 'name
': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao':
'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airpor
t', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000
564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 580, 'name
': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao':
'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Airport'
, 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.818401336
7, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 580, 'name
': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao':
'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisb

on Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latit
ude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': '
Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 580, 'name
': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao':
'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airpo
rt', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280
799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'E
urope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['100', 'ERJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 737, 'name
': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': '
ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1739, 'name': 'Belgrade Nikol
a Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitud
e': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3941, 'nam
e': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata':
'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.94449996949
9997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu
Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OM
AA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezo
ne': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3682, 'nam
e': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'i
ata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago

O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KOR
D', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['E75', 'CR7']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Air
port', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.3521
0037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_
id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2994, 'name': 'Sardar Val
labhbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'i
cao': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'tim
ezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia
International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'lati
tude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam A

irport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitu
de': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherio
s Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao':
'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone
': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2057, 'name': 'Bahrain In
ternational Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'lati
tude': 26.27079963684082, 'longitude': 50.63359832763672, 'timezone': 3.0, 'd
st': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '333', '346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1739, 'name': 'Belgrade N
ikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'lat
itude': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2177, 'name': 'Beirut Raf

ic Hariri International Airport', 'city': 'Beirut', 'iata': 'BEY', 'icao': 'O
LBA', 'latitude': 33.820899963378906, 'longitude': 35.488399505615234, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 4130, 'name': 'Baghdad In
ternational Airport', 'city': 'Baghdad', 'iata': 'BGW', 'icao': 'ORBI', 'lati
tude': 33.262500762900004, 'longitude': 44.2346000671, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhu
mi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13
.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U
', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda
International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', '
latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['737', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapat

i Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'V
ABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 302, 'name': 'Brussels Ai
rport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.901
4015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2234, 'name': 'Basrah Int
ernational Airport', 'city': 'Basrah', 'iata': 'BSR', 'icao': 'ORMM', 'latitu
de': 30.54910087585449, 'longitude': 47.66210174560547, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1128, 'name': 'Cairo Inte
rnational Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude
': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3137, 'name': 'Calicut In

ternational Airport', 'city': 'Calicut', 'iata': 'CCJ', 'icao': 'VOCL', 'lati
tude': 11.1367998123, 'longitude': 75.95529937740001, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de
Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG'
, 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['332', '77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3024, 'name': 'Bandaranai
ke International Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao':
'VCBI', 'latitude': 7.180759906768799, 'longitude': 79.88410186767578, 'timez
one': 5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1074, 'name': 'Mohammed V

International Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN',
'latitude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0
.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3136, 'name': 'Cochin Int
ernational Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitud
e': 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Sh
uangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZU
UU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Sha
hjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR'
, 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'ds
t': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gan

dhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', '
latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320', '332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo
International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lat
itude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, '
dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd
International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'lat
itude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Int
ernational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude
': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 599, 'name': 'Dublin Airp

ort', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3989, 'name': 'Erbil International Airport', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'ORER', 'latitude': 36.23759841918945, 'longitude': 43.96319961547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt a

m Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitud
e': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos
- Governador André Franco Montoro International Airport', 'city': 'Sao Paulo'
, 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude'
: -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Pau
lo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['345']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1665, 'name': 'Geneva Coi
ntrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG'
, 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong
International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', '
latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou

rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket Int
ernational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitu
de': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'A
sia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'e
quipment': ['737', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3714, 'name': 'Washington
Dulles International Airport', 'city': 'Washington', 'iata': 'IAD', 'icao': '
KIAD', 'latitude': 38.94449997, 'longitude': -77.45580292, 'timezone': -5.0,
'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon In
ternational Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitu
de': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'ds
t': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['345', '346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 4330, 'name': 'Imam Khome
ini International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE',
'latitude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone':

3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bh
utto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPR
N', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320', '332', '77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk In
ternational Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'lat
itude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id'
: 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['333', '737', '332', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3098, 'name': 'Jaipur Int
ernational Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitu
de': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdul
aziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN',
'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz

_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Ken
nedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK
', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo In
ternational Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR',
'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_i
d': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah Int
ernational Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latit
ude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1175, 'name': 'Khartoum I
nternational Airport', 'city': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS', 'la
titude': 15.589500427246096, 'longitude': 32.55319976806641, 'timezone': 3.0,

'dst': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3125, 'name': 'Tribhuvan
International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', '
latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_i
d': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lump
ur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WM
KK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '77W
']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait Int
ernational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitu
de': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca In
ternational Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'lati

tude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqba
l International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'l
atitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '346', '332', '345'
, '77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heat
hrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 5
1.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe
/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77W', '346', '345']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 273, 'name': 'Murtala Muh
ammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM',
'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1
.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai In

ternational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latit
ude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'd
st': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 478, 'name': 'Manchester
Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53
.35369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['332', '77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat Int
ernational Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitu
de': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2074, 'name': 'Prince Moh
ammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao': 'OEMA
', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne

International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', '
latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O',
'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3156, 'name': 'Malé Inter
national Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude':
4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': '
U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aqui
no International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', '
latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2954, 'name': 'Minsk Nati
onal Airport', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS', 'latitude':
53.882499694824, 'longitude': 28.030700683594, 'timezone': 3.0, 'dst': 'E', '
tz_id': 'Europe/Minsk', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airp

ort', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346', '345', '333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'

Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD'
, 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', '
tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Ca
pital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA
', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name': 'Peshawar I
nternational Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS', 'la
titude': 33.993900299072266, 'longitude': 71.51460266113281, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shanghai P
udong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSP
D', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khale

d International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'l
atitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0
, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '333', '332', '77W
']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3980, 'name': "Sana'a Int
ernational Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': 'OYSN', 'latitud
e': 15.476300239562988, 'longitude': 44.21969985961914, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 994, 'name': 'Seychelles
International Airport', 'city': 'Mahe', 'iata': 'SEZ', 'icao': 'FSIA', 'latit
ude': -4.67434, 'longitude': 55.521801, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Indian/Mahe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nh
at International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao':
'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou

rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406

, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tege
l Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5
597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berl
in', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. P
earson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYY
Z', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -
5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2057, 'nam
e': 'Bahrain International Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao'
: 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50.63359832763672, 'tim
ezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Inte
rnational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'lati
tude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '333', '346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1739, 'nam
e': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao
': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Sc
hiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.3
08601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Am
sterdam', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1739, 'nam
e': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao
': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone':

1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Ai
rport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65
1901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1739, 'nam
e': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao
': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internati
onal Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude'
: 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1739, 'nam
e': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao
': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Ai
rport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.03
3333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Be
rlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1739, 'nam
e': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao
': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airp
ort', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, '
longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2177, 'nam
e': 'Beirut Rafic Hariri International Airport', 'city': 'Beirut', 'iata': 'B
EY', 'icao': 'OLBA', 'latitude': 33.820899963378906, 'longitude': 35.48839950

5615234, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Ab
u Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': '
OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'time
zone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4130, 'nam
e': 'Baghdad International Airport', 'city': 'Baghdad', 'iata': 'BGW', 'icao'
: 'ORBI', 'latitude': 33.262500762900004, 'longitude': 44.2346000671, 'timezo
ne': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Interna
tional Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitud
e': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'ds
t': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internationa
l Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 2
4.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': '
U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3931, 'name': 'Chiang Mai Internation
al Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude':
18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id
': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':

7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Internationa
l Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 2
2.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International A
irport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132,
'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3174, 'name': 'Krabi Airport', 'city'
: 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitu
de': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang Internat
ional Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'lati
tude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3885, 'nam
e': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS',
'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone':

7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3222, 'name': 'Mandalay International
Airport', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.7
02199935913086, 'longitude': 95.97789764404295, 'timezone': 6.5, 'dst': 'U',
'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3131, 'nam
e': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', '
icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Ai
rport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.43
3000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320', '737']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3320, 'nam
e': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'ica
o': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125,
'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Sin
gapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', '
latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2997, 'nam
e': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'B
OM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.86789703
37, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dh
abi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA
', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone
': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2997, 'nam
e': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'B
OM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.86789703

37, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3494, 'name': 'Newark Liberty International Airport', 'city': 'Newark', 'iata': 'EWR', 'icao': 'KEWR', 'latitude': 40.69250106811523, 'longitude': -74.168701171875, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2234, 'name': 'Basrah International Airport', 'city': 'Basrah', 'iata': 'BSR', 'icao': 'ORMM', 'latitude': 30.54910087585449, 'longitude': 47.66210174560547, 'timez

one': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1128, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3137, 'name': 'Calicut International Airport', 'city': 'Calicut', 'iata': 'CCJ', 'icao': 'VOCL', 'latitude': 11.1367998123, 'longitude': 75.95529937740001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0,

'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Air
port', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433
000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', '
tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1382, 'nam
e': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG'
, 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy Internationa
l Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40
.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['767']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1382, 'nam
e': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG'
, 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1273, 'name': 'Toulouse-Blagnac Airport',
'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101, 'lo
ngitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3275, 'nam
e': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK',
'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Interna
tional Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitud
e': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'ds
t': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['77W', '332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3275, 'nam
e': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK',
'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezo

ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Interna
tional Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitud
e': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3275, 'nam
e': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK',
'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3024, 'nam
e': 'Bandaranaike International Colombo Airport', 'city': 'Colombo', 'iata':
'CMB', 'icao': 'VCBI', 'latitude': 7.180759906768799, 'longitude': 79.8841018
6767578, 'timezone': 5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'A
bu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao':
'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'tim
ezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1074, 'nam
e': 'Mohammed V International Airport', 'city': 'Casablanca', 'iata': 'CMN',
'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitude': -7.58997011184692
4, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Ab
u Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': '
OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'time
zone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3931, 'nam
e': 'Chiang Mai International Airport', 'city': 'Chiang Mai', 'iata': 'CNX',
'icao': 'VTCC', 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezo

ne': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airp
ort', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099
891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_
id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: True, 'stops': 0, 'equipment': ['32S', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3136, 'nam
e': 'Cochin International Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': '
VOCI', 'latitude': 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International
Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.
433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U'
, 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3395, 'nam
e': 'Chengdu Shuangliu International Airport', 'city': 'Chengdu', 'iata': 'CT
U', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'longitude': 103.94699859
61914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Ab
u Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': '
OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'time
zone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3076, 'nam
e': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC',
'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timez
one': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internat
ional Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude
': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst
': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3093, 'nam
e': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'i
cao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, '

dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Air
port', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433
000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', '
tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['332', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3093, 'nam
e': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'i
cao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Air
port', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308
901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['330', '777']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4029, 'nam
e': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'ica
o': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi I
nternational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'l
atitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.
0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2064, 'nam
e': 'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao
': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 't
imezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Int
ernational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'lat
itude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 11051, 'na
me': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'O
THH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst':

'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport',
'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330005645
75195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 599, 'name
': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitu
de': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu
Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longi
tude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['77W', '332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 345, 'name
': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL'
, 'latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airpo
rt', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.43300
0564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz
_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3989, 'nam
e': 'Erbil International Airport', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'O
RER', 'latitude': 36.23759841918945, 'longitude': 43.96319961547852, 'timezon
e': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internat
ional Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude
': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst
': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3494, 'nam
e': 'Newark Liberty International Airport', 'city': 'Newark', 'iata': 'EWR',
'icao': 'KEWR', 'latitude': 40.69250106811523, 'longitude': -74.168701171875,

'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 302, 'name': 'Brussel s Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50 .9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id' : 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare' : False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1555, 'nam e': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ic ao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi I nternational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'l atitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4. 0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirpor ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1555, 'nam e': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ic ao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1489, 'name': 'Budapest Li szt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1 .0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'Our Airports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1555, 'nam e': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ic ao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1606, 'name': 'Malta Inter national Airport', 'city': 'Malta', 'iata': 'MLA', 'icao': 'LMML', 'latitude' : 35.857498, 'longitude': 14.4775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur ope/Malta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, ' stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1555, 'nam e': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ic ao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001,

'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coand
ă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP',
'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1555, 'nam
e': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ic
ao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airp
ort', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.4646989
99999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['EMJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 340, 'name
': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': '
EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport',
'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330005645
75195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 340, 'name
': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': '
EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Airport', '
city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.8184013367,
'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Bel
grade', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2564, 'nam
e': 'Guarulhos - Governador André Franco Montoro International Airport', 'cit
y': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.4355564117431

64, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': '
America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'A
bu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'lo
ngitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dub
ai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['345']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1665, 'nam
e': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA',
'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhab
i International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA',
'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone':
4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'nam
e': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'i
cao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Inte
rnational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'lati
tude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'nam
e': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'i
cao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi A
irport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681
099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', '
tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'nam
e': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'i

cao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Sh
ivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB'
, 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5
, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'nam
e': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'i
cao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta
International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'la
titude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N
', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3077, 'nam
e': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'i
cao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi
International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'lati
tude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['330', '777']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3179, 'nam
e': 'Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao':
'VTSP', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', '
city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.43300056457
5195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3179, 'nam
e': 'Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao':

'VTSP', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Ban
gkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longit
ude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['32S', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 8949, 'nam
e': 'Mattala Rajapaksa International Airport', 'city': 'Mattala', 'iata': 'HR
I', 'icao': 'VCRI', 'latitude': 6.284467, 'longitude': 81.124128, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3024, 'name': 'Bandaranaike Internati
onal Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI', 'lat
itude': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone': 5.5, '
dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': True, 'stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': None, 'dst_airport': {'ai
rport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhab
i', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude
': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '737']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3714, 'nam
e': 'Washington Dulles International Airport', 'city': 'Washington', 'iata':
'IAD', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitude': -77.45580292, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dha
bi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA'
, 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone'
: 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3930, 'nam
e': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao':
'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'time
zone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Interna

tional Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitud
e': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'ds
t': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['345', '346']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4330, 'nam
e': 'Imam Khomeini International Airport', 'city': 'Tehran', 'iata': 'IKA', '
icao': 'OIIE', 'latitude': 35.416099548339844, 'longitude': 51.15219879150390
6, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhab
i International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA',
'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone':
4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2223, 'nam
e': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK
', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internationa
l Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 2
4.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': '
U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320', '332', '77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1701, 'nam
e': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao
': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst
': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airp
ort', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330
00564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['333', '737', '332', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3098, 'nam
e': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI', 'icao':
'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport',

'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330005645
75195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2072, 'nam
e': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED',
'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airp
ort', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330
00564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3797, 'nam
e': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK'
, 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi In
ternational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'la
titude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3797, 'nam
e': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK'
, 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de G
aulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG',
'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['763', '757']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3797, 'nam
e': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK'
, 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3877, 'name': 'McCarran Int

ernational Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'lat
itude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst
': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3797, 'nam
e': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK'
, 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstr
ong New Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY',
'icao': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.2580032348632
8, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E9
0', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 813, 'name
': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', '
icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'd
st': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internationa
l Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 2
4.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': '
U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3174, 'nam
e': 'Krabi Airport', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitud
e': 8.09912014008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', '
tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok'
, 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude':
100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['320', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2206, 'nam
e': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao':
'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'd

st_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport',
'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330005645
75195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1175, 'nam
e': 'Khartoum International Airport', 'city': 'Khartoum', 'iata': 'KRT', 'ica
o': 'HSSS', 'latitude': 15.589500427246096, 'longitude': 32.55319976806641, '
timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhab
i International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA',
'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone':
4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3125, 'nam
e': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'i
cao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'd
st': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airp
ort', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330
00564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3304, 'nam
e': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KU
L', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908
446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name'
: 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'ica
o': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406,
'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '77W
']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2176, 'nam
e': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao':
'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'time

zone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3877, 'name': 'McCarran International Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'latitude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['767', '757']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '320', '346', '332', '345']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL'

, 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', '
tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city
': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195
, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asi
a/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77W', '346', '345']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1638, 'nam
e': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'i
ata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airpor
t', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.674900054
93164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1638, 'nam
e': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'i
ata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airp
ort Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude'
: 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1638, 'nam
e': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'i
ata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'tim
ezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1637, 'name': 'Porto Santo A
irport', 'city': 'Porto Santo', 'iata': 'PXO', 'icao': 'LPPS', 'latitude': 33
.073398590100005, 'longitude': -16.3500003815, 'timezone': 0.0, 'dst': 'E', '
tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['100', '32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 273, 'name
': 'Murtala Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS',

'icao': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.32116007804870
6, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dha
bi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA'
, 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone'
: 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3115, 'nam
e': 'Luang Phabang International Airport', 'city': 'Luang Prabang', 'iata': '
LPQ', 'icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.161003
11279295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name':
'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'la
titude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3144, 'nam
e': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao':
'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Inte
rnational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'lati
tude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 478, 'name
': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC',
'latitude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internation
al Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude':
24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['332', '77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2194, 'nam
e': 'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao':

'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'tim
ezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Intern
ational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitu
de': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3222, 'nam
e': 'Mandalay International Airport', 'city': 'Mandalay', 'iata': 'MDL', 'ica
o': 'VYMD', 'latitude': 21.702199935913086, 'longitude': 95.97789764404295, '
timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhum
i Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.
681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U'
, 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2074, 'nam
e': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED'
, 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International A
irport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4
33000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3339, 'nam
e': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'i
cao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10
.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internati
onal Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude'
: 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3156, 'nam
e': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRM

M', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone
': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Intern
ational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitu
de': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3156, 'nam
e': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRM
M', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone
': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 8949, 'name': 'Mattala Rajapaks
a International Airport', 'city': 'Mattala', 'iata': 'HRI', 'icao': 'VCRI', '
latitude': 6.284467, 'longitude': 81.124128, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2397, 'nam
e': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'i
cao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airp
ort', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4330
00564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Dubai', type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1353, 'nam
e': 'Marseille Provence Airport', 'city': 'Marseille', 'iata': 'MRS', 'icao':
'LFML', 'latitude': 43.439271921999996, 'longitude': 5.22142410278, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle I
nternational Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latit
ude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2954, 'nam
e': 'Minsk National Airport', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS

', 'latitude': 53.882499694824, 'longitude': 28.030700683594, 'timezone': 3.0
, 'dst': 'E', 'tz_id': 'Europe/Minsk', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International A
irport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4
33000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3861, 'nam
e': 'Louis Armstrong New Orleans International Airport', 'city': 'New Orleans
', 'iata': 'MSY', 'icao': 'KMSY', 'latitude': 29.99340057373047, 'longitude':
-90.25800323486328, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 37
97, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata
': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E90',
'320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 346, 'name
': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitu
de': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu D
habi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longit
ude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['346', '345', '333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1524, 'nam
e': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao'
: 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International A
irport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.4
33000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 4059, 'nam

e': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'time zone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Int ernational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'lat itude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports' }, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3942, 'nam e': 'Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, ' timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capit al International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8. 0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2279, 'nam e': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': ' RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone' : 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAi rports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internationa l Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 2 4.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': ' U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'code share': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1636, 'nam e': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao ': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'time zone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source' : 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airpo rt Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ e/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['100', 'ERJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3830, 'nam

e': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.25800323486328, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3830, 'nam

e': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['EMJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3942, 'name': 'Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3351, 'nam

e': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'Y
PPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatt
a International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', '
latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': True, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2219, 'nam
e': 'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'ica
o': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, '
timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi I
nternational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'l
atitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.
0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3406, 'nam
e': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG
', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.805000305
17578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Ab
u Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': '
OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'time
zone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1637, 'nam
e': 'Porto Santo Airport', 'city': 'Porto Santo', 'iata': 'PXO', 'icao': 'LPP
S', 'latitude': 33.073398590100005, 'longitude': -16.3500003815, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airp
ort (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT
', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', '
tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['100', '32S']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2082, 'nam

e': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'ic
ao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi I
nternational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'l
atitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.
0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '333', '332', '77W
']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3980, 'nam
e': "Sana'a International Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': '
OYSN', 'latitude': 15.476300239562988, 'longitude': 44.21969985961914, 'timez
one': 3.0, 'dst': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internati
onal Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude'
: 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 994, 'name
': 'Seychelles International Airport', 'city': 'Mahe', 'iata': 'SEZ', 'icao':
'FSIA', 'latitude': -4.67434, 'longitude': 55.521801, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Indian/Mahe', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', '
city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.43300056457
5195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id':
'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3205, 'nam
e': 'Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata':
'SGN', 'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427,
'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi I
nternational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'l
atitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.
0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni

ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'nam
e': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': '
WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport'
, 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.43300056
4575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id
': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3316, 'nam
e': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': '
WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport',
'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841991424
5605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3361, 'nam
e': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata':
'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700
1953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name
': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'ic
ao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406,
'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346', '77W
']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates
Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'Uni
ted Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 3153, 'nam
e': 'Trivandrum International Airport', 'city': 'Trivandrum', 'iata': 'TRV',
'icao': 'VOTV', 'latitude': 8.48211956024, 'longitude': 76.9200973511, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Intern
ational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitu
de': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 2910, 'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CRJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}

{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['EMJ']}
{'airline': {'airline_id': 2222, 'name': 'Etihad Airways', 'alias': 'Emirates Airlines', 'iata': 'EY', 'icao': 'ETD', 'callsign': 'ETIHAD', 'country': 'United Arab Emirates', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['EMJ']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey', 'active': False}, 'src_airport': {'airport_id': 5692, 'name': 'Amboseli Airport', 'city': 'Amboseli National Park', 'iata': 'ASV', 'icao': 'HKAM', 'latitude': -2.645050048828125, 'longitude': 37.25310134887695, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.3217200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}

{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1180, 'name': 'Kilimanjaro In
ternational Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ', '
latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson Airport',
'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.321720004081
7259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1144, 'name': 'Manda Airstrip
', 'city': 'Lamu', 'iata': 'LAU', 'icao': 'HKLU', 'latitude': -2.252419948577
881, 'longitude': 40.91310119628906, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'A
frica/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1147, 'name': 'Nairobi Wilson Airport', 'city': 'Nairobi', 'iat
a': 'WIL', 'icao': 'HKNW', 'latitude': -1.3217200040817259, 'longitude': 36.8
1480026245117, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 7424, 'name': 'Mara Serena Lo
dge Airstrip', 'city': 'Masai Mara', 'iata': 'MRE', 'icao': 'HKMS', 'latitude
': -1.406111, 'longitude': 35.008057, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1147, 'name': 'Nairobi Wilson Airport', 'city': 'Nairobi', 'ia
ta': 'WIL', 'icao': 'HKNW', 'latitude': -1.3217200040817259, 'longitude': 36.
81480026245117, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 5695, 'name': 'Nanyuki Airpor
t', 'city': 'Nanyuki', 'iata': 'NYK', 'icao': 'HKNY', 'latitude': -0.06239889
9346590035, 'longitude': 37.04100799560547, 'timezone': 3.0, 'dst': 'U', 'tz_
id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 6773, 'name': 'Buffalo Spring', 'city': 'Samburu South',
'iata': 'UAS', 'icao': 'HKSB', 'latitude': 0.530583, 'longitude': 37.53419500
0000004, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['DH8']}

{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 5695, 'name': 'Nanyuki Airpor
t', 'city': 'Nanyuki', 'iata': 'NYK', 'icao': 'HKNY', 'latitude': -0.06239889
9346590035, 'longitude': 37.04100799560547, 'timezone': 3.0, 'dst': 'U', 'tz_
id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1147, 'name': 'Nairobi Wilson Airport', 'city': 'Nairobi
', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.3217200040817259, 'longitude
': 36.81480026245117, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 6773, 'name': 'Buffalo Spring
', 'city': 'Samburu South', 'iata': 'UAS', 'icao': 'HKSB', 'latitude': 0.5305
83, 'longitude': 37.534195000000004, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'A
frica/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 5695, 'name': 'Nanyuki Airport', 'city': 'Nanyuki', 'iata': 'NY
K', 'icao': 'HKNY', 'latitude': -0.062398899346590035, 'longitude': 37.041007
99560547, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 7976, 'name': 'Ukunda Airstri
p', 'city': 'Ukunda', 'iata': 'UKA', 'icao': 'HKUK', 'latitude': -4.29333, 'l
ongitude': 39.571098, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11
47, 'name': 'Nairobi Wilson Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao
': 'HKNW', 'latitude': -1.3217200040817259, 'longitude': 36.81480026245117, '
timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson
Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.32
17200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1180, 'name': 'Kilimanjaro International Airport', '
city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ', 'latitude': -3.429409980
77, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa
/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['DH8']}

{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson
Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.32
17200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1144, 'name': 'Manda Airstrip', 'city': 'Lamu', 'iat
a': 'LAU', 'icao': 'HKLU', 'latitude': -2.252419948577881, 'longitude': 40.91
310119628906, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson
Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.32
17200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 7424, 'name': 'Mara Serena Lodge Airstrip', 'city':
'Masai Mara', 'iata': 'MRE', 'icao': 'HKMS', 'latitude': -1.406111, 'longitud
e': 35.008057, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson
Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.32
17200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 5695, 'name': 'Nanyuki Airport', 'city': 'Nanyuki',
'iata': 'NYK', 'icao': 'HKNY', 'latitude': -0.062398899346590035, 'longitude'
: 37.04100799560547, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH8']}
{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson
Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.32
17200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 6773, 'name': 'Buffalo Spring', 'city': 'Samburu Sou
th', 'iata': 'UAS', 'icao': 'HKSB', 'latitude': 0.530583, 'longitude': 37.534
195000000004, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DH8']}

{'airline': {'airline_id': 2409, 'name': 'Fly Air', 'alias': 'EasyJet Airline
', 'iata': 'F2', 'icao': 'FLM', 'callsign': 'FLY WORLD', 'country': 'Turkey',
'active': False}, 'src_airport': {'airport_id': 1147, 'name': 'Nairobi Wilson
Airport', 'city': 'Nairobi', 'iata': 'WIL', 'icao': 'HKNW', 'latitude': -1.32
17200040817259, 'longitude': 36.81480026245117, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 7976, 'name': 'Ukunda Airstrip', 'city': 'Ukunda', '
iata': 'UKA', 'icao': 'HKUK', 'latitude': -4.29333, 'longitude': 39.571098, '
timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 21012, 'name': 'Fly One', 'alias': 'Fly One', 'iat
a': 'F5', 'icao': 'FI5', 'callsign': 'nan', 'country': 'Moldova', 'active': T
rue}, 'src_airport': {'airport_id': 946, 'name': 'Cabinda Airport', 'city': '
Cabinda', 'iata': 'CAB', 'icao': 'FNCA', 'latitude': -5.59699010848999, 'long
itude': 12.188400268554688, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lua
nda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LA
D', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, 'ti
mezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 21012, 'name': 'Fly One', 'alias': 'Fly One', 'iat
a': 'F5', 'icao': 'FI5', 'callsign': 'nan', 'country': 'Moldova', 'active': T
rue}, 'src_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport
', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.8583699999
99999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lu
anda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 944, 'name': 'Mbanza Congo Airport', 'city': "M'banza-congo", 'iata': 'S
SY', 'icao': 'FNBC', 'latitude': -6.269899845123291, 'longitude': 14.24699974
0600586, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7']}
{'airline': {'airline_id': 21012, 'name': 'Fly One', 'alias': 'Fly One', 'iat
a': 'F5', 'icao': 'FI5', 'callsign': 'nan', 'country': 'Moldova', 'active': T
rue}, 'src_airport': {'airport_id': 951, 'name': 'Quatro de Fevereiro Airport
', 'city': 'Luanda', 'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.8583699999
99999, 'longitude': 13.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lu
anda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 958, 'name': 'Soyo Airport', 'city': 'Soyo', 'iata': 'SZA', 'icao': 'FNS
O', 'latitude': -6.141089916229247, 'longitude': 12.371800422668455, 'timezon
e': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 21012, 'name': 'Fly One', 'alias': 'Fly One', 'iat
a': 'F5', 'icao': 'FI5', 'callsign': 'nan', 'country': 'Moldova', 'active': T
rue}, 'src_airport': {'airport_id': 944, 'name': 'Mbanza Congo Airport', 'cit

y': "M'banza-congo", 'iata': 'SSY', 'icao': 'FNBC', 'latitude': -6.2698998451
23291, 'longitude': 14.246999740600586, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Luanda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 951, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda',
'iata': 'LAD', 'icao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 1
3.2312, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'AT7']}
{'airline': {'airline_id': 21012, 'name': 'Fly One', 'alias': 'Fly One', 'iat
a': 'F5', 'icao': 'FI5', 'callsign': 'nan', 'country': 'Moldova', 'active': T
rue}, 'src_airport': {'airport_id': 958, 'name': 'Soyo Airport', 'city': 'Soy
o', 'iata': 'SZA', 'icao': 'FNSO', 'latitude': -6.141089916229247, 'longitude
': 12.371800422668455, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 95
1, 'name': 'Quatro de Fevereiro Airport', 'city': 'Luanda', 'iata': 'LAD', 'i
cao': 'FNLU', 'latitude': -8.858369999999999, 'longitude': 13.2312, 'timezone
': 1.0, 'dst': 'N', 'tz_id': 'Africa/Luanda', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airp
ort Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude'
: 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata'
: 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.2363889999999
99, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S20'
]}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1739, 'name': 'Belgrade Niko
la Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitu
de': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airpor
t', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.238098144
53125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1264, 'name': 'Bordeaux-Méri
gnac Airport', 'city': 'Bordeaux', 'iata': 'BOD', 'icao': 'LFBD', 'latitude':

44.8283004761, 'longitude': -0.7155560255050001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport',
'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.2380981445312
5, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1536, 'name': 'Bolzano Airpo
rt', 'city': 'Bolzano', 'iata': 'BZO', 'icao': 'LIPB', 'latitude': 46.460201,
'longitude': 11.3264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555
, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO
', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.2388889000
00001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S2
0']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles de Ga
ulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG',
'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'ia
ta': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.2363889999
99999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1509, 'name': 'Catania-Fonta
narossa Airport', 'city': 'Catania', 'iata': 'CTA', 'icao': 'LICC', 'latitude
': 37.466801000000004, 'longitude': 15.0664, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 1510, 'name': 'Lampedusa Airport', 'city': 'Lampedusa', 'i
ata': 'LMP', 'icao': 'LICD', 'latitude': 35.497898, 'longitude': 12.6181, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo da V
inci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'lati
tude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0,

'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1536, 'name': 'Bolzano Airport', 'city': 'B
olzano', 'iata': 'BZO', 'icao': 'LIPB', 'latitude': 46.460201, 'longitude': 1
1.3264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S
20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo da V
inci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'lati
tude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin Internationa
l Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.2
3809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1563, 'name': 'Peretola Airp
ort', 'city': 'Florence', 'iata': 'FLR', 'icao': 'LIRQ', 'latitude': 43.81000
1, 'longitude': 11.2051, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16
65, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata'
: 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950
138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1563, 'name': 'Peretola Airp
ort', 'city': 'Florence', 'iata': 'FLR', 'icao': 'LIRQ', 'latitude': 43.81000
1, 'longitude': 11.2051, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16
78, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH'
, 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo

rts'}, 'dst_airport': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Air
port', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.8184
013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1264, 'name': 'Bordeaux-Mérignac Airport
', 'city': 'Bordeaux', 'iata': 'BOD', 'icao': 'LFBD', 'latitude': 44.82830047
61, 'longitude': -0.7155560255050001, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumici
no Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.80
0277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1563, 'name': 'Peretola Airport', 'city'
: 'Florence', 'iata': 'FLR', 'icao': 'LIRQ', 'latitude': 43.810001, 'longitud
e': 11.2051, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo

rts'}, 'dst_airport': {'airport_id': 1675, 'name': 'Lugano Airport', 'city':
'Lugano', 'iata': 'LUG', 'icao': 'LSZA', 'latitude': 46.00429916379999, 'long
itude': 8.9105796814, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 350, 'name': 'Stuttgart Airport', 'city'
: 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898994446, 'lon
gitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1273, 'name': 'Toulouse-Blagnac Airport'
, 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude': 43.629101, '
longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1246, 'name': 'Valencia Airport', 'city'
: 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'latitude': 39.4893, 'longitude'
: -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo

rts'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ', 'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999999999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland', 'active': True}, 'src_airport': {'airport_id': 1510, 'name': 'Lampedusa Airport', 'city': 'Lampedusa', 'iata': 'LMP', 'icao': 'LICD', 'latitude': 35.497898, 'longitude': 12.6181, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1509, 'name': 'Catania-Fontanarossa Airport', 'city': 'Catania', 'iata': 'CTA

', 'icao': 'LICC', 'latitude': 37.466801000000004, 'longitude': 15.0664, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1510, 'name': 'Lampedusa Air
port', 'city': 'Lampedusa', 'iata': 'LMP', 'icao': 'LICD', 'latitude': 35.497
898, 'longitude': 12.6181, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
1512, 'name': 'Falcone-Borsellino Airport', 'city': 'Palermo', 'iata': 'PMO',
'icao': 'LICJ', 'latitude': 38.175999, 'longitude': 13.091, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1675, 'name': 'Lugano Airpor
t', 'city': 'Lugano', 'iata': 'LUG', 'icao': 'LSZA', 'latitude': 46.004299163
79999, 'longitude': 8.9105796814, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Gen
eva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitud
e': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1512, 'name': 'Falcone-Borse
llino Airport', 'city': 'Palermo', 'iata': 'PMO', 'icao': 'LICJ', 'latitude':
38.175999, 'longitude': 13.091, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1510, 'name': 'Lampedusa Airport', 'city': 'Lampedusa', 'iata': 'LMP',
'icao': 'LICD', 'latitude': 35.497898, 'longitude': 12.6181, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1512, 'name': 'Falcone-Borse
llino Airport', 'city': 'Palermo', 'iata': 'PMO', 'icao': 'LICJ', 'latitude':
38.175999, 'longitude': 13.091, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1511, 'name': 'Pantelleria Airport', 'city': 'Pantelleria', 'iata': 'PN
L', 'icao': 'LICG', 'latitude': 36.816502, 'longitude': 11.9689, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1511, 'name': 'Pantelleria A
irport', 'city': 'Pantelleria', 'iata': 'PNL', 'icao': 'LICG', 'latitude': 36
.816502, 'longitude': 11.9689, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 1512, 'name': 'Falcone-Borsellino Airport', 'city': 'Palermo', 'iata': '
PMO', 'icao': 'LICJ', 'latitude': 38.175999, 'longitude': 13.091, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1511, 'name': 'Pantelleria A
irport', 'city': 'Pantelleria', 'iata': 'PNL', 'icao': 'LICG', 'latitude': 36
.816502, 'longitude': 11.9689, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 1515, 'name': 'Vincenzo Florio Airport Trapani-Birgi', 'city': 'Trapani'
, 'iata': 'TPS', 'icao': 'LICT', 'latitude': 37.9114, 'longitude': 12.488, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 350, 'name': 'Stuttgart Airp
ort', 'city': 'Stuttgart', 'iata': 'STR', 'icao': 'EDDS', 'latitude': 48.6898
994446, 'longitude': 9.22196006775, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Berlin', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'G
eneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longit
ude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1273, 'name': 'Toulouse-Blag
nac Airport', 'city': 'Toulouse', 'iata': 'TLS', 'icao': 'LFBO', 'latitude':
43.629101, 'longitude': 1.36382, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Genev
a', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude'
: 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'

, 'active': True}, 'src_airport': {'airport_id': 1515, 'name': 'Vincenzo Flor
io Airport Trapani-Birgi', 'city': 'Trapani', 'iata': 'TPS', 'icao': 'LICT',
'latitude': 37.9114, 'longitude': 12.488, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1511, 'name': 'Pantelleria Airport', 'city': 'Pantelleria', 'i
ata': 'PNL', 'icao': 'LICG', 'latitude': 36.816502, 'longitude': 11.9689, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1526, 'name': 'Turin Airport
', 'city': 'Torino', 'iata': 'TRN', 'icao': 'LIMF', 'latitude': 45.200802, 'l
ongitude': 7.64963, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678,
'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'l
atitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1246, 'name': 'Valencia Airp
ort', 'city': 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'latitude': 39.4893,
'longitude': -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iat
a': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.1089
50138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1563, 'name': 'Peretola Airport', 'city': 'Florence', 'iata': 'FLR', 'i
cao': 'LIRQ', 'latitude': 43.810001, 'longitude': 11.2051, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z

urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva'
, 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude':
6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 348, 'name': 'Leipzig/Halle Airport', 'city': 'Leipzig', 'iata': 'LEJ',
'icao': 'EDDP', 'latitude': 51.423889, 'longitude': 12.236388999999999, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2420, 'name': 'Flybaboo', 'alias': 'FlyAsianXpress
', 'iata': 'F7', 'icao': 'BBO', 'callsign': 'BABOO', 'country': 'Switzerland'
, 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1526, 'name': 'Turin Airport', 'city': 'Torino', 'iata': 'TRN', 'icao':
'LIMF', 'latitude': 45.200802, 'longitude': 7.64963, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['S20']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 7067, '
name': 'Alliance Municipal Airport', 'city': 'Alliance', 'iata': 'AIA', 'icao
': 'KAIA', 'latitude': 42.0531997681, 'longitude': -102.804000854, 'timezone'
: -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 7066, 'name': 'Chadron Municipal
Airport', 'city': 'Chadron', 'iata': 'CDR', 'icao': 'KCDR', 'latitude': 42.83
7600708000004, 'longitude': -103.095001221, 'timezone': -7.0, 'dst': 'A', 'tz
_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 7073, '
name': 'San Luis Valley Regional Bergman Field', 'city': 'Alamosa', 'iata': '
ALS', 'icao': 'KALS', 'latitude': 37.434898, 'longitude': -105.866997, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Intern

ational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude'
: 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 7073, '
name': 'San Luis Valley Regional Bergman Field', 'city': 'Alamosa', 'iata': '
ALS', 'icao': 'KALS', 'latitude': 37.434898, 'longitude': -105.866997, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3743, 'name': 'Four Corners
Regional Airport', 'city': 'Farmington', 'iata': 'FMN', 'icao': 'KFMN', 'lati
tude': 36.7411994934, 'longitude': -108.230003357, 'timezone': -7.0, 'dst': '
A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682, '
name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta',
'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682, '
name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta',
'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trento
n Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitud
e': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5721, '
name': 'Watertown Regional Airport', 'city': 'Watertown', 'iata': 'ATY', 'ica
o': 'KATY', 'latitude': 44.91400146, 'longitude': -97.15470123, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 5761, 'name': 'Pierre Regional Air

port', 'city': 'Pierre', 'iata': 'PIR', 'icao': 'KPIR', 'latitude': 44.382701
87, 'longitude': -100.2860031, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Americ
a/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3673, '
name': 'Austin Bergstrom International Airport', 'city': 'Austin', 'iata': 'A
US', 'icao': 'KAUS', 'latitude': 30.194499969482425, 'longitude': -97.6698989
868164, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name':
'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDE
N', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.
0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4083, '
name': 'Bismarck Municipal Airport', 'city': 'Bismarck', 'iata': 'BIS', 'icao
': 'KBIS', 'latitude': 46.77270126342773, 'longitude': -100.74600219726562, '
timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 6962, '
name': 'Branson Airport', 'city': 'Branson', 'iata': 'BKG', 'icao': 'KBBG', '
latitude': 36.532082, 'longitude': -93.200544, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3751, 'name': 'Denver International Airport', 'city
': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'lon
gitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denv
er', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4037, '
name': 'Central Illinois Regional Airport at Bloomington-Normal', 'city': 'Bl
oomington', 'iata': 'BMI', 'icao': 'KBMI', 'latitude': 40.47710037, 'longitud
e': -88.91590118, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 375

1, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', '
icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'tim
ezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4037, '
name': 'Central Illinois Regional Airport at Bloomington-Normal', 'city': 'Bl
oomington', 'iata': 'BMI', 'icao': 'KBMI', 'latitude': 40.47710037, 'longitud
e': -88.91590118, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 387
8, 'name': 'Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO',
'icao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -81.308998107910
16, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3690, '
name': 'Nashville International Airport', 'city': 'Nashville', 'iata': 'BNA',
'icao': 'KBNA', 'latitude': 36.1245002746582, 'longitude': -86.6781997680664,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3690, '
name': 'Nashville International Airport', 'city': 'Nashville', 'iata': 'BNA',
'icao': 'KBNA', 'latitude': 36.1245002746582, 'longitude': -86.6781997680664,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trento
n Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitud
e': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4020, '
name': 'Gallatin Field', 'city': 'Bozeman', 'iata': 'BZN', 'icao': 'KBZN', 'l
atitude': 45.77750015, 'longitude': -111.15299990000001, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirport

s'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airpor
t', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150
635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ame
rica/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 7066, '
name': 'Chadron Municipal Airport', 'city': 'Chadron', 'iata': 'CDR', 'icao':
'KCDR', 'latitude': 42.837600708000004, 'longitude': -103.095001221, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Internati
onal Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 3
9.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4043, '
name': 'The Eastern Iowa Airport', 'city': 'Cedar Rapids', 'iata': 'CID', 'ic
ao': 'KCID', 'latitude': 41.88470077514648, 'longitude': -91.71080017089844,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3486, '
name': 'Cleveland Hopkins International Airport', 'city': 'Cleveland', 'iata'
: 'CLE', 'icao': 'KCLE', 'latitude': 41.411701202399996, 'longitude': -81.849
8001099, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name
': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': '
MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone
': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3486, '
name': 'Cleveland Hopkins International Airport', 'city': 'Cleveland', 'iata'
: 'CLE', 'icao': 'KCLE', 'latitude': 41.411701202399996, 'longitude': -81.849
8001099, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': '

airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name
': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': '
KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3486, '
name': 'Cleveland Hopkins International Airport', 'city': 'Cleveland', 'iata'
: 'CLE', 'icao': 'KCLE', 'latitude': 41.411701202399996, 'longitude': -81.849
8001099, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1760, 'name
': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ', '
icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.3634033203000
1, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3486, '
name': 'Cleveland Hopkins International Airport', 'city': 'Cleveland', 'iata'
: 'CLE', 'icao': 'KCLE', 'latitude': 41.411701202399996, 'longitude': -81.849
8001099, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name
': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN'
, 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3876, '
name': 'Charlotte Douglas International Airport', 'city': 'Charlotte', 'iata'
: 'CLT', 'icao': 'KCLT', 'latitude': 35.2140007019043, 'longitude': -80.94309
997558594, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'nam
e': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN
', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1852, '
name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao
': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'time

zone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3486, 'name': 'Cleveland Ho
pkins International Airport', 'city': 'Cleveland', 'iata': 'CLE', 'icao': 'KC
LE', 'latitude': 41.411701202399996, 'longitude': -81.8498001099, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1852, '
name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao
': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'time
zone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Inter
national Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude
': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A'
, 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1852, '
name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao
': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'time
zone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3458, 'name': 'Kansas City
International Airport', 'city': 'Kansas City', 'iata': 'MCI', 'icao': 'KMCI',
'latitude': 39.2976, 'longitude': -94.713898, 'timezone': -6.0, 'dst': 'A', '
tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1852, '
name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao
': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'time
zone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3752, 'name': 'Philadelphia
International Airport', 'city': 'Philadelphia', 'iata': 'PHL', 'icao': 'KPHL'
, 'latitude': 39.87189865112305, 'longitude': -75.24109649658203, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1852, '
name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao
': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'time

zone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3570, 'name': 'Pittsburgh I
nternational Airport', 'city': 'Pittsburgh', 'iata': 'PIT', 'icao': 'KPIT', '
latitude': 40.49150085, 'longitude': -80.23290253, 'timezone': -5.0, 'dst': '
A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1852, '
name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao
': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'time
zone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3678, 'name': 'St Louis Lam
bert International Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KST
L', 'latitude': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3488, '
name': 'Cincinnati Northern Kentucky International Airport', 'city': 'Cincinn
ati', 'iata': 'CVG', 'icao': 'KCVG', 'latitude': 39.0488014221, 'longitude':
-84.6678009033, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751
, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'i
cao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'time
zone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319
']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3488, '
name': 'Cincinnati Northern Kentucky International Airport', 'city': 'Cincinn
ati', 'iata': 'CVG', 'icao': 'KCVG', 'latitude': 39.0488014221, 'longitude':
-84.6678009033, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447
, 'name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao':
'KTTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3804, '
name': 'Cheyenne Regional Jerry Olson Field', 'city': 'Cheyenne', 'iata': 'CY

S', 'icao': 'KCYS', 'latitude': 41.15570068, 'longitude': -104.81199649999999
, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['BEH', 'BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3804, '
name': 'Cheyenne Regional Jerry Olson Field', 'city': 'Cheyenne', 'iata': 'CY
S', 'icao': 'KCYS', 'latitude': 41.15570068, 'longitude': -104.81199649999999
, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5777, 'name': 'Worlan
d Municipal Airport', 'city': 'Worland', 'iata': 'WRL', 'icao': 'KWRL', 'lati
tude': 43.9656982421875, 'longitude': -107.95099639892578, 'timezone': -7.0,
'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['BEH', 'BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1800, '
name': 'Cozumel International Airport', 'city': 'Cozumel', 'iata': 'CZM', 'ic
ao': 'MMCZ', 'latitude': 20.52239990234375, 'longitude': -86.92559814453125,
'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3520, '
name': 'Ronald Reagan Washington National Airport', 'city': 'Washington', 'ia
ta': 'DCA', 'icao': 'KDCA', 'latitude': 38.8521, 'longitude': -77.037697, 'ti
mezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver I
nternational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lati
tude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst':
'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5733, '
name': 'Dodge City Regional Airport', 'city': 'Dodge City', 'iata': 'DDC', 'i

cao': 'KDDC', 'latitude': 37.76340103149414, 'longitude': -99.9655990600586,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5733, '
name': 'Dodge City Regional Airport', 'city': 'Dodge City', 'iata': 'DDC', 'i
cao': 'KDDC', 'latitude': 37.76340103149414, 'longitude': -99.9655990600586,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4341, 'name': 'Libera
l Mid-America Regional Airport', 'city': 'Liberal', 'iata': 'LBL', 'icao': 'K
LBL', 'latitude': 37.04420089999999, 'longitude': -100.95999909999999, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 7067, 'name': 'Alliance Municip
al Airport', 'city': 'Alliance', 'iata': 'AIA', 'icao': 'KAIA', 'latitude': 4
2.0531997681, 'longitude': -102.804000854, 'timezone': -7.0, 'dst': 'A', 'tz_
id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 7073, 'name': 'San Luis Valley
Regional Bergman Field', 'city': 'Alamosa', 'iata': 'ALS', 'icao': 'KALS', 'l
atitude': 37.434898, 'longitude': -105.866997, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao

': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jacks
on Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao':
'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst'
: 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3673, 'name': 'Austin Bergstrom
International Airport', 'city': 'Austin', 'iata': 'AUS', 'icao': 'KAUS', 'lat
itude': 30.194499969482425, 'longitude': -97.6698989868164, 'timezone': -6.0,
'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4083, 'name': 'Bismarck Municip
al Airport', 'city': 'Bismarck', 'iata': 'BIS', 'icao': 'KBIS', 'latitude': 4
6.77270126342773, 'longitude': -100.74600219726562, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 6962, 'name': 'Branson Airport'
, 'city': 'Branson', 'iata': 'BKG', 'icao': 'KBBG', 'latitude': 36.532082, 'l
ongitude': -93.200544, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicag
o', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao

': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4037, 'name': 'Central Illinois
Regional Airport at Bloomington-Normal', 'city': 'Bloomington', 'iata': 'BMI'
, 'icao': 'KBMI', 'latitude': 40.47710037, 'longitude': -88.91590118, 'timezo
ne': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3690, 'name': 'Nashville Intern
ational Airport', 'city': 'Nashville', 'iata': 'BNA', 'icao': 'KBNA', 'latitu
de': 36.1245002746582, 'longitude': -86.6781997680664, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4020, 'name': 'Gallatin Field',
'city': 'Bozeman', 'iata': 'BZN', 'icao': 'KBZN', 'latitude': 45.77750015, 'l
ongitude': -111.15299990000001, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4043, 'name': 'The Eastern Iowa
Airport', 'city': 'Cedar Rapids', 'iata': 'CID', 'icao': 'KCID', 'latitude':
41.88470077514648, 'longitude': -91.71080017089844, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao

': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3486, 'name': 'Cleveland Hopkin
s International Airport', 'city': 'Cleveland', 'iata': 'CLE', 'icao': 'KCLE',
'latitude': 41.411701202399996, 'longitude': -81.8498001099, 'timezone': -5.0
, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún Internati
onal Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 2
1.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S',
'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3488, 'name': 'Cincinnati North
ern Kentucky International Airport', 'city': 'Cincinnati', 'iata': 'CVG', 'ic
ao': 'KCVG', 'latitude': 39.0488014221, 'longitude': -84.6678009033, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320'
]}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3804, 'name': 'Cheyenne Regiona
l Jerry Olson Field', 'city': 'Cheyenne', 'iata': 'CYS', 'icao': 'KCYS', 'lat
itude': 41.15570068, 'longitude': -104.81199649999999, 'timezone': -7.0, 'dst
': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['BEH', 'BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '

name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1800, 'name': 'Cozumel Internat
ional Airport', 'city': 'Cozumel', 'iata': 'CZM', 'icao': 'MMCZ', 'latitude':
20.52239990234375, 'longitude': -86.92559814453125, 'timezone': -5.0, 'dst':
'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3520, 'name': 'Ronald Reagan Wa
shington National Airport', 'city': 'Washington', 'iata': 'DCA', 'icao': 'KDC
A', 'latitude': 38.8521, 'longitude': -77.037697, 'timezone': -5.0, 'dst': 'A
', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3670, 'name': 'Dallas Fort Wort
h International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao':
'KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'ds
t': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3729, 'name': 'Des Moines Inter
national Airport', 'city': 'Des Moines', 'iata': 'DSM', 'icao': 'KDSM', 'lati
tude': 41.53400039672852, 'longitude': -93.66310119628906, 'timezone': -6.0,
'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '

name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3645, 'name': 'Detroit Metropol
itan Wayne County Airport', 'city': 'Detroit', 'iata': 'DTW', 'icao': 'KDTW',
'latitude': 42.212398529052734, 'longitude': -83.35340118408203, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4099, 'name': 'Mahlon Sweet Fie
ld', 'city': 'Eugene', 'iata': 'EUG', 'icao': 'KEUG', 'latitude': 44.12459945
678711, 'longitude': -123.21199798583984, 'timezone': -8.0, 'dst': 'A', 'tz_i
d': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4292, 'name': 'Hector Internati
onal Airport', 'city': 'Fargo', 'iata': 'FAR', 'icao': 'KFAR', 'latitude': 46
.92070007324219, 'longitude': -96.81580352783205, 'timezone': -6.0, 'dst': 'A
', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3687, 'name': 'Fresno Yosemite
International Airport', 'city': 'Fresno', 'iata': 'FAT', 'icao': 'KFAT', 'lat
itude': 36.77619934082031, 'longitude': -119.71800231933594, 'timezone': -8.0
, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '

name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale
Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', '
icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5
.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3743, 'name': 'Four Corners Reg
ional Airport', 'city': 'Farmington', 'iata': 'FMN', 'icao': 'KFMN', 'latitud
e': 36.7411994934, 'longitude': -108.230003357, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4009, 'name': 'Joe Foss Field A
irport', 'city': 'Sioux Falls', 'iata': 'FSD', 'icao': 'KFSD', 'latitude': 43
.5820007324, 'longitude': -96.741897583, 'timezone': -6.0, 'dst': 'A', 'tz_id
': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3467, 'name': 'Spokane Internat
ional Airport', 'city': 'Spokane', 'iata': 'GEG', 'icao': 'KGEG', 'latitude':
47.61989974975586, 'longitude': -117.53399658203124, 'timezone': -8.0, 'dst':
'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '

name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4008, 'name': 'Piedmont Triad I
nternational Airport', 'city': 'Greensboro', 'iata': 'GSO', 'icao': 'KGSO', '
latitude': 36.097801208496094, 'longitude': -79.93730163574219, 'timezone': -
5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3550, 'name': 'George Bush Inte
rcontinental Houston Airport', 'city': 'Houston', 'iata': 'IAH', 'icao': 'KIA
H', 'latitude': 29.98439979553223, 'longitude': -95.34140014648438, 'timezone
': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3859, 'name': 'New Castle Airpo
rt', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KILG', 'latitude': 39.6786
9949, 'longitude': -75.60649872, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Amer
ica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3585, 'name': 'Indianapolis Int
ernational Airport', 'city': 'Indianapolis', 'iata': 'IND', 'icao': 'KIND', '
latitude': 39.7173, 'longitude': -86.294403, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '

name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3877, 'name': 'McCarran Interna
tional Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'latitud
e': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst': '
A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles Inte
rnational Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'la
titude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'ds
t': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3697, 'name': 'La Guardia Airpo
rt', 'city': 'New York', 'iata': 'LGA', 'icao': 'KLGA', 'latitude': 40.777198
79, 'longitude': -73.87259674, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Qu
iros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB'
, 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U',
'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '

name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3660, 'name': 'Bill & Hillary C
linton National Airport/Adams Field', 'city': 'Little Rock', 'iata': 'LIT', '
icao': 'KLIT', 'latitude': 34.729400634799994, 'longitude': -92.2242965697999
9, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3458, 'name': 'Kansas City Inte
rnational Airport', 'city': 'Kansas City', 'iata': 'MCI', 'icao': 'KMCI', 'la
titude': 39.2976, 'longitude': -94.713898, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Internat
ional Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitude':
28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3542, 'name': 'Harrisburg Inter
national Airport', 'city': 'Harrisburg', 'iata': 'MDT', 'icao': 'KMDT', 'lati
tude': 40.1935005188, 'longitude': -76.7633972168, 'timezone': -5.0, 'dst': '
A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3747, 'name': 'Chicago Midway I
nternational Airport', 'city': 'Chicago', 'iata': 'MDW', 'icao': 'KMDW', 'lat
itude': 41.785999, 'longitude': -87.752403, 'timezone': -6.0, 'dst': 'A', 'tz
_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3473, 'name': 'Memphis Internat
ional Airport', 'city': 'Memphis', 'iata': 'MEM', 'icao': 'KMEM', 'latitude':
35.04240036010742, 'longitude': -89.97669982910156, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3717, 'name': 'General Mitchell
International Airport', 'city': 'Milwaukee', 'iata': 'MKE', 'icao': 'KMKE', '
latitude': 42.94720077514648, 'longitude': -87.89659881591797, 'timezone': -6
.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3498, 'name': 'Minot Internatio
nal Airport', 'city': 'Minot', 'iata': 'MOT', 'icao': 'KMOT', 'latitude': 48.
2593994140625, 'longitude': -101.27999877929688, 'timezone': -6.0, 'dst': 'A'
, 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3459, 'name': 'Dane County Regi
onal Truax Field', 'city': 'Madison', 'iata': 'MSN', 'icao': 'KMSN', 'latitud
e': 43.13990020751953, 'longitude': -89.3375015258789, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3858, 'name': 'Minneapolis-St P
aul International/Wold-Chamberlain Airport', 'city': 'Minneapolis', 'iata': '
MSP', 'icao': 'KMSP', 'latitude': 44.882, 'longitude': -93.221802, 'timezone'
: -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstrong
New Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'ic
ao': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.25800323486328,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3863, 'name': 'Will Rogers Worl
d Airport', 'city': 'Oklahoma City', 'iata': 'OKC', 'icao': 'KOKC', 'latitude
': 35.39310073852539, 'longitude': -97.60070037841795, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3454, 'name': 'Eppley Airfield'
, 'city': 'Omaha', 'iata': 'OMA', 'icao': 'KOMA', 'latitude': 41.3032, 'longi
tude': -95.89409599999999, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Ch
icago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3720, 'name': 'Portland Interna
tional Airport', 'city': 'Portland', 'iata': 'PDX', 'icao': 'KPDX', 'latitude
': 45.58869934, 'longitude': -122.59799960000001, 'timezone': -8.0, 'dst': 'A
', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3633, 'name': 'Newport News Wil
liamsburg International Airport', 'city': 'Newport News', 'iata': 'PHF', 'ica
o': 'KPHF', 'latitude': 37.13190079, 'longitude': -76.49299622, 'timezone': -
5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3462, 'name': 'Phoenix Sky Harb
or International Airport', 'city': 'Phoenix', 'iata': 'PHX', 'icao': 'KPHX',
'latitude': 33.43429946899414, 'longitude': -112.01200103759766, 'timezone':
-7.0, 'dst': 'N', 'tz_id': 'America/Phoenix', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5761, 'name': 'Pierre Regional
Airport', 'city': 'Pierre', 'iata': 'PIR', 'icao': 'KPIR', 'latitude': 44.382
70187, 'longitude': -100.2860031, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Ame
rica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3839, 'name': 'Palm Springs Int
ernational Airport', 'city': 'Palm Springs', 'iata': 'PSP', 'icao': 'KPSP', '
latitude': 33.829700469970696, 'longitude': -116.50700378417969, 'timezone':
-8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1836, 'name': 'Licenciado Gusta
vo Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iata': 'PVR
', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.25399780
273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3793, 'name': 'Southwest Florid
a International Airport', 'city': 'Fort Myers', 'iata': 'RSW', 'icao': 'KRSW'
, 'latitude': 26.53619956970215, 'longitude': -81.75520324707031, 'timezone':

-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3731, 'name': 'San Diego Intern
ational Airport', 'city': 'San Diego', 'iata': 'SAN', 'icao': 'KSAN', 'latitu
de': 32.7336006165, 'longitude': -117.190002441, 'timezone': -8.0, 'dst': 'A'
, 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3949, 'name': 'Santa Barbara Mu
nicipal Airport', 'city': 'Santa Barbara', 'iata': 'SBA', 'icao': 'KSBA', 'la
titude': 34.42620087, 'longitude': -119.8399963, 'timezone': -8.0, 'dst': 'A'
, 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3577, 'name': 'Seattle Tacoma I
nternational Airport', 'city': 'Seattle', 'iata': 'SEA', 'icao': 'KSEA', 'lat
itude': 47.449001, 'longitude': -122.308998, 'timezone': -8.0, 'dst': 'A', 't
z_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3469, 'name': 'San Francisco In
ternational Airport', 'city': 'San Francisco', 'iata': 'SFO', 'icao': 'KSFO',
'latitude': 37.61899948120117, 'longitude': -122.375, 'timezone': -8.0, 'dst'

: 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1840, 'name': 'Los Cabos Intern
ational Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao': 'MMSD',
'latitude': 23.15180015563965, 'longitude': -109.72100067138672, 'timezone':
-7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria
International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'l
atitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.
0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3536, 'name': 'Salt Lake City I
nternational Airport', 'city': 'Salt Lake City', 'iata': 'SLC', 'icao': 'KSLC
', 'latitude': 40.78839874267578, 'longitude': -111.97799682617188, 'timezone
': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3867, 'name': 'John Wayne Airpo
rt-Orange County Airport', 'city': 'Santa Ana', 'iata': 'SNA', 'icao': 'KSNA'
, 'latitude': 33.67570114, 'longitude': -117.86799620000001, 'timezone': -8.0

, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3678, 'name': 'St Louis Lambert
International Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', '
latitude': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa Internatio
nal Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude': 27.
975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3676, 'name': 'McGhee Tyson Air
port', 'city': 'Knoxville', 'iata': 'TYS', 'icao': 'KTYS', 'latitude': 35.811
00082, 'longitude': -83.99400329999999, 'timezone': -5.0, 'dst': 'A', 'tz_id'
: 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3670, '
name': 'Dallas Fort Worth International Airport', 'city': 'Dallas-Fort Worth'
, 'iata': 'DFW', 'icao': 'KDFW', 'latitude': 32.896801, 'longitude': -97.0380
02, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'De
nver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN',
'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, '

dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3729, '
name': 'Des Moines International Airport', 'city': 'Des Moines', 'iata': 'DSM
', 'icao': 'KDSM', 'latitude': 41.53400039672852, 'longitude': -93.6631011962
8906, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': '
Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN
', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0
, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3645, '
name': 'Detroit Metropolitan Wayne County Airport', 'city': 'Detroit', 'iata'
: 'DTW', 'icao': 'KDTW', 'latitude': 42.212398529052734, 'longitude': -83.353
40118408203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3645, '
name': 'Detroit Metropolitan Wayne County Airport', 'city': 'Detroit', 'iata'
: 'DTW', 'icao': 'KDTW', 'latitude': 42.212398529052734, 'longitude': -83.353
40118408203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3645, '
name': 'Detroit Metropolitan Wayne County Airport', 'city': 'Detroit', 'iata'
: 'DTW', 'icao': 'KDTW', 'latitude': 42.212398529052734, 'longitude': -83.353
40118408203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon

e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4099, '
name': 'Mahlon Sweet Field', 'city': 'Eugene', 'iata': 'EUG', 'icao': 'KEUG',
'latitude': 44.12459945678711, 'longitude': -123.21199798583984, 'timezone':
-8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Interna
tional Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude':
39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', '
tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4292, '
name': 'Hector International Airport', 'city': 'Fargo', 'iata': 'FAR', 'icao'
: 'KFAR', 'latitude': 46.92070007324219, 'longitude': -96.81580352783205, 'ti
mezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver In
ternational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latit
ude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst':
'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3687, '
name': 'Fresno Yosemite International Airport', 'city': 'Fresno', 'iata': 'FA
T', 'icao': 'KFAT', 'latitude': 36.77619934082031, 'longitude': -119.71800231
933594, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3533, '
name': 'Fort Lauderdale Hollywood International Airport', 'city': 'Fort Laude
rdale', 'iata': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -8
0.152702, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':

-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3533, '
name': 'Fort Lauderdale Hollywood International Airport', 'city': 'Fort Laude
rdale', 'iata': 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -8
0.152702, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'nam
e': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN
', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3743, '
name': 'Four Corners Regional Airport', 'city': 'Farmington', 'iata': 'FMN',
'icao': 'KFMN', 'latitude': 36.7411994934, 'longitude': -108.230003357, 'time
zone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 7073, 'name': 'San Luis Val
ley Regional Bergman Field', 'city': 'Alamosa', 'iata': 'ALS', 'icao': 'KALS'
, 'latitude': 37.434898, 'longitude': -105.866997, 'timezone': -7.0, 'dst': '
A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3743, '
name': 'Four Corners Regional Airport', 'city': 'Farmington', 'iata': 'FMN',
'icao': 'KFMN', 'latitude': 36.7411994934, 'longitude': -108.230003357, 'time
zone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Inter
national Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude
': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A'
, 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3743, '
name': 'Four Corners Regional Airport', 'city': 'Farmington', 'iata': 'FMN',
'icao': 'KFMN', 'latitude': 36.7411994934, 'longitude': -108.230003357, 'time
zone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 7078, 'name': 'Show Low Reg
ional Airport', 'city': 'Show Low', 'iata': 'SOW', 'icao': 'KSOW', 'latitude'
: 34.265499115, 'longitude': -110.005996704, 'timezone': -7.0, 'dst': 'A', 't

z_id': 'America/Phoenix', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4009, '
name': 'Joe Foss Field Airport', 'city': 'Sioux Falls', 'iata': 'FSD', 'icao'
: 'KFSD', 'latitude': 43.5820007324, 'longitude': -96.741897583, 'timezone':
-6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Internation
al Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.
861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_
id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3467, '
name': 'Spokane International Airport', 'city': 'Spokane', 'iata': 'GEG', 'ic
ao': 'KGEG', 'latitude': 47.61989974975586, 'longitude': -117.53399658203124,
'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'De
nver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN',
'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4008, '
name': 'Piedmont Triad International Airport', 'city': 'Greensboro', 'iata':
'GSO', 'icao': 'KGSO', 'latitude': 36.097801208496094, 'longitude': -79.93730
163574219, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3491, '
name': 'Huron Regional Airport', 'city': 'Huron', 'iata': 'HON', 'icao': 'KHO
N', 'latitude': 44.38520050048828, 'longitude': -98.22850036621094, 'timezone
': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5761, 'name': 'Pierre Regional
Airport', 'city': 'Pierre', 'iata': 'PIR', 'icao': 'KPIR', 'latitude': 44.382
70187, 'longitude': -100.2860031, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Ame

rica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3550, '
name': 'George Bush Intercontinental Houston Airport', 'city': 'Houston', 'ia
ta': 'IAH', 'icao': 'KIAH', 'latitude': 29.98439979553223, 'longitude': -95.3
4140014648438, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751,
'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'ica
o': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezo
ne': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']
}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': None, 'dst_airport': {
'airport_id': 4124, 'name': 'Page Municipal Airport', 'city': 'Page', 'iata':
'PGA', 'icao': 'KPGA', 'latitude': 36.92610168, 'longitude': -111.447998, 'ti
mezone': -7.0, 'dst': 'A', 'tz_id': 'America/Phoenix', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airp
ort', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.8616981
50635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'A
merica/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3645, 'name': 'Detroit Metropolitan Wayn
e County Airport', 'city': 'Detroit', 'iata': 'DTW', 'icao': 'KDTW', 'latitud
e': 42.212398529052734, 'longitude': -83.35340118408203, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando International Air
port', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitude': 28.42939
9490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3747, 'name': 'Chicago Midway Internatio
nal Airport', 'city': 'Chicago', 'iata': 'MDW', 'icao': 'KMDW', 'latitude': 4
1.785999, 'longitude': -87.752403, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Am
erica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3793, 'name': 'Southwest Florida Interna
tional Airport', 'city': 'Fort Myers', 'iata': 'RSW', 'icao': 'KRSW', 'latitu
de': 26.53619956970215, 'longitude': -81.75520324707031, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa International Airpo
rt', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude': 27.975500106
811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'A
merica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3585, '
name': 'Indianapolis International Airport', 'city': 'Indianapolis', 'iata':
'IND', 'icao': 'KIND', 'latitude': 39.7173, 'longitude': -86.294403, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Intern
ational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude'
: 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3585, '
name': 'Indianapolis International Airport', 'city': 'Indianapolis', 'iata':
'IND', 'icao': 'KIND', 'latitude': 39.7173, 'longitude': -86.294403, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trenton Merce
r Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitude': 40.
27669906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3877, '
name': 'McCarran International Airport', 'city': 'Las Vegas', 'iata': 'LAS',
'icao': 'KLAS', 'latitude': 36.08010101, 'longitude': -115.15200039999999, 't
imezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denv
er International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', '
latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3484, '
name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'L
AX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.4079970999999
9, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name':
'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDE
N', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.
0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3484, '
name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'L
AX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.4079970999999
9, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'sto
ps': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4341, '
name': 'Liberal Mid-America Regional Airport', 'city': 'Liberal', 'iata': 'LB
L', 'icao': 'KLBL', 'latitude': 37.04420089999999, 'longitude': -100.95999909
999999, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5733, 'name':
'Dodge City Regional Airport', 'city': 'Dodge City', 'iata': 'DDC', 'icao': '
KDDC', 'latitude': 37.76340103149414, 'longitude': -99.9655990600586, 'timezo
ne': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4341, '
name': 'Liberal Mid-America Regional Airport', 'city': 'Liberal', 'iata': 'LB
L', 'icao': 'KLBL', 'latitude': 37.04420089999999, 'longitude': -100.95999909
999999, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name':
'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDE
N', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.
0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3697, '
name': 'La Guardia Airport', 'city': 'New York', 'iata': 'LGA', 'icao': 'KLGA
', 'latitude': 40.77719879, 'longitude': -73.87259674, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airpor
t', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150
635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ame
rica/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1881, '

name': 'Daniel Oduber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3660, 'name': 'Bill & Hillary Clinton National Airport/Adams Field', 'city': 'Little Rock', 'iata': 'LIT', 'icao': 'KLIT', 'latitude': 34.729400634799994, 'longitude': -92.22429656979999, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1780, 'name': 'Sangster International Airport', 'city': 'Montego Bay', 'iata': 'MBJ', 'icao': 'MKJS', 'latitude': 18.503700256347656, 'longitude': -77.91339874267578, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Jamaica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1780, 'name': 'Sangster International Airport', 'city': 'Montego Bay', 'iata': 'MBJ', 'icao': 'MKJS', 'latitude': 18.503700256347656, 'longitude': -77.91339874267578, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Jamaica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3678, 'name': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata': 'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3458, '
name': 'Kansas City International Airport', 'city': 'Kansas City', 'iata': 'M
CI', 'icao': 'KMCI', 'latitude': 39.2976, 'longitude': -94.713898, 'timezone'
: -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún Internati
onal Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 2
1.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S',
'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3458, '
name': 'Kansas City International Airport', 'city': 'Kansas City', 'iata': 'M
CI', 'icao': 'KMCI', 'latitude': 39.2976, 'longitude': -94.713898, 'timezone'
: -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Internati
onal Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 3
9.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3878, '
name': 'Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'ic
ao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -81.30899810791016,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4037, 'name': 'Centra
l Illinois Regional Airport at Bloomington-Normal', 'city': 'Bloomington', 'i
ata': 'BMI', 'icao': 'KBMI', 'latitude': 40.47710037, 'longitude': -88.915901
18, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3878, '
name': 'Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'ic
ao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -81.30899810791016,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3878, '
name': 'Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'ic
ao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -81.30899810791016,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3859, 'name': 'New Ca
stle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KILG', 'latitude
': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'dst': 'A', 'tz_
id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3878, '
name': 'Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'ic
ao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -81.30899810791016,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3542, 'name': 'Harris
burg International Airport', 'city': 'Harrisburg', 'iata': 'MDT', 'icao': 'KM
DT', 'latitude': 40.1935005188, 'longitude': -76.7633972168, 'timezone': -5.0
, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3878, '
name': 'Orlando International Airport', 'city': 'Orlando', 'iata': 'MCO', 'ic
ao': 'KMCO', 'latitude': 28.429399490356445, 'longitude': -81.30899810791016,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trento
n Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitud
e': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3542, '
name': 'Harrisburg International Airport', 'city': 'Harrisburg', 'iata': 'MDT
', 'icao': 'KMDT', 'latitude': 40.1935005188, 'longitude': -76.7633972168, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3542, '
name': 'Harrisburg International Airport', 'city': 'Harrisburg', 'iata': 'MDT
', 'icao': 'KMDT', 'latitude': 40.1935005188, 'longitude': -76.7633972168, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando
International Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'la
titude': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.
0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3747, '
name': 'Chicago Midway International Airport', 'city': 'Chicago', 'iata': 'MD
W', 'icao': 'KMDW', 'latitude': 41.785999, 'longitude': -87.752403, 'timezone
': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Internati
onal Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 3
9.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 't
z_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3747, '
name': 'Chicago Midway International Airport', 'city': 'Chicago', 'iata': 'MD
W', 'icao': 'KMDW', 'latitude': 41.785999, 'longitude': -87.752403, 'timezone
': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3859, 'name': 'New Castle Airpo
rt', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KILG', 'latitude': 39.6786
9949, 'longitude': -75.60649872, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Amer
ica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3747, '
name': 'Chicago Midway International Airport', 'city': 'Chicago', 'iata': 'MD
W', 'icao': 'KMDW', 'latitude': 41.785999, 'longitude': -87.752403, 'timezone
': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trenton Mercer A
irport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitude': 40.276
69906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3473, '
name': 'Memphis International Airport', 'city': 'Memphis', 'iata': 'MEM', 'ic
ao': 'KMEM', 'latitude': 35.04240036010742, 'longitude': -89.97669982910156,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3717, '
name': 'General Mitchell International Airport', 'city': 'Milwaukee', 'iata':
'MKE', 'icao': 'KMKE', 'latitude': 42.94720077514648, 'longitude': -87.896598
81591797, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name
': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': '
KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3498, '
name': 'Minot International Airport', 'city': 'Minot', 'iata': 'MOT', 'icao':
'KMOT', 'latitude': 48.2593994140625, 'longitude': -101.27999877929688, 'time
zone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Inte
rnational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitud
e': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A
', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3459, '
name': 'Dane County Regional Truax Field', 'city': 'Madison', 'iata': 'MSN',
'icao': 'KMSN', 'latitude': 43.13990020751953, 'longitude': -89.3375015258789
, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denv
er International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', '
latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3858, '
name': 'Minneapolis-St Paul International/Wold-Chamberlain Airport', 'city':
'Minneapolis', 'iata': 'MSP', 'icao': 'KMSP', 'latitude': 44.882, 'longitude'
: -93.221802, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3861, '
name': 'Louis Armstrong New Orleans International Airport', 'city': 'New Orle
ans', 'iata': 'MSY', 'icao': 'KMSY', 'latitude': 29.99340057373047, 'longitud
e': -90.25800323486328, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chica
go', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 3751, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'D
EN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521
, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319'
]}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3863, '
name': 'Will Rogers World Airport', 'city': 'Oklahoma City', 'iata': 'OKC', '
icao': 'KOKC', 'latitude': 35.39310073852539, 'longitude': -97.60070037841795
, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denv
er International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', '
latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'd
st': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3454, '
name': 'Eppley Airfield', 'city': 'Omaha', 'iata': 'OMA', 'icao': 'KOMA', 'la
titude': 41.3032, 'longitude': -95.89409599999999, 'timezone': -6.0, 'dst': '
A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airport', '
city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635,
'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/

Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3830, '
name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'OR
D', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1780, 'name': 'Sangster Internatio
nal Airport', 'city': 'Montego Bay', 'iata': 'MBJ', 'icao': 'MKJS', 'latitude
': 18.503700256347656, 'longitude': -77.91339874267578, 'timezone': -5.0, 'ds
t': 'U', 'tz_id': 'America/Jamaica', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3830, '
name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'OR
D', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1760, 'name': 'Punta Cana Internat
ional Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitud
e': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'd
st': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3830, '
name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'OR
D', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1836, 'name': 'Licenciado Gustavo
Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iata': 'PVR',
'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.25399780273
438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3830, '
name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'OR
D', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1840, 'name': 'Los Cabos Internati
onal Airport', 'city': 'San Jose Del Cabo', 'iata': 'SJD', 'icao': 'MMSD', 'l

atitude': 23.15180015563965, 'longitude': -109.72100067138672, 'timezone': -7
.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3720, '
name': 'Portland International Airport', 'city': 'Portland', 'iata': 'PDX', '
icao': 'KPDX', 'latitude': 45.58869934, 'longitude': -122.59799960000001, 'ti
mezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 4124, '
name': 'Page Municipal Airport', 'city': 'Page', 'iata': 'PGA', 'icao': 'KPGA
', 'latitude': 36.92610168, 'longitude': -111.447998, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Phoenix', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airport'
, 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.86169815063
5, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3633, '
name': 'Newport News Williamsburg International Airport', 'city': 'Newport Ne
ws', 'iata': 'PHF', 'icao': 'KPHF', 'latitude': 37.13190079, 'longitude': -76
.49299622, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3752, '
name': 'Philadelphia International Airport', 'city': 'Philadelphia', 'iata':
'PHL', 'icao': 'KPHL', 'latitude': 39.87189865112305, 'longitude': -75.241096
49658203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'nam
e': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao':

'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezon
e': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3752, '
name': 'Philadelphia International Airport', 'city': 'Philadelphia', 'iata':
'PHL', 'icao': 'KPHL', 'latitude': 39.87189865112305, 'longitude': -75.241096
49658203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1760, 'nam
e': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ',
'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.363403320300
01, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3462, '
name': 'Phoenix Sky Harbor International Airport', 'city': 'Phoenix', 'iata':
'PHX', 'icao': 'KPHX', 'latitude': 33.43429946899414, 'longitude': -112.01200
103759766, 'timezone': -7.0, 'dst': 'N', 'tz_id': 'America/Phoenix', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3462, '
name': 'Phoenix Sky Harbor International Airport', 'city': 'Phoenix', 'iata':
'PHX', 'icao': 'KPHX', 'latitude': 33.43429946899414, 'longitude': -112.01200
103759766, 'timezone': -7.0, 'dst': 'N', 'tz_id': 'America/Phoenix', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7078, 'nam
e': 'Show Low Regional Airport', 'city': 'Show Low', 'iata': 'SOW', 'icao': '
KSOW', 'latitude': 34.265499115, 'longitude': -110.005996704, 'timezone': -7.
0, 'dst': 'A', 'tz_id': 'America/Phoenix', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5761, '
name': 'Pierre Regional Airport', 'city': 'Pierre', 'iata': 'PIR', 'icao': 'K
PIR', 'latitude': 44.38270187, 'longitude': -100.2860031, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 5721, 'name': 'Watertown Regional Airpor

t', 'city': 'Watertown', 'iata': 'ATY', 'icao': 'KATY', 'latitude': 44.914001
46, 'longitude': -97.15470123, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Americ
a/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5761, '
name': 'Pierre Regional Airport', 'city': 'Pierre', 'iata': 'PIR', 'icao': 'K
PIR', 'latitude': 44.38270187, 'longitude': -100.2860031, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airp
ort', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.8616981
50635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'A
merica/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5761, '
name': 'Pierre Regional Airport', 'city': 'Pierre', 'iata': 'PIR', 'icao': 'K
PIR', 'latitude': 44.38270187, 'longitude': -100.2860031, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3491, 'name': 'Huron Regional Airport',
'city': 'Huron', 'iata': 'HON', 'icao': 'KHON', 'latitude': 44.38520050048828
, 'longitude': -98.22850036621094, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Am
erica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3570, '
name': 'Pittsburgh International Airport', 'city': 'Pittsburgh', 'iata': 'PIT
', 'icao': 'KPIT', 'latitude': 40.49150085, 'longitude': -80.23290253, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún Inte
rnational Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitud
e': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst':
'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3570, '
name': 'Pittsburgh International Airport', 'city': 'Pittsburgh', 'iata': 'PIT
', 'icao': 'KPIT', 'latitude': 40.49150085, 'longitude': -80.23290253, 'timez
one': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1760, 'name': 'Punta Cana

International Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3839, 'name': 'Palm Springs International Airport', 'city': 'Palm Springs', 'iata': 'PSP', 'icao': 'KPSP', 'latitude': 33.829700469970696, 'longitude': -116.50700378417969, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1760, 'name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3486, 'name': 'Cleveland Hopkins International Airport', 'city': 'Cleveland', 'iata': 'CLE', 'icao': 'KCLE', 'latitude': 41.411701202399996, 'longitude': -81.8498001099, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1760, 'name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAsianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 1760, 'name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type'

: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3752, 'n
ame': 'Philadelphia International Airport', 'city': 'Philadelphia', 'iata': '
PHL', 'icao': 'KPHL', 'latitude': 39.87189865112305, 'longitude': -75.2410964
9658203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1760, '
name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ
', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.363403320
30001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3570, 'n
ame': 'Pittsburgh International Airport', 'city': 'Pittsburgh', 'iata': 'PIT'
, 'icao': 'KPIT', 'latitude': 40.49150085, 'longitude': -80.23290253, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1760, '
name': 'Punta Cana International Airport', 'city': 'Punta Cana', 'iata': 'PUJ
', 'icao': 'MDPC', 'latitude': 18.567399978599997, 'longitude': -68.363403320
30001, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3678, 'n
ame': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata':
'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1836, '
name': 'Licenciado Gustavo Díaz Ordaz International Airport', 'city': 'Puerto
Vallarta', 'iata': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'lo
ngitude': -105.25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'Americ
a/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3751, 'name': 'Denver International Airport', 'city': 'Denver',
'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104
.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1836, '
name': 'Licenciado Gustavo Díaz Ordaz International Airport', 'city': 'Puerto

Vallarta', 'iata': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'lo
ngitude': -105.25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'Americ
a/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': '
Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -8
7.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1836, '
name': 'Licenciado Gustavo Díaz Ordaz International Airport', 'city': 'Puerto
Vallarta', 'iata': 'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'lo
ngitude': -105.25399780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'Americ
a/Mexico_City', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3678, 'name': 'St Louis Lambert International Airport', 'city':
'St. Louis', 'iata': 'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude
': -90.370003, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3626, '
name': 'Raleigh Durham International Airport', 'city': 'Raleigh-durham', 'iat
a': 'RDU', 'icao': 'KRDU', 'latitude': 35.877601623535156, 'longitude': -78.7
874984741211, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447,
'name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': '
KTTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3793, '
name': 'Southwest Florida International Airport', 'city': 'Fort Myers', 'iata
': 'RSW', 'icao': 'KRSW', 'latitude': 26.53619956970215, 'longitude': -81.755
20324707031, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3793, '
name': 'Southwest Florida International Airport', 'city': 'Fort Myers', 'iata
': 'RSW', 'icao': 'KRSW', 'latitude': 26.53619956970215, 'longitude': -81.755
20324707031, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3859, '
name': 'New Castle Airport', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KI
LG', 'latitude': 39.67869949, 'longitude': -75.60649872, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3793, '
name': 'Southwest Florida International Airport', 'city': 'Fort Myers', 'iata
': 'RSW', 'icao': 'KRSW', 'latitude': 26.53619956970215, 'longitude': -81.755
20324707031, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3731, '
name': 'San Diego International Airport', 'city': 'San Diego', 'iata': 'SAN',
'icao': 'KSAN', 'latitude': 32.7336006165, 'longitude': -117.190002441, 'time
zone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3949, '
name': 'Santa Barbara Municipal Airport', 'city': 'Santa Barbara', 'iata': 'S
BA', 'icao': 'KSBA', 'latitude': 34.42620087, 'longitude': -119.8399963, 'tim
ezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3577, '
name': 'Seattle Tacoma International Airport', 'city': 'Seattle', 'iata': 'SE
A', 'icao': 'KSEA', 'latitude': 47.449001, 'longitude': -122.308998, 'timezon
e': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Int
ernational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitu
de': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': '
A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3469, '
name': 'San Francisco International Airport', 'city': 'San Francisco', 'iata'
: 'SFO', 'icao': 'KSFO', 'latitude': 37.61899948120117, 'longitude': -122.375
, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': '
Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN
', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0
, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1840, '
name': 'Los Cabos International Airport', 'city': 'San Jose Del Cabo', 'iata'
: 'SJD', 'icao': 'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.721
00067138672, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1840, '
name': 'Los Cabos International Airport', 'city': 'San Jose Del Cabo', 'iata'
: 'SJD', 'icao': 'MMSD', 'latitude': 23.15180015563965, 'longitude': -109.721
00067138672, 'timezone': -7.0, 'dst': 'S', 'tz_id': 'America/Mazatlan', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, '
name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'OR
D', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 1885, '
name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': '
SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.2088012
6953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3536, '
name': 'Salt Lake City International Airport', 'city': 'Salt Lake City', 'iat
a': 'SLC', 'icao': 'KSLC', 'latitude': 40.78839874267578, 'longitude': -111.9
7799682617188, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, '
name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao
': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezon
e': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3867, '
name': 'John Wayne Airport-Orange County Airport', 'city': 'Santa Ana', 'iata
': 'SNA', 'icao': 'KSNA', 'latitude': 33.67570114, 'longitude': -117.86799620
000001, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'nam
e': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao':
'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 7078, '
name': 'Show Low Regional Airport', 'city': 'Show Low', 'iata': 'SOW', 'icao'
: 'KSOW', 'latitude': 34.265499115, 'longitude': -110.005996704, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Phoenix', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3743, 'name': 'Four Corners Regio
nal Airport', 'city': 'Farmington', 'iata': 'FMN', 'icao': 'KFMN', 'latitude'
: 36.7411994934, 'longitude': -108.230003357, 'timezone': -7.0, 'dst': 'A', '
tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 7078, '
name': 'Show Low Regional Airport', 'city': 'Show Low', 'iata': 'SOW', 'icao'
: 'KSOW', 'latitude': 34.265499115, 'longitude': -110.005996704, 'timezone':
-7.0, 'dst': 'A', 'tz_id': 'America/Phoenix', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3462, 'name': 'Phoenix Sky Harbor
International Airport', 'city': 'Phoenix', 'iata': 'PHX', 'icao': 'KPHX', 'la
titude': 33.43429946899414, 'longitude': -112.01200103759766, 'timezone': -7.
0, 'dst': 'N', 'tz_id': 'America/Phoenix', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['BE1']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3678, '
name': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata':
'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún Inter
national Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude
': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst':
'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3678, '
name': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata':
'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Inter
national Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude
': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A'
, 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3678, '
name': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata':
'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1780, 'name': 'Sangster Int
ernational Airport', 'city': 'Montego Bay', 'iata': 'MBJ', 'icao': 'MKJS', 'l
atitude': 18.503700256347656, 'longitude': -77.91339874267578, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Jamaica', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun

try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3678, '
name': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata':
'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1760, 'name': 'Punta Cana I
nternational Airport', 'city': 'Punta Cana', 'iata': 'PUJ', 'icao': 'MDPC', '
latitude': 18.567399978599997, 'longitude': -68.36340332030001, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3678, '
name': 'St Louis Lambert International Airport', 'city': 'St. Louis', 'iata':
'STL', 'icao': 'KSTL', 'latitude': 38.748697, 'longitude': -90.370003, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1836, 'name': 'Licenciado G
ustavo Díaz Ordaz International Airport', 'city': 'Puerto Vallarta', 'iata':
'PVR', 'icao': 'MMPR', 'latitude': 20.680099487304688, 'longitude': -105.2539
9780273438, 'timezone': -6.0, 'dst': 'S', 'tz_id': 'America/Mexico_City', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3646, '
name': 'Tampa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao':
'KTPA', 'latitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Interna
tional Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude':
39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', '
tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3646, '
name': 'Tampa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao':
'KTPA', 'latitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3859, 'name': 'New Castle Air
port', 'city': 'Wilmington', 'iata': 'ILG', 'icao': 'KILG', 'latitude': 39.67
869949, 'longitude': -75.60649872, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Am
erica/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3646, '
name': 'Tampa International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao':
'KTPA', 'latitude': 27.975500106811523, 'longitude': -82.533203125, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trenton Mercer
Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitude': 40.27
669906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst': 'A', '
tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Ja
ckson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao
': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3690, 'name': 'Nashville Int
ernational Airport', 'city': 'Nashville', 'iata': 'BNA', 'icao': 'KBNA', 'lat
itude': 36.1245002746582, 'longitude': -86.6781997680664, 'timezone': -6.0, '
dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3486, 'name': 'Cleveland Hop
kins International Airport', 'city': 'Cleveland', 'iata': 'CLE', 'icao': 'KCL
E', 'latitude': 41.411701202399996, 'longitude': -81.8498001099, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3876, 'name': 'Charlotte Dou
glas International Airport', 'city': 'Charlotte', 'iata': 'CLT', 'icao': 'KCL
T', 'latitude': 35.2140007019043, 'longitude': -80.94309997558594, 'timezone'
: -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3488, 'name': 'Cincinnati No
rthern Kentucky International Airport', 'city': 'Cincinnati', 'iata': 'CVG',
'icao': 'KCVG', 'latitude': 39.0488014221, 'longitude': -84.6678009033, 'time
zone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3645, 'name': 'Detroit Metro
politan Wayne County Airport', 'city': 'Detroit', 'iata': 'DTW', 'icao': 'KDT
W', 'latitude': 42.212398529052734, 'longitude': -83.35340118408203, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderda
le Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL'
, 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3585, 'name': 'Indianapolis
International Airport', 'city': 'Indianapolis', 'iata': 'IND', 'icao': 'KIND'
, 'latitude': 39.7173, 'longitude': -86.294403, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3878, 'name': 'Orlando Inter
national Airport', 'city': 'Orlando', 'iata': 'MCO', 'icao': 'KMCO', 'latitud
e': 28.429399490356445, 'longitude': -81.30899810791016, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3747, 'name': 'Chicago Midwa
y International Airport', 'city': 'Chicago', 'iata': 'MDW', 'icao': 'KMDW', '
latitude': 41.785999, 'longitude': -87.752403, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3626, 'name': 'Raleigh Durha
m International Airport', 'city': 'Raleigh-durham', 'iata': 'RDU', 'icao': 'K
RDU', 'latitude': 35.877601623535156, 'longitude': -78.7874984741211, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3793, 'name': 'Southwest Flo
rida International Airport', 'city': 'Fort Myers', 'iata': 'RSW', 'icao': 'KR
SW', 'latitude': 26.53619956970215, 'longitude': -81.75520324707031, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa Interna
tional Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'latitude':
27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3447, '
name': 'Trenton Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'K
TTN', 'latitude': 40.27669906616211, 'longitude': -74.8134994506836, 'timezon
e': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 6989, 'name': 'Northeast Flo
rida Regional Airport', 'city': 'St. Augustine Airport', 'iata': 'UST', 'icao
': 'KSGJ', 'latitude': 29.9592, 'longitude': -81.339798, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 3676, '
name': 'McGhee Tyson Airport', 'city': 'Knoxville', 'iata': 'TYS', 'icao': 'K
TYS', 'latitude': 35.81100082, 'longitude': -83.99400329999999, 'timezone': -
5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Internation
al Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.
861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_
id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 6989, '
name': 'Northeast Florida Regional Airport', 'city': 'St. Augustine Airport',
'iata': 'UST', 'icao': 'KSGJ', 'latitude': 29.9592, 'longitude': -81.339798,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3447, 'name': 'Trento
n Mercer Airport', 'city': 'Trenton', 'iata': 'TTN', 'icao': 'KTTN', 'latitud
e': 40.27669906616211, 'longitude': -74.8134994506836, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 2468, 'name': 'Frontier Airlines', 'alias': 'FlyAs
ianXpress', 'iata': 'F9', 'icao': 'FFT', 'callsign': 'FRONTIER FLIGHT', 'coun
try': 'United States', 'active': True}, 'src_airport': {'airport_id': 5777, '
name': 'Worland Municipal Airport', 'city': 'Worland', 'iata': 'WRL', 'icao':
'KWRL', 'latitude': 43.9656982421875, 'longitude': -107.95099639892578, 'time
zone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3804, 'name': 'Cheyenne Reg
ional Jerry Olson Field', 'city': 'Cheyenne', 'iata': 'CYS', 'icao': 'KCYS',
'latitude': 41.15570068, 'longitude': -104.81199649999999, 'timezone': -7.0,
'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['BEH', 'BE1']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1230, 'name
': 'Málaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitu
de': 36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofi
a', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude
': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 580, 'name'
: 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': '
EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia',
'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 2
3.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320', 'E90', '319']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 3941, 'name
': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata': '
ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499
997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofi
a Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.69
6693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1218, 'name
': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'ic
ao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'ci
ty': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156,
'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1191, 'name
': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latit
ude': 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St
. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453,
'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1191, 'name
': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latit
ude': 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofi
a', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude
': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', 'E90']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1191, 'name
': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latit
ude': 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Ai
rport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.97259
9, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1191, 'name
': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latit
ude': 42.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1196, 'name': 'Varna Airport', 'city': 'Varn
a', 'iata': 'VAR', 'icao': 'LBWN', 'latitude': 43.232101, 'longitude': 27.825
1, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']
}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 302, 'name'
: 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'lat
itude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia',
'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 2
3.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['E90', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1382, 'name
': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG',
'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofi
a', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude
': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319', 'E90']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1555, 'name
': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'ica
o': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airpo
rt', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420
410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['E90', '319', '320']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 340, 'name'
: 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'E
DDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', '
iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23
.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['E90', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1197, 'name
': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao':
'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'time
zone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport',
'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.69669342041015
6, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 2948, 'name
': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI'
, 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone':
3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'cit
y': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133,
'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 507, 'name'
: 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL',
'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz
_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata':
'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23.411436
080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320', '319', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1229, 'name
': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', '
icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'S
ofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longit
ude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319', '320', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1524, 'name
': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao':
'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sof
ia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitud
e': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['E90', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1657, 'name
': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP',
'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city':
'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'long
itude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sof
ia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['AT5']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1198, 'name
': 'Paphos International Airport', 'city': 'Paphos', 'iata': 'PFO', 'icao': '
LCPH', 'latitude': 34.71799850463867, 'longitude': 32.48569869995117, 'timezo
ne': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', '
city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156
, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eur
ope/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 3998, 'name
': 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', '
icao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airpo
rt', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420
410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1587, 'name
': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'L
KPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata'
: 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23.4114
36080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'city': 'Malaga
', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164, 'longitude':
-4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '319']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'cit
y': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longi
tude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320', 'E90', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos Internatio
nal Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37
.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 't
z_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport'
, 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'l
ongitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'city': 'Bourga
s', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133, 'longitude'
: 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['E90', '320']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Bruss
els', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude':
4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['E90', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International
Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.0127
98, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airp
ort', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799
999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['E90', '319', '320']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city
': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longit
ude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['E90', '319']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport',
'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128
906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'A
sia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city':
'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0
.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320', '319', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Air
port', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926
, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319', '320', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airport',
'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longit
ude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['E90', '319']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1198, 'name': 'Paphos International Airport', '
city': 'Paphos', 'iata': 'PFO', 'icao': 'LCPH', 'latitude': 34.71799850463867
, 'longitude': 32.48569869995117, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia
/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'cit
y': 'Palma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.551700
591999996, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'c
ity': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitud
e': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319', 'E90']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Airpo
rt', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599,
'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport
', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.01139831
5429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'B
erlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2
877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['31
9', 'E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1196, 'name': 'Varna Airport', 'city': 'Varna',
'iata': 'VAR', 'icao': 'LBWN', 'latitude': 43.232101, 'longitude': 27.8251, '
timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'E9
0', '319']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', '
city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.11029815673800
4, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['E90', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': '
Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude
': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['E75']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1194, 'name
': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude
': 42.696693420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich
', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude'
: 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['E90']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 2985, 'name
': 'Sheremetyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'ic
ao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'city': 'Bo
urgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133, 'longit
ude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 2985, 'name
': 'Sheremetyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'ic
ao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sof
ia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitud
e': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 2985, 'name
': 'Sheremetyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'ic
ao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1196, 'name': 'Varna Airport', 'city': 'Var
na', 'iata': 'VAR', 'icao': 'LBWN', 'latitude': 43.232101, 'longitude': 27.82
51, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1590, 'name
': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'ic
ao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Ai
rport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693
420410156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 351, 'name'
: 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'l
atitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF
', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23.4114360809
32614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
19', 'E90']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1196, 'name
': 'Varna Airport', 'city': 'Varna', 'iata': 'VAR', 'icao': 'LBWN', 'latitude
': 43.232101, 'longitude': 27.8251, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1191, 'name': 'Burgas Airport', 'city': 'Bourgas', 'iata': 'BOJ',
'icao': 'LBBG', 'latitude': 42.56959915161133, 'longitude': 27.51519966125488
6, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']
}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1196, 'name
': 'Varna Airport', 'city': 'Varna', 'iata': 'VAR', 'icao': 'LBWN', 'latitude
': 43.232101, 'longitude': 27.8251, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'ic
ao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23.411436080932614,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90', '3
20', '319']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1196, 'name
': 'Varna Airport', 'city': 'Varna', 'iata': 'VAR', 'icao': 'LBWN', 'latitude
': 43.232101, 'longitude': 27.8251, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2985, 'name': 'Sheremetyevo International Airport', 'city': 'Mosco
w', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.414
6, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1613, 'name
': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': '
LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport'
, 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410
156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['E90', '319']}

{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 679, 'name'
: 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', '
latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia',
'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 2
3.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['E75']}
{'airline': {'airline_id': 1548, 'name': 'Bulgaria Air', 'alias': 'SN Brussel
s Airlines', 'iata': 'FB', 'icao': 'LZB', 'callsign': 'FLYING BULGARIA', 'cou
ntry': 'Bulgaria', 'active': True}, 'src_airport': {'airport_id': 1678, 'name
': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitu
de': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata'
: 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23.4114
36080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['E90']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzhou
Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'Z
GGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Inter
national Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitud
e': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3932, 'name': 'Chiang Ra
i International Airport', 'city': 'Chiang Rai', 'iata': 'CEI', 'icao': 'VTCT'
, 'latitude': 19.952299118, 'longitude': 99.8828964233, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport
', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563
599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing
Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao':
'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang In
ternational Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'lati
tude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport
', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563
599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3181, 'name': 'Hat Yai International Airport',
'city': 'Hat Yai', 'iata': 'HDY', 'icao': 'VTSS', 'latitude': 6.9332098960899
99, 'longitude': 100.392997742, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/B
angkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan International
Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.2
2949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport'
, 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.30890100
0000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia
/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airport', '
city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitud
e': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3174, 'name': 'Krabi Airport', 'city': 'Krabi',
'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 98.986
1984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Ma
i International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC'
, 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3121, 'name': 'Macau International Airport', 'c
ity': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitude': 22.149599, 'longitu
de': 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Macau', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha
Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': '
ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internat
ional Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude':
13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun Internation
al Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude':
23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3932, 'name': 'Chiang Rai International Air
port', 'city': 'Chiang Rai', 'iata': 'CEI', 'icao': 'VTCT', 'latitude': 19.95
2299118, 'longitude': 99.8828964233, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'A
sia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Internati
onal Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude'
: 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3931, 'name': 'Chiang Mai International Air
port', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.76
67999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'A
sia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua Internatio
nal Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude':
28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) Internatio
nal Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude':
-8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3199, 'name': 'Noi Bai International Airpor
t', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude': 21.2212009429
93164, 'longitude': 105.80699920654295, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3181, 'name': 'Hat Yai International Airpor
t', 'city': 'Hat Yai', 'iata': 'HDY', 'icao': 'VTSS', 'latitude': 6.933209896
089999, 'longitude': 100.392997742, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiaoshan Internatio
nal Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude':
30.22949981689453, 'longitude': 120.43399810791016, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airp
ort', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.3089
01000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airport
', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'long
itude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3174, 'name': 'Krabi Airport', 'city': 'Kra
bi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 9
8.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3938, 'name': 'Khon Kaen Airport', 'city':
'Khon Kaen', 'iata': 'KKC', 'icao': 'VTUK', 'latitude': 16.466600418099993, '
longitude': 102.78399658200001, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/B
angkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Internatio
nal Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 2
5.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3936, 'name': 'Nakhon Phanom Airport', 'cit
y': 'Nakhon Phanom', 'iata': 'KOP', 'icao': 'VTUW', 'latitude': 17.3838005065
91793, 'longitude': 104.64299774169922, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International A
irport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2
.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airpor
t', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493
164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3222, 'name': 'Mandalay International Airpo
rt', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.702199
935913086, 'longitude': 95.97789764404295, 'timezone': 6.5, 'dst': 'U', 'tz_i
d': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3121, 'name': 'Macau International Airport'
, 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitude': 22.149599, 'lon
gitude': 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Macau', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3173, 'name': 'Narathiwat Airport', 'city':
'Narathiwat', 'iata': 'NAW', 'icao': 'VTSC', 'latitude': 6.519919872283936, '
longitude': 101.74299621582031, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/B
angkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe International A
irport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29.82670
021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3933, 'name': 'Nakhon Si Thammarat Airport'
, 'city': 'Nakhon Si Thammarat', 'iata': 'NST', 'icao': 'VTSF', 'latitude': 8
.539620399475098, 'longitude': 99.9447021484375, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3308, 'name': 'Penang International Airport
', 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP', 'latitude': 5.29714012145
9961, 'longitude': 100.2770004272461, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3170, 'name': 'Phitsanulok Airport', 'city'
: 'Phitsanulok', 'iata': 'PHS', 'icao': 'VTPP', 'latitude': 16.78289985656738
6, 'longitude': 100.27899932861328, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3034, 'name': 'Phnom Penh International Air
port', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao': 'VDPP', 'latitude': 11.54
6600341796875, 'longitude': 104.84400177001952, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3035, 'name': 'Siem Reap International Airp
ort', 'city': 'Siem-reap', 'iata': 'REP', 'icao': 'VDSR', 'latitude': 13.4106
99844400003, 'longitude': 103.81300354, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3239, 'name': 'Yangon International Airport
', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.9073009490
99998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asi
a/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat International A
irport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude
': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', '
city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'long
itude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an Internationa
l Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22
.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3182, 'name': 'Trang Airport', 'city': 'Tra
ng', 'iata': 'TST', 'icao': 'VTST', 'latitude': 7.508739948272705, 'longitude
': 99.6166000366211, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3937, 'name': 'Ubon Ratchathani Airport', '
city': 'Ubon Ratchathani', 'iata': 'UBP', 'icao': 'VTUU', 'latitude': 15.2512
998581, 'longitude': 104.870002747, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4000, 'name': 'Surat Thani Airport', 'city'
: 'Surat Thani', 'iata': 'URT', 'icao': 'VTSB', 'latitude': 9.132599830630001
, 'longitude': 99.135597229, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bang
kok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3183, 'name': 'Udon Thani Airport', 'city':
'Udon Thani', 'iata': 'UTH', 'icao': 'VTUD', 'latitude': 17.386400222800006,
'longitude': 102.788002014, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangk
ok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International A
irport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838,
'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': 'Don Muean
g International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', '
latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International
Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.4471
02, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Ra
i (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': '
WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internat
ional Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude':
13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3199, 'name': 'Noi Bai I
nternational Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latit
ude': 21.221200942993164, 'longitude': 105.80699920654295, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airp
ort', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599
563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3181, 'name': 'Hat Yai I
nternational Airport', 'city': 'Hat Yai', 'iata': 'HDY', 'icao': 'VTSS', 'lat
itude': 6.933209896089999, 'longitude': 100.392997742, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3931, 'name': 'Chiang Mai International Airport
', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.766799
9268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3181, 'name': 'Hat Yai I
nternational Airport', 'city': 'Hat Yai', 'iata': 'HDY', 'icao': 'VTSS', 'lat
itude': 6.933209896089999, 'longitude': 100.392997742, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport
', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563
599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou
Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': '
ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3931, 'name': 'Chiang Mai Inter
national Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'lati
tude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou
Xiaoshan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': '
ZSHC', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Inter
national Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitud
e': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong
International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', '
latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3931, 'name': 'Chiang Mai International Airp
ort', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.766
7999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong
International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', '
latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airp
ort', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599
563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong
International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', '
latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International Airport'
, 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longi
tude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket In
ternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latit
ude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3931, 'name': 'Chiang Mai International Airport', 'city': 'Chian
g Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.7667999268, 'longitude'
: 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket In
ternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latit
ude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3157, 'name': 'Don Mueang International Airport', 'city': 'Bangk
ok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'longitud
e': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket In
ternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latit
ude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong K
ong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitu
de': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket In
ternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latit
ude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', '
iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket In
ternational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latit
ude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3183, 'name': 'Udon Thani Airport', 'city': 'Udon Thani', 'iata'
: 'UTH', 'icao': 'VTUD', 'latitude': 17.386400222800006, 'longitude': 102.788
002014, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3174, 'name': 'Krabi Air
port', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014
008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3931, 'name': 'Chiang Mai International Airport', 'city': 'Chiang Mai
', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.7667999268, 'longitude': 98.
962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3174, 'name': 'Krabi Air
port', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014
008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3157, 'name': 'Don Mueang International Airport', 'city': 'Bangkok',
'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'longitude': 1
00.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3174, 'name': 'Krabi Air
port', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014
008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata'
: 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3938, 'name': 'Khon Kaen
Airport', 'city': 'Khon Kaen', 'iata': 'KKC', 'icao': 'VTUK', 'latitude': 16.
466600418099993, 'longitude': 102.78399658200001, 'timezone': 7.0, 'dst': 'U'
, 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport', 'c
ity': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.91259956359999
9, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ba
ngkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming C
hangshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'Z
PPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internation
al Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13
.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3936, 'name': 'Nakhon Ph
anom Airport', 'city': 'Nakhon Phanom', 'iata': 'KOP', 'icao': 'VTUW', 'latit
ude': 17.383800506591793, 'longitude': 104.64299774169922, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Air
port', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.91259
9563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lum
pur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'W
MKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang
International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'la
titude': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'ds
t': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai I
nternational Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'lati
tude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Ai
rport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.9125
99563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id'
: 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3222, 'name': 'Mandalay
International Airport', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'l
atitude': 21.702199935913086, 'longitude': 95.97789764404295, 'timezone': 6.5
, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International
Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.91
2599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_i
d': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3121, 'name': 'Macau Int
ernational Airport', 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitud
e': 22.149599, 'longitude': 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Macau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3931, 'name': 'Chiang Mai International Airport', 'city': 'Chiang
Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.7667999268, 'longitude':
98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3121, 'name': 'Macau Int
ernational Airport', 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitud
e': 22.149599, 'longitude': 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Macau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3157, 'name': 'Don Mueang International Airport', 'city': 'Bangko
k', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'longitude
': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3173, 'name': 'Narathiwa
t Airport', 'city': 'Narathiwat', 'iata': 'NAW', 'icao': 'VTSC', 'latitude':
6.519919872283936, 'longitude': 101.74299621582031, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport',
'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599
999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo Li
she International Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', '
latitude': 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internationa
l Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.
912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz
_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3933, 'name': 'Nakhon Si
Thammarat Airport', 'city': 'Nakhon Si Thammarat', 'iata': 'NST', 'icao': 'VT
SF', 'latitude': 8.539620399475098, 'longitude': 99.9447021484375, 'timezone'
: 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internati
onal Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude':
13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3308, 'name': 'Penang In
ternational Airport', 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP', 'latit
ude': 5.297140121459961, 'longitude': 100.2770004272461, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International
Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.91
2599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_i
d': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3170, 'name': 'Phitsanul
ok Airport', 'city': 'Phitsanulok', 'iata': 'PHS', 'icao': 'VTPP', 'latitude'
: 16.782899856567386, 'longitude': 100.27899932861328, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport
', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563
599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3034, 'name': 'Phnom Pen
h International Airport', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao': 'VDPP'
, 'latitude': 11.546600341796875, 'longitude': 104.84400177001952, 'timezone'
: 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Intern
ational Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude
': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U
', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3035, 'name': 'Siem Reap
International Airport', 'city': 'Siem-reap', 'iata': 'REP', 'icao': 'VDSR', '
latitude': 13.410699844400003, 'longitude': 103.81300354, 'timezone': 7.0, 'd
st': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International A
irport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912
599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id
': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon In
ternational Airport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latit
ude': 16.907300949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst':
'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport',
'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599
999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3205, 'name': 'Tan Son N
hat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao'
: 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internationa
l Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.
912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz
_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore
Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitud
e': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3157, 'name': 'Don Mueang International Airport', 'city': 'Ban
gkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'longit
ude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}

{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore
Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitud
e': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3179, 'name': 'Phuket International Airport', 'city': 'Phuket'
, 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.316902,
'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore
Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitud
e': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3174, 'name': 'Krabi Airport', 'city': 'Krabi', 'iata': 'KBV',
'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 98.9861984253, 'timez
one': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3374, 'name': "Shenzhen
Bao'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZG
SZ', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Inter
national Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitud
e': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3182, 'name': 'Trang Air
port', 'city': 'Trang', 'iata': 'TST', 'icao': 'VTST', 'latitude': 7.50873994
8272705, 'longitude': 99.6166000366211, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3157, 'name': 'Don Mueang International Airport', 'city': 'Bang
kok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'longitu
de': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail

and', 'active': True}, 'src_airport': {'airport_id': 3937, 'name': 'Ubon Ratc
hathani Airport', 'city': 'Ubon Ratchathani', 'iata': 'UBP', 'icao': 'VTUU',
'latitude': 15.2512998581, 'longitude': 104.870002747, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang International Airport
', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563
599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 4000, 'name': 'Surat Tha
ni Airport', 'city': 'Surat Thani', 'iata': 'URT', 'icao': 'VTSB', 'latitude'
: 9.132599830630001, 'longitude': 99.135597229, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3157, 'name': 'Don Mueang International Airport', 'cit
y': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999,
'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangk
ok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3183, 'name': 'Udon Than
i Airport', 'city': 'Udon Thani', 'iata': 'UTH', 'icao': 'VTUD', 'latitude':
17.386400222800006, 'longitude': 102.788002014, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3157, 'name': 'Don Mueang International Airport', 'cit
y': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999,
'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangk
ok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3183, 'name': 'Udon Than
i Airport', 'city': 'Udon Thani', 'iata': 'UTH', 'icao': 'VTUD', 'latitude':
17.386400222800006, 'longitude': 102.788002014, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3179, 'name': 'Phuket International Airport', 'city':
'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.
316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail

and', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Tia
nhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', '
latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3157, 'name': 'Don Mueang International Airport', 'city': '
Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999, 'lon
gitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4947, 'name': 'Thai AirAsia', 'alias': 'Thai Air A
sia', 'iata': 'FD', 'icao': 'AIQ', 'callsign': 'THAI ASIA', 'country': 'Thail
and', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xia
nyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY',
'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3157, 'name': 'Don Mueang International Airport', 'ci
ty': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13.912599563599999
, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ban
gkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Sh
uangliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZU
UU', 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezon
e': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2264, 'name': 'Kaohsiung Interna
tional Airport', 'city': 'Kaohsiung', 'iata': 'KHH', 'icao': 'RCKH', 'latitud
e': 22.57710075378418, 'longitude': 120.3499984741211, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3389, 'name': 'Hefei Luog
ang International Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', '
latitude': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan Internati
onal Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 2
5.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State

s', 'active': False}, 'src_airport': {'airport_id': 4085, 'name': 'Yinchuan A
irport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.48
1899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sh
anghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei'
, 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002
, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 2264, 'name': 'Kaohsiung
International Airport', 'city': 'Kaohsiung', 'iata': 'KHH', 'icao': 'RCKH', '
latitude': 22.57710075378418, 'longitude': 120.3499984741211, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3395, 'name': 'Chengdu Shuangliu Internat
ional Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude':
30.578500747680664, 'longitude': 103.9469985961914, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 2264, 'name': 'Kaohsiung
International Airport', 'city': 'Kaohsiung', 'iata': 'KHH', 'icao': 'RCKH', '
latitude': 22.57710075378418, 'longitude': 120.3499984741211, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nanning Wuxu Airport', 'ci
ty': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22.60829925537109,
'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3394, 'name': 'Longdongba
o Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.
53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International Airport',
'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longit
ude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3373, 'name': 'Nanning Wu

xu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22
.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2264, 'name': 'Kaohsiung International Airport', 'cit
y': 'Kaohsiung', 'iata': 'KHH', 'icao': 'RCKH', 'latitude': 22.57710075378418
, 'longitude': 120.3499984741211, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia
/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3373, 'name': 'Nanning Wu
xu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22
.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2275, 'name': 'Taipei Songshan Airport', 'city': 'Tai
pei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude': 25.06940078735352, 'longitud
e': 121.552001953125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 6347, 'name': 'Shijiazhua
ng Daguocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW', 'i
cao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Ta
oyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP'
, 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 2276, 'name': 'Taiwan Tao
yuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP',
'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3389, 'name': 'Hefei Luogang International Airport', 'cit
y': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude': 31.78000068664551, 'l
ongitude': 117.2979965209961, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 2276, 'name': 'Taiwan Tao

yuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4085, 'name': 'Yinchuan Airport', 'city': 'Yinchuan', 'iata': 'TEX', 'icao': 'ZLIC', 'latitude': 38.481899, 'longitude': 106.009003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan', 'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United States', 'active': False}, 'src_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan', 'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United States', 'active': False}, 'src_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6347, 'name': 'Shijiazhuang Daguocun International Airport', 'city': 'Shijiazhuang', 'iata': 'SJW', 'icao': 'ZBSJ', 'latitude': 38.28070068359375, 'longitude': 114.6969985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan', 'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United States', 'active': False}, 'src_airport': {'airport_id': 2275, 'name': 'Taipei Songshan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude': 25.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3373, 'name': 'Nanning Wuxu Airport', 'city': 'Nanning', 'iata': 'NNG', 'icao': 'ZGNN', 'latitude': 22.60829925537109, 'longitude': 108.1719970703125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan', 'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United States', 'active': False}, 'src_airport': {'airport_id': 2275, 'name': 'Taipei Songshan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude':

25.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport',
'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925,
'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 2275, 'name': 'Taipei Son
gshan Airport', 'city': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude':
25.06940078735352, 'longitude': 121.552001953125, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyua
n', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude'
: 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Bi
nhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ'
, 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2275, 'name': 'Taipei Songshan Airport', 'ci
ty': 'Taipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude': 25.06940078735352,
'longitude': 121.552001953125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Ta
ipei', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['M83']}
{'airline': {'airline_id': 4044, 'name': 'Primaris Airlines', 'alias': 'nan',
'iata': 'FE', 'icao': 'WCP', 'callsign': 'WHITECAP', 'country': 'United State
s', 'active': False}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wu
su Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37
.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2275, 'name': 'Taipei Songshan Airport', 'city': 'T
aipei', 'iata': 'TSA', 'icao': 'RCSS', 'latitude': 25.06940078735352, 'longit
ude': 121.552001953125, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['M83']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gan
dhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', '

latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city
': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude'
: 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gan
dhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', '
latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2051, 'name': 'Kandahar Airport', 'city': 'Kandahar', 'ia
ta': 'KDH', 'icao': 'OAKN', 'latitude': 31.505800247192386, 'longitude': 65.8
4780120849611, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Inte
rnational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude
': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U
', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', '
city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longit
ude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Inte
rnational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude
': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U
', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2051, 'name': 'Kandahar Airport', 'city': 'Kandahar',
'iata': 'KDH', 'icao': 'OAKN', 'latitude': 31.505800247192386, 'longitude': 6
5.84780120849611, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 1682, 'name': 'Esenboğa I
nternational Airport', 'city': 'Ankara', 'iata': 'ESB', 'icao': 'LTAC', 'lati

tude': 40.128101348899996, 'longitude': 32.995098114, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2048, 'name': 'Herat Airport', 'city': 'Herat', 'iata': 'HEA', 'icao': 'OAHR', 'latitude': 34.209999084472656, 'longitude': 62.22829818725586, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN',

'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1682, 'name': 'Esenboğa International Airport', 'city': 'Ankara', 'iata': 'ESB', 'icao': 'LTAC', 'latitude': 40.128101348899996, 'longitude': 32.995098114, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanistan', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'l

atitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz
_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city'
: 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'long
itude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karz
ai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'l
atitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz
_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2048, 'name': 'Herat Airport', 'city': 'Herat', 'iata': 'HE
A', 'icao': 'OAHR', 'latitude': 34.209999084472656, 'longitude': 62.228298187
25586, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734'
]}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karz
ai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'l
atitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz
_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2051, 'name': 'Kandahar Airport', 'city': 'Kandahar', 'iata
': 'KDH', 'icao': 'OAKN', 'latitude': 31.505800247192386, 'longitude': 65.847
80120849611, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karz
ai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'l
atitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz
_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwa
it', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitud
e': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2051, 'name': 'Kandahar A
irport', 'city': 'Kandahar', 'iata': 'KDH', 'icao': 'OAKN', 'latitude': 31.50

5800247192386, 'longitude': 65.84780120849611, 'timezone': 4.5, 'dst': 'U', '
tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'cit
y': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude':
77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2051, 'name': 'Kandahar A
irport', 'city': 'Kandahar', 'iata': 'KDH', 'icao': 'OAKN', 'latitude': 31.50
5800247192386, 'longitude': 65.84780120849611, 'timezone': 4.5, 'dst': 'U', '
tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dub
ai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitud
e': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2051, 'name': 'Kandahar A
irport', 'city': 'Kandahar', 'iata': 'KDH', 'icao': 'OAKN', 'latitude': 31.50
5800247192386, 'longitude': 65.84780120849611, 'timezone': 4.5, 'dst': 'U', '
tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city
': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude'
: 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait Int
ernational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitu
de': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Air
port', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796,
'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait Int
ernational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitu

de': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airpo
rt', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, '
longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['734']}
{'airline': {'airline_id': 125, 'name': 'Ariana Afghan Airlines', 'alias': '\
\N', 'iata': 'FG', 'icao': 'AFG', 'callsign': 'ARIANA', 'country': 'Afghanist
an', 'active': True}, 'src_airport': {'airport_id': 2985, 'name': 'Sheremetye
vo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', '
latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_
id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'cit
y': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'lo
ngitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['734']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Air
port Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude
': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavi
k', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude':
-22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavi
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['75W', '75T']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arl
anda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude'
: 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', '
city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352
, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'At
lantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airpor
t Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.

29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 666, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata':
'SVG', 'icao': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.6377801895000
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']
}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 636, 'name': 'Bergen Airpor
t Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.
29339981, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 665, 'name': 'Trondheim Airport Værnes', 'city': 'Trondheim', 'iata
': 'TRD', 'icao': 'ENVA', 'latitude': 63.45780179999999, 'longitude': 10.9239
998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W'
]}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 608, 'name': 'Billund Airpo
rt', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992
249, 'longitude': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik'
, 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -2
2.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 3448, 'name': 'General Edwa
rd Lawrence Logan International Airport', 'city': 'Boston', 'iata': 'BOS', 'i
cao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik Internatio
nal Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude':
63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N
', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airp
ort', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.90140

15198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik'
, 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -2
2.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles de G
aulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG',
'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Kefla
vik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude'
: -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykja
vik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Ka
strup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitud
e': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Airport'
, 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610
352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id':
'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['75T', '75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 3751, 'name': 'Denver Inter
national Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude
': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A'
, 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'cit
y': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, '
longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlan
tic/Reykjavik', type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 3494, 'name': 'Newark Liber
ty International Airport', 'city': 'Newark', 'iata': 'EWR', 'icao': 'KEWR', '

latitude': 40.69250106811523, 'longitude': -74.168701171875, 'timezone': -5.0
, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International
Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.9
85000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', '
tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am
Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude'
: 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik',
'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.
605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 534, 'name': 'Glasgow Inter
national Airport', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EGPF', 'latitud
e': 55.8718986511, 'longitude': -4.43306016922, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city':
'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'long
itude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/
Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vant
aa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 6
0.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 't
z_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city':
'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'long
itude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/
Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 3714, 'name': 'Washington D
ulles International Airport', 'city': 'Washington', 'iata': 'IAD', 'icao': 'K

IAD', 'latitude': 38.94449997, 'longitude': -77.45580292, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Air
port', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.9850
00610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_
id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenne
dy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Airport',
'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.98500061035
2, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'A
tlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['75T']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol
', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601,
'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['75W', '75T']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport'
, 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124
5116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu

de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland',
'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'lo
ngitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city':
'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitu
de': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3448, 'name': 'General Edward Lawrence L
ogan International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS',
'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city':
'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longit
ude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu

de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75T', '75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3494, 'name': 'Newark Liberty International Airport', 'city': 'Newark', 'iata': 'EWR', 'icao': 'KEWR', 'latitude': 40.69250106811523, 'longitude': -74.168701171875, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu

de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport'
, 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333,
'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 534, 'name': 'Glasgow International Airp
ort', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EGPF', 'latitude': 55.871898
6511, 'longitude': -4.43306016922, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport',
'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.31719970703
1, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europ
e/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3714, 'name': 'Washington Dulles Interna
tional Airport', 'city': 'Washington', 'iata': 'IAD', 'icao': 'KIAD', 'latitu
de': 38.94449997, 'longitude': -77.45580292, 'timezone': -5.0, 'dst': 'A', 't
z_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu

de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy Internatio
nal Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude':
40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id'
: 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['75T']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', '
city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longi
tude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airport',
'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longit
ude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 478, 'name': 'Manchester Airport', 'city
': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875
, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu

de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': '
Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 1
1.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'O
slo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W', '
75T']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3577, 'name': 'Seattle Tacoma Internatio
nal Airport', 'city': 'Seattle', 'iata': 'SEA', 'icao': 'KSEA', 'latitude': 4
7.449001, 'longitude': -122.308998, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'A
merica/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu
de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst
': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4167, 'name': 'Orlando Sanford Internati
onal Airport', 'city': 'Sanford', 'iata': 'SFB', 'icao': 'KSFB', 'latitude':
28.7775993347168, 'longitude': -81.23750305175781, 'timezone': -5.0, 'dst': '
A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik Inter
national Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitu

de': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 49, 'name': 'Edmonton International Airport', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG', 'latitude': 53.309700012200004, 'longitude': -113.580001831, 'timezone': -7.0, 'dst': 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airlines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.

4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/L
ondon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata
': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.60560
0357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester Ai
rport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.3
5369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city':
'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'long
itude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/
Reykjavik', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airpor
t', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, '
longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16,
'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF',
'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998
, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn
', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longit
ude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16, 'name':
'Keflavik International Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao':
'BIKF', 'latitude': 63.985000610352, 'longitude': -22.605600357055998, 'timez
one': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['75W', '7
5T']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 3577, 'name': 'Seattle Taco
ma International Airport', 'city': 'Seattle', 'iata': 'SEA', 'icao': 'KSEA',

'latitude': 47.449001, 'longitude': -122.308998, 'timezone': -8.0, 'dst': 'A'
, 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Airport',
'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.98500061035
2, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'A
tlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 4167, 'name': 'Orlando Sanf
ord International Airport', 'city': 'Sanford', 'iata': 'SFB', 'icao': 'KSFB',
'latitude': 28.7775993347168, 'longitude': -81.23750305175781, 'timezone': -5
.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik Internationa
l Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63
.985000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N',
'tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 666, 'name': 'Stavanger Air
port Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 5
8.876701354, 'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Kef
lavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitud
e': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reyk
javik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 665, 'name': 'Trondheim Air
port Værnes', 'city': 'Trondheim', 'iata': 'TRD', 'icao': 'ENVA', 'latitude':
63.45780179999999, 'longitude': 10.9239998, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 16, 'name': 'Keflavik International Airport', 'city': 'Kefl
avik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude
': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykj
avik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 49, 'name': 'Edmonton Inter
national Airport', 'city': 'Edmonton', 'iata': 'YEG', 'icao': 'CYEG', 'latitu

de': 53.309700012200004, 'longitude': -113.580001831, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Edmonton', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International Airport
', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.98500061
0352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id':
'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pea
rson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ'
, 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.
0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 16, 'name': 'Keflavik International
Airport', 'city': 'Keflavik', 'iata': 'KEF', 'icao': 'BIKF', 'latitude': 63.9
85000610352, 'longitude': -22.605600357055998, 'timezone': 0.0, 'dst': 'N', '
tz_id': 'Atlantic/Reykjavik', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['75W']}
{'airline': {'airline_id': 2835, 'name': 'Icelandair', 'alias': 'Horizon Airl
ines', 'iata': 'FI', 'icao': 'ICE', 'callsign': 'ICEAIR', 'country': 'Iceland
', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airpo
rt', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.46469899
9999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 16, 'name': 'Keflavik International Airport', 'city': 'Keflavik', 'iat
a': 'KEF', 'icao': 'BIKF', 'latitude': 63.985000610352, 'longitude': -22.6056
00357055998, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Atlantic/Reykjavik', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['75W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auc
kland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZA
A', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone':
12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73W', '73H', '332']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1969, 'name': 'Fal
eolo International Airport', 'city': 'Faleolo', 'iata': 'APW', 'icao': 'NSFA'

, 'latitude': -13.829999923706055, 'longitude': -172.00799560546875, 'timezon
e': 13.0, 'dst': 'U', 'tz_id': 'Pacific/Apia', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye I
nternational Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'la
titude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', '
tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1969, 'name': 'Fal
eolo International Airport', 'city': 'Faleolo', 'iata': 'APW', 'icao': 'NSFA'
, 'latitude': -13.829999923706055, 'longitude': -172.00799560546875, 'timezon
e': 13.0, 'dst': 'U', 'tz_id': 'Pacific/Apia', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Bri
sbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBB
N', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezon
e': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Intern
ational Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude':
-17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst':
'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 2252, 'name': 'Cas
sidy International Airport', 'city': 'Kiritimati', 'iata': 'CXI', 'icao': 'PL
CH', 'latitude': 1.9861600399017332, 'longitude': -157.35000610351562, 'timez
one': -12.0, 'dst': 'U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3728, 'name': 'Daniel K Ino
uye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL'
, 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': '
N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 2252, 'name': 'Cas
sidy International Airport', 'city': 'Kiritimati', 'iata': 'CXI', 'icao': 'PL

CH', 'latitude': 1.9861600399017332, 'longitude': -157.35000610351562, 'timez
one': -12.0, 'dst': 'U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Interna
tional Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude':
-17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst':
'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 4077, 'name': 'Fun
afuti International Airport', 'city': 'Funafuti', 'iata': 'FUN', 'icao': 'NGF
U', 'latitude': -8.525, 'longitude': 179.195999, 'timezone': 12.0, 'dst': 'U'
, 'tz_id': 'Pacific/Funafuti', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', '
city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.043300628662
11, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'P
acific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 4074, 'name': 'Hon
iara International Airport', 'city': 'Honiara', 'iata': 'HIR', 'icao': 'AGGH'
, 'latitude': -9.4280004501343, 'longitude': 160.05499267578, 'timezone': 11.
0, 'dst': 'U', 'tz_id': 'Pacific/Guadalcanal', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1997, 'name': 'Bauerfield Intern
ational Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': 'NVVV', 'latitu
de': -17.699300765991, 'longitude': 168.32000732422, 'timezone': 11.0, 'dst':
'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hon
g Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'V
HHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Air
port', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399
703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_
id': 'Pacific/Fiji', type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3728, 'name': 'Dan
iel K Inouye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao

': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1969, 'name': 'Faleolo International Airport', 'city': 'Faleolo', 'iata': 'APW', 'icao': 'NSFA', 'latitude': -13.829999923706055, 'longitude': -172.00799560546875, 'timezone': 13.0, 'dst': 'U', 'tz_id': 'Pacific/Apia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2252, 'name': 'Cassidy International Airport', 'city': 'Kiritimati', 'iata': 'CXI', 'icao': 'PLCH', 'latitude': 1.9861600399017332, 'longitude': -157.35000610351562, 'timezone': -12.0, 'dst': 'U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5867, 'name': 'Cicia Airport', 'city': 'Cicia', 'iata': 'ICI', 'icao': 'NFCI', 'latitude': -17.7432994843, 'longitude': -179.34199523900003, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5869, 'name': 'Vunisea Airport', 'city': 'Vunisea', 'iata': 'KDV', 'icao': 'NFKD', 'latitude':

-19.0580997467, 'longitude': 178.15699768099998, 'timezone': 12.0, 'dst': 'U'
, 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city':
'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'lon
gitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/F
iji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5869, 'name': 'Vun
isea Airport', 'city': 'Vunisea', 'iata': 'KDV', 'icao': 'NFKD', 'latitude':
-19.0580997467, 'longitude': 178.15699768099998, 'timezone': 12.0, 'dst': 'U'
, 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city
': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211,
'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacif
ic/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los
Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao':
'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone'
: -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Interna
tional Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude':
-17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst':
'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5874, 'name': 'Lab
asa Airport', 'city': 'Lambasa', 'iata': 'LBS', 'icao': 'NFNL', 'latitude': -
16.466699600219727, 'longitude': 179.33999633789062, 'timezone': 12.0, 'dst':
'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city
': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, '
longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacifi
c/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5874, 'name': 'Lab
asa Airport', 'city': 'Lambasa', 'iata': 'LBS', 'icao': 'NFNL', 'latitude': -

16.466699600219727, 'longitude': 179.33999633789062, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5873, 'name': 'Lakeba Island Airport', 'city': 'Lakeba Island', 'iata': 'LKB', 'icao': 'NFNK', 'latitude': -18.1991996765, 'longitude': -178.817001343, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '332', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la

titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1969, 'name': 'Faleolo International Ai
rport', 'city': 'Faleolo', 'iata': 'APW', 'icao': 'NSFA', 'latitude': -13.829
999923706055, 'longitude': -172.00799560546875, 'timezone': 13.0, 'dst': 'U',
'tz_id': 'Pacific/Apia', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International A
irport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3
8419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N',
'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2009, 'name': 'Christchurch Internation
al Airport', 'city': 'Christchurch', 'iata': 'CHC', 'icao': 'NZCH', 'latitude
': -43.48939895629883, 'longitude': 172.53199768066406, 'timezone': 12.0, 'ds
t': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2252, 'name': 'Cassidy International Ai
rport', 'city': 'Kiritimati', 'iata': 'CXI', 'icao': 'PLCH', 'latitude': 1.98
61600399017332, 'longitude': -157.35000610351562, 'timezone': -12.0, 'dst': '
U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la

titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International
Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.
308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id
': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye Internat
ional Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude'
: 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id':
'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5869, 'name': 'Vunisea Airport', 'city'
: 'Vunisea', 'iata': 'KDV', 'icao': 'NFKD', 'latitude': -19.0580997467, 'long
itude': 178.15699768099998, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/F
iji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles Internationa
l Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude':
33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A',
'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la

titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5874, 'name': 'Labasa Airport', 'city':
'Lambasa', 'iata': 'LBS', 'icao': 'NFNL', 'latitude': -16.466699600219727, 'l
ongitude': 179.33999633789062, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacifi
c/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International
Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37
.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5877, 'name': 'Rotuma Airport', 'city':
'Rotuma', 'iata': 'RTA', 'icao': 'NFNR', 'latitude': -12.482500076293945, 'lo
ngitude': 177.0709991455078, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/
Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nausori International Ai
rport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.043
30062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 't
z_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la

titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5878, 'name': 'Savusavu Airport', 'city
': 'Savusavu', 'iata': 'SVU', 'icao': 'NFNS', 'latitude': -16.8027992249, 'lo
ngitude': 179.34100341799999, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific
/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith I
nternational Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'lati
tude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, '
dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1963, 'name': "Fua'amotu International
Airport", 'city': 'Tongatapu', 'iata': 'TBU', 'icao': 'NFTF', 'latitude': -21
.241199493408203, 'longitude': -175.14999389648438, 'timezone': 13.0, 'dst':
'U', 'tz_id': 'Pacific/Tongatapu', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1965, 'name': 'Bonriki International Ai
rport', 'city': 'Tarawa', 'iata': 'TRW', 'icao': 'NGTA', 'latitude': 1.381639
9574279783, 'longitude': 173.14700317382812, 'timezone': 12.0, 'dst': 'U', 't
z_id': 'Pacific/Tarawa', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la

titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5875, 'name': 'Matei Airport', 'city':
'Matei', 'iata': 'TVU', 'icao': 'NFNM', 'latitude': -16.6905994415, 'longitud
e': -179.87699890099998, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1997, 'name': 'Bauerfield International
Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': 'NVVV', 'latitude': -17
.699300765991, 'longitude': 168.32000732422, 'timezone': 11.0, 'dst': 'U', 't
z_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73W', 'AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5877, 'name': 'Rot
uma Airport', 'city': 'Rotuma', 'iata': 'RTA', 'icao': 'NFNR', 'latitude': -1
2.482500076293945, 'longitude': 177.0709991455078, 'timezone': 12.0, 'dst': '
U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city'
: 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'l
ongitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific
/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nau
sori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA'
, 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone':
12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland Internationa
l Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -3
7.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z',
'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nau
sori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA'

, 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4077, 'name': 'Funafuti International Airport', 'city': 'Funafuti', 'iata': 'FUN', 'icao': 'NGFU', 'latitude': -8.525, 'longitude': 179.195999, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Funafuti', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5867, 'name': 'Cicia Airport', 'city': 'Cicia', 'iata': 'ICI', 'icao': 'NFCI', 'latitude': -17.7432994843, 'longitude': -179.34199523900003, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5869, 'name': 'Vunisea Airport', 'city': 'Vunisea', 'iata': 'KDV', 'icao': 'NFKD', 'latitude': -19.0580997467, 'longitude': 178.15699768099998, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5874, 'name': 'Labasa Airport', 'city': 'Lambasa', 'iata': 'LBS', 'icao': 'NFNL', 'latitude': -16.466699600219727, 'longitude': 179.33999633789062, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA'

, 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5873, 'name': 'Lakeba Island Airport', 'city': 'Lakeba Island', 'iata': 'LKB', 'icao': 'NFNK', 'latitude': -18.1991996765, 'longitude': -178.817001343, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5878, 'name': 'Savusavu Airport', 'city': 'Savusavu', 'iata': 'SVU', 'icao': 'NFNS', 'latitude': -16.8027992249, 'longitude': 179.34100341799999, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA'

, 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1963, 'name': "Fua'amotu International Airport", 'city': 'Tongatapu', 'iata': 'TBU', 'icao': 'NFTF', 'latitude': -21.241199493408203, 'longitude': -175.14999389648438, 'timezone': 13.0, 'dst': 'U', 'tz_id': 'Pacific/Tongatapu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5875, 'name': 'Matei Airport', 'city': 'Matei', 'iata': 'TVU', 'icao': 'NFNM', 'latitude': -16.6905994415, 'longitude': -179.87699890099998, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5883, 'name': 'Vanua Balavu Airport', 'city': 'Vanua Balavu', 'iata': 'VBV', 'icao': 'NFVB', 'latitude': -17.268999099731445, 'longitude': -178.9759979248047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5878, 'name': 'Savusavu Airport', 'city': 'Savusavu', 'iata': 'SVU', 'icao': 'NFNS', 'latitude': -16.8027992249, 'longitude': 179.34100341799999, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'country': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5878, 'name': 'Savusavu Airport', 'city': 'Savusavu', 'iata': 'SVU', 'icao': 'NFNS', 'latitude'

: -16.8027992249, 'longitude': 179.34100341799999, 'timezone': 12.0, 'dst': '
U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1961, 'name': 'Nausori International Airport', 'ci
ty': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211
, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pac
ific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5878, 'name': 'Sav
usavu Airport', 'city': 'Savusavu', 'iata': 'SVU', 'icao': 'NFNS', 'latitude'
: -16.8027992249, 'longitude': 179.34100341799999, 'timezone': 12.0, 'dst': '
U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 5875, 'name': 'Matei Airport', 'city': 'Matei', 'i
ata': 'TVU', 'icao': 'NFNM', 'latitude': -16.6905994415, 'longitude': -179.87
699890099998, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Syd
ney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD',
'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125
, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nad
i International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'la
titude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.
0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '73H']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Syd
ney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD',
'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125
, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nau
sori International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA'
, 'latitude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone':
12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1963, 'name': "Fua
'amotu International Airport", 'city': 'Tongatapu', 'iata': 'TBU', 'icao': 'N

FTF', 'latitude': -21.241199493408203, 'longitude': -175.14999389648438, 'tim
ezone': 13.0, 'dst': 'U', 'tz_id': 'Pacific/Tongatapu', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Int
ernational Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitud
e': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'd
st': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1963, 'name': "Fua
'amotu International Airport", 'city': 'Tongatapu', 'iata': 'TBU', 'icao': 'N
FTF', 'latitude': -21.241199493408203, 'longitude': -175.14999389648438, 'tim
ezone': 13.0, 'dst': 'U', 'tz_id': 'Pacific/Tongatapu', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nausori
International Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'la
titude': -18.04330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0
, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1965, 'name': 'Bon
riki International Airport', 'city': 'Tarawa', 'iata': 'TRW', 'icao': 'NGTA',
'latitude': 1.3816399574279783, 'longitude': 173.14700317382812, 'timezone':
12.0, 'dst': 'U', 'tz_id': 'Pacific/Tarawa', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International
Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755
399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', '
tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5875, 'name': 'Mat
ei Airport', 'city': 'Matei', 'iata': 'TVU', 'icao': 'NFNM', 'latitude': -16.
6905994415, 'longitude': -179.87699890099998, 'timezone': 12.0, 'dst': 'U', '
tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Na
ndi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longit
ude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5875, 'name': 'Mat
ei Airport', 'city': 'Matei', 'iata': 'TVU', 'icao': 'NFNM', 'latitude': -16.

6905994415, 'longitude': -179.87699890099998, 'timezone': 12.0, 'dst': 'U', '
tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1961, 'name': 'Nausori International Airport', 'city':
'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.04330062866211, 'lo
ngitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/
Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5875, 'name': 'Mat
ei Airport', 'city': 'Matei', 'iata': 'TVU', 'icao': 'NFNM', 'latitude': -16.
6905994415, 'longitude': -179.87699890099998, 'timezone': 12.0, 'dst': 'U', '
tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 5878, 'name': 'Savusavu Airport', 'city': 'Savusavu', '
iata': 'SVU', 'icao': 'NFNS', 'latitude': -16.8027992249, 'longitude': 179.34
100341799999, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 5883, 'name': 'Van
ua Balavu Airport', 'city': 'Vanua Balavu', 'iata': 'VBV', 'icao': 'NFVB', 'l
atitude': -17.268999099731445, 'longitude': -178.9759979248047, 'timezone': 1
2.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1961, 'name': 'Nausori International
Airport', 'city': 'Nausori', 'iata': 'SUV', 'icao': 'NFNA', 'latitude': -18.0
4330062866211, 'longitude': 178.5590057373047, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['DHT']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1997, 'name': 'Bau
erfield International Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': '
NVVV', 'latitude': -17.699300765991, 'longitude': 168.32000732422, 'timezone'
: 11.0, 'dst': 'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 4074, 'name': 'Honiara Internatio
nal Airport', 'city': 'Honiara', 'iata': 'HIR', 'icao': 'AGGH', 'latitude': -
9.4280004501343, 'longitude': 160.05499267578, 'timezone': 11.0, 'dst': 'U',
'tz_id': 'Pacific/Guadalcanal', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 879, 'name': 'Air Pacific', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'FJ', 'icao': 'FJI', 'callsign': 'PACIFIC', 'countr
y': 'Fiji', 'active': True}, 'src_airport': {'airport_id': 1997, 'name': 'Bau
erfield International Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': '

NVVV', 'latitude': -17.699300765991, 'longitude': 168.32000732422, 'timezone'
: 11.0, 'dst': 'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International
Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755
399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', '
tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73W', 'AT5']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4019,
'name': 'Albuquerque International Sunport', 'city': 'Albuquerque', 'iata': '
ABQ', 'icao': 'KABQ', 'latitude': 35.040199, 'longitude': -106.609001, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver Intern
ational Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'latitude'
: 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst': 'A',
'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4019,
'name': 'Albuquerque International Sunport', 'city': 'Albuquerque', 'iata': '
ABQ', 'icao': 'KABQ', 'latitude': 35.040199, 'longitude': -106.609001, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3877, 'name': 'McCarran Inte
rnational Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'lati
tude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst'
: 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4019,
'name': 'Albuquerque International Sunport', 'city': 'Albuquerque', 'iata': '
ABQ', 'icao': 'KABQ', 'latitude': 35.040199, 'longitude': -106.609001, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3458, 'name': 'Kansas City I
nternational Airport', 'city': 'Kansas City', 'iata': 'MCI', 'icao': 'KMCI',
'latitude': 39.2976, 'longitude': -94.713898, 'timezone': -6.0, 'dst': 'A', '
tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4019,
'name': 'Albuquerque International Sunport', 'city': 'Albuquerque', 'iata': '

ABQ', 'icao': 'KABQ', 'latitude': 35.040199, 'longitude': -106.609001, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3747, 'name': 'Chicago Midwa
y International Airport', 'city': 'Chicago', 'iata': 'MDW', 'icao': 'KMDW', '
latitude': 41.785999, 'longitude': -87.752403, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4019,
'name': 'Albuquerque International Sunport', 'city': 'Albuquerque', 'iata': '
ABQ', 'icao': 'KABQ', 'latitude': 35.040199, 'longitude': -106.609001, 'timez
one': -7.0, 'dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3720, 'name': 'Portland Inte
rnational Airport', 'city': 'Portland', 'iata': 'PDX', 'icao': 'KPDX', 'latit
ude': 45.58869934, 'longitude': -122.59799960000001, 'timezone': -8.0, 'dst':
'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3864,
'name': 'Albany International Airport', 'city': 'Albany', 'iata': 'ALB', 'ica
o': 'KALB', 'latitude': 42.74829864501953, 'longitude': -73.80169677734375, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3849, 'name': 'Baltim
ore/Washington International Thurgood Marshall Airport', 'city': 'Baltimore',
'iata': 'BWI', 'icao': 'KBWI', 'latitude': 39.1754, 'longitude': -76.668297,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']
}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3864,
'name': 'Albany International Airport', 'city': 'Albany', 'iata': 'ALB', 'ica
o': 'KALB', 'latitude': 42.74829864501953, 'longitude': -73.80169677734375, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3494, 'name': 'Newark
Liberty International Airport', 'city': 'Newark', 'iata': 'EWR', 'icao': 'KEW
R', 'latitude': 40.69250106811523, 'longitude': -74.168701171875, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3864,

'name': 'Albany International Airport', 'city': 'Albany', 'iata': 'ALB', 'ica
o': 'KALB', 'latitude': 42.74829864501953, 'longitude': -73.80169677734375, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort L
auderdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata'
: 'FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'tim
ezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3864,
'name': 'Albany International Airport', 'city': 'Albany', 'iata': 'ALB', 'ica
o': 'KALB', 'latitude': 42.74829864501953, 'longitude': -73.80169677734375, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3747, 'name': 'Chicag
o Midway International Airport', 'city': 'Chicago', 'iata': 'MDW', 'icao': 'K
MDW', 'latitude': 41.785999, 'longitude': -87.752403, 'timezone': -6.0, 'dst'
: 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3864,
'name': 'Albany International Airport', 'city': 'Albany', 'iata': 'ALB', 'ica
o': 'KALB', 'latitude': 42.74829864501953, 'longitude': -73.80169677734375, '
timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3646, 'name': 'Tampa
International Airport', 'city': 'Tampa', 'iata': 'TPA', 'icao': 'KTPA', 'lati
tude': 27.975500106811523, 'longitude': -82.533203125, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3840,
'name': 'Rick Husband Amarillo International Airport', 'city': 'Amarillo', 'i
ata': 'AMA', 'icao': 'KAMA', 'latitude': 35.219398, 'longitude': -101.706001,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3502, 'name': 'Dallas
Love Field', 'city': 'Dallas', 'iata': 'DAL', 'icao': 'KDAL', 'latitude': 32.
847099, 'longitude': -96.851799, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Amer
ica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['735', '73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3840,

'name': 'Rick Husband Amarillo International Airport', 'city': 'Amarillo', 'i
ata': 'AMA', 'icao': 'KAMA', 'latitude': 35.219398, 'longitude': -101.706001,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Denver
International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN', 'lat
itude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, 'dst'
: 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3840,
'name': 'Rick Husband Amarillo International Airport', 'city': 'Amarillo', 'i
ata': 'AMA', 'icao': 'KAMA', 'latitude': 35.219398, 'longitude': -101.706001,
'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3747, 'name': 'Chicag
o Midway International Airport', 'city': 'Chicago', 'iata': 'MDW', 'icao': 'K
MDW', 'latitude': 41.785999, 'longitude': -87.752403, 'timezone': -6.0, 'dst'
: 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Que
en Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao
': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'd
st': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3673, 'name': 'Aus
tin Bergstrom International Airport', 'city': 'Austin', 'iata': 'AUS', 'icao'
: 'KAUS', 'latitude': 30.194499969482425, 'longitude': -97.6698989868164, 'ti
mezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,

'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3825, 'name': 'Bra
dley International Airport', 'city': 'Windsor Locks', 'iata': 'BDL', 'icao':
'KBDL', 'latitude': 41.9388999939, 'longitude': -72.68319702149999, 'timezone
': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3448, 'name': 'Gen
eral Edward Lawrence Logan International Airport', 'city': 'Boston', 'iata':
'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717']
}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3849, 'name': 'Bal
timore/Washington International Thurgood Marshall Airport', 'city': 'Baltimor
e', 'iata': 'BWI', 'icao': 'KBWI', 'latitude': 39.1754, 'longitude': -76.6682
97, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73G']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4112, 'name': 'Akr
on Canton Regional Airport', 'city': 'Akron', 'iata': 'CAK', 'icao': 'KCAK',
'latitude': 40.916099548339844, 'longitude': -81.44219970703125, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717', '']}

{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3759, 'name': 'John Glenn Columbus International Airport', 'city': 'Columbus', 'iata': 'CMH', 'icao': 'KCMH', 'latitude': 39.998001, 'longitude': -82.891899, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1852, 'name': 'Cancún International Airport', 'city': 'Cancun', 'iata': 'CUN', 'icao': 'MMUN', 'latitude': 21.036500930800003, 'longitude': -86.8770980835, 'timezone': -5.0, 'dst': 'S', 'tz_id': 'America/Cancun', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3627, 'name': 'James M Cox Dayton International Airport', 'city': 'Dayton', 'iata': 'DAY', 'icao': 'KDAY', 'latitude': 39.90240097045898, 'longitude': -84.21939849853516, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'country': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3520, 'name': 'Ronald Reagan Washington National Airport', 'city': 'Washington', 'iata': 'DCA', 'icao': 'KDCA', 'latitude': 38.8521, 'longitude': -77.037697, 'timezone': -5.

0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3751, 'name': 'Den
ver International Airport', 'city': 'Denver', 'iata': 'DEN', 'icao': 'KDEN',
'latitude': 39.861698150635, 'longitude': -104.672996521, 'timezone': -7.0, '
dst': 'A', 'tz_id': 'America/Denver', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 1316, 'name': 'AirTran Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'FL', 'icao': 'TRS', 'callsign': 'CITRUS', 'cou
ntry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3682,
'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta'
, 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3645, 'name': 'Det
roit Metropolitan Wayne County Airport', 'city': 'Detroit', 'iata': 'DTW', 'i
cao': 'KDTW', 'latitude': 42.212398529052734, 'longitude': -83.35340118408203
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
17', '73G']}
IOPub data rate exceeded.
The notebook server will temporarily stop sending output
to the client in order to avoid crashing it.
To change this limit, set the config variable
`--NotebookApp.iopub_data_rate_limit`.

Current values:
NotebookApp.iopub_data_rate_limit=1000000.0 (bytes/sec)
NotebookApp.rate_limit_window=3.0 (secs)

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2074, 'name': 'Prin
ce Mohammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao':
'OEMA', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst':

'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'name': 'Mult
an International Airport', 'city': 'Multan', 'iata': 'MUX', 'icao': 'OPMT', '
latitude': 30.20319938659668, 'longitude': 71.41909790039062, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malp
ensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC',
'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beij
ing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao':
'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name': 'Pesh
awar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS
', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, 'timezone'

: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', 'ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King
Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK
', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'name': 'Shar
jah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'OMSJ',
'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6776, 'name': 'Sial
kot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'latitude': 3
2.5355567932, 'longitude': 74.3638916016, 'timezone': 5.0, 'dst': 'N', 'tz_id
': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2227, 'name': 'Sukk
ur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao': 'OPSK', 'latitude': 27.
72200012207031, 'longitude': 68.79170227050781, 'timezone': 5.0, 'dst': 'N',

'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name': 'Quet
ta International Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'OPQT', '
latitude': 30.251399993896484, 'longitude': 66.93779754638672, 'timezone': 5.
0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamab
ad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.09
9197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Leste
r B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao'
: 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah'
, 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhu
tto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN
', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah'
, 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah Inte
rnational Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitu
de': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': '

Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['777', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah'
, 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal
International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'lat
itude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'd
st': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['777', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah'
, 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'name': 'Multan Inte
rnational Airport', 'city': 'Multan', 'iata': 'MUX', 'icao': 'OPMT', 'latitud
e': 30.20319938659668, 'longitude': 71.41909790039062, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah'
, 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name': 'Peshawar In
ternational Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS', 'lat
itude': 33.993900299072266, 'longitude': 71.51460266113281, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah'
, 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6776, 'name': 'Sialkot Air
port', 'city': 'Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'latitude': 32.53555
67932, 'longitude': 74.3638916016, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asi

a/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 5949, 'name': 'Skardu Airport', 'city': 'Skardu', 'iata': 'KDU', 'icao': 'OPSD', 'latitude': 35.33549880981445, 'longitude': 75.53600311279297, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', '

tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Intern
ational Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitu
de': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5939, 'name': 'Bahawalpur Airpo
rt', 'city': 'Bahawalpur', 'iata': 'BHV', 'icao': 'OPBW', 'latitude': 29.3481
00662231445, 'longitude': 71.71800231933594, 'timezone': 5.0, 'dst': 'N', 'tz
_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shiv
aji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB',
'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['737', '320']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal
International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'lati
tude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U'

, 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['777', '320', '73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5942, 'name': 'Dera Ghazi Khan
Airport', 'city': 'Dera Ghazi Khan', 'iata': 'DEA', 'icao': 'OPDG', 'latitude
': 29.961000442504886, 'longitude': 70.48590087890625, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737', 'ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi In
ternational Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitu
de': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd Intern
ational Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude'
: 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['310', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internatio
nal Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.
252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz

_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2203, 'name': 'Gwadar International Airport', 'city': 'Gwadar', 'iata': 'GWD', 'icao': 'OPGD', 'latitude': 25.23329925537109, 'longitude': 62.32949829101562, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '320', 'ATR', '777', '73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'A

sia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur Int
ernational Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', '
latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal Inte
rnational Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitud
e': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320', '777', '73H', '310', '737'
]}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow A
irport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706
, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Londo
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2202, 'name': 'Faisalabad Inter
national Airport', 'city': 'Faisalabad', 'iata': 'LYP', 'icao': 'OPFA', 'lati

tude': 31.364999771118164, 'longitude': 72.99479675292969, 'timezone': 5.0, '
dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '73H', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat Internati
onal Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 2
3.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': '
U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2074, 'name': 'Prince Mohammad
Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao': 'OEMA', 'la
titude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2212, 'name': 'Moenjodaro Airpo
rt', 'city': 'Moenjodaro', 'iata': 'MJD', 'icao': 'OPMJ', 'latitude': 27.3351
993560791, 'longitude': 68.14309692382811, 'timezone': 5.0, 'dst': 'N', 'tz_i
d': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'name': 'Multan Internati
onal Airport', 'city': 'Multan', 'iata': 'MUX', 'icao': 'OPMT', 'latitude': 3

0.20319938659668, 'longitude': 71.41909790039062, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['ATR', '73H', '320', '737', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name': 'Peshawar Interna
tional Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS', 'latitude
': 33.993900299072266, 'longitude': 71.51460266113281, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737', '320']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2217, 'name': 'Panjgur Airport'
, 'city': 'Panjgur', 'iata': 'PJG', 'icao': 'OPPG', 'latitude': 26.9545001983
64254, 'longitude': 64.13249969482422, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khaled Inte
rnational Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitud
e': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2222, 'name': 'Shaikh Zaid Airp
ort', 'city': 'Rahim Yar Khan', 'iata': 'RYK', 'icao': 'OPRK', 'latitude': 28

.383899688720703, 'longitude': 70.27960205078125, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'name': 'Sharjah Internat
ional Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'OMSJ', 'latitude':
25.32859992980957, 'longitude': 55.5172004699707, 'timezone': 4.0, 'dst': 'U'
, 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H', '310', '737', '320']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2227, 'name': 'Sukkur Airport',
'city': 'Sukkur', 'iata': 'SKZ', 'icao': 'OPSK', 'latitude': 27.7220001220703
1, 'longitude': 68.79170227050781, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asi
a/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5951, 'name': 'Turbat Internati
onal Airport', 'city': 'Turbat', 'iata': 'TUK', 'icao': 'OPTU', 'latitude': 2
5.98640060424805, 'longitude': 63.03020095825195, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name': 'Quetta Internati
onal Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'OPQT', 'latitude': 3

0.251399993896484, 'longitude': 66.93779754638672, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['310', 'ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata
': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson
International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'la
titude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu',
'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'ti
mezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah Inte
rnational Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitu
de': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': '
Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lum
pur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitu
de': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lu
mpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata':
'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lum
pur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitu
de': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lu
mpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'ia

ta': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.403
60260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lum
pur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitu
de': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lu
mpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'iat
a': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51
460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata'
: 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.9688
9877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name':
'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata'
: 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.9688
9877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name':
'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao':
'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, 'time
zone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata'
: 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.9688
9877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'air

port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6776, 'name':
'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'latitud
e': 32.5355567932, 'longitude': 74.3638916016, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 517, 'name': 'Leeds Bradford Airport', 'city': 'Leeds', 'iata': 'LBA',
'icao': 'EGNM', 'latitude': 53.86589813232422, 'longitude': -1.66057002544403
08, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazi
r Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao':
'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '7
3H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2057, 'nam
e': 'Bahrain International Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao'
: 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50.63359832763672, 'tim
ezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4

0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5939, 'name': 'Bahawalpur Airport', 'city': 'Bahawalpur', 'iata': 'BHV', 'icao': 'OPBW', 'latitude': 29.348100662231445, 'longitude': 71.71800231933594, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5942, 'name': 'Dera Ghazi Khan Airport', 'city': 'Dera Ghazi Khan', 'iata': 'DEA', 'icao': 'OPDG', 'latitude': 29.961000442504886, 'longitude': 70.48590087890625, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4

0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '310', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4

0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '310', '73H', '777', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor

t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 507, 'name
': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL'
, 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', '
tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 478, 'name
': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC',
'latitude': 53.35369873046875, 'longitude': -2.2749500274658203, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'nam
e': 'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao':
'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'tim
ezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2074, 'nam
e': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED'
, 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor

t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'nam
e': 'Multan International Airport', 'city': 'Multan', 'iata': 'MUX', 'icao':
'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909790039062, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737', 'ATR', '
320']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'nam
e': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao'
: 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 644, 'name
': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude'
: 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'nam
e': 'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'ica
o': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, '
timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'

: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'nam
e': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'ic
ao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2222, 'nam
e': 'Shaikh Zaid Airport', 'city': 'Rahim Yar Khan', 'iata': 'RYK', 'icao': '
OPRK', 'latitude': 28.383899688720703, 'longitude': 70.27960205078125, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'nam
e': 'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao'
: 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'time
zone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2227, 'nam
e': 'Sukkur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao': 'OPSK', 'latit
ude': 27.72200012207031, 'longitude': 68.79170227050781, 'timezone': 5.0, 'ds
t': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'

: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'nam
e': 'Quetta International Airport', 'city': 'Quetta', 'iata': 'UET', 'icao':
'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.93779754638672, 'time
zone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', '
iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.4
0360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name
': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ
', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77
7']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR
', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0
.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto Interna
tional Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitud
e': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR
', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0
.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah International A
irport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.906
5, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karach
i', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['777']}

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR
', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0
.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal Internatio
nal Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31
.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2202, 'name': 'Faisalabad International Airport', 'city': 'Faisalabad'
, 'iata': 'LYP', 'icao': 'OPFA', 'latitude': 31.364999771118164, 'longitude':
72.99479675292969, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206,
'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'ic
ao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'd
st': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '73H', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN'
, 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.274950027465
8203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Ben
azir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao
': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'd
st': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN'
, 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.274950027465
8203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'Joh
n F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao'
: 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.
0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': 'MAN'
, 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.274950027465
8203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Ala
ma Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OP
LA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2203, 'name':
'Gwadar International Airport', 'city': 'Gwadar', 'iata': 'GWD', 'icao': 'OPG
D', 'latitude': 25.23329925537109, 'longitude': 62.32949829101562, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name':
'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', '
icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name':
'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OP
KC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name':
'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name':
'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao':
'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, 'time
zone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6776, 'name':
'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'latitud
e': 32.5355567932, 'longitude': 74.3638916016, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'iata'
: 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.2844
00939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5951, 'name':
'Turbat International Airport', 'city': 'Turbat', 'iata': 'TUK', 'icao': 'OPT
U', 'latitude': 25.98640060424805, 'longitude': 63.03020095825195, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madina
h', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.70510
1, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir
Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'O
PRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madina
h', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.70510
1, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah I
nternational Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'lat
itude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id'
: 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madina
h', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.70510
1, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iq
bal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA',
'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madina
h', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.70510
1, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'name': 'Multan I
nternational Airport', 'city': 'Multan', 'iata': 'MUX', 'icao': 'OPMT', 'lati
tude': 30.20319938659668, 'longitude': 71.41909790039062, 'timezone': 5.0, 'd
st': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad', 'iat
a': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 59.64
099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name'
: 'Quetta International Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'O
PQT', 'latitude': 30.251399993896484, 'longitude': 66.93779754638672, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2212, 'name': 'Moenjodaro Airport', 'city': 'Moenjodaro', 'iata': 'MJD
', 'icao': 'OPMJ', 'latitude': 27.3351993560791, 'longitude': 68.143096923828
11, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah
International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'la
titude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id
': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2212, 'name': 'Moenjodaro Airport', 'city': 'Moenjodaro', 'iata': 'MJD
', 'icao': 'OPMJ', 'latitude': 27.3351993560791, 'longitude': 68.143096923828
11, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2227, 'name': 'Sukkur
Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao': 'OPSK', 'latitude': 27.722
00012207031, 'longitude': 68.79170227050781, 'timezone': 5.0, 'dst': 'N', 'tz
_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name':
'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', '
icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}

{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'name':
'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'ica
o': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name':
'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OP
KC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['737', 'ATR', '320', '73H', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name':
'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '73H', '7
37']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2074, 'name':
'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'i
cao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, '

dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'name':
'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'O
MSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'timezone
': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737', '73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2214, 'name': 'Multan International Airport', 'city': 'Multan', 'iata'
: 'MUX', 'icao': 'OPMT', 'latitude': 30.20319938659668, 'longitude': 71.41909
790039062, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name':
'Quetta International Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'OPQ
T', 'latitude': 30.251399993896484, 'longitude': 66.93779754638672, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', 'iat
a': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.72811000000000
1, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles
de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LF
PG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano', 'iat
a': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.72811000000000
1, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir
Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'O
PRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst':

'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata':
'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.38600
1587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijin
g Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': '
ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': '
ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Cop
enhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longit
ude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copen
hagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao': '
ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2223, 'name': 'Benazir Bhutto International Airport', '
city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'lo
ngitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijin
g', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude':
116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223
, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata'
: 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'time

zone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijin
g', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude':
116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2279
, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'ic
ao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'tim
ezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'nam
e': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'i
cao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '7
3H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5940, 'nam
e': 'Chitral Airport', 'city': 'Chitral', 'iata': 'CJL', 'icao': 'OPCH', 'lat
itude': 35.88660049438477, 'longitude': 71.80059814453125, 'timezone': 5.0, '
dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'na
me': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'O

THH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5943, 'nam
e': 'Dera Ismael Khan Airport', 'city': 'Dera Ismael Khan', 'iata': 'DSK', 'i
cao': 'OPDI', 'latitude': 31.90940093994141, 'longitude': 70.89659881591797,
'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'nam
e': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK
', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', 'ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2072, 'nam
e': 'King Abdulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED',
'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2050, 'nam
e': 'Hamid Karzai International Airport', 'city': 'Kabul', 'iata': 'KBL', 'ic

ao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 'timezone': 4.5,
'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'nam
e': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao':
'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['310', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'nam
e': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KU
L', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908
446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2176, 'nam
e': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao':
'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'nam

e': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'ic
ao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 't
imezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '73H
']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'nam
e': 'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao':
'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'tim
ezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'nam
e': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'ic
ao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar', 'i
ata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.
51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'nam
e': 'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao'
: 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'time
zone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '737', '3
20']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2217, 'name': 'Panjgur Airport', 'city': 'Panjgur', 'iata': 'PJG', 'ic
ao': 'OPPG', 'latitude': 26.954500198364254, 'longitude': 64.13249969482422,

'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah Int
ernational Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latit
ude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2233, 'name': 'Zhob Airport', 'city': 'Zhob', 'iata': 'PZH', 'icao': '
OPZB', 'latitude': 31.358400344848636, 'longitude': 69.46360015869139, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5943, 'name': 'Dera Ismael Khan
Airport', 'city': 'Dera Ismael Khan', 'iata': 'DSK', 'icao': 'OPDI', 'latitud
e': 31.90940093994141, 'longitude': 70.89659881591797, 'timezone': 5.0, 'dst'
: 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2233, 'name': 'Zhob Airport', 'city': 'Zhob', 'iata': 'PZH', 'icao': '
OPZB', 'latitude': 31.358400344848636, 'longitude': 69.46360015869139, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name': 'Quetta Internati
onal Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'OPQT', 'latitude': 3
0.251399993896484, 'longitude': 66.93779754638672, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', '
iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46
.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'nam
e': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK
', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', '
iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46

.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'nam
e': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao':
'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['777', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', '
iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46
.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'nam
e': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'ic
ao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 't
imezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', '
iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46
.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'nam
e': 'Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'ica
o': 'OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, '
timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', '
iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46
.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6776, 'nam
e': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'icao': 'OPST', 'lat
itude': 32.5355567932, 'longitude': 74.3638916016, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2222, 'name': 'Shaikh Zaid Airport', 'city': 'Rahim Yar Khan', 'iata':
'RYK', 'icao': 'OPRK', 'latitude': 28.383899688720703, 'longitude': 70.279602

05078125, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2179, 'name': '
Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao':
'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'tim
ezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2222, 'name': 'Shaikh Zaid Airport', 'city': 'Rahim Yar Khan', 'iata':
'RYK', 'icao': 'OPRK', 'latitude': 28.383899688720703, 'longitude': 70.279602
05078125, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': '
Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPK
C', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2222, 'name': 'Shaikh Zaid Airport', 'city': 'Rahim Yar Khan', 'iata':
'RYK', 'icao': 'OPRK', 'latitude': 28.383899688720703, 'longitude': 70.279602
05078125, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': '
Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517
2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5942, 'name': '
Dera Ghazi Khan Airport', 'city': 'Dera Ghazi Khan', 'iata': 'DEA', 'icao': '
OPDG', 'latitude': 29.961000442504886, 'longitude': 70.48590087890625, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517

2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': '
Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'i
cao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517
2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': '
Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPK
C', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320', '73H', '310', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517
2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': '
Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517
2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'name': '
Multan International Airport', 'city': 'Multan', 'iata': 'MUX', 'icao': 'OPMT
', 'latitude': 30.20319938659668, 'longitude': 71.41909790039062, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737', '73H']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517

2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2219, 'name': '
Peshawar International Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': '
OPPS', 'latitude': 33.993900299072266, 'longitude': 71.51460266113281, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['310', '737', '
320']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517
2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5951, 'name': '
Turbat International Airport', 'city': 'Turbat', 'iata': 'TUK', 'icao': 'OPTU
', 'latitude': 25.98640060424805, 'longitude': 63.03020095825195, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iat
a': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.517
2004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name': '
Quetta International Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'OPQT
', 'latitude': 30.251399993896484, 'longitude': 66.93779754638672, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 6776, 'name': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'ic
ao': 'OPST', 'latitude': 32.5355567932, 'longitude': 74.3638916016, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd Internati
onal Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 2
6.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U
', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 6776, 'name': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'ic

ao': 'OPST', 'latitude': 32.5355567932, 'longitude': 74.3638916016, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto Inte
rnational Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'lati
tude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id
': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 6776, 'name': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'ic
ao': 'OPST', 'latitude': 32.5355567932, 'longitude': 74.3638916016, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2072, 'name': 'King Abdulaziz Inte
rnational Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitud
e': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'A
sia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 6776, 'name': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'ic
ao': 'OPST', 'latitude': 32.5355567932, 'longitude': 74.3638916016, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2176, 'name': 'Kuwait Internationa
l Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.2
26600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 6776, 'name': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'ic
ao': 'OPST', 'latitude': 32.5355567932, 'longitude': 74.3638916016, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2194, 'name': 'Muscat Internationa
l Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.5
93299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U',
'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 6776, 'name': 'Sialkot Airport', 'city': 'Sialkot', 'iata': 'SKT', 'ic

ao': 'OPST', 'latitude': 32.5355567932, 'longitude': 74.3638916016, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khaled Interna
tional Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude':
24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2227, 'name': 'Sukkur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao
': 'OPSK', 'latitude': 27.72200012207031, 'longitude': 68.79170227050781, 'ti
mezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 5939, 'name': 'Bahawalpur Ai
rport', 'city': 'Bahawalpur', 'iata': 'BHV', 'icao': 'OPBW', 'latitude': 29.3
48100662231445, 'longitude': 71.71800231933594, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2227, 'name': 'Sukkur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao
': 'OPSK', 'latitude': 27.72200012207031, 'longitude': 68.79170227050781, 'ti
mezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutt
o International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN',
'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2227, 'name': 'Sukkur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao
': 'OPSK', 'latitude': 27.72200012207031, 'longitude': 68.79170227050781, 'ti
mezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah Intern
ational Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude
': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'As
ia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2227, 'name': 'Sukkur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao

': 'OPSK', 'latitude': 27.72200012207031, 'longitude': 68.79170227050781, 'ti
mezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal I
nternational Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'lati
tude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'ds
t': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['ATR', '737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2227, 'name': 'Sukkur Airport', 'city': 'Sukkur', 'iata': 'SKZ', 'icao
': 'OPSK', 'latitude': 27.72200012207031, 'longitude': 68.79170227050781, 'ti
mezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2212, 'name': 'Moenjodaro Ai
rport', 'city': 'Moenjodaro', 'iata': 'MJD', 'icao': 'OPMJ', 'latitude': 27.3
351993560791, 'longitude': 68.14309692382811, 'timezone': 5.0, 'dst': 'N', 't
z_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 5951, 'name': 'Turbat International Airport', 'city': 'Turbat', 'iata'
: 'TUK', 'icao': 'OPTU', 'latitude': 25.98640060424805, 'longitude': 63.03020
095825195, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5941, 'name':
'Dalbandin Airport', 'city': 'Dalbandin', 'iata': 'DBA', 'icao': 'OPDB', 'lat
itude': 28.8782997131, 'longitude': 64.3998031616, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 5951, 'name': 'Turbat International Airport', 'city': 'Turbat', 'iata'
: 'TUK', 'icao': 'OPTU', 'latitude': 25.98640060424805, 'longitude': 63.03020
095825195, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2203, 'name':
'Gwadar International Airport', 'city': 'Gwadar', 'iata': 'GWD', 'icao': 'OPG
D', 'latitude': 25.23329925537109, 'longitude': 62.32949829101562, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 5951, 'name': 'Turbat International Airport', 'city': 'Turbat', 'iata'

: 'TUK', 'icao': 'OPTU', 'latitude': 25.98640060424805, 'longitude': 63.03020
095825195, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name':
'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OP
KC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 5951, 'name': 'Turbat International Airport', 'city': 'Turbat', 'iata'
: 'TUK', 'icao': 'OPTU', 'latitude': 25.98640060424805, 'longitude': 63.03020
095825195, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2194, 'name':
'Muscat International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOM
S', 'latitude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezon
e': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 5951, 'name': 'Turbat International Airport', 'city': 'Turbat', 'iata'
: 'TUK', 'icao': 'OPTU', 'latitude': 25.98640060424805, 'longitude': 63.03020
095825195, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'name':
'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'O
MSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'timezone
': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 5951, 'name': 'Turbat International Airport', 'city': 'Turbat', 'iata'
: 'TUK', 'icao': 'OPTU', 'latitude': 25.98640060424805, 'longitude': 63.03020
095825195, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2221, 'name':
'Quetta International Airport', 'city': 'Quetta', 'iata': 'UET', 'icao': 'OPQ
T', 'latitude': 30.251399993896484, 'longitude': 66.93779754638672, 'timezone
': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'

: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name':
'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', '
icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0
, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'
: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name':
'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OP
KC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['ATR', '310']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'
: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name':
'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao':
'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezo
ne': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'
: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4331, 'name':
'Mashhad International Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'O
IMM', 'latitude': 36.235198974609375, 'longitude': 59.64099884033203, 'timezo
ne': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'

: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2214, 'name':
'Multan International Airport', 'city': 'Multan', 'iata': 'MUX', 'icao': 'OPM
T', 'latitude': 30.20319938659668, 'longitude': 71.41909790039062, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'
: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2233, 'name':
'Zhob Airport', 'city': 'Zhob', 'iata': 'PZH', 'icao': 'OPZB', 'latitude': 31
.358400344848636, 'longitude': 69.46360015869139, 'timezone': 5.0, 'dst': 'N'
, 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'
: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2191, 'name':
'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'O
MSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'timezone
': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 2221, 'name': 'Quetta International Airport', 'city': 'Quetta', 'iata'
: 'UET', 'icao': 'OPQT', 'latitude': 30.251399993896484, 'longitude': 66.9377
9754638672, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5951, 'name':
'Turbat International Airport', 'city': 'Turbat', 'iata': 'TUK', 'icao': 'OPT
U', 'latitude': 25.98640060424805, 'longitude': 63.03020095825195, 'timezone'
: 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', '
alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign'
: 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airpor
t_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toron

to', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 3871, 'name': 'Pakistan International Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PK', 'icao': 'PIA', 'callsign': 'PAKISTAN', 'country': 'Pakistan', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'PL', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 5857, 'name': "Arthur's Town Airport", 'city': "Arthur's Town", 'iata': 'ATC', 'icao': 'MYCA', 'latitude': 24.6294, 'longitude': -75.673797, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'PL', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 1943, 'name': 'North Eleuthera Airport', 'cit

y': 'North Eleuthera', 'iata': 'ELH', 'icao': 'MYEH', 'latitude': 25.47489929
1999996, 'longitude': -76.6835021973, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1953, 'name': 'Lynden Pindling International Airport', 'city':
'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitud
e': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassa
u', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1944, 'name': "Governor's Harbour Airport", '
city': "Governor's Harbor", 'iata': 'GHB', 'icao': 'MYEM', 'latitude': 25.284
7003937, 'longitude': -76.3310012817, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1953, 'name': 'Lynden Pindling International Airport', 'city':
'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitud
e': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassa
u', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1950, 'name': "Deadman's Cay Airport", 'city'
: "Dead Man's Cay", 'iata': 'LGI', 'icao': 'MYLD', 'latitude': 23.17900085449
9996, 'longitude': -75.09359741210002, 'timezone': -5.0, 'dst': 'U', 'tz_id':
'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1953, 'name': 'Lynden Pindling International Airport', 'city':
'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitud
e': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassa
u', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 5857, 'name': "Arthur's Town Airport", 'city': "Arthur's
Town", 'iata': 'ATC', 'icao': 'MYCA', 'latitude': 24.6294, 'longitude': -75.6
73797, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International

Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1943, 'name': 'North Eleuthera Airport', 'city': 'North E
leuthera', 'iata': 'ELH', 'icao': 'MYEH', 'latitude': 25.474899291999996, 'lo
ngitude': -76.6835021973, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nas
sau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1944, 'name': "Governor's Harbour Airport", 'city': "Gove
rnor's Harbor", 'iata': 'GHB', 'icao': 'MYEM', 'latitude': 25.2847003937, 'lo
ngitude': -76.3310012817, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nas
sau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1950, 'name': "Deadman's Cay Airport", 'city': "Dead Man'
s Cay", 'iata': 'LGI', 'icao': 'MYLD', 'latitude': 23.179000854499996, 'longi
tude': -75.09359741210002, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Na
ssau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': None, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1946, 'name': 'Rock Sound Airport', 'city': 'Rock Sound',

'iata': 'RSD', 'icao': 'MYER', 'latitude': 24.8950787333, 'longitude': -76.17
68817902, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1951, 'name': 'Stella Maris Airport', 'city': 'Stella Mar
is', 'iata': 'SML', 'icao': 'MYLS', 'latitude': 23.582317, 'longitude': -75.2
68621, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': None, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1956, 'name': 'San Salvador Airport', 'city': 'Cockburn T
own', 'iata': 'ZSA', 'icao': 'MYSM', 'latitude': 24.06329917907715, 'longitud
e': -74.52400207519531, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassa
u', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': None, 'dst_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN
', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1946, 'name': 'Rock Sound Airport', 'city': '
Rock Sound', 'iata': 'RSD', 'icao': 'MYER', 'latitude': 24.8950787333, 'longi

tude': -76.1768817902, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
1953, 'name': 'Lynden Pindling International Airport', 'city': 'Nassau', 'iat
a': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitude': -77.466201
78219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1951, 'name': 'Stella Maris Airport', 'city':
'Stella Maris', 'iata': 'SML', 'icao': 'MYLS', 'latitude': 23.582317, 'longit
ude': -75.268621, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1953
, 'name': 'Lynden Pindling International Airport', 'city': 'Nassau', 'iata':
'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitude': -77.4662017821
9999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': None, 'dst_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN
', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ATP']}
{'airline': {'airline_id': 179, 'name': 'Aeroper', 'alias': '\\N', 'iata': 'P
L', 'icao': 'PLI', 'callsign': 'Aeroperu', 'country': 'Peru', 'active': True}
, 'src_airport': {'airport_id': 1956, 'name': 'San Salvador Airport', 'city':
'Cockburn Town', 'iata': 'ZSA', 'icao': 'MYSM', 'latitude': 24.06329917907715
, 'longitude': -74.52400207519531, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'Am
erica/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 1953, 'name': 'Lynden Pindling International Airport', 'city': '
Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitude
': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['ATP']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1055, 'name': 'Lanzarote Airpo
rt', 'city': 'Arrecife', 'iata': 'ACE', 'icao': 'GCRR', 'latitude': 28.945498
999999998, 'longitude': -13.6052, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atla
ntic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'ia
ta': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.

38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 5672, 'name': 'Hassan I Airpor
t', 'city': 'El Aaiún', 'iata': 'EUN', 'icao': 'GMML', 'latitude': 27.151699,
'longitude': -13.2192, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/El_Aaiun
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA',
'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.386599540710
45, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['A
T4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1051, 'name': 'Fuerteventura A
irport', 'city': 'Fuerteventura', 'iata': 'FUE', 'icao': 'GCFV', 'latitude':
28.452699661254886, 'longitude': -13.863800048828125, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': '
Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066,
'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlan
tic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['SWM', 'AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 1054, 'na
me': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': '
GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'time
zone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27
.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1055, 'name': 'Lanzarote Airport', 'city': 'Arre
cife', 'iata': 'ACE', 'icao': 'GCRR', 'latitude': 28.945498999999998, 'longit
ude': -13.6052, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['AT4']}

{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27
.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 5672, 'name': 'Hassan I Airport', 'city': 'El Aa
iún', 'iata': 'EUN', 'icao': 'GMML', 'latitude': 27.151699, 'longitude': -13.
2192, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/El_Aaiun', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27
.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1051, 'name': 'Fuerteventura Airport', 'city': '
Fuerteventura', 'iata': 'FUE', 'icao': 'GCFV', 'latitude': 28.452699661254886
, 'longitude': -13.863800048828125, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'At
lantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['SWM', 'AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27
.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27
.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1097, 'name': 'Nouadhibou International Airport'
, 'city': 'Nouadhibou', 'iata': 'NDB', 'icao': 'GQPP', 'latitude': 20.9330997
467041, 'longitude': -17.030000686645508, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Nouakchott', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['SWM', 'AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27

.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1057, 'name': 'Tenerife Norte Airport', 'city':
'Tenerife', 'iata': 'TFN', 'icao': 'GCXO', 'latitude': 28.4827003479, 'longit
ude': -16.341499328599998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Ca
nary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Ai
rport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27
.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E
', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 5670, 'name': 'Dakhla Airport', 'city': 'Dakhla'
, 'iata': 'VIL', 'icao': 'GMMH', 'latitude': 23.7183, 'longitude': -15.932, '
timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/El_Aaiun', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1097, 'name': 'Nouadhibou Inte
rnational Airport', 'city': 'Nouadhibou', 'iata': 'NDB', 'icao': 'GQPP', 'lat
itude': 20.9330997467041, 'longitude': -17.030000686645508, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Nouakchott', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport',
'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.9319000
24414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['SWM', 'AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1053, 'name': 'La Palma Airpor
t', 'city': 'Santa Cruz De La Palma', 'iata': 'SPC', 'icao': 'GCLA', 'latitud
e': 28.626499, 'longitude': -17.7556, 'timezone': 0.0, 'dst': 'E', 'tz_id': '
Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1057, 'name': 'Tenerife Norte Airport', 'city': 'Tenerife', 'i
ata': 'TFN', 'icao': 'GCXO', 'latitude': 28.4827003479, 'longitude': -16.3414
99328599998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asi
a', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize',
'active': True}, 'src_airport': {'airport_id': 1057, 'name': 'Tenerife Norte
Airport', 'city': 'Tenerife', 'iata': 'TFN', 'icao': 'GCXO', 'latitude': 28.4
827003479, 'longitude': -16.341499328599998, 'timezone': 0.0, 'dst': 'E', 'tz

_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asia', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize', 'active': True}, 'src_airport': {'airport_id': 1057, 'name': 'Tenerife Norte Airport', 'city': 'Tenerife', 'iata': 'TFN', 'icao': 'GCXO', 'latitude': 28.4827003479, 'longitude': -16.341499328599998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1053, 'name': 'La Palma Airport', 'city': 'Santa Cruz De La Palma', 'iata': 'SPC', 'icao': 'GCLA', 'latitude': 28.626499, 'longitude': -17.7556, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5016, 'name': 'Tropic Air', 'alias': 'Thai Air Asia', 'iata': 'PM', 'icao': 'TOS', 'callsign': 'TROPISER', 'country': 'Belize', 'active': True}, 'src_airport': {'airport_id': 5670, 'name': 'Dakhla Airport', 'city': 'Dakhla', 'iata': 'VIL', 'icao': 'GMMH', 'latitude': 23.7183, 'longitude': -15.932, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/El_Aaiun', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Int
ernational Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'lat
itude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3404, 'name': 'Zhoushuizi Airport', '
city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.9656982421875,
'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle Interna
tional Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitude':
25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'cit
y': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'l
ongitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 6386, 'name': 'Quanzhou Jinjiang Inte
rnational Airport', 'city': 'Quanzhou', 'iata': 'JJN', 'icao': 'ZSQZ', 'latit
ude': 24.7964, 'longitude': 118.589996, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3394, 'name': 'Longdongbao Airport',
'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.538499832153
32, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang Inte
rnational Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitud
e': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix Internat
ional Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 1
8.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'cit
y': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'lon
gitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu Internat
ional Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude':
43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng
International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', '
latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport'
, 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'lo
ngitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun Inter
national Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latit
ude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng Int
ernational Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'lat
itude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua Inte
rnational Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latit
ude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle Interna
tional Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitude':
25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4120, 'name': 'Haikou Meilan Internat
ional Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitude':
19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst': '
U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 6345, 'name': 'Baita International Airport', 'city': 'Hohhot', 'iata': 'HET', 'icao': 'ZBHH', 'latitude': 40.851397999999996, 'longitude': 111.82399699999999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3389, 'name': 'Hefei Luogang International Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4301, 'name': 'Jiuzhai Huanglong Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'icao': 'ZUJZ', 'latitude': 32.8533333333333, 'longitude': 103.68222222200001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'latitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Inte
rnational Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitu
de': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6407, 'name': 'Korla Airport', 'city'
: 'Korla', 'iata': 'KRL', 'icao': 'ZWKL', 'latitude': 41.69779968261719, 'lon
gitude': 86.12889862060547, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang Inte
rnational Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitud
e': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Air
port', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.51520
15686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 4033, 'name': 'Lijiang Airport', 'cit
y': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052, 'lon
gitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airport'
, 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.2978000641,
'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Internati
onal Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29
.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport'
, 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.7420005798
33984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix Internat
ional Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude': 1
8.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an Intern
ational Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitud
e': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'cit
y': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'lon
gitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'ci
ty': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594,
'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai Interna
tional Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude'
: 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport',
'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.746898651123
05, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'A
sia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu Internat
ional Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude':
43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe Internati
onal Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30
.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang Interna
tional Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude':
34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi Internati
onal Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 2
4.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei
International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', '
latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8
.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport'
, 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'lo
ngitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua
International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'l
atitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Internati
onal Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude'
: 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua
International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'l
atitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports

'}, 'dst_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe International A
irport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude': 29.82670
021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua
International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'l
atitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International A
irport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.5440
0062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3404, 'name': 'Zhoushuizi Airport
', 'city': 'Dalian', 'iata': 'DLC', 'icao': 'ZYTL', 'latitude': 38.9656982421
875, 'longitude': 121.53900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city
': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995
, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi
a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle Int
ernational Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitu
de': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng Internati
onal Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude'
: 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle Int
ernational Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitu
de': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports

'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Internati
onal Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude'
: 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle Int
ernational Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitu
de': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International A
irport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838,
'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4120, 'name': 'Haikou Meilan Inte
rnational Airport', 'city': 'Haikou', 'iata': 'HAK', 'icao': 'ZJHK', 'latitud
e': 19.93490028381348, 'longitude': 110.45899963378906, 'timezone': 8.0, 'dst
': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Internation
al Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude':
29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 6345, 'name': 'Baita Internationa
l Airport', 'city': 'Hohhot', 'iata': 'HET', 'icao': 'ZBHH', 'latitude': 40.8
51397999999996, 'longitude': 111.82399699999999, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airpo
rt', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.71920
0134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 6345, 'name': 'Baita Internationa
l Airport', 'city': 'Hohhot', 'iata': 'HET', 'icao': 'ZBHH', 'latitude': 40.8
51397999999996, 'longitude': 111.82399699999999, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a

irport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city': 'Harbin', 'i
ata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.2
5, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
, '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3389, 'name': 'Hefei Luogang Inte
rnational Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude
': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International
Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.
719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3389, 'name': 'Hefei Luogang Inte
rnational Airport', 'city': 'Hefei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude
': 31.78000068664551, 'longitude': 117.2979965209961, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4144, 'name': 'Taoxian Airport', 'city': 'Shenya
ng', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539063, 'longitude
': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport',
'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457
, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 33
75, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou',
'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 1
13.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3400, 'name': 'Taiping Airport',
'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457
, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 63

45, 'name': 'Baita International Airport', 'city': 'Hohhot', 'iata': 'HET', '
icao': 'ZBHH', 'latitude': 40.851397999999996, 'longitude': 111.8239969999999
9, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
, '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa
Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude':
21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui International A
irport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitude': 25.101
944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 6386, 'name': 'Quanzhou Jinjiang
International Airport', 'city': 'Quanzhou', 'iata': 'JJN', 'icao': 'ZSQZ', 'l
atitude': 24.7964, 'longitude': 118.589996, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport',
'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.5196990966
99995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4301, 'name': 'Jiuzhai Huanglong
Airport', 'city': 'Jiuzhaigou', 'iata': 'JZH', 'icao': 'ZUJZ', 'latitude': 32
.8533333333, 'longitude': 103.68222222200001, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport
', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.7192001
34277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3384, 'name': 'Nanchang Changbei
International Airport', 'city': 'Nanchang', 'iata': 'KHN', 'icao': 'ZSCN', 'l
atitude': 28.864999771118164, 'longitude': 115.9000015258789, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp

orts'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei Inter
national Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latit
ude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, '
dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui
International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'la
titude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst'
: 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International
Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.
719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3382, 'name': 'Kunming Changshui
International Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'la
titude': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst'
: 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa Airport', 'ci
ty': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21.9738998413
08594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 6407, 'name': 'Korla Airport', 'c
ity': 'Korla', 'iata': 'KRL', 'icao': 'ZWKL', 'latitude': 41.69779968261719,
'longitude': 86.12889862060547, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Ch
ongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'lon
gitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3394, 'name': 'Longdongbao Airpor
t', 'city': 'Guiyang', 'iata': 'KWE', 'icao': 'ZUGY', 'latitude': 26.53849983
215332, 'longitude': 106.8010025024414, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':

{'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3372, 'name': 'Guilin Liangjiang International Airport', 'city': 'Guilin', 'iata': 'KWL', 'icao': 'ZGKL', 'latitude': 25.21809959411621, 'longitude': 110.03900146484376, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {

'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'U
rumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longit
ude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4033, 'name': 'Lijiang Airport',
'city': 'Lijiang', 'iata': 'LJG', 'icao': 'ZPLJ', 'latitude': 26.6800003052,
'longitude': 100.24600219700001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/
Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'C
hongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'lo
ngitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Sha
nghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4097, 'name': 'Lhasa Gonggar Airp
ort', 'city': 'Lhasa', 'iata': 'LXA', 'icao': 'ZULS', 'latitude': 29.29780006
41, 'longitude': 90.9119033813, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Ch
ongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'lon
gitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Inter
national Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude'
: 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International
Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.
719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3387, 'name': 'Ningbo Lishe Inter
national Airport', 'city': 'Ninbo', 'iata': 'NGB', 'icao': 'ZSNB', 'latitude'
: 29.82670021057129, 'longitude': 121.46199798583984, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '

dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International A
irport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.18
9199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airp
ort', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000
579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_
id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport',
'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.7192001342
77344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4144, 'name': 'Taoxian Airport',
'city': 'Shenyang', 'iata': 'SHE', 'icao': 'ZYTX', 'latitude': 41.63980102539
063, 'longitude': 123.48300170898438, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3389, 'name': 'Hefei Luogang International Airport', 'city': 'H
efei', 'iata': 'HFE', 'icao': 'ZSOF', 'latitude': 31.78000068664551, 'longitu
de': 117.2979965209961, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix Inte
rnational Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude
': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International
Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.
519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', '
iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'ac
tive': True}, 'src_airport': {'airport_id': 4030, 'name': 'Sanya Phoenix Inte
rnational Airport', 'city': 'Sanya', 'iata': 'SYX', 'icao': 'ZJSY', 'latitude
': 18.30290031433105, 'longitude': 109.41200256347656, 'timezone': 8.0, 'dst'
: 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},

'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3374, 'name': "Shenzhen Bao'an International Airport", 'city': 'Shenzhen', 'iata': 'SZX', 'icao': 'ZGSZ', 'latitude': 22.639299392700195, 'longitude': 113.81099700927734, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3390, 'name': 'Liuting Airport', 'city': 'Qingdao', 'iata': 'TAO', 'icao': 'ZSQD', 'latitude': 36.2661018372, 'longitude': 120.374000549, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 4108, 'name': 'Yaoqiang Airport', 'city': 'Jinan', 'iata': 'TNA', 'icao': 'ZSJN', 'latitude': 36.857200622558594, 'longitude': 117.21600341796876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a

irport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3368, 'name': 'Tianjin Binhai International Airport', 'city': 'Tianjin', 'iata': 'TSN', 'icao': 'ZBTJ', 'latitude': 39.1244010925, 'longitude': 117.346000671, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3369, 'name': 'Taiyuan Wusu Airport', 'city': 'Taiyuan', 'iata': 'TYN', 'icao': 'ZBYN', 'latitude': 37.74689865112305, 'longitude': 112.62799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'},

'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3378, 'name': 'Lanzhou Zhongchuan Airport', 'city': 'Lanzhou', 'iata': 'LHW', 'icao': 'ZLLL', 'latitude': 36.5152015686, 'longitude': 103.620002747, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3376, 'name': 'Wuhan Tianhe International Airport', 'city': 'Wuhan', 'iata': 'WUH', 'icao': 'ZHHH', 'latitude': 30.7838, 'longitude': 114.208, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3385, 'name': 'Fuzhou Changle International Airport', 'city': 'Fuzhou', 'iata': 'FOC', 'icao': 'ZSFZ', 'latitude': 25.935100555419922, 'longitude': 119.66300201416016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3379, 'name': "Xi'an Xianyang International Airport", 'city': "Xi'an", 'iata': 'XIY', 'icao': 'ZLXY', 'latitude': 34.447102, 'longitude': 108.751999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':

{'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3371, 'name': 'Changsha Huanghua International Airport', 'city': 'Changcha', 'iata': 'CSX', 'icao': 'ZGHA', 'latitude': 28.189199447600004, 'longitude': 113.220001221, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport', 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'longitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3375, 'name': 'Zhengzhou Xinzheng International Airport', 'city': 'Zhengzhou', 'iata': 'CGO', 'icao': 'ZHCC', 'latitude': 34.519699096699995, 'longitude': 113.84100341799999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 12978, 'name': 'West Air China', 'alias': 'nan', 'iata': 'PN', 'icao': 'CHB', 'callsign': 'WEST CHINA', 'country': 'China', 'active': True}, 'src_airport': {'airport_id': 6355, 'name': 'Zhuhai Jinwan Airport', 'city': 'Zhuhai', 'iata': 'ZUH', 'icao': 'ZGSD', 'latitude': 22.006399, 'longitude': 113.375999, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':

3393, 'name': 'Chongqing Jiangbei International Airport', 'city': 'Chongqing'
, 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, 'longitude':
106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 14061, 'name': 'LSM Airlines', 'alias': 'slowbird'
, 'iata': 'PQ', 'icao': 'LOO', 'callsign': 'slowbird', 'country': 'Russia', '
active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Inte
rnational Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude'
: 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'ci
ty': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude
': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 14061, 'name': 'LSM Airlines', 'alias': 'slowbird'
, 'iata': 'PQ', 'icao': 'LOO', 'callsign': 'slowbird', 'country': 'Russia', '
active': True}, 'src_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy
International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'lati
tude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airpo
rt', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'l
ongitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 14061, 'name': 'LSM Airlines', 'alias': 'slowbird'
, 'iata': 'PQ', 'icao': 'LOO', 'callsign': 'slowbird', 'country': 'Russia', '
active': True}, 'src_airport': {'airport_id': 2430, 'name': 'Kalibo Internati
onal Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 1
1.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Manila', type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'M
anila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.
019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 14061, 'name': 'LSM Airlines', 'alias': 'slowbird'
, 'iata': 'PQ', 'icao': 'LOO', 'callsign': 'slowbird', 'country': 'Russia', '
active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Int
ernational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitu
de': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'

airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu
', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 1
23.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 14061, 'name': 'LSM Airlines', 'alias': 'slowbird'
, 'iata': 'PQ', 'icao': 'LOO', 'callsign': 'slowbird', 'country': 'Russia', '
active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Int
ernational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitu
de': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'city':
'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'longitu
de': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 14061, 'name': 'LSM Airlines', 'alias': 'slowbird'
, 'iata': 'PQ', 'icao': 'LOO', 'callsign': 'slowbird', 'country': 'Russia', '
active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Int
ernational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitu
de': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2430, 'name': 'Kalibo International Airport', 'city': 'Kalibo',
'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375
999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata':
'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100
158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'N
inoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
057, 'name': 'Bahrain International Airport', 'city': 'Bahrain', 'iata': 'BAH
', 'icao': 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50.63359832763
672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport',

'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2423, 'name': 'Bacolod-Silay Airport', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'latitude': 10.7764, 'longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6019, 'name': 'Basco Airport', 'city': 'Basco', 'iata': 'BSO', 'icao': 'RPUO', 'latitude': 20.4513, 'longitude': 121.980003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo

rt': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4200, 'name': 'Bancasi Airport', 'city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude': 8.9515, 'longitude': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2399, 'name': 'Awang Airport', 'city': 'Cotabato', 'iata': 'CBO', 'icao': 'RPMC', 'latitude': 7.165239810943604, 'longitude': 124.20999908447266, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'so

urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['330', '340']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', '

source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy A
quino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL'
, 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
400, 'name': 'Cagayan De Oro Airport', 'city': 'Ladag', 'iata': 'CBO', 'icao'
: 'RPML', 'latitude': 8.41562, 'longitude': 124.611, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport'
, 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'long
itude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
024, 'name': 'Catarman National Airport', 'city': 'Catarman', 'iata': 'CRM',
'icao': 'RPVF', 'latitude': 12.502400398254395, 'longitude': 124.636001586914
06, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy A
quino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL'
, 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
023, 'name': 'Calbayog Airport', 'city': 'Calbayog City', 'iata': 'CYP', 'ica
o': 'RPVC', 'latitude': 12.072699546813965, 'longitude': 124.54499816894531,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquin
o International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'l
atitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
425, 'name': 'Sibulan Airport', 'city': 'Dumaguete', 'iata': 'DGT', 'icao': '
RPVD', 'latitude': 9.3337097168, 'longitude': 123.30000305200001, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir

ports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internatio
nal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14
.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
064, 'name': 'King Fahd International Airport', 'city': 'Dammam', 'iata': 'DM
M', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.797901153
56445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Nino
y Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RP
LL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 1
1051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', '
icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0
, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internation
al Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.
5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Ma
nila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4
201, 'name': 'Dipolog Airport', 'city': 'Dipolog', 'iata': 'DPL', 'icao': 'RP
MG', 'latitude': 8.60198349877, 'longitude': 123.34187507600001, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internatio
nal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14
.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', '
iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.
16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': '

airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy International Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitude': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 8076, 'name': 'Al Maktoum International Airport', 'city': 'Dubai', 'iata': 'DWC', 'icao': 'OMDW', 'latitude': 24.896356, 'longitude': 55.161389, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internati
onal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 1
4.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', '
icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 't
imezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino I
nternational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'lati
tude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
305, 'name': 'Fukuoka Airport', 'city': 'Fukuoka', 'iata': 'FUK', 'icao': 'RJ
FF', 'latitude': 33.585899353027344, 'longitude': 130.45100402832028, 'timezo
ne': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Intern
ational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude'
: 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
402, 'name': 'General Santos International Airport', 'city': 'Romblon', 'iata
': 'GES', 'icao': 'RPMR', 'latitude': 6.058000087740001, 'longitude': 125.096
000671, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Nin
oy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'R
PLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
246, 'name': 'Antonio B. Won Pat International Airport', 'city': 'Agana', 'ia
ta': 'GUM', 'icao': 'PGUM', 'latitude': 13.4834003448, 'longitude': 144.79600
5249, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Guam', 'type': 'airport

', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Nin
oy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'R
PLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata':
'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.91500
1, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan
Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', '
latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['330', '340']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata':
'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.91500
1, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy
Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL
', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['321', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
359, 'name': 'Tokyo Haneda International Airport', 'city': 'Tokyo', 'iata': '
HND', 'icao': 'RJTT', 'latitude': 35.552299, 'longitude': 139.779999, 'timezo
ne': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Intern
ational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude'
: 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['321', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
728, 'name': 'Daniel K Inouye International Airport', 'city': 'Honolulu', 'ia
ta': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, '
timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport',

'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2429, 'name': 'Iloilo International Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.833017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirp

orts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internation
al Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.
5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Ma
nila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
013, 'name': 'Jolo Airport', 'city': 'Jolo', 'iata': 'JOL', 'icao': 'RPMJ', '
latitude': 6.0536699295043945, 'longitude': 121.01100158691406, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2404, 'name': 'Zamboanga International
Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.9
22420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
992, 'name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX',
'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.2440032958984
4, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aqu
ino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL',
'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['330', '343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO',
'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internatio
nal Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.
46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO',
'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'O

urAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inter
national Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude
': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO',
'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2372, 'name': 'Gimhae Internation
al Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.1
795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': '
Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
430, 'name': 'Kalibo International Airport', 'city': 'Kalibo', 'iata': 'KLO',
'icao': 'RPVK', 'latitude': 11.679400444, 'longitude': 122.375999451, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan Int
ernational Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitu
de': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4
202, 'name': 'Laoag International Airport', 'city': 'Laoag', 'iata': 'LAO', '
icao': 'RPLI', 'latitude': 18.1781005859375, 'longitude': 120.53199768066406,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquin
o International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'l
atitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iat
a': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.4079970
9999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type'

: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'n
ame': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL',
'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['343', '744']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4
203, 'name': 'Legazpi City International Airport', 'city': 'Legazpi', 'iata':
'LGP', 'icao': 'RPLP', 'latitude': 13.1575, 'longitude': 123.735, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internatio
nal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14
.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 5
07, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao
': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst
': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Air
port', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086,
'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
025, 'name': 'Moises R. Espinosa Airport', 'city': 'Masbate', 'iata': 'MBT',
'icao': 'RPVJ', 'latitude': 12.369682000000001, 'longitude': 123.630095, 'tim
ezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Int
ernational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitu
de': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata':
'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'time
zone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'sou

rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aqui
no International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', '
latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
121, 'name': 'Macau International Airport', 'city': 'Macau', 'iata': 'MFM', '
icao': 'VMMC', 'latitude': 22.149599, 'longitude': 113.592003, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Macau', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International
Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.508
6, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internati
onal Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude'
: 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2057, 'name': 'Bahrain Internation
al Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26
.27079963684082, 'longitude': 50.63359832763672, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2423, 'name': 'Bacolod-Silay Airpo
rt', 'city': 'Bacolod', 'iata': 'BCD', 'icao': 'RPVB', 'latitude': 10.7764, '
longitude': 123.014999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airpor
t', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68109989
1662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id
': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['330', '320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6019, 'name': 'Basco Airport', 'ci
ty': 'Basco', 'iata': 'BSO', 'icao': 'RPUO', 'latitude': 20.4513, 'longitude'
: 121.980003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4200, 'name': 'Bancasi Airport', '
city': 'Butuan', 'iata': 'BXU', 'icao': 'RPME', 'latitude': 8.9515, 'longitud
e': 125.4788, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun In
ternational Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'la
titude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2399, 'name': 'Awang Airport', 'ci
ty': 'Cotabato', 'iata': 'CBO', 'icao': 'RPMC', 'latitude': 7.165239810943604
, 'longitude': 124.20999908447266, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi
a/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu Interna
tional Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitude': 1
0.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Inte
rnational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitu
de': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', '
tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2400, 'name': 'Cagayan De Oro Airp
ort', 'city': 'Ladag', 'iata': 'CBO', 'icao': 'RPML', 'latitude': 8.41562, 'l
ongitude': 124.611, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6024, 'name': 'Catarman National A
irport', 'city': 'Catarman', 'iata': 'CRM', 'icao': 'RPVF', 'latitude': 12.50
2400398254395, 'longitude': 124.63600158691406, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6023, 'name': 'Calbayog Airport',
'city': 'Calbayog City', 'iata': 'CYP', 'icao': 'RPVC', 'latitude': 12.072699
546813965, 'longitude': 124.54499816894531, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2425, 'name': 'Sibulan Airport', '
city': 'Dumaguete', 'iata': 'DGT', 'icao': 'RPVD', 'latitude': 9.3337097168,
'longitude': 123.30000305200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/
Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2064, 'name': 'King Fahd Internati
onal Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 2
6.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U
', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internationa
l Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273
056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4201, 'name': 'Dipolog Airport', '
city': 'Dipolog', 'iata': 'DPL', 'icao': 'RPMG', 'latitude': 8.60198349877, '
longitude': 123.34187507600001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) I
nternational Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'la
titude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin Internationa
l Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.
41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N',
'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4090, 'name': 'Francisco Bangoy In
ternational Airport', 'city': 'Davao', 'iata': 'DVO', 'icao': 'RPMD', 'latitu
de': 7.1255202293396, 'longitude': 125.64600372314452, 'timezone': 8.0, 'dst'
: 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 8076, 'name': 'Al Maktoum Internat
ional Airport', 'city': 'Dubai', 'iata': 'DWC', 'icao': 'OMDW', 'latitude': 2
4.896356, 'longitude': 55.161389, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia
/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International
Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2527
99987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id'
: 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2305, 'name': 'Fukuoka Airport', '
city': 'Fukuoka', 'iata': 'FUK', 'icao': 'RJFF', 'latitude': 33.5858993530273
44, 'longitude': 130.45100402832028, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'A
sia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2402, 'name': 'General Santos Inte
rnational Airport', 'city': 'Romblon', 'iata': 'GES', 'icao': 'RPMR', 'latitu
de': 6.058000087740001, 'longitude': 125.096000671, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2246, 'name': 'Antonio B. Won Pat
International Airport', 'city': 'Agana', 'iata': 'GUM', 'icao': 'PGUM', 'lati
tude': 13.4834003448, 'longitude': 144.796005249, 'timezone': 10.0, 'dst': 'U
', 'tz_id': 'Pacific/Guam', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Internati
onal Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude'
: 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['330', '321']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda Intern
ational Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'latitude':
35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'As
ia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['330', '321']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye Int
ernational Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'lati
tude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz
_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internation
al Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.4
6910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2429, 'name': 'Iloilo Internationa
l Airport', 'city': 'Iloilo', 'iata': 'ILO', 'icao': 'RPVI', 'latitude': 10.8
33017, 'longitude': 122.493358, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 3992, 'name': 'Kansai Internationa
l Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42
729949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', '
tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['343', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo Internationa
l Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.6
79400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4202, 'name': 'Laoag International
Airport', 'city': 'Laoag', 'iata': 'LAO', 'icao': 'RPLI', 'latitude': 18.1781
005859375, 'longitude': 120.53199768066406, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles Interna
tional Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latit
ude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst':
'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['343', '744']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 4203, 'name': 'Legazpi City Intern
ational Airport', 'city': 'Legazpi', 'iata': 'LGP', 'icao': 'RPLP', 'latitude
': 13.1575, 'longitude': 123.735, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia
/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airp
ort', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, '
longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6025, 'name': 'Moises R. Espinosa
Airport', 'city': 'Masbate', 'iata': 'MBT', 'icao': 'RPVJ', 'latitude': 12.36
9682000000001, 'longitude': 123.630095, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne Internati
onal Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude'
: -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 3121, 'name': 'Macau International Airport', 'city': 'Macau', 'iata': 'MFM', 'icao': 'VMMC', 'latitude': 22.149599, 'longitude': 113.592003, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Macau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2426, 'name': 'Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH', 'icao': 'RPVE', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3942, 'name': 'Chubu Centrair International Airport', 'city': 'Nagoya', 'iata': 'NGO', 'icao': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267578122, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '330', '773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 4204, 'name': 'Labo Airport', 'cit
y': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8.178509712219237, '
longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital Int
ernational Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latit
ude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Air
port', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude':
9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2372, 'name': 'Gimhae Internationa
l Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.17
95005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'A
sia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong Int
ernational Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'lati
tude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0,
'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khaled Interna
tional Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude':
24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6026, 'name': 'Roxas Airport', 'ci
ty': 'Roxas City', 'iata': 'RXS', 'icao': 'RPVR', 'latitude': 11.597700119018
555, 'longitude': 122.7519989013672, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3469, 'name': 'San Francisco Inter
national Airport', 'city': 'San Francisco', 'iata': 'SFO', 'icao': 'KSFO', 'l
atitude': 37.61899948120117, 'longitude': -122.375, 'timezone': -8.0, 'dst':
'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat Intern
ational Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS',
'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Ai
rport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.350
19, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Sing
apore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6016, 'name': 'Surigao Airport', '
city': 'Sangley Point', 'iata': 'SUG', 'icao': 'RPMS', 'latitude': 9.75583832
5629998, 'longitude': 125.480947495, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Sm
ith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY',
'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10
.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata':
'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2422, 'name': 'Daniel Z. Romualdez Airport', 'city': 'Tacloban', 'iata': 'TAC', 'icao': 'RPVA', 'latitude': 11.228035, 'longitude': 125.02776100000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3994, 'name': 'Tagbilaran Airport', 'city': 'Tagbilaran', 'iata': 'TAG', 'icao': 'RPVT', 'latitude': 9.665442, 'longitude': 123.85353300000001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata': 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6021, 'name': 'Tuguegarao Airport', 'city': 'Tuguegarao', 'iata': 'TUG', 'icao': 'RPUT', 'latitude': 17.6433676823, 'longitude': 121.73315048200001, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 4199, 'name': 'Francisco B. Reyes Airport', 'city': 'Busuanga', 'iata': 'USU', 'icao': 'RPVV', 'latitude': 12.1215000153, 'longitude': 120.099998474, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6018, 'name': 'Naga Airport', 'city': 'Naga', 'iata': 'WNP', 'icao': 'RPUN', 'latitude': 13.58489990234375, 'longitude': 123.2699966430664, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 156, 'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.183998108, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2404, 'name': 'Zamboanga Internati
onal Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude'
: 6.922420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320', 'DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
426, 'name': 'Godofredo P. Ramos Airport', 'city': 'Caticlan', 'iata': 'MPH',
'icao': 'RPVE', 'latitude': 11.9245, 'longitude': 121.954002, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International
Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.508
6, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manil
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH3']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
942, 'name': 'Chubu Centrair International Airport', 'city': 'Nagoya', 'iata'
: 'NGO', 'icao': 'RJGG', 'latitude': 34.8583984375, 'longitude': 136.80499267
578122, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Nino
y Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RP
LL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT',
'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, '
timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 4206, 'name': 'Mactan Cebu I
nternational Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao': 'RPVM', 'latitu
de': 10.307499885559, 'longitude': 123.97899627686, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['321', '330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT',
'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, '
timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source

': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '321', '773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4204, 'name': 'Labo Airport', 'city': 'Ozamis', 'iata': 'OZC', 'icao': 'RPMO', 'latitude': 8.178509712219237, 'longitude': 123.84200286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2433, 'name': 'Puerto Princesa Airport', 'city': 'Puerto Princesa', 'iata': 'PPS', 'icao': 'RPVP', 'latitude': 9.742119789123537, 'longitude': 118.75900268554688, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2372, 'name': 'Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS', 'icao': 'RKPK', 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'Ou

rAirports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo Internationa
l Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11.6
79400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
372, 'name': 'Gimhae International Airport', 'city': 'Busan', 'iata': 'PUS',
'icao': 'RKPK', 'latitude': 35.1795005798, 'longitude': 128.93800354, 'timezo
ne': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Intern
ational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude'
: 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'As
ia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'ia
ta': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.
80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'n
ame': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL',
'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': '
RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.6987991
3330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ni
noy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': '
RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
026, 'name': 'Roxas Airport', 'city': 'Roxas City', 'iata': 'RXS', 'icao': 'R
PVR', 'latitude': 11.597700119018555, 'longitude': 122.7519989013672, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'O

urAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inter
national Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude
': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
469, 'name': 'San Francisco International Airport', 'city': 'San Francisco',
'iata': 'SFO', 'icao': 'KSFO', 'latitude': 37.61899948120117, 'longitude': -1
22.375, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'nam
e': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'i
cao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
205, 'name': 'Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City'
, 'iata': 'SGN', 'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.
652000427, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': '
Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao':
'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN',
'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internatio
nal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14
.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
016, 'name': 'Surigao Airport', 'city': 'Sangley Point', 'iata': 'SUG', 'icao
': 'RPMS', 'latitude': 9.755838325629998, 'longitude': 125.480947495, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'O

urAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inter
national Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude
': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney'
, 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude':
151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 23
97, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': '
MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone
': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
422, 'name': 'Daniel Z. Romualdez Airport', 'city': 'Tacloban', 'iata': 'TAC'
, 'icao': 'RPVA', 'latitude': 11.228035, 'longitude': 125.02776100000001, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino I
nternational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'lati
tude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3
994, 'name': 'Tagbilaran Airport', 'city': 'Tagbilaran', 'iata': 'TAG', 'icao
': 'RPVT', 'latitude': 9.665442, 'longitude': 123.85353300000001, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Internatio
nal Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14
.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
anila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata'
: 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': '

OurAirports'}, 'dst_airport': {'airport_id': 2430, 'name': 'Kalibo Internatio
nal Airport', 'city': 'Kalibo', 'iata': 'KLO', 'icao': 'RPVK', 'latitude': 11
.679400444, 'longitude': 122.375999451, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2
276, 'name': 'Taiwan Taoyuan International Airport', 'city': 'Taipei', 'iata'
: 'TPE', 'icao': 'RCTP', 'latitude': 25.0777, 'longitude': 121.233002, 'timez
one': 8.0, 'dst': 'U', 'tz_id': 'Asia/Taipei', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
021, 'name': 'Tuguegarao Airport', 'city': 'Tuguegarao', 'iata': 'TUG', 'icao
': 'RPUT', 'latitude': 17.6433676823, 'longitude': 121.73315048200001, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 4
199, 'name': 'Francisco B. Reyes Airport', 'city': 'Busuanga', 'iata': 'USU',
'icao': 'RPVV', 'latitude': 12.1215000153, 'longitude': 120.099998474, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA
Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE
', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 6
018, 'name': 'Naga Airport', 'city': 'Naga', 'iata': 'WNP', 'icao': 'RPUN', '
latitude': 13.58489990234375, 'longitude': 123.2699966430664, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirpor

ts'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 3383, 'name': 'Xiamen Gaoqi International Airport', 'city': 'Xiamen', 'iata': 'XMN', 'icao': 'ZSAM', 'latitude': 24.54400062561035, 'longitude': 118.12799835205078, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 156, 'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.183998108, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 156, 'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.183998108, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059

997559999, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 156, 'name': 'Vancouver International Airport', 'city': 'Vancouver', 'iata': 'YVR', 'icao': 'CYVR', 'latitude': 49.193901061999995, 'longitude': -123.183998108, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Vancouver', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['773']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2404, 'name': 'Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6013, 'name': 'Jolo Airport', 'city': 'Jolo', 'iata': 'JOL', 'icao': 'RPMJ', 'latitude': 6.0536699295043945, 'longitude': 121.01100158691406, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 3952, 'name': 'Philippine Airlines', 'alias': 'PIA Pakistan International', 'iata': 'PR', 'icao': 'PAL', 'callsign': 'PHILIPPINE', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 2404, 'name': 'Zamboanga International Airport', 'city': 'Zamboanga', 'iata': 'ZAM', 'icao': 'RPMZ', 'latitude': 6.922420024871826, 'longitude': 122.05999755859376, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'DH4']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'ic

ao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Ai
rport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3450012
2070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73R']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3941,
'name': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iat
a': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.9444999
69499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name':
'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKB
B', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone'
: 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1218,
'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN'
, 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Inter
national Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude':
50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E
', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3885,
'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VT
BS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezo
ne': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internat
ional Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50
.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 302,
'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR'

, 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airp
ort', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.345001220
70313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1382,
'name': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': '
CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International
Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500
122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 4029,
'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME',
'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445
, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspi
l International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'lat
itude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '738', 'E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 4029,
'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME',
'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445
, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Odessa
International Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO', 'lat
itude': 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2941,
'name': 'Dnipropetrovsk International Airport', 'city': 'Dnepropetrovsk', 'ia

ta': 'DNK', 'icao': 'UKDD', 'latitude': 48.357200622558594, 'longitude': 35.1
00601196289055, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'nam
e': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao
': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst
': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2941,
'name': 'Dnipropetrovsk International Airport', 'city': 'Dnepropetrovsk', 'ia
ta': 'DNK', 'icao': 'UKDD', 'latitude': 48.357200622558594, 'longitude': 35.1
00601196289055, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'nam
e': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao':
'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73N', 'ER4', '7
35']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2941,
'name': 'Dnipropetrovsk International Airport', 'city': 'Dnepropetrovsk', 'ia
ta': 'DNK', 'icao': 'UKDD', 'latitude': 48.357200622558594, 'longitude': 35.1
00601196289055, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'nam
e': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'i
cao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734',
'73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2940,
'name': 'Donetsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'i
cao': 'UKCC', 'latitude': 48.07360076904297, 'longitude': 37.73970031738281,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk Int
ernational Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'lati
tude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id':
'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2940, 'name': 'Donetsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'latitude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '736']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2940, 'name': 'Donetsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'latitude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2940, 'name': 'Donetsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'latitude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '73J', '73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3964,
'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN',
'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timez
one': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Interna
tional Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 5
0.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['735', '734', '73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1555,
'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO',
'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.2388889000000
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspi
l International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'lat
itude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['73R', '73N', '734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 340,
'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'ica
o': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airpo
rt', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3450012207
0313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1665,
'name': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'G
VA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.1089501380
92041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735', 'E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 6105, 'name': 'Kharkiv International Airport', 'city': 'Kharkov', 'iata': 'HRK', 'icao': 'UKHH', 'latitude': 49.92480087280274, 'longitude': 36.290000915527344, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 6105, 'name': 'Kharkiv International Airport', 'city': 'Kharkov', 'iata': 'HRK', 'icao': 'UKHH', 'latitude': 49.92480087280274, 'longitude': 36.290000915527344, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 6105, 'name': 'Kharkiv International Airport', 'city': 'Kharkov', 'iata': 'HRK', 'icao': 'UKHH', 'latitude': 49.92480087280274, 'longitude': 36.290000915527344, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['F70']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 6106, 'name': 'Ivano-Frankivsk International Airport', 'city': 'Ivano-Frankivsk', 'iata': 'IFO', 'icao': 'UKLI', 'latitude': 48.88420104980469, 'longitude': 24.68610000610352, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ER4']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2941, 'name': 'Dnipropetrovsk International Airport', 'city': 'Dnepropetrovsk', 'iata': 'DNK', 'icao': 'UKDD', 'latitude': 48.357200622558594, 'longitude': 35.100601196289055, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2940, 'name': 'Donetsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'latitude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73R', '738', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '734', '738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['767']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Airpor t', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.3521003 7231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id' : 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL ', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airp ort Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude' : 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur ope/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal se, 'stops': 0, 'equipment': ['73R']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL ', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios V enizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LG AV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurA irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73N', '734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL ', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona Int ernational Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'lat itude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E' , 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'cod eshare': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68 1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh are': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL ', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 302, 'name': 'Brussels Airpo rt', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.901401 5198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro pe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False , 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL ', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Ga ulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id ': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL ', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo In ternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latit ude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'ds t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports' }, 'codeshare': False, 'stops': 0, 'equipment': ['738', '734', 'E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL

', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2941, 'name': 'Dnipropetrovsk International Airport', 'city': 'Dnepropetrovsk', 'iata': 'DNK', 'icao': 'UKDD', 'latitude': 48.357200622558594, 'longitude': 35.100601196289055, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ER4', '73N', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2940, 'name': 'Donetsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'latitude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '736']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73J', '738', '73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'alias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '73G', '735']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1555, 'name': 'Leonardo da V
inci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'lati
tude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73R', '73N', '734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am M
ain Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude':
50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1665, 'name': 'Geneva Cointr
in International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', '
latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev
International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latit
ude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'ds
t': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['737']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vanta
a Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60
.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['735', 'E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1452, 'name': 'Heraklion Int
ernational Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HER', 'i
cao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 'timezon
e': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 6105, 'name': 'Kharkiv Inter
national Airport', 'city': 'Kharkov', 'iata': 'HRK', 'icao': 'UKHH', 'latitud
e': 49.92480087280274, 'longitude': 36.290000915527344, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 6106, 'name': 'Ivano-Frankiv
sk International Airport', 'city': 'Ivano-Frankivsk', 'iata': 'IFO', 'icao':
'UKLI', 'latitude': 48.88420104980469, 'longitude': 24.68610000610352, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ER4']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk Inter
national Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitu
de': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': '
Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['735', '738', '73R']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['767']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2952, 'name': 'Khrabrovo Air
port', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latitude': 54.8
8999938964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'dst': 'N',
'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73G', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca Inter
national Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitud
e': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73J']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airpo
rt', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.
80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['734', '735', '73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick
Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148
102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lo
ndon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H', 'E90', '735', '73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delg
ado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao
': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst'
: 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2945, 'name': 'Lviv Internat
ional Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao': 'UKLL', 'latitude': 49
.8125, 'longitude': 23.95610046386719, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735', '736', 'E90']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez
Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'la
titude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['738', '73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2954, 'name': 'Minsk Nationa
l Airport', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS', 'latitude': 53.
882499694824, 'longitude': 28.030700683594, 'timezone': 3.0, 'dst': 'E', 'tz_
id': 'Europe/Minsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport
', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'l
ongitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa Inte
rnational Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitud
e': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['73N', '73R']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1354, 'name': "Nice-Côte d'A
zur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.6
58401489300005, 'longitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Odessa Intern
ational Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO', 'latitude'
: 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['735', '738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Ai
rport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.
012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_
id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel
Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude':
50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pr
ague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['736']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1472, 'name': 'Diagoras Airp
ort', 'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP', 'latitude': 36.4053993
2250977, 'longitude': 28.086200714111328, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3953, 'name': 'Riga Internat
ional Airport', 'city': 'Riga', 'iata': 'RIX', 'icao': 'EVRA', 'latitude': 56
.92359924316406, 'longitude': 23.971099853515625, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Riga', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2964, 'name': 'Platov Intern
ational Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP', 'latitude'
: 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst': 'N', 't
z_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 4317, 'name': 'Sabiha Gökçen
International Airport', 'city': 'Istanbul', 'iata': 'SAW', 'icao': 'LTFJ', 'l
atitude': 40.898601532, 'longitude': 29.3092002869, 'timezone': 3.0, 'dst': '
E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['738']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airp
ort', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.
743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_
id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3973, 'name': 'Tbilisi Inter
national Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitud
e': 41.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz
_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['735', '73R', '73G', '734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1056, 'name': 'Tenerife Sout
h Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28
.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id'
: 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion In
ternational Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'lat
itude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '73H']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2910, 'name': 'Astana Intern
ational Airport', 'city': 'Tselinograd', 'iata': 'TSE', 'icao': 'UACC', 'lati
tude': 51.02220153808594, 'longitude': 71.46690368652344, 'timezone': 6.0, 'd
st': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel A
irport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597
, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna Intern
ational Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude'
: 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['E90', '73G', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3959, 'name': 'Vilnius Inter
national Airport', 'city': 'Vilnius', 'iata': 'VNO', 'icao': 'EYVI', 'latitud
e': 54.634102, 'longitude': 25.285801, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73G', '735', 'E90']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 679, 'name': 'Warsaw Chopin
Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.165
6990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2939,
'name': 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'ica
o': 'UKBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airpor
t', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999
999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
urich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73N', '320', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2952,
'name': 'Khrabrovo Airport', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'U
MKK', 'latitude': 54.88999938964844, 'longitude': 20.592599868774414, 'timezo
ne': 2.0, 'dst': 'N', 'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil In
ternational Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitud
e': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst'
: 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73G', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1197,
'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'i
cao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2940, 'name': 'Donetsk In
ternational Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC', 'lati
tude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['737']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1197,
'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'i
cao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil I
nternational Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitu
de': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1197,
'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'i
cao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2945, 'name': 'Lviv Inter
national Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao': 'UKLL', 'latitude':
49.8125, 'longitude': 23.95610046386719, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1197,
'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'i
cao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Odessa Int
ernational Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO', 'latitu
de': 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2948,
'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': '
ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Interna
tional Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 5
0.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['E90', '734', '735', '73N']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 502,
'name': 'London Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'E
GKK', 'latitude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport',
'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313,
'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73N', '73H', 'E90', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1638,
'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon'
, 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592,
'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil
International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latit
ude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2945,
'name': 'Lviv International Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao':
'UKLL', 'latitude': 49.8125, 'longitude': 23.95610046386719, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airpo
rt', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3450012207
0313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['E90', '735', '736']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2945,
'name': 'Lviv International Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao':
'UKLL', 'latitude': 49.8125, 'longitude': 23.95610046386719, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airpor
t', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.87509918
2128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['737']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2945,
'name': 'Lviv International Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao':
'UKLL', 'latitude': 49.8125, 'longitude': 23.95610046386719, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Airport
', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.1102981567
38004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['F70']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1229,
'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MA
D', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internationa
l Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.345
00122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['738', '73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2954,
'name': 'Minsk National Airport', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': '
UMMS', 'latitude': 53.882499694824, 'longitude': 28.030700683594, 'timezone':
3.0, 'dst': 'E', 'tz_id': 'Europe/Minsk', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International
Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500
122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 346,
'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'l
atitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city': 'K
iev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longitud
e': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['734']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1524,
'name': 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'i
cao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internationa
l Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.345
00122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['73N', '73R']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1354,
'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'L
FMN', 'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internat
ional Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50
.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2947,
'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'ica
o': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo In
ternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latit
ude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2947,
'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'ica
o': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk Inter
national Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitu
de': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': '
Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320', '734', '738']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2947,
'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'ica
o': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Inte
rnational Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude'
: 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['738', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2947,
'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'ica
o': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca Inter
national Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitud
e': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2947,
'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'ica
o': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion In
ternational Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'lat
itude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2947,
'name': 'Odessa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'ica
o': 'UKOO', 'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna Intern
ational Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude'
: 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['E90']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 4078,
'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': '
UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internati
onal Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.
34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1587,
'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao
': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', '
city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313,
'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['736']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1472,
'name': 'Diagoras Airport', 'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP',
'latitude': 36.40539932250977, 'longitude': 28.086200714111328, 'timezone': 2
.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International
Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500
122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3953,
'name': 'Riga International Airport', 'city': 'Riga', 'iata': 'RIX', 'icao':
'EVRA', 'latitude': 56.92359924316406, 'longitude': 23.971099853515625, 'time
zone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Riga', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Interna
tional Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 5
0.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['DH4']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2964,
'name': 'Platov International Airport', 'city': 'Rostov', 'iata': 'ROV', 'ica
o': 'URRP', 'latitude': 47.493888, 'longitude': 39.924721999999996, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internati
onal Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.
34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 4317,
'name': 'Sabiha Gökçen International Airport', 'city': 'Istanbul', 'iata': 'S
AW', 'icao': 'LTFJ', 'latitude': 40.898601532, 'longitude': 29.3092002869, 't
imezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil
International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latit
ude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2975,
'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': '
USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Interna
tional Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 5
0.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73G', '73N']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3973,
'name': 'Tbilisi International Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'i
cao': 'UGTB', 'latitude': 41.6692008972, 'longitude': 44.95470047, 'timezone'
: 4.0, 'dst': 'N', 'tz_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internation
al Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34
500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 't
z_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73R', '735', '73G', '734']}

{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1056,
'name': 'Tenerife South Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao':
'GCTS', 'latitude': 28.044500351, 'longitude': -16.5725002289, 'timezone': 0.
0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internationa
l Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.345
00122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1590,
'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV'
, 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651
367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2941, 'name': 'Dni
propetrovsk International Airport', 'city': 'Dnepropetrovsk', 'iata': 'DNK',
'icao': 'UKDD', 'latitude': 48.357200622558594, 'longitude': 35.1006011962890
55, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734',
'73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1590,
'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV'
, 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651
367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2940, 'name': 'Don
etsk International Airport', 'city': 'Donetsk', 'iata': 'DOK', 'icao': 'UKCC'
, 'latitude': 48.07360076904297, 'longitude': 37.73970031738281, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1590,
'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV'
, 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651
367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.

0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1590,
'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV'
, 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651
367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport
', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Ode
ssa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO',
'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 2910,
'name': 'Astana International Airport', 'city': 'Tselinograd', 'iata': 'TSE',
'icao': 'UACC', 'latitude': 51.02220153808594, 'longitude': 71.46690368652344
, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Borysp
il International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'la
titude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73J']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 351,
'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDD
T', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city'
: 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'long
itude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1613,
'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'ica
o': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 6105, 'name': 'Kharkiv I
nternational Airport', 'city': 'Kharkov', 'iata': 'HRK', 'icao': 'UKHH', 'lat
itude': 49.92480087280274, 'longitude': 36.290000915527344, 'timezone': 2.0,

'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': True, 'stops': 0, 'equipment': ['F70']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1613,
'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'ica
o': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil
International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latit
ude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['E90', '73G', '735']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1613,
'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'ica
o': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2945, 'name': 'Lviv Inte
rnational Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao': 'UKLL', 'latitude'
: 49.8125, 'longitude': 23.95610046386719, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1613,
'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'ica
o': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Odessa In
ternational Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO', 'latit
ude': 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 3959,
'name': 'Vilnius International Airport', 'city': 'Vilnius', 'iata': 'VNO', 'i
cao': 'EYVI', 'latitude': 54.634102, 'longitude': 25.285801, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Vilnius', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Ai
rport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3450012
2070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id'

: 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['735', '73G', 'E90']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 679,
'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EP
WA', 'latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Air
port', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122
070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 5282, 'name': 'Ukraine International Airlines', 'a
lias': 'TWA', 'iata': 'PS', 'icao': 'AUI', 'callsign': 'UKRAINE INTERNATIONAL
', 'country': 'Ukraine', 'active': True}, 'src_airport': {'airport_id': 1678,
'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'l
atitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', '
city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313,
'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320', '73N', '735']}
{'airline': {'airline_id': 3834, 'name': 'PAN Air', 'alias': 'nan', 'iata': '
PV', 'icao': 'PNR', 'callsign': 'SKYJET', 'country': 'Spain', 'active': True}
, 'src_airport': {'airport_id': 2874, 'name': 'V.C. Bird International Airpor
t', 'city': 'Antigua', 'iata': 'ANU', 'icao': 'TAPA', 'latitude': 17.1367, 'l
ongitude': -61.792702, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Antigu
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 6460, 'name': 'Gustaf III Airport', 'city': 'Gustavia', 'iata': 'SBH', 'ica
o': 'TFFJ', 'latitude': 17.904399871826172, 'longitude': -62.84360122680664,
'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Brunei', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BNT']}
{'airline': {'airline_id': 3834, 'name': 'PAN Air', 'alias': 'nan', 'iata': '
PV', 'icao': 'PNR', 'callsign': 'SKYJET', 'country': 'Spain', 'active': True}
, 'src_airport': {'airport_id': 6460, 'name': 'Gustaf III Airport', 'city': '
Gustavia', 'iata': 'SBH', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'lo
ngitude': -62.84360122680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Br
unei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2874, 'name': 'V.C. Bird International Airport', 'city': 'Antigua', 'iat
a': 'ANU', 'icao': 'TAPA', 'latitude': 17.1367, 'longitude': -61.792702, 'tim
ezone': -4.0, 'dst': 'U', 'tz_id': 'America/Antigua', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BNT']}

{'airline': {'airline_id': 3834, 'name': 'PAN Air', 'alias': 'nan', 'iata': '
PV', 'icao': 'PNR', 'callsign': 'SKYJET', 'country': 'Spain', 'active': True}
, 'src_airport': {'airport_id': 6460, 'name': 'Gustaf III Airport', 'city': '
Gustavia', 'iata': 'SBH', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'lo
ngitude': -62.84360122680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Br
unei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2879, 'name': "L'Espérance Airport", 'city': 'St. Martin', 'iata': 'SFG'
, 'icao': 'TFFG', 'latitude': 18.099899291992, 'longitude': -63.047199249268,
'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Martinique', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['B
NT']}
{'airline': {'airline_id': 3834, 'name': 'PAN Air', 'alias': 'nan', 'iata': '
PV', 'icao': 'PNR', 'callsign': 'SKYJET', 'country': 'Spain', 'active': True}
, 'src_airport': {'airport_id': 6460, 'name': 'Gustaf III Airport', 'city': '
Gustavia', 'iata': 'SBH', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'lo
ngitude': -62.84360122680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Br
unei', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2899, 'name': 'Princess Juliana International Airport', 'city': 'Philips
burg', 'iata': 'SXM', 'icao': 'TNCM', 'latitude': 18.0410003662, 'longitude':
-63.108898162799996, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['CNC', 'BNT']}
{'airline': {'airline_id': 3834, 'name': 'PAN Air', 'alias': 'nan', 'iata': '
PV', 'icao': 'PNR', 'callsign': 'SKYJET', 'country': 'Spain', 'active': True}
, 'src_airport': {'airport_id': 2879, 'name': "L'Espérance Airport", 'city':
'St. Martin', 'iata': 'SFG', 'icao': 'TFFG', 'latitude': 18.099899291992, 'lo
ngitude': -63.047199249268, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/M
artinique', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 6460, 'name': 'Gustaf III Airport', 'city': 'Gustavia', 'iata': 'SB
H', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'longitude': -62.84360122
680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Brunei', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
BNT']}
{'airline': {'airline_id': 3834, 'name': 'PAN Air', 'alias': 'nan', 'iata': '
PV', 'icao': 'PNR', 'callsign': 'SKYJET', 'country': 'Spain', 'active': True}
, 'src_airport': {'airport_id': 2899, 'name': 'Princess Juliana International
Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao': 'TNCM', 'latitude': 1
8.0410003662, 'longitude': -63.108898162799996, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6460, 'name': 'Gustaf III Airport', 'city': 'Gustav
ia', 'iata': 'SBH', 'icao': 'TFFJ', 'latitude': 17.904399871826172, 'longitud
e': -62.84360122680664, 'timezone': -4.0, 'dst': 'E', 'tz_id': 'Asia/Brunei',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['CNC', 'BNT']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1176, '
name': 'Arusha Airport', 'city': 'Arusha', 'iata': 'ARK', 'icao': 'HTAR', 'la
titude': -3.3677899837493896, 'longitude': 36.63330078125, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 1186, 'name': 'Abeid Amani Karume I
nternational Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao': 'HTZA', 'la
titude': -6.22202, 'longitude': 39.224899, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 5703, '
name': 'Bukoba Airport', 'city': 'Bukoba', 'iata': 'BKZ', 'icao': 'HTBU', 'la
titude': -1.3319999999999999, 'longitude': 31.8212, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1183, 'name': 'Mwanza Airport', 'city': 'M
wanza', 'iata': 'MWZ', 'icao': 'HTMW', 'latitude': -2.4444899559021, 'longitu
de': 32.932701110839844, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es
_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1176, 'name': 'Arusha
Airport', 'city': 'Arusha', 'iata': 'ARK', 'icao': 'HTAR', 'latitude': -3.367
7899837493896, 'longitude': 36.63330078125, 'timezone': 3.0, 'dst': 'U', 'tz_
id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1187, 'name': 'Entebbe
International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'la
titude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['CRJ']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 912, 'name': 'Prince S
aid Ibrahim International Airport', 'city': 'Moroni', 'iata': 'HAH', 'icao':
'FMCH', 'latitude': -11.5337, 'longitude': 43.2719, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Indian/Comoro', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kiliman
jaro International Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'H
TKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0
, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 9829, 'name': 'Mbeya A
irport', 'city': 'Mbeya', 'iata': 'KAA', 'icao': 'HTMB', 'latitude': -8.91944
4, 'longitude': 33.463889, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Dar_
es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1183, 'name': 'Mwanza
Airport', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'latitude': -2.444
4899559021, 'longitude': 32.932701110839844, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT5']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1182, 'name': 'Mtwara
Airport', 'city': 'Mtwara', 'iata': 'MYW', 'icao': 'HTMT', 'latitude': -10.33
9099884033203, 'longitude': 40.181800842285156, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jomo Ke
nyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJ
K', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1177, '
name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata
': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'time
zone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1186, 'name': 'Abeid A
mani Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao'
: 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1187, '
name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'ic
ao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere Internation
al Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitud
e': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['CRJ']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1187, '
name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'ic
ao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kilimanjaro International
Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ', 'latitude': -
3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['CRJ', 'AT4']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 912, 'n
ame': 'Prince Said Ibrahim International Airport', 'city': 'Moroni', 'iata':
'HAH', 'icao': 'FMCH', 'latitude': -11.5337, 'longitude': 43.2719, 'timezone'
: 3.0, 'dst': 'U', 'tz_id': 'Indian/Comoro', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere Inte
rnational Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', '
latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1180, '
name': 'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'J
RO', 'icao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Ju
lius Nyerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR',
'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0
, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1180, '
name': 'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'J
RO', 'icao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1187, 'name': 'En
tebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN
', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['CRJ', 'AT4']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1180, '
name': 'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'J
RO', 'icao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1183, 'name': 'Mw
anza Airport', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'latitude': -
2.4444899559021, 'longitude': 32.932701110839844, 'timezone': 3.0, 'dst': 'U'
, 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1180, '
name': 'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'J
RO', 'icao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jo
mo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao':
'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'E70']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1180, '
name': 'Kilimanjaro International Airport', 'city': 'Kilimanjaro', 'iata': 'J
RO', 'icao': 'HTKJ', 'latitude': -3.42940998077, 'longitude': 37.0745010376,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1186, 'name': 'Ab
eid Amani Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', '
icao': 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 9829, '
name': 'Mbeya Airport', 'city': 'Mbeya', 'iata': 'KAA', 'icao': 'HTMB', 'lati
tude': -8.919444, 'longitude': 33.463889, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1177, 'name': 'Julius Nyerere International Airport'
, 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitude': -6.8781
1, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_
es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1183, '
name': 'Mwanza Airport', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'la
titude': -2.4444899559021, 'longitude': 32.932701110839844, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 5703, 'name': 'Bukoba Airport', 'c
ity': 'Bukoba', 'iata': 'BKZ', 'icao': 'HTBU', 'latitude': -1.331999999999999
9, 'longitude': 31.8212, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es
_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1183, '
name': 'Mwanza Airport', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'la
titude': -2.4444899559021, 'longitude': 32.932701110839844, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere Inte
rnational Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', '
latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz
_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT5']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1183, '
name': 'Mwanza Airport', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'la
titude': -2.4444899559021, 'longitude': 32.932701110839844, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kilimanjaro Interna
tional Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ', 'latit
ude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst': 'U'
, 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1183, '
name': 'Mwanza Airport', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'la
titude': -2.4444899559021, 'longitude': 32.932701110839844, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Inter
national Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitud
e': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['AT5']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1182, '
name': 'Mtwara Airport', 'city': 'Mtwara', 'iata': 'MYW', 'icao': 'HTMT', 'la
titude': -10.339099884033203, 'longitude': 40.181800842285156, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere I
nternational Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA'
, 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 4059, '
name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO
', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nye
rere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao':
'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 4059, '
name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO
', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kilimanjar
o International Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ
', 'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'E70']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 4059, '
name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO
', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1183, 'name': 'Mwanza Air
port', 'city': 'Mwanza', 'iata': 'MWZ', 'icao': 'HTMW', 'latitude': -2.444489
9559021, 'longitude': 32.932701110839844, 'timezone': 3.0, 'dst': 'U', 'tz_id
': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['AT5']}

{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 4059, '
name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO
', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1186, 'name': 'Abeid Aman
i Karume International Airport', 'city': 'Zanzibar', 'iata': 'ZNZ', 'icao': '
HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1186, '
name': 'Abeid Amani Karume International Airport', 'city': 'Zanzibar', 'iata'
: 'ZNZ', 'icao': 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timez
one': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius N
yerere International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao'
: 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT4']}
{'airline': {'airline_id': 4031, 'name': 'Precision Air', 'alias': 'PIA Pakis
tan International', 'iata': 'PW', 'icao': 'PRF', 'callsign': 'PRECISION AIR',
'country': 'Tanzania', 'active': True}, 'src_airport': {'airport_id': 1186, '
name': 'Abeid Amani Karume International Airport', 'city': 'Zanzibar', 'iata'
: 'ZNZ', 'icao': 'HTZA', 'latitude': -6.22202, 'longitude': 39.224899, 'timez
one': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 4059, 'name': 'Jomo Ken
yatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK
', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, '
dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3320, 'name
': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao
': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, '
timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Mo
resby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM',
'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220001220703
12, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['763', '738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5419, 'name
': 'Buka Airport', 'city': 'Buka Island', 'iata': 'BUA', 'icao': 'AYBK', 'lat
itude': -5.422319889068604, 'longitude': 154.67300415039062, 'timezone': 10.0
, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipmen
t': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5419, 'name
': 'Buka Airport', 'city': 'Buka Island', 'iata': 'BUA', 'icao': 'AYBK', 'lat
itude': -5.422319889068604, 'longitude': 154.67300415039062, 'timezone': 10.0
, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jackson
s International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYP
Y', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezon
e': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5419, 'name
': 'Buka Airport', 'city': 'Buka Island', 'iata': 'BUA', 'icao': 'AYBK', 'lat
itude': -5.422319889068604, 'longitude': 154.67300415039062, 'timezone': 10.0
, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 5435, 'name': 'Tokua Airport', '
city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude': -4.34045982361, 'l
ongitude': 152.380004883, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Por
t_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['100', 'DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': None, 'dst_airport': {'air
port_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': '
Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961,
'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Paci
fic/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 4206, 'name
': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB', 'icao'

: 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons
International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY'
, 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone'
: 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5420, 'name
': 'Chimbu Airport', 'city': 'Kundiawa', 'iata': 'CMU', 'icao': 'AYCH', 'lati
tude': -6.024290084838867, 'longitude': 144.9709930419922, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons
International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY'
, 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone'
: 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3322, 'name
': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': '
YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.
0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons
International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY'
, 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone'
: 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3322, 'name
': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': '
YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.
0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 5435, 'name': 'Tokua Airport', 'c
ity': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude': -4.34045982361, 'lo
ngitude': 152.380004883, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port
_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5421, 'name
': 'Daru Airport', 'city': 'Daru', 'iata': 'DAU', 'icao': 'AYDU', 'latitude':

-9.086759567260001, 'longitude': 143.207992554, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International
Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude':
-9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3940, 'name
': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DP
S', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.1669998168
9, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port More
sby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', '
icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.2200012207031
2, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 1, 'name':
'Goroka Airport', 'city': 'Goroka', 'iata': 'GKA', 'icao': 'AYGA', 'latitude'
: -6.0816898345900015, 'longitude': 145.391998291, 'timezone': 10.0, 'dst': '
U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons Internat
ional Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latit
ude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', 'DH8', 'DH3
']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5422, 'name
': 'Gurney Airport', 'city': 'Gurney', 'iata': 'GUR', 'icao': 'AYGN', 'latitu
de': -10.311499595599999, 'longitude': 150.333999634, 'timezone': 10.0, 'dst'
: 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5432, 'name': 'Misima Island Airport',
'city': 'Misima Island', 'iata': 'MIS', 'icao': 'AYMS', 'latitude': -10.68920
04013, 'longitude': 152.837997437, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pa
cific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '

Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5422, 'name': 'Gurney Airport', 'city': 'Gurney', 'iata': 'GUR', 'icao': 'AYGN', 'latitude': -10.311499595599999, 'longitude': 150.333999634, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nippon Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': 'Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3, 'name': 'Mount Hagen Kagamuga Airport', 'city': 'Mount Hagen', 'iata': 'HGU', 'icao': 'AYMH', 'latitude': -5.826789855957031, 'longitude': 144.29600524902344, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nippon Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': 'Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3, 'name': 'Mount Hagen Kagamuga Airport', 'city': 'Mount Hagen', 'iata': 'HGU', 'icao': 'AYMH', 'latitude': -5.826789855957031, 'longitude': 144.29600524902344, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6, 'name': 'Wewak International Airport', 'city': 'Wewak', 'iata': 'WWK', 'icao': 'AYWK', 'latitude': -3.5838301181800003, 'longitude': 143.66900634799998, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nippon Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': 'Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 4074, 'name': 'Honiara International Airport', 'city': 'Honiara', 'iata': 'HIR', 'icao': 'AGGH', 'latitude': -9.4280004501343, 'longitude': 160.05499267578, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Guadalcanal', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}

{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 4074, 'name
': 'Honiara International Airport', 'city': 'Honiara', 'iata': 'HIR', 'icao':
'AGGH', 'latitude': -9.4280004501343, 'longitude': 160.05499267578, 'timezone
': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Guadalcanal', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby J
acksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao'
: 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 't
imezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
37', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3077, 'name
': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'ic
ao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jackso
ns International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AY
PY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezo
ne': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5424, 'name
': 'Kimbe Airport', 'city': 'Hoskins', 'iata': 'HKN', 'icao': 'AYHK', 'latitu
de': -5.462170124053955, 'longitude': 150.40499877929688, 'timezone': 10.0, '
dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4, 'name': 'Nadzab Airport', 'city'
: 'Nadzab', 'iata': 'LAE', 'icao': 'AYNZ', 'latitude': -6.569803, 'longitude'
: 146.725977, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5424, 'name
': 'Kimbe Airport', 'city': 'Hoskins', 'iata': 'HKN', 'icao': 'AYHK', 'latitu
de': -5.462170124053955, 'longitude': 150.40499877929688, 'timezone': 10.0, '
dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons I
nternational Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY',
'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone':

10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5424, 'name
': 'Kimbe Airport', 'city': 'Hoskins', 'iata': 'HKN', 'icao': 'AYHK', 'latitu
de': -5.462170124053955, 'longitude': 150.40499877929688, 'timezone': 10.0, '
dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 5435, 'name': 'Tokua Airport', 'cit
y': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude': -4.34045982361, 'long
itude': 152.380004883, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_M
oresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5428, 'name
': 'Kavieng Airport', 'city': 'Kavieng', 'iata': 'KVG', 'icao': 'AYKV', 'lati
tude': -2.57940006256, 'longitude': 150.807998657, 'timezone': 10.0, 'dst': '
U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 5430, 'name': 'Momote Airport', 'city': 'M
omote', 'iata': 'MAS', 'icao': 'AYMO', 'latitude': -2.06189, 'longitude': 147
.423996, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5428, 'name
': 'Kavieng Airport', 'city': 'Kavieng', 'iata': 'KVG', 'icao': 'AYKV', 'lati
tude': -2.57940006256, 'longitude': 150.807998657, 'timezone': 10.0, 'dst': '
U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons Internat
ional Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latit
ude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5428, 'name
': 'Kavieng Airport', 'city': 'Kavieng', 'iata': 'KVG', 'icao': 'AYKV', 'lati
tude': -2.57940006256, 'longitude': 150.807998657, 'timezone': 10.0, 'dst': '
U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 5435, 'name': 'Tokua Airport', 'city': 'To
kua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude': -4.34045982361, 'longitude':
152.380004883, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': ' Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 4, 'name': 'Nadzab Airport', 'city': 'Nadzab', 'iata': 'LAE', 'icao': 'AYNZ', 'latitude' : -6.569803, 'longitude': 146.725977, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air port': {'airport_id': 5424, 'name': 'Kimbe Airport', 'city': 'Hoskins', 'iata ': 'HKN', 'icao': 'AYHK', 'latitude': -5.462170124053955, 'longitude': 150.40 499877929688, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': ' Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 4, 'name': 'Nadzab Airport', 'city': 'Nadzab', 'iata': 'LAE', 'icao': 'AYNZ', 'latitude' : -6.569803, 'longitude': 146.725977, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air port': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport ', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.4433 80355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', ' tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': ' Papua New Guinea', 'active': True}, 'src_airport': None, 'dst_airport': {'air port_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': ' Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Paci fic/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': ' Papua New Guinea', 'active': True}, 'src_airport': None, 'dst_airport': {'air port_id': 5435, 'name': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'ica o': 'AYTK', 'latitude': -4.34045982361, 'longitude': 152.380004883, 'timezone ': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sou rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': ' Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 2, 'name': 'Madang Airport', 'city': 'Madang', 'iata': 'MAG', 'icao': 'AYMD', 'latitude' : -5.20707988739, 'longitude': 145.789001465, 'timezone': 10.0, 'dst': 'U', '

tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5430, 'name': 'Momote Airport', 'city': 'Momote
', 'iata': 'MAS', 'icao': 'AYMO', 'latitude': -2.06189, 'longitude': 147.4239
96, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 2, 'name':
'Madang Airport', 'city': 'Madang', 'iata': 'MAG', 'icao': 'AYMD', 'latitude'
: -5.20707988739, 'longitude': 145.789001465, 'timezone': 10.0, 'dst': 'U', '
tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International
Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude':
-9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', '100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 2, 'name':
'Madang Airport', 'city': 'Madang', 'iata': 'MAG', 'icao': 'AYMD', 'latitude'
: -5.20707988739, 'longitude': 145.789001465, 'timezone': 10.0, 'dst': 'U', '
tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5436, 'name': 'Vanimo Airport', 'city': 'Vanimo
', 'iata': 'VAI', 'icao': 'AYVN', 'latitude': -2.6926, 'longitude': 141.3028,
'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 2, 'name':
'Madang Airport', 'city': 'Madang', 'iata': 'MAG', 'icao': 'AYMD', 'latitude'
: -5.20707988739, 'longitude': 145.789001465, 'timezone': 10.0, 'dst': 'U', '
tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6, 'name': 'Wewak International Airport', 'city
': 'Wewak', 'iata': 'WWK', 'icao': 'AYWK', 'latitude': -3.5838301181800003, '
longitude': 143.66900634799998, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacif
ic/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5430, 'name
': 'Momote Airport', 'city': 'Momote', 'iata': 'MAS', 'icao': 'AYMO', 'latitu
de': -2.06189, 'longitude': 147.423996, 'timezone': 10.0, 'dst': 'U', 'tz_id'

: 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5428, 'name': 'Kavieng Airport', 'city': 'Kavieng', '
iata': 'KVG', 'icao': 'AYKV', 'latitude': -2.57940006256, 'longitude': 150.80
7998657, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5430, 'name
': 'Momote Airport', 'city': 'Momote', 'iata': 'MAS', 'icao': 'AYMO', 'latitu
de': -2.06189, 'longitude': 147.423996, 'timezone': 10.0, 'dst': 'U', 'tz_id'
: 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 2, 'name': 'Madang Airport', 'city': 'Madang', 'iata'
: 'MAG', 'icao': 'AYMD', 'latitude': -5.20707988739, 'longitude': 145.7890014
65, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5430, 'name
': 'Momote Airport', 'city': 'Momote', 'iata': 'MAS', 'icao': 'AYMO', 'latitu
de': -2.06189, 'longitude': 147.423996, 'timezone': 10.0, 'dst': 'U', 'tz_id'
: 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airpo
rt', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.44
3380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['100', '737']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5430, 'name
': 'Momote Airport', 'city': 'Momote', 'iata': 'MAS', 'icao': 'AYMO', 'latitu
de': -2.06189, 'longitude': 147.423996, 'timezone': 10.0, 'dst': 'U', 'tz_id'
: 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 5435, 'name': 'Tokua Airport', 'city': 'Tokua', 'iata
': 'RAB', 'icao': 'AYTK', 'latitude': -4.34045982361, 'longitude': 152.380004
883, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5429, 'name
': 'Mendi Airport', 'city': 'Mendi', 'iata': 'MDU', 'icao': 'AYMN', 'latitude
': -6.14774, 'longitude': 143.656998, 'timezone': 10.0, 'dst': 'U', 'tz_id':

'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport
', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.4433
80355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', '
tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5432, 'name
': 'Misima Island Airport', 'city': 'Misima Island', 'iata': 'MIS', 'icao': '
AYMS', 'latitude': -10.6892004013, 'longitude': 152.837997437, 'timezone': 10
.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 5419, 'name': 'Buka Airport', '
city': 'Buka Island', 'iata': 'BUA', 'icao': 'AYBK', 'latitude': -5.422319889
068604, 'longitude': 154.67300415039062, 'timezone': 10.0, 'dst': 'U', 'tz_id
': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 2397, 'name
': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'ic
ao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, '
dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons Internatio
nal Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitud
e': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'd
st': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5431, 'name
': 'Moro Airport', 'city': 'Moro', 'iata': 'MXH', 'icao': 'AYMR', 'latitude':
-6.36332988739, 'longitude': 143.238006592, 'timezone': 10.0, 'dst': 'U', 'tz
_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3, 'name': 'Mount Hagen Kagamuga Airport', 'city'
: 'Mount Hagen', 'iata': 'HGU', 'icao': 'AYMH', 'latitude': -5.82678985595703
1, 'longitude': 144.29600524902344, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'P
acific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 1960, 'name
': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFF
N', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezon

e': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4074, 'name': 'Honiara Internati
onal Airport', 'city': 'Honiara', 'iata': 'HIR', 'icao': 'AGGH', 'latitude':
-9.4280004501343, 'longitude': 160.05499267578, 'timezone': 11.0, 'dst': 'U',
'tz_id': 'Pacific/Guadalcanal', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 1960, 'name
': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFF
N', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezon
e': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jackson
s International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYP
Y', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezon
e': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 2279, 'name
': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'R
JAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone':
9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons Inter
national Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'la
titude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.
0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5423, 'name
': 'Girua Airport', 'city': 'Girua', 'iata': 'PNP', 'icao': 'AYGR', 'latitude
': -8.80453968048, 'longitude': 148.309005737, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International
Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude':
-9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220

00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 332
0, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE
', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.117004394
53125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['763', '738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 541
9, 'name': 'Buka Airport', 'city': 'Buka Island', 'iata': 'BUA', 'icao': 'AYB
K', 'latitude': -5.422319889068604, 'longitude': 154.67300415039062, 'timezon
e': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 420
6, 'name': 'Mactan Cebu International Airport', 'city': 'Cebu', 'iata': 'CEB'
, 'icao': 'RPVM', 'latitude': 10.307499885559, 'longitude': 123.97899627686,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
0, 'name': 'Chimbu Airport', 'city': 'Kundiawa', 'iata': 'CMU', 'icao': 'AYCH
', 'latitude': -6.024290084838867, 'longitude': 144.9709930419922, 'timezone'
: 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'

: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 332
2, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', '
icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezo
ne': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
1, 'name': 'Daru Airport', 'city': 'Daru', 'iata': 'DAU', 'icao': 'AYDU', 'la
titude': -9.086759567260001, 'longitude': 143.207992554, 'timezone': 10.0, 'd
st': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 394
0, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'ia
ta': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16
699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1,
'name': 'Goroka Airport', 'city': 'Goroka', 'iata': 'GKA', 'icao': 'AYGA', 'l
atitude': -6.0816898345900015, 'longitude': 145.391998291, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', 'DH8', 'DH3
']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '

Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
2, 'name': 'Gurney Airport', 'city': 'Gurney', 'iata': 'GUR', 'icao': 'AYGN',
'latitude': -10.311499595599999, 'longitude': 150.333999634, 'timezone': 10.0
, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3', 'DH4', 'D
H8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3,
'name': 'Mount Hagen Kagamuga Airport', 'city': 'Mount Hagen', 'iata': 'HGU',
'icao': 'AYMH', 'latitude': -5.826789855957031, 'longitude': 144.296005249023
44, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 407
4, 'name': 'Honiara International Airport', 'city': 'Honiara', 'iata': 'HIR',
'icao': 'AGGH', 'latitude': -9.4280004501343, 'longitude': 160.05499267578, '
timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Guadalcanal', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H4', '737']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 307
7, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'H
KG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001,

'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
4, 'name': 'Kimbe Airport', 'city': 'Hoskins', 'iata': 'HKN', 'icao': 'AYHK',
'latitude': -5.462170124053955, 'longitude': 150.40499877929688, 'timezone':
10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
8, 'name': 'Kavieng Airport', 'city': 'Kavieng', 'iata': 'KVG', 'icao': 'AYKV
', 'latitude': -2.57940006256, 'longitude': 150.807998657, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', '100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4,
'name': 'Nadzab Airport', 'city': 'Nadzab', 'iata': 'LAE', 'icao': 'AYNZ', 'l
atitude': -6.569803, 'longitude': 146.725977, 'timezone': 10.0, 'dst': 'U', '
tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare':
False, 'stops': 0, 'equipment': ['DH8', 'DH3']}

{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2,
'name': 'Madang Airport', 'city': 'Madang', 'iata': 'MAG', 'icao': 'AYMD', 'l
atitude': -5.20707988739, 'longitude': 145.789001465, 'timezone': 10.0, 'dst'
: 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 543
0, 'name': 'Momote Airport', 'city': 'Momote', 'iata': 'MAS', 'icao': 'AYMO',
'latitude': -2.06189, 'longitude': 147.423996, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['100', '737']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
9, 'name': 'Mendi Airport', 'city': 'Mendi', 'iata': 'MDU', 'icao': 'AYMN', '
latitude': -6.14774, 'longitude': 143.656998, 'timezone': 10.0, 'dst': 'U', '
tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 239
7, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'M
NL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}

{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 196
0, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'ica
o': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625,
'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 227
9, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'i
cao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'ti
mezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
3, 'name': 'Girua Airport', 'city': 'Girua', 'iata': 'PNP', 'icao': 'AYGR', '
latitude': -8.80453968048, 'longitude': 148.309005737, 'timezone': 10.0, 'dst
': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 543
5, 'name': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', '
latitude': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst
': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}

{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 331
6, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'i
cao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['763', '738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 336
1, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney',
'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 1
51.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 543
4, 'name': 'Tabubil Airport', 'city': 'Tabubil', 'iata': 'TBG', 'icao': 'AYTB
', 'latitude': -5.27861, 'longitude': 141.225998, 'timezone': 10.0, 'dst': 'U
', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 543
3, 'name': 'Tari Airport', 'city': 'Tari', 'iata': 'TIZ', 'icao': 'AYTA', 'la
titude': -5.84499979019, 'longitude': 142.947998047, 'timezone': 10.0, 'dst':

'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 542
5, 'name': 'Kiunga Airport', 'city': 'Kiunga', 'iata': 'UNG', 'icao': 'AYKI',
'latitude': -6.1257100105285645, 'longitude': 141.28199768066406, 'timezone':
10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'DH3'
]}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 543
6, 'name': 'Vanimo Airport', 'city': 'Vanimo', 'iata': 'VAI', 'icao': 'AYVN',
'latitude': -2.6926, 'longitude': 141.3028, 'timezone': 10.0, 'dst': 'U', 'tz
_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 543
7, 'name': 'Wapenamanda Airport', 'city': 'Wapenamanda', 'iata': 'WBM', 'icao
': 'AYWD', 'latitude': -5.64330005645752, 'longitude': 143.89500427246094, 't
imezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6,

'name': 'Wewak International Airport', 'city': 'Wewak', 'iata': 'WWK', 'icao'
: 'AYWK', 'latitude': -3.5838301181800003, 'longitude': 143.66900634799998, '
timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5419, 'name': 'Buka Airport', 'city': 'Buka Isl
and', 'iata': 'BUA', 'icao': 'AYBK', 'latitude': -5.422319889068604, 'longitu
de': 154.67300415039062, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port
_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', '
city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'l
ongitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/B
risbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5424, 'name': 'Kimbe Airport', 'city': 'Hoskins
', 'iata': 'HKN', 'icao': 'AYHK', 'latitude': -5.462170124053955, 'longitude'
: 150.40499877929688, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Mo
resby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},

'dst_airport': {'airport_id': 5428, 'name': 'Kavieng Airport', 'city': 'Kavie
ng', 'iata': 'KVG', 'icao': 'AYKV', 'latitude': -2.57940006256, 'longitude':
150.807998657, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['DH3', 'DH
8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5430, 'name': 'Momote Airport', 'city': 'Momote
', 'iata': 'MAS', 'icao': 'AYMO', 'latitude': -2.06189, 'longitude': 147.4239
96, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5435, 'name
': 'Tokua Airport', 'city': 'Tokua', 'iata': 'RAB', 'icao': 'AYTK', 'latitude
': -4.34045982361, 'longitude': 152.380004883, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International
Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude':
-9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3316, 'name
': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'W
SSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International
Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude':
-9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst':

'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['763', '738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 3361, 'name
': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata':
'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.17700
1953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name':
'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata'
: 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.220
00122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['738']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5434, 'name
': 'Tabubil Airport', 'city': 'Tabubil', 'iata': 'TBG', 'icao': 'AYTB', 'lati
tude': -5.27861, 'longitude': 141.225998, 'timezone': 10.0, 'dst': 'U', 'tz_i
d': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Air
port', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.
443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U
', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5433, 'name
': 'Tari Airport', 'city': 'Tari', 'iata': 'TIZ', 'icao': 'AYTA', 'latitude':
-5.84499979019, 'longitude': 142.947998047, 'timezone': 10.0, 'dst': 'U', 'tz
_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International A
irport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -
9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst':
'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'DH3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5425, 'name
': 'Kiunga Airport', 'city': 'Kiunga', 'iata': 'UNG', 'icao': 'AYKI', 'latitu
de': -6.1257100105285645, 'longitude': 141.28199768066406, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons
International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY'

, 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone'
: 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8', 'DH
3']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5436, 'name
': 'Vanimo Airport', 'city': 'Vanimo', 'iata': 'VAI', 'icao': 'AYVN', 'latitu
de': -2.6926, 'longitude': 141.3028, 'timezone': 10.0, 'dst': 'U', 'tz_id': '
Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2, 'name': 'Madang Airport', 'city': 'Madang', 'iata': '
MAG', 'icao': 'AYMD', 'latitude': -5.20707988739, 'longitude': 145.789001465,
'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5436, 'name
': 'Vanimo Airport', 'city': 'Vanimo', 'iata': 'VAI', 'icao': 'AYVN', 'latitu
de': -2.6926, 'longitude': 141.3028, 'timezone': 10.0, 'dst': 'U', 'tz_id': '
Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport'
, 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.44338
0355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 't
z_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5436, 'name
': 'Vanimo Airport', 'city': 'Vanimo', 'iata': 'VAI', 'icao': 'AYVN', 'latitu
de': -2.6926, 'longitude': 141.3028, 'timezone': 10.0, 'dst': 'U', 'tz_id': '
Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 6, 'name': 'Wewak International Airport', 'city': 'Wewak
', 'iata': 'WWK', 'icao': 'AYWK', 'latitude': -3.5838301181800003, 'longitude
': 143.66900634799998, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_M
oresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 5437, 'name
': 'Wapenamanda Airport', 'city': 'Wapenamanda', 'iata': 'WBM', 'icao': 'AYWD
', 'latitude': -5.64330005645752, 'longitude': 143.89500427246094, 'timezone'
: 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby J

acksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao'
: 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 't
imezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H8']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 6, 'name':
'Wewak International Airport', 'city': 'Wewak', 'iata': 'WWK', 'icao': 'AYWK'
, 'latitude': -3.5838301181800003, 'longitude': 143.66900634799998, 'timezone
': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3, 'name': 'Mount Hagen K
agamuga Airport', 'city': 'Mount Hagen', 'iata': 'HGU', 'icao': 'AYMH', 'lati
tude': -5.826789855957031, 'longitude': 144.29600524902344, 'timezone': 10.0,
'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 6, 'name':
'Wewak International Airport', 'city': 'Wewak', 'iata': 'WWK', 'icao': 'AYWK'
, 'latitude': -3.5838301181800003, 'longitude': 143.66900634799998, 'timezone
': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2, 'name': 'Madang Airpor
t', 'city': 'Madang', 'iata': 'MAG', 'icao': 'AYMD', 'latitude': -5.207079887
39, 'longitude': 145.789001465, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacif
ic/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 6, 'name':
'Wewak International Airport', 'city': 'Wewak', 'iata': 'WWK', 'icao': 'AYWK'
, 'latitude': -3.5838301181800003, 'longitude': 143.66900634799998, 'timezone
': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby
Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao
': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, '
timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
100', 'DH4']}
{'airline': {'airline_id': 328, 'name': 'Air Niugini', 'alias': 'ANA All Nipp
on Airways', 'iata': 'PX', 'icao': 'ANG', 'callsign': 'NUIGINI', 'country': '
Papua New Guinea', 'active': True}, 'src_airport': {'airport_id': 6, 'name':
'Wewak International Airport', 'city': 'Wewak', 'iata': 'WWK', 'icao': 'AYWK'
, 'latitude': -3.5838301181800003, 'longitude': 143.66900634799998, 'timezone

': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 5436, 'name': 'Vanimo Air
port', 'city': 'Vanimo', 'iata': 'VAI', 'icao': 'AYVN', 'latitude': -2.6926,
'longitude': 141.3028, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_M
oresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterda
m Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'lat
itude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2773, 'name': 'Johan Adolf Pengel International Airport',
'city': 'Zandery', 'iata': 'PBM', 'icao': 'SMJP', 'latitude': 5.4528298378, '
longitude': -55.1878013611, 'timezone': -3.0, 'dst': 'U', 'tz_id': 'America/P
aramaribo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen B
eatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': '
TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst':
'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'ci
ty': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, '
longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen B
eatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': '
TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst':
'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2773, 'name': 'Johan Adolf Pengel International
Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao': 'SMJP', 'latitude': 5.452
8298378, 'longitude': -55.1878013611, 'timezone': -3.0, 'dst': 'U', 'tz_id':
'America/Paramaribo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2526, 'name': 'Val de
Cans/Júlio Cezar Ribeiro International Airport', 'city': 'Belem', 'iata': 'BE
L', 'icao': 'SBBE', 'latitude': -1.3792500495900002, 'longitude': -48.4762992

85900005, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2774, 'name':
'Cayenne-Rochambeau Airport', 'city': 'Cayenne', 'iata': 'CAY', 'icao': 'SOCA
', 'latitude': 4.819809913639999, 'longitude': -52.360401153599994, 'timezone
': -3.0, 'dst': 'U', 'tz_id': 'America/Cayenne', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2526, 'name': 'Val de
Cans/Júlio Cezar Ribeiro International Airport', 'city': 'Belem', 'iata': 'BE
L', 'icao': 'SBBE', 'latitude': -1.3792500495900002, 'longitude': -48.4762992
85900005, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2773, 'name':
'Johan Adolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM',
'icao': 'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timez
one': -3.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2774, 'name': 'Cayenne
-Rochambeau Airport', 'city': 'Cayenne', 'iata': 'CAY', 'icao': 'SOCA', 'lati
tude': 4.819809913639999, 'longitude': -52.360401153599994, 'timezone': -3.0,
'dst': 'U', 'tz_id': 'America/Cayenne', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2526, 'name': 'Val de Cans/Júlio Cezar
Ribeiro International Airport', 'city': 'Belem', 'iata': 'BEL', 'icao': 'SBBE
', 'latitude': -1.3792500495900002, 'longitude': -48.476299285900005, 'timezo
ne': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2774, 'name': 'Cayenne
-Rochambeau Airport', 'city': 'Cayenne', 'iata': 'CAY', 'icao': 'SOCA', 'lati
tude': 4.819809913639999, 'longitude': -52.360401153599994, 'timezone': -3.0,
'dst': 'U', 'tz_id': 'America/Cayenne', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2773, 'name': 'Johan Adolf Pengel Inter
national Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao': 'SMJP', 'latitud
e': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3.0, 'dst': 'U',
'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2897, 'name': 'Hato In
ternational Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'l
atitude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz

_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2902, 'name': 'Piarco International Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao': 'TTPP', 'latitude': 10.595399856567383, 'longitude': -61.33720016479492, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss European', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Suriname', 'active': True}, 'src_airport': {'airport_id': 4304, 'name': 'Cheddi Jagan International Airport', 'city': 'Georgetown', 'iata': 'GEO', 'icao': 'SYCJ', 'latitude': 6.498549938201903, 'longitude': -58.25410079956055, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guyana', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss European', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Suriname', 'active': True}, 'src_airport': {'airport_id': 4304, 'name': 'Cheddi Jagan International Airport', 'city': 'Georgetown', 'iata': 'GEO', 'icao': 'SYCJ', 'latitude': 6.498549938201903, 'longitude': -58.25410079956055, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Guyana', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2773, 'name': 'Johan Adolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao': 'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss European', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Suriname', 'active': True}, 'src_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss European', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Suriname', 'active': True}, 'src_airport': {'airport_id': 3576, 'name': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, '

dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 4304, 'name': 'Cheddi Jagan Internation
al Airport', 'city': 'Georgetown', 'iata': 'GEO', 'icao': 'SYCJ', 'latitude':
6.498549938201903, 'longitude': -58.25410079956055, 'timezone': -4.0, 'dst':
'U', 'tz_id': 'America/Guyana', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2773, 'name': 'Johan A
dolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao':
'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3
.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport
Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52
.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2773, 'name': 'Johan A
dolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao':
'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3
.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix Int
ernational Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'la
titude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_
id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2773, 'name': 'Johan A
dolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao':
'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3
.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2526, 'name': 'Val de Cans/Júlio
Cezar Ribeiro International Airport', 'city': 'Belem', 'iata': 'BEL', 'icao':
'SBBE', 'latitude': -1.3792500495900002, 'longitude': -48.476299285900005, 't
imezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2773, 'name': 'Johan A
dolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao':
'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3

.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2774, 'name': 'Cayenne-Rochambea
u Airport', 'city': 'Cayenne', 'iata': 'CAY', 'icao': 'SOCA', 'latitude': 4.8
19809913639999, 'longitude': -52.360401153599994, 'timezone': -3.0, 'dst': 'U
', 'tz_id': 'America/Cayenne', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2773, 'name': 'Johan A
dolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao':
'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3
.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4304, 'name': 'Cheddi Jagan Inte
rnational Airport', 'city': 'Georgetown', 'iata': 'GEO', 'icao': 'SYCJ', 'lat
itude': 6.498549938201903, 'longitude': -58.25410079956055, 'timezone': -4.0,
'dst': 'U', 'tz_id': 'America/Guyana', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2773, 'name': 'Johan A
dolf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao':
'SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3
.0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2902, 'name': 'Piarco Internatio
nal Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao': 'TTPP', 'latitu
de': 10.595399856567383, 'longitude': -61.33720016479492, 'timezone': -4.0, '
dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2902, 'name': 'Piarco
International Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao': 'TTPP
', 'latitude': 10.595399856567383, 'longitude': -61.33720016479492, 'timezone
': -4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2897, 'name': 'Hato Inte
rnational Airport', 'city': 'Willemstad', 'iata': 'CUR', 'icao': 'TNCC', 'lat
itude': 12.1889, 'longitude': -68.959801, 'timezone': -4.0, 'dst': 'U', 'tz_i
d': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4752, 'name': 'Surinam Airways', 'alias': 'Swiss E
uropean', 'iata': 'PY', 'icao': 'SLM', 'callsign': 'SURINAM', 'country': 'Sur
iname', 'active': True}, 'src_airport': {'airport_id': 2902, 'name': 'Piarco
International Airport', 'city': 'Port-of-spain', 'iata': 'POS', 'icao': 'TTPP
', 'latitude': 10.595399856567383, 'longitude': -61.33720016479492, 'timezone

': -4.0, 'dst': 'U', 'tz_id': 'America/Port_of_Spain', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2773, 'name': 'Johan Ado
lf Pengel International Airport', 'city': 'Zandery', 'iata': 'PBM', 'icao': '
SMJP', 'latitude': 5.4528298378, 'longitude': -55.1878013611, 'timezone': -3.
0, 'dst': 'U', 'tz_id': 'America/Paramaribo', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 4305, 'name': 'Guarani Internation
al Airport', 'city': 'Ciudad del Este', 'iata': 'AGT', 'icao': 'SGES', 'latit
ude': -25.454516, 'longitude': -54.842681999999996, 'timezone': -4.0, 'dst':
'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi Internationa
l Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'latitude': -2
5.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4.0, 'dst':
'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 4305, 'name': 'Guarani Internation
al Airport', 'city': 'Ciudad del Este', 'iata': 'AGT', 'icao': 'SGES', 'latit
ude': -25.454516, 'longitude': -54.842681999999996, 'timezone': -4.0, 'dst':
'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André F
ranco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'ic
ao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289
, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi I
nternational Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'la
titude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4
.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4305, 'name': 'Guarani Internation
al Airport', 'city': 'Ciudad del Este', 'iata': 'AGT', 'icao': 'SGES', 'latit
ude': -25.454516, 'longitude': -54.842681999999996, 'timezone': -4.0, 'dst':
'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi I
nternational Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'la

titude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4
.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini
International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ'
, 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N',
'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi I
nternational Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'la
titude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4
.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governa
dor André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata':
'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.4730
5679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi I
nternational Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'la
titude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4
.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo Mer
ino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'icao'
: 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062, '
timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi I
nternational Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'la
titude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4
.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2771, 'name': 'Viru Viru Internati
onal Airport', 'city': 'Santa Cruz', 'iata': 'VVI', 'icao': 'SLVR', 'latitude
': -17.6448, 'longitude': -63.135399, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/La_Paz', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act

ive': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2699, 'name': 'Silvio Pettirossi International Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'latitude': -25.239999771118164, 'longitude': -57.52000045776367, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iata': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'active': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2560, 'name': 'Rio Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iata': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'active': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iata': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'active': True}, 'src_airport': {'airport_id': 2560, 'name': 'Rio Galeão – Tom Jobim International Airport', 'city': 'Rio De Janeiro', 'iata': 'GIG', 'icao': 'SBGL', 'latitude': -22.809999465900002, 'longitude': -43.2505569458, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governa
dor André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata':
'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.4730
5679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4305, '
name': 'Guarani International Airport', 'city': 'Ciudad del Este', 'iata': 'A
GT', 'icao': 'SGES', 'latitude': -25.454516, 'longitude': -54.842681999999996
, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governa
dor André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata':
'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.4730
5679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2699, '
name': 'Silvio Pettirossi International Airport', 'city': 'Asuncion', 'iata':
'ASU', 'icao': 'SGAS', 'latitude': -25.239999771118164, 'longitude': -57.5200
0045776367, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governa
dor André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata':
'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.4730
5679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3988, '
name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'i
ata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'ti
mezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governa
dor André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata':
'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.4730
5679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2816, '
name': 'Carrasco International /General C L Berisso Airport', 'city': 'Montev

ideo', 'iata': 'MVD', 'icao': 'SUMU', 'latitude': -34.838402, 'longitude': -5
6.0308, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Montevideo', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2816, 'name': 'Carrasco Internatio
nal /General C L Berisso Airport', 'city': 'Montevideo', 'iata': 'MVD', 'icao
': 'SUMU', 'latitude': -34.838402, 'longitude': -56.0308, 'timezone': -3.0, '
dst': 'S', 'tz_id': 'America/Montevideo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador
André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GR
U', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.4730567
9321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo Mer
ino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'icao'
: 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062, '
timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2699, 'name': 'Silvio
Pettirossi International Airport', 'city': 'Asuncion', 'iata': 'ASU', 'icao':
'SGAS', 'latitude': -25.239999771118164, 'longitude': -57.52000045776367, 'ti
mezone': -4.0, 'dst': 'S', 'tz_id': 'America/Asuncion', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5156, 'name': 'TAM Mercosur', 'alias': 'TWA', 'iat
a': 'PZ', 'icao': 'LAP', 'callsign': 'PARAGUAYA', 'country': 'Paraguay', 'act
ive': True}, 'src_airport': {'airport_id': 2771, 'name': 'Viru Viru Internati
onal Airport', 'city': 'Santa Cruz', 'iata': 'VVI', 'icao': 'SLVR', 'latitude
': -17.6448, 'longitude': -63.135399, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/La_Paz', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2699, 'name': 'Silvio Pettirossi International Airport', 'city
': 'Asuncion', 'iata': 'ASU', 'icao': 'SGAS', 'latitude': -25.239999771118164
, 'longitude': -57.52000045776367, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'Am
erica/Asuncion', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3024, 'name': 'Bandaranaike In
ternational Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI
', 'latitude': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone':
5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAi

rports'}, 'dst_airport': {'airport_id': 6183, 'name': 'Gan International Airp
ort', 'city': 'Gan Island', 'iata': 'GAN', 'icao': 'VRMG', 'latitude': -0.693
342, 'longitude': 73.155602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Ma
ldives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3024, 'name': 'Bandaranaike In
ternational Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI
', 'latitude': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone':
5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3156, 'name': 'Malé International Air
port', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.191830158
2336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id'
: 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjala
l International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'la
titude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': '
U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city
': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, '
longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 11257, 'name': 'Dharavandhoo A
irport', 'city': 'DHARAVANDHOO', 'iata': 'DRV', 'icao': 'VRMD', 'latitude': 5
.1561, 'longitude': 73.1302, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 6184, 'name': 'Hanimaadhoo Airport', 'city': 'Haa Dhaalu Atoll', 'iata':
'HAQ', 'icao': 'VRMH', 'latitude': 6.744229793548584, 'longitude': 73.1705017
0898438, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['DH3', 'DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 11257, 'name': 'Dharavandhoo A
irport', 'city': 'DHARAVANDHOO', 'iata': 'DRV', 'icao': 'VRMD', 'latitude': 5
.1561, 'longitude': 73.1302, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_

id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE
', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.5290985107
4219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'DH3', 'DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3156, 'na
me': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VR
MM', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezon
e': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6183, 'name': 'Gan Internation
al Airport', 'city': 'Gan Island', 'iata': 'GAN', 'icao': 'VRMG', 'latitude':
-0.693342, 'longitude': 73.155602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Ind
ian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3024, 'name': 'Bandaranaike International Colombo Airport', 'cit
y': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI', 'latitude': 7.180759906768799,
'longitude': 79.88410186767578, 'timezone': 5.5, 'dst': 'U', 'tz_id': 'Asia/C
olombo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6183, 'name': 'Gan Internation
al Airport', 'city': 'Gan Island', 'iata': 'GAN', 'icao': 'VRMG', 'latitude':
-0.693342, 'longitude': 73.155602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Ind
ian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 4235, 'name': 'Kaadedhdhoo Airport', 'city': 'Kaadedhdhoo', 'iat
a': 'KDM', 'icao': 'VRMT', 'latitude': 0.4881309866905213, 'longitude': 72.99
690246582031, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['DH3']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6183, 'name': 'Gan Internation
al Airport', 'city': 'Gan Island', 'iata': 'GAN', 'icao': 'VRMG', 'latitude':
-0.693342, 'longitude': 73.155602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Ind
ian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iat
a': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.52
909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['DH3', '320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 8892, 'name': 'Kooddoo Airport
', 'city': 'Kooddoo', 'iata': 'GKK', 'icao': 'VRMO', 'latitude': 0.7324, 'lon
gitude': 73.4336, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6185
, 'name': 'Kadhdhoo Airport', 'city': 'Laamu Atoll', 'iata': 'KDO', 'icao': '
VRMK', 'latitude': 1.8591699600219729, 'longitude': 73.52189636230469, 'timez
one': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH2', 'DH3'
]}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 8892, 'name': 'Kooddoo Airport
', 'city': 'Kooddoo', 'iata': 'GKK', 'icao': 'VRMO', 'latitude': 0.7324, 'lon
gitude': 73.4336, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 't
ype': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3156
, 'name': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao'
: 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'ti
mezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6184, 'name': 'Hanimaadhoo Air
port', 'city': 'Haa Dhaalu Atoll', 'iata': 'HAQ', 'icao': 'VRMH', 'latitude':
6.744229793548584, 'longitude': 73.17050170898438, 'timezone': 5.0, 'dst': 'U
', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 11257, 'name': 'Dharavandhoo Airport', 'city': '
DHARAVANDHOO', 'iata': 'DRV', 'icao': 'VRMD', 'latitude': 5.1561, 'longitude'
: 73.1302, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['DH3', 'DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6184, 'name': 'Hanimaadhoo Air
port', 'city': 'Haa Dhaalu Atoll', 'iata': 'HAQ', 'icao': 'VRMH', 'latitude':
6.744229793548584, 'longitude': 73.17050170898438, 'timezone': 5.0, 'dst': 'U
', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airport'
, 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956
024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/

Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 4235, 'name': 'Kaadedhdhoo Air
port', 'city': 'Kaadedhdhoo', 'iata': 'KDM', 'icao': 'VRMT', 'latitude': 0.48
81309866905213, 'longitude': 72.99690246582031, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6183, 'name': 'Gan International Airport', 'city':
'Gan Island', 'iata': 'GAN', 'icao': 'VRMG', 'latitude': -0.693342, 'longitud
e': 73.155602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['DH3']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 4235, 'name': 'Kaadedhdhoo Air
port', 'city': 'Kaadedhdhoo', 'iata': 'KDM', 'icao': 'VRMT', 'latitude': 0.48
81309866905213, 'longitude': 72.99690246582031, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city':
'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longi
tude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldi
ves', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['DH3', 'DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6185, 'name': 'Kadhdhoo Airpor
t', 'city': 'Laamu Atoll', 'iata': 'KDO', 'icao': 'VRMK', 'latitude': 1.85916
99600219729, 'longitude': 73.52189636230469, 'timezone': 5.0, 'dst': 'U', 'tz
_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 8892, 'name': 'Kooddoo Airport', 'city': 'Kooddoo', 'i
ata': 'GKK', 'icao': 'VRMO', 'latitude': 0.7324, 'longitude': 73.4336, 'timez
one': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 6185, 'name': 'Kadhdhoo Airpor
t', 'city': 'Laamu Atoll', 'iata': 'KDO', 'icao': 'VRMK', 'latitude': 1.85916
99600219729, 'longitude': 73.52189636230469, 'timezone': 5.0, 'dst': 'U', 'tz
_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city': 'M
ale', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitu
de': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldive

s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH2', 'DH3']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata': 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata': 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives', 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata': 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives', 'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3024, 'name': 'Bandaranaike International Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VCBI', 'latitude': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone': 5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata': 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives', 'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11257, 'name': 'Dharavandhoo Airport', 'city': 'DHARAVANDHOO', 'iata': 'DRV', 'icao': 'VRMD', 'latitude': 5.1561, 'longitude': 73.1302, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'DH3', 'DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio
nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio
nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6183, 'name': 'Gan International Airport', 'city':
'Gan Island', 'iata': 'GAN', 'icao': 'VRMG', 'latitude': -0.693342, 'longitud
e': 73.155602, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['DH3', '320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio
nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 8892, 'name': 'Kooddoo Airport', 'city': 'Kooddoo',
'iata': 'GKK', 'icao': 'VRMO', 'latitude': 0.7324, 'longitude': 73.4336, 'tim
ezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio
nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4235, 'name': 'Kaadedhdhoo Airport', 'city': 'Kaade
dhdhoo', 'iata': 'KDM', 'icao': 'VRMT', 'latitude': 0.4881309866905213, 'long
itude': 72.99690246582031, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Mald
ives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['DH2', 'DH3']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio

nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6185, 'name': 'Kadhdhoo Airport', 'city': 'Laamu At
oll', 'iata': 'KDO', 'icao': 'VRMK', 'latitude': 1.8591699600219729, 'longitu
de': 73.52189636230469, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldive
s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH2']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio
nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'cit
y': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062,
'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internatio
nal Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.19
18301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airport', '
city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024
, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Cal
cutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['DH8', '320']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum Inte
rnational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'lat
itude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6184, 'name': 'Hanimaadhoo Airport', 'city': 'Haa
Dhaalu Atoll', 'iata': 'HAQ', 'icao': 'VRMH', 'latitude': 6.744229793548584,
'longitude': 73.17050170898438, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian
/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 13108, 'name': 'Maldivian', 'alias': 'nan', 'iata'
: 'Q2', 'icao': 'JGN', 'callsign': 'ISLAND AVIATION', 'country': 'Maldives',
'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum Inte

rnational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'lat
itude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3156, 'name': 'Malé International Airport', 'city'
: 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'lon
gitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Mal
dives', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['DH8', '320']}
{'airline': {'airline_id': 18700, 'name': 'SOCHI AIR CHATER', 'alias': 'Sochi
Air ', 'iata': 'Q3', 'icao': 'QER', 'callsign': 'russian doll', 'country': 'R
ussia', 'active': True}, 'src_airport': {'airport_id': 2900, 'name': 'Clayton
J Lloyd International Airport', 'city': 'The Valley', 'iata': 'AXA', 'icao':
'TQPF', 'latitude': 18.2048, 'longitude': -63.055099, 'timezone': -4.0, 'dst'
: 'U', 'tz_id': 'America/Anguilla', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2899, 'name': 'Princess Juliana Internation
al Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao': 'TNCM', 'latitude'
: 18.0410003662, 'longitude': -63.108898162799996, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Curacao', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 18700, 'name': 'SOCHI AIR CHATER', 'alias': 'Sochi
Air ', 'iata': 'Q3', 'icao': 'QER', 'callsign': 'russian doll', 'country': 'R
ussia', 'active': True}, 'src_airport': {'airport_id': 2899, 'name': 'Princes
s Juliana International Airport', 'city': 'Philipsburg', 'iata': 'SXM', 'icao
': 'TNCM', 'latitude': 18.0410003662, 'longitude': -63.108898162799996, 'time
zone': -4.0, 'dst': 'U', 'tz_id': 'America/Curacao', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2900, 'name': 'Clayton J L
loyd International Airport', 'city': 'The Valley', 'iata': 'AXA', 'icao': 'TQ
PF', 'latitude': 18.2048, 'longitude': -63.055099, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Anguilla', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['BNI']}
{'airline': {'airline_id': 10, 'name': '40-Mile Air', 'alias': '\\N', 'iata':
'Q5', 'icao': 'MLA', 'callsign': 'MILE-AIR', 'country': 'United States', 'act
ive': True}, 'src_airport': None, 'dst_airport': {'airport_id': 7235, 'name':
'Tok Junction Airport', 'city': 'Tok', 'iata': 'TKJ', 'icao': 'PFTO', 'latitu
de': 63.32949829, 'longitude': -142.9539948, 'timezone': -9.0, 'dst': 'A', 't
z_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 10, 'name': '40-Mile Air', 'alias': '\\N', 'iata':
'Q5', 'icao': 'MLA', 'callsign': 'MILE-AIR', 'country': 'United States', 'act
ive': True}, 'src_airport': {'airport_id': 3832, 'name': 'Fairbanks Internati
onal Airport', 'city': 'Fairbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude'
: 64.81510162, 'longitude': -147.85600280000003, 'timezone': -9.0, 'dst': 'A'
, 'tz_id': 'America/Anchorage', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 7242, 'name': 'Healy River Airport', 'city': 'H

ealy', 'iata': 'SLQ', 'icao': 'PAHV', 'latitude': 63.8661994934082, 'longitud
e': -148.968994140625, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchor
age', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 10, 'name': '40-Mile Air', 'alias': '\\N', 'iata':
'Q5', 'icao': 'MLA', 'callsign': 'MILE-AIR', 'country': 'United States', 'act
ive': True}, 'src_airport': {'airport_id': 7242, 'name': 'Healy River Airport
', 'city': 'Healy', 'iata': 'SLQ', 'icao': 'PAHV', 'latitude': 63.86619949340
82, 'longitude': -148.968994140625, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'A
merica/Anchorage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3832, 'name': 'Fairbanks International Airport', 'city': 'Fa
irbanks', 'iata': 'FAI', 'icao': 'PAFA', 'latitude': 64.81510162, 'longitude'
: -147.85600280000003, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anchor
age', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 10, 'name': '40-Mile Air', 'alias': '\\N', 'iata':
'Q5', 'icao': 'MLA', 'callsign': 'MILE-AIR', 'country': 'United States', 'act
ive': True}, 'src_airport': {'airport_id': 7235, 'name': 'Tok Junction Airpor
t', 'city': 'Tok', 'iata': 'TKJ', 'icao': 'PFTO', 'latitude': 63.32949829, 'l
ongitude': -142.9539948, 'timezone': -9.0, 'dst': 'A', 'tz_id': 'America/Anch
orage', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'co
deshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU',
'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3318, 'name
': 'Northern Peninsula Airport', 'city': 'Amberley', 'iata': 'ABM', 'icao': '
YBAM', 'latitude': -10.9508, 'longitude': 142.459, 'timezone': 10.0, 'dst': '
O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport'
, 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408,
'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia
/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU',
'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6237, 'name
': 'Aurukun Airport', 'city': 'Aurukun', 'iata': 'AUU', 'icao': 'YAUR', 'lati
tude': -13.354067, 'longitude': 141.72065, 'timezone': 10.0, 'dst': 'O', 'tz_
id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city'
: 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longit
ude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisba
ne', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6237, 'name': 'Aurukun Airport', 'city': 'Aurukun', 'iata': 'AUU', 'icao': 'YAUR', 'latitude': -13.354067, 'longitude': 141.72065, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6260, 'name': 'Coen Airport', 'city': 'Coen', 'iata': 'CUQ', 'icao': 'YCOE', 'latitude': -13.761133, 'longitude': 143.113311, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6243, 'name': 'Bedourie Airport', 'city': 'Bedourie', 'iata': 'BEU', 'icao': 'YBIE', 'latitude': -24.346099853515625, 'longitude': 139.46000671386722, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6248, 'name': 'Boulia Airport', 'city': 'Boulia', 'iata': 'BQL', 'icao': 'YBOU', 'latitude': -22.913299560546875, 'longitude': 139.89999389648438, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6243, 'name': 'Bedourie Airport', 'city': 'Bedourie', 'iata': 'BEU', 'icao': 'YBIE', 'latitude': -24.346099853515625, 'longitude': 139.46000671386722, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6240, 'name': 'Birdsville Airport', 'city': 'Birdsville', 'iata': 'BVI', 'icao': 'YBDV', 'latitude': -25.897499084472656, 'longitude': 139.34800720214844, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6324, 'name': 'Roma Airport', 'city': 'Roma', 'iata': 'RMA', 'icao': 'YROM', 'latitude': -26.545000076300006, 'longitude': 148.774993896, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6248, 'name': 'Boulia Airport', 'city': 'Boulia', 'iata': 'BQL', 'icao': 'YBOU', 'latitude': -22.913299560546875, 'longitude': 139.89999389648438, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6243, 'name': 'Bedourie Airport', 'city': 'Bedourie', 'iata': 'BEU', 'icao': 'YBIE', 'latitude': -24.346099853515625, 'longitude': 139.46000671386722, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6248, 'name': 'Boulia Airport', 'city': 'Boulia', 'iata': 'BQL', 'icao': 'YBOU', 'latitude': -22.913299560546875, 'longitude': 139.89999389648438, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6245, 'name': 'Burketown Airport', 'city': 'Burketown', 'iata': 'BUC', 'icao': 'YBKT', 'latitude': -17.748600006103516, 'longitude': 139.53399658203122, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6262, 'name': 'Doomadgee Airport', 'city': 'Doomadgee', 'iata': 'DMD', 'icao': 'YDMG', 'latitude': -17.9403, 'longitude': 138.82200600000002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6245, 'name': 'Burketown Airport', 'city': 'Burketown', 'iata': 'BUC', 'icao': 'YBKT', 'latitude': -17.748600006103516, 'longitude': 139.53399658203122, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6304, 'name': 'Mornington Island Airport', 'city': 'Mornington Island', 'iata': 'ONG', 'icao': 'YMTI', 'latitude': -16.662500381469727, 'longitude': 139.17799377441406, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6240, 'name': 'Birdsville Airport', 'city': 'Birdsville', 'iata': 'BVI', 'icao': 'YBDV', 'latitude': -25.897499084472656, 'longitude': 139.34800720214844, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6243, 'name': 'Bedourie Airport', 'city': 'Bedourie', 'iata': 'BEU', 'icao': 'YBIE', 'latitude': -24.346099853515625, 'longitude': 139.46000671386722, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6240, 'name': 'Birdsville Airport', 'city': 'Birdsville', 'iata': 'BVI', 'icao': 'YBDV', 'latitude': -25.897499084472656, 'longitude': 139.34800720214844, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6333, 'name': 'Windorah Airport', 'city': 'Windorah', 'iata': 'WNR', 'icao': 'YWDH', 'latitude': -25.41309928894043, 'longitude': 142.66700744628906, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6258, 'name': 'Cunnamulla Airport', 'city': 'Cunnamulla', 'iata': 'CMA', 'icao': 'YCMU', 'latitude': -28.03000068664551, 'longitude': 145.6219940185547, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6325, 'name': 'St George Airport', 'city': 'St George', 'iata': 'SGO', 'icao': 'YSGE', 'latitude': -28.049699783325195, 'longitude': 148.59500122070312, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6258, 'name': 'Cunnamulla Airport', 'city': 'Cunnamulla', 'iata': 'CMA', 'icao': 'YCMU', 'latitude': -28.03000068664551, 'longitude': 145.6219940185547, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6329, 'name': 'Thargomindah Airport', 'city': 'Thargomindah', 'iata': 'XTG', 'icao': 'YTGM', 'latitude': -27.98640060424805, 'longitude': 143.81100463867188, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3318, 'name': 'Northern Peninsula Airport', 'city': 'Amberley', 'iata': 'ABM', 'icao': 'YBAM', 'latitude': -10.9508, 'longitude': 142.459, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6237, 'name': 'Aurukun Airport', 'city': 'Aurukun', 'iata': 'AUU', 'icao': 'YAUR', 'latitude': -13.354067, 'longitude': 141.72065, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6260, 'name': 'Coen Airport', 'city': 'Coen', 'iata': 'CUQ', 'icao': 'YCOE', 'latitude': -13.761133, 'longitude': 143.113311, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6319, 'name': 'Pormpuraaw Airport', 'city': 'Pormpuraaw', 'iata': 'EDR', 'icao': 'YPMP', 'latitude': -14.896451, 'longitude': 141.60908, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6286, 'name': 'Lockhart River Airport', 'city': 'Lockhart River', 'iata': 'IRG', 'icao': 'YLHR', 'latitude': -12.7869, 'longitude': 143.304993, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6281, 'name': 'Kowanyama Airport', 'city': 'Kowanyama', 'iata': 'KWM', 'icao': 'YKOW', 'latitude': -15.485600471496582, 'longitude': 141.75100708007812, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6309, 'name': 'Normanton Airport', 'city': 'Normanton', 'iata': 'NTN', 'icao': 'YNTN', 'latitude': -17.684089999999998, 'longitude': 141.069664, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3331, 'name': 'Weipa Airport', 'city': 'Weipa', 'iata': 'WEI', 'icao': 'YBWP', 'latitude': -12.6786003113, 'longitude': 141.925003052, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3323, 'name': 'Charleville Airport', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3323, 'name': 'Charleville Airport', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6322, 'name': 'Quilpie Airport', 'city': 'Quilpie', 'iata': 'ULP', 'icao': 'YQLP', 'latitude': -26.612199783325195, 'longitude': 144.2530059814453, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6260, 'name': 'Coen Airport', 'city': 'Coen', 'iata': 'CUQ', 'icao': 'YCOE', 'latitude': -13.761133, 'longitude': 143.113311, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6286, 'name': 'Lockhart River Airport', 'city': 'Lockhart River', 'iata': 'IRG', 'icao': 'YLHR', 'latitude': -12.7869, 'longitude': 143.304993, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6262, 'name': 'Doomadgee Airport', 'city': 'Doomadgee', 'iata': 'DMD', 'icao': 'YDMG', 'latitude': -17.9403, 'longitude': 138.82200600000002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6245, 'name': 'Burketown Airport', 'city': 'Burketown', 'iata': 'BUC', 'icao': 'YBKT', 'latitude': -17.748600006103516, 'longitude': 139.53399658203122, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6262, 'name': 'Doomadgee Airport', 'city': 'Doomadgee', 'iata': 'DMD', 'icao': 'YDMG', 'latitude': -17.9403, 'longitude': 138.82200600000002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6262, 'name': 'Doomadgee Airport', 'city': 'Doomadgee', 'iata': 'DMD', 'icao': 'YDMG', 'latitude': -17.9403, 'longitude': 138.82200600000002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6304, 'name': 'Mornington Island Airport', 'city': 'Mornington Island', 'iata': 'ONG', 'icao': 'YMTI', 'latitude': -16.662500381469727, 'longitude': 139.17799377441406, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6319, 'name': 'Pormpuraaw Airport', 'city': 'Pormpuraaw', 'iata': 'EDR', 'icao': 'YPMP', 'latitude': -14.896451, 'longitude': 141.60908, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6319, 'name': 'Pormpuraaw Airport', 'city': 'Pormpuraaw', 'iata': 'EDR', 'icao': 'YPMP', 'latitude': -14.896451, 'longitude': 141.60908, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6281, 'name': 'Kowanyama Airport', 'city': 'Kowanyama', 'iata': 'KWM', 'icao': 'YKOW', 'latitude': -15.485600471496582, 'longitude': 141.75100708007812, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6286, 'name': 'Lockhart River Airport', 'city': 'Lockhart River', 'iata': 'IRG', 'icao': 'YLHR', 'latitude': -12.7869, 'longitude': 143.304993, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6237, 'name': 'Aurukun Airport', 'city': 'Aurukun', 'iata': 'AUU', 'icao': 'YAUR', 'latitude': -13.354067, 'longitude': 141.72065, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6286, 'name': 'Lockhart River Airport', 'city': 'Lockhart River', 'iata': 'IRG', 'icao': 'YLHR', 'latitude': -12.7869, 'longitude': 143.304993, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6248, 'name': 'Boulia Airport', 'city': 'Boulia', 'iata': 'BQL', 'icao': 'YBOU', 'latitude': -22.913299560546875, 'longitude': 139.89999389648438, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6262, 'name': 'Doomadgee Airport', 'city': 'Doomadgee', 'iata': 'DMD', 'icao': 'YDMG', 'latitude': -17.9403, 'longitude': 138.82200600000002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6281, 'name': 'Kowanyama Airport', 'city': 'Kowanyama', 'iata': 'KWM', 'icao': 'YKOW', 'latitude': -15.485600471496582, 'longitude': 141.75100708007812, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6281, 'name': 'Kowanyama Airport', 'city': 'Kowanyama', 'iata': 'KWM', 'icao': 'YKOW', 'latitude': -15.485600471496582, 'longitude': 141.75100708007812, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6319, 'name': 'Pormpuraaw Airport', 'city': 'Pormpuraaw', 'iata': 'EDR', 'icao': 'YPMP', 'latitude': -14.896451, 'longitude': 141.60908, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6309, 'name': 'Normanton Airport', 'city': 'Normanton', 'iata': 'NTN', 'icao': 'YNTN', 'latitude': -17.684089999999998, 'longitude': 141.069664, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6309, 'name': 'Normanton Airport', 'city': 'Normanton', 'iata': 'NTN', 'icao': 'YNTN', 'latitude': -17.684089999999998, 'longitude': 141.069664, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6304, 'name': 'Mornington Island Airport', 'city': 'Mornington Island', 'iata': 'ONG', 'icao': 'YMTI', 'latitude': -16.662500381469727, 'longitude': 139.17799377441406, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6304, 'name': 'Mornington Island Airport', 'city': 'Mornington Island', 'iata': 'ONG', 'icao': 'YMTI', 'latitude': -16.662500381469727, 'longitude': 139.17799377441406, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6245, 'name': 'Burketown Airport', 'city': 'Burketown', 'iata': 'BUC', 'icao': 'YBKT', 'latitude': -17.748600006103516, 'longitude': 139.53399658203122, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6304, 'name': 'Mornington Island Airport', 'city': 'Mornington Island', 'iata': 'ONG', 'icao': 'YMTI', 'latitude': -16.662500381469727, 'longitude': 139.17799377441406, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6262, 'name': 'Doomadgee Airport', 'city': 'Doomadgee', 'iata': 'DMD', 'icao': 'YDMG', 'latitude': -17.9403, 'longitude': 138.82200600000002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6304, 'name': 'Mornington Island Airport', 'city': 'Mornington Island', 'iata': 'ONG', 'icao': 'YMTI', 'latitude': -16.662500381469727, 'longitude': 139.17799377441406, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6309, 'name': 'Normanton Airport', 'city': 'Normanton', 'iata': 'NTN', 'icao': 'YNTN', 'latitude': -17.684089999999998, 'longitude': 141.069664, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6324, 'name': 'Roma Airport', 'city': 'Roma', 'iata': 'RMA', 'icao': 'YROM', 'latitude': -26.545000076300006, 'longitude': 148.774993896, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6325, 'name': 'St George Airport', 'city': 'St George', 'iata': 'SGO', 'icao': 'YSGE', 'latitude': -28.049699783325195, 'longitude': 148.59500122070312, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6258, 'name': 'Cunnamulla Airport', 'city': 'Cunnamulla', 'iata': 'CMA', 'icao': 'YCMU', 'latitude': -28.03000068664551, 'longitude': 145.6219940185547, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6325, 'name': 'St George Airport', 'city': 'St George', 'iata': 'SGO', 'icao': 'YSGE', 'latitude': -28.049699783325195, 'longitude': 148.59500122070312, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3323, 'name': 'Charleville Airport', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6325, 'name': 'St George Airport', 'city': 'St George', 'iata': 'SGO', 'icao': 'YSGE', 'latitude': -28.049699783325195, 'longitude': 148.59500122070312, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 7128, 'name': 'Toowoomba Airport', 'city': 'Toowoomba', 'iata': 'TWB', 'icao': 'YTWB', 'latitude': -27.542801, 'longitude': 151.916, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6322, 'name': 'Quilpie Airport', 'city': 'Quilpie', 'iata': 'ULP', 'icao': 'YQLP', 'latitude': -26.612199783325195, 'longitude': 144.2530059814453, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3323, 'name': 'Charleville Airport', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6322, 'name': 'Quilpie Airport', 'city': 'Quilpie', 'iata': 'ULP', 'icao': 'YQLP', 'latitude': -26.612199783325195, 'longitude': 144.2530059814453, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6333, 'name': 'Windorah Airport', 'city': 'Windorah', 'iata': 'WNR', 'icao': 'YWDH', 'latitude': -25.41309928894043, 'longitude': 142.66700744628906, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 3331, 'name': 'Weipa Airport', 'city': 'Weipa', 'iata': 'WEI', 'icao': 'YBWP', 'latitude': -12.6786003113, 'longitude': 141.925003052, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6333, 'name': 'Windorah Airport', 'city': 'Windorah', 'iata': 'WNR', 'icao': 'YWDH', 'latitude': -25.41309928894043, 'longitude': 142.66700744628906, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6240, 'name': 'Birdsville Airport', 'city': 'Birdsville', 'iata': 'BVI', 'icao': 'YBDV', 'latitude': -25.897499084472656, 'longitude': 139.34800720214844, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6333, 'name': 'Windorah Airport', 'city': 'Windorah', 'iata': 'WNR', 'icao': 'YWDH', 'latitude': -25.41309928894043, 'longitude': 142.66700744628906, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6322, 'name': 'Quilpie Airport', 'city': 'Quilpie', 'iata': 'ULP', 'icao': 'YQLP', 'latitude': -26.612199783325195, 'longitude': 144.2530059814453, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}
{'airline': {'airline_id': 753, 'name': 'Aero Condor Peru', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'Q6', 'icao': 'CDP', 'callsign': 'CONDOR-PERU', 'country': 'Peru', 'active': True}, 'src_airport': {'airport_id': 6329, 'name': 'Thargomindah Airport', 'city': 'Thargomindah', 'iata': 'XTG', 'icao': 'YTGM', 'latitude': -27.98640060424805, 'longitude': 143.81100463867188, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6258, 'name': 'Cunnamulla Airport', 'city': 'Cunnamulla', 'iata': 'CMA', 'icao': 'YCMU', 'latitude': -28.03000068664551, 'longitude': 145.6219940185547, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH1']}

{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 5857, 'name': "Arthur's
Town Airport", 'city': "Arthur's Town", 'iata': 'ATC', 'icao': 'MYCA', 'latit
ude': 24.6294, 'longitude': -75.673797, 'timezone': -5.0, 'dst': 'U', 'tz_id'
: 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1953, 'name': 'Lynden Pindling International Airport', 'cit
y': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'long
itude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/N
assau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 5857, 'name': "Arthur's
Town Airport", 'city': "Arthur's Town", 'iata': 'ATC', 'icao': 'MYCA', 'latit
ude': 24.6294, 'longitude': -75.673797, 'timezone': -5.0, 'dst': 'U', 'tz_id'
: 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': None, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 3533, 'name': 'Fort Laud
erdale Hollywood International Airport', 'city': 'Fort Lauderdale', 'iata': '
FLL', 'icao': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezo
ne': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1930, 'name': 'Leonard M Th
ompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', 'icao':
'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezone': -5.
0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1948, 'name': 'Grand Bah
ama International Airport', 'city': 'Freeport', 'iata': 'FPO', 'icao': 'MYGF'
, 'latitude': 26.5587005615, 'longitude': -78.695602417, 'timezone': -5.0, 'd
st': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1953, 'name': 'Lynden Pindling Internation
al Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.
0389995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 't
z_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1941, 'name': 'Exuma Int
ernational Airport', 'city': 'Great Exuma', 'iata': 'GGT', 'icao': 'MYEF', 'l

atitude': 23.5625991821, 'longitude': -75.8779983521, 'timezone': -5.0, 'dst'
: 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1953, 'name': 'Lynden Pindling International
Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitude': 25.038
9995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1930, 'name': 'Leonard M
Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', 'icao
': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezone':
-5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3533, 'name': 'Fort Lauderdale Hol
lywood International Airport', 'city': 'Fort Lauderdale', 'iata': 'FLL', 'ica
o': 'KFLL', 'latitude': 26.072599, 'longitude': -80.152702, 'timezone': -5.0,
'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1930, 'name': 'Leonard M
Thompson International Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', 'icao
': 'MYAM', 'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezone':
-5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1953, 'name': 'Lynden Pindling Int
ernational Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN', 'latitu
de': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5.0, 'dst':
'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN
', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 5857, 'name': "Arthur's Town Airport
", 'city': "Arthur's Town", 'iata': 'ATC', 'icao': 'MYCA', 'latitude': 24.629
4, 'longitude': -75.673797, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/N
assau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN

', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1948, 'name': 'Grand Bahama Internat
ional Airport', 'city': 'Freeport', 'iata': 'FPO', 'icao': 'MYGF', 'latitude'
: 26.5587005615, 'longitude': -78.695602417, 'timezone': -5.0, 'dst': 'U', 't
z_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN
', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1941, 'name': 'Exuma International A
irport', 'city': 'Great Exuma', 'iata': 'GGT', 'icao': 'MYEF', 'latitude': 23
.5625991821, 'longitude': -75.8779983521, 'timezone': -5.0, 'dst': 'U', 'tz_i
d': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN
', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1930, 'name': 'Leonard M Thompson In
ternational Airport', 'city': 'Marsh Harbor', 'iata': 'MHH', 'icao': 'MYAM',
'latitude': 26.5114, 'longitude': -77.08350300000001, 'timezone': -5.0, 'dst'
: 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': {'airport_id': 1953, 'name': 'Lynden Pi
ndling International Airport', 'city': 'Nassau', 'iata': 'NAS', 'icao': 'MYNN
', 'latitude': 25.0389995575, 'longitude': -77.46620178219999, 'timezone': -5
.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment':
['SF3']}
{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 585
7, 'name': "Arthur's Town Airport", 'city': "Arthur's Town", 'iata': 'ATC', '
icao': 'MYCA', 'latitude': 24.6294, 'longitude': -75.673797, 'timezone': -5.0
, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['SF3']}

{'airline': {'airline_id': 20686, 'name': 'SkyBahamas Airlines', 'alias': 'na
n', 'iata': 'Q7', 'icao': 'JJP', 'callsign': 'TROPICAL SKY', 'country': 'Baha
mas', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 195
3, 'name': 'Lynden Pindling International Airport', 'city': 'Nassau', 'iata':
'NAS', 'icao': 'MYNN', 'latitude': 25.0389995575, 'longitude': -77.4662017821
9999, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Nassau', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'SF3']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV'
, 'icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.25300025939
9414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 245, 'name':
'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latit
ude': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'ds
t': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV'
, 'icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.25300025939
9414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name':
"Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': '
LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800
827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV'
, 'icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.25300025939
9414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 886, 'name':
'Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP'
, 'latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone':
1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732', '733']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA

ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'i
cao': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 883, 'name': 'Maya-Ma
ya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'latitude'
: -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0, 'dst'
: 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'i
cao': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Librevi
lle Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'i
cao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'ti
mezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732',
'733']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'i
cao': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 886, 'name': 'Pointe
Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latit
ude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'd
st': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 897, 'name': 'Douala International Airport', 'city': 'Douala', 'iata':
'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude': 9.71947956085,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 886, 'name': 'Pointe Noi
re Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude
': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst'
: 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['732', '733']}

{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 970, 'name': "Libreville Leon M'ba International Airport", 'city': 'Li
breville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'l
ongitude': 9.4122800827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Librev
ille', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV',
'icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.2530002593994
14, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 970, 'name': "Libreville Leon M'ba International Airport", 'city': 'Li
breville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'l
ongitude': 9.4122800827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Librev
ille', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'ica
o': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626, 't
imezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732',
'733']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 970, 'name': "Libreville Leon M'ba International Airport", 'city': 'Li
breville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'l
ongitude': 9.4122800827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Librev
ille', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 886, 'name': 'Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PN
R', 'icao': 'FCPP', 'latitude': -4.816030025482178, 'longitude': 11.886599540
71045, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['733']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines',
'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EA
ST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airpor
t_id': 886, 'name': 'Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': '
PNR', 'icao': 'FCPP', 'latitude': -4.816030025482178, 'longitude': 11.8865995
4071045, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 883, 'name
': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB',

'latitude': -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732', '733']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines', 'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EAST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 886, 'name': 'Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines', 'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EAST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 886, 'name': 'Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['732']}
{'airline': {'airline_id': 3857, 'name': 'Pacific East Asia Cargo Airlines', 'alias': 'Pacific Airlines', 'iata': 'Q8', 'icao': 'PEC', 'callsign': 'PAC-EAST CARGO', 'country': 'Philippines', 'active': True}, 'src_airport': {'airport_id': 886, 'name': 'Pointe Noire Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude': -4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Libreville Leon M'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True}, 'src_airport': {'airport_id': 27, 'name': 'Baie Comeau Airport', 'city': 'Baie Comeau', 'iata': 'YBC', 'icao': 'CYBC', 'latitude': 49.13249969482422, 'longitude': -68.20439910888672, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 111, 'name': 'Quebec Jean Lesage International Airport', 'city': '

Quebec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.7911, 'longitude': -71
.393303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 27, 'name': 'Baie Comeau Airport', 'city': '
Baie Comeau', 'iata': 'YBC', 'icao': 'CYBC', 'latitude': 49.13249969482422, '
longitude': -68.20439910888672, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Ameri
ca/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 192, 'name': 'Mont Joli Airport', 'city': 'Mont Joli', 'iata': 'YY
Y', 'icao': 'CYYY', 'latitude': 48.60860061645508, 'longitude': -68.208099365
23439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 7255, 'name': 'Havre St Pierre Airport', 'ci
ty': 'Havre-Saint-Pierre', 'iata': 'YGV', 'icao': 'CYGV', 'latitude': 50.2818
98498535156, 'longitude': -63.61140060424805, 'timezone': -5.0, 'dst': 'A', '
tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 106, 'name': 'Port Menier Airport', 'city': 'Port Me
nier', 'iata': 'YPN', 'icao': 'CYPN', 'latitude': 49.83639907836914, 'longitu
de': -64.28859710693361, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toro
nto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 7255, 'name': 'Havre St Pierre Airport', 'ci
ty': 'Havre-Saint-Pierre', 'iata': 'YGV', 'icao': 'CYGV', 'latitude': 50.2818
98498535156, 'longitude': -63.61140060424805, 'timezone': -5.0, 'dst': 'A', '
tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles
', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude':
-66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['BE1']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 6789, 'name': 'St Augustin Airport', 'city':
'St-Augustin', 'iata': 'YIF', 'icao': 'CYIF', 'latitude': 51.2117004395, 'lon
gitude': -58.6582984924, 'timezone': -4.0, 'dst': 'A', 'tz_id': 'America/Blan
c-Sablon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None,
'codeshare': False, 'stops': 0, 'equipment': ['BEH']}

{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True}, 'src_airport': {'airport_id': 94, 'name': 'Natashquan Airport', 'city': 'Natashquan', 'iata': 'YNA', 'icao': 'CYNA', 'latitude': 50.18999862670898, 'longitude': -61.78919982910156, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True}, 'src_airport': {'airport_id': 94, 'name': 'Natashquan Airport', 'city': 'Natashquan', 'iata': 'YNA', 'icao': 'CYNA', 'latitude': 50.18999862670898, 'longitude': -61.78919982910156, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True}, 'src_airport': {'airport_id': 106, 'name': 'Port Menier Airport', 'city': 'Port Menier', 'iata': 'YPN', 'icao': 'CYPN', 'latitude': 49.83639907836914, 'longitude': -64.28859710693361, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7255, 'name': 'Havre St Pierre Airport', 'city': 'Havre-Saint-Pierre', 'iata': 'YGV', 'icao': 'CYGV', 'latitude': 50.281898498535156, 'longitude': -63.61140060424805, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True}, 'src_airport': {'airport_id': 106, 'name': 'Port Menier Airport', 'city': 'Port Menier', 'iata': 'YPN', 'icao': 'CYPN', 'latitude': 49.83639907836914, 'longitude': -64.28859710693361, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['PAG']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True}, 'src_airport': {'airport_id': 111, 'name': 'Quebec Jean Lesage International Airport', 'city': 'Quebec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.

7911, 'longitude': -71.393303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 27, 'name': 'Baie Comeau Airport', 'city': 'Baie Comeau', 'iata': '
YBC', 'icao': 'CYBC', 'latitude': 49.13249969482422, 'longitude': -68.2043991
0888672, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 111, 'name': 'Quebec Jean Lesage Internation
al Airport', 'city': 'Quebec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.
7911, 'longitude': -71.393303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'Americ
a/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV
', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude': -66.2656021118
1639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 161, 'name': 'Wabush Airport', 'city': 'Wabu
sh', 'iata': 'YWK', 'icao': 'CYWK', 'latitude': 52.92190170288086, 'longitude
': -66.86440277099611, 'timezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifa
x', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 192, 'name': 'Mont Joli Airport', 'city': 'Mont Joli', 'iata': 'YYY', 'icao
': 'CYYY', 'latitude': 48.60860061645508, 'longitude': -68.20809936523439, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 161, 'name': 'Wabush Airport', 'city': 'Wabu
sh', 'iata': 'YWK', 'icao': 'CYWK', 'latitude': 52.92190170288086, 'longitude
': -66.86440277099611, 'timezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifa
x', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV', 'icao
': 'CYZV', 'latitude': 50.22330093383789, 'longitude': -66.26560211181639, 't
imezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 192, 'name': 'Mont Joli Airport', 'city': 'M
ont Joli', 'iata': 'YYY', 'icao': 'CYYY', 'latitude': 48.60860061645508, 'lon
gitude': -68.20809936523439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo

rt_id': 27, 'name': 'Baie Comeau Airport', 'city': 'Baie Comeau', 'iata': 'YB
C', 'icao': 'CYBC', 'latitude': 49.13249969482422, 'longitude': -68.204399108
88672, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 192, 'name': 'Mont Joli Airport', 'city': 'M
ont Joli', 'iata': 'YYY', 'icao': 'CYYY', 'latitude': 48.60860061645508, 'lon
gitude': -68.20809936523439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 161, 'name': 'Wabush Airport', 'city': 'Wabush', 'iata': 'YWK', 'icao
': 'CYWK', 'latitude': 52.92190170288086, 'longitude': -66.86440277099611, 't
imezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifax', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 192, 'name': 'Mont Joli Airport', 'city': 'M
ont Joli', 'iata': 'YYY', 'icao': 'CYYY', 'latitude': 48.60860061645508, 'lon
gitude': -68.20809936523439, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 202, 'name': 'Sept-Îles Airport', 'city': 'Sept-iles', 'iata': 'YZV',
'icao': 'CYZV', 'latitude': 50.22330093383789, 'longitude': -66.2656021118163
9, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['B
EH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'S
ept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'lon
gitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 7255, 'name': 'Havre St Pierre Airport', 'city': 'Havre-Saint-Pierre'
, 'iata': 'YGV', 'icao': 'CYGV', 'latitude': 50.281898498535156, 'longitude':
-63.61140060424805, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['BE1']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'S
ept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'lon
gitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 94, 'name': 'Natashquan Airport', 'city': 'Natashquan', 'iata': 'YNA'

, 'icao': 'CYNA', 'latitude': 50.18999862670898, 'longitude': -61.78919982910
156, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'S
ept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'lon
gitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 106, 'name': 'Port Menier Airport', 'city': 'Port Menier', 'iata': 'Y
PN', 'icao': 'CYPN', 'latitude': 49.83639907836914, 'longitude': -64.28859710
693361, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['PAG']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'S
ept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'lon
gitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 111, 'name': 'Quebec Jean Lesage International Airport', 'city': 'Que
bec', 'iata': 'YQB', 'icao': 'CYQB', 'latitude': 46.7911, 'longitude': -71.39
3303, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'S
ept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'lon
gitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 161, 'name': 'Wabush Airport', 'city': 'Wabush', 'iata': 'YWK', 'icao
': 'CYWK', 'latitude': 52.92190170288086, 'longitude': -66.86440277099611, 't
imezone': -4.0, 'dst': 'A', 'tz_id': 'America/Halifax', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': {'airport_id': 202, 'name': 'Sept-Îles Airport', 'city': 'S
ept-iles', 'iata': 'YZV', 'icao': 'CYZV', 'latitude': 50.22330093383789, 'lon
gitude': -66.26560211181639, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 192, 'name': 'Mont Joli Airport', 'city': 'Mont Joli', 'iata': 'YYY',
'icao': 'CYYY', 'latitude': 48.60860061645508, 'longitude': -68.2080993652343

9, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['B
EH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': None, 'dst_airport': {'airport_id': 6789, 'name': 'St Augus
tin Airport', 'city': 'St-Augustin', 'iata': 'YIF', 'icao': 'CYIF', 'latitude
': 51.2117004395, 'longitude': -58.6582984924, 'timezone': -4.0, 'dst': 'A',
'tz_id': 'America/Blanc-Sablon', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 11838, 'name': 'Arik Niger', 'alias': 'nan', 'iata
': 'Q9', 'icao': 'NAK', 'callsign': 'nan', 'country': 'Niger', 'active': True
}, 'src_airport': None, 'dst_airport': {'airport_id': 94, 'name': 'Natashquan
Airport', 'city': 'Natashquan', 'iata': 'YNA', 'icao': 'CYNA', 'latitude': 50
.18999862670898, 'longitude': -61.78919982910156, 'timezone': -5.0, 'dst': 'A
', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2134, 'name
': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND
', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.3777999877
9297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2109, 'name': 'Kish I
nternational Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK',
'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name
': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OM
DB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone':
4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['F
50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': None, 'dst_airport': {'air
port_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata
': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.364
3989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F
50']}

{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'country': 'Georgia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'country': 'Georgia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'country': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2134, 'name': 'Bandar Abbas International Airport', 'city': 'Bandar Abbas', 'iata': 'BND', 'icao': 'OIKB', 'latitude': 27.218299865722656, 'longitude': 56.37779998779297, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'country': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'country': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2109, 'name': 'Kish International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIBK', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezone':

3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': None, 'dst_airport': {'air
port_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'cit
y': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, '
longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Te
hran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2157, 'name
': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata':
'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.5898017
8833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops
': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2157, 'name
': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata':
'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.5898017
8833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2109, 'name': 'Ki
sh International Airport', 'city': 'Kish Island', 'iata': 'KIH', 'icao': 'OIB
K', 'latitude': 26.526199340799998, 'longitude': 53.9802017212, 'timezone': 3
.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 2541, 'name': 'Georgian National Airlines', 'alias
': 'FlyAsianXpress', 'iata': 'QB', 'icao': 'GFG', 'callsign': 'NATIONAL', 'co
untry': 'Georgia', 'active': True}, 'src_airport': {'airport_id': 2157, 'name
': 'Shiraz Shahid Dastghaib International Airport', 'city': 'Shiraz', 'iata':
'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156, 'longitude': 52.5898017
8833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops
': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city':
'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'lon
gitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/A
bidjan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 273, 'name': 'Murtala Muhammed International Airport', 'city': 'Lagos'

, 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata': 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': True}, 'src_airport': {'airport_id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.253000259399414, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1020, 'name': 'Ndjili International Airport', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZAA', 'latitude': -4.38575, 'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Kinshasa', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata': 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4161, 'name': 'Yaoundé Nsimalen International Airport', 'city': 'Yaounde', 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3.722559928894043, 'longitude': 11.553299903869627, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['767']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata': 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': True}, 'src_airport': {'airport_id': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata': 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': True}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', '

icao': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.25300025939941
4, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao
': 'DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626, 'ti
mezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 901, 'name': 'Garoua International Airport', 'city': 'Garoua', 'iata': 'G
OU', 'icao': 'FKKR', 'latitude': 9.33588981628418, 'longitude': 13.3701000213
62305, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 970, 'name': "Libreville Leon M'ba International Airport", 'city': 'Libre
ville', 'iata': 'LBV', 'icao': 'FOOL', 'latitude': 0.45860001444799997, 'long
itude': 9.4122800827, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Librevill
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 273, 'name': 'Murtala Muhammed International Airport', 'city': 'Lagos', '
iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5773701667785645, 'longitude': 3.

321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 898, 'name': 'Salak Airport', 'city': 'Maroua', 'iata': 'MVR', 'icao': 'F
KKL', 'latitude': 10.45139980316162, 'longitude': 14.257399559020994, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 999, 'name': "N'Djamena International Airport", 'city': "N'djamena", 'iat
a': 'NDJ', 'icao': 'FTTJ', 'latitude': 12.1337, 'longitude': 15.034, 'timezon
e': 1.0, 'dst': 'N', 'tz_id': 'Africa/Ndjamena', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 897, 'name': 'Douala International Airport
', 'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506,
'longitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Dou
ala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 4161, 'name': 'Yaoundé Nsimalen International Airport', 'city': 'Yaounde'
, 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3.722559928894043, 'longitude':
11.553299903869627, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['737', '767']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 1020, 'name': 'Ndjili International Airpor
t', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZAA', 'latitude': -4.38575,
'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Kinshasa'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
897, 'name': 'Douala International Airport', 'city': 'Douala', 'iata': 'DLA',
'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}

{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 901, 'name': 'Garoua International Airport
', 'city': 'Garoua', 'iata': 'GOU', 'icao': 'FKKR', 'latitude': 9.33588981628
418, 'longitude': 13.370100021362305, 'timezone': 1.0, 'dst': 'N', 'tz_id': '
Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 999, 'name': "N'Djamena International Airport", 'city': "N'djam
ena", 'iata': 'NDJ', 'icao': 'FTTJ', 'latitude': 12.1337, 'longitude': 15.034
, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Ndjamena', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737'
]}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 901, 'name': 'Garoua International Airport
', 'city': 'Garoua', 'iata': 'GOU', 'icao': 'FKKR', 'latitude': 9.33588981628
418, 'longitude': 13.370100021362305, 'timezone': 1.0, 'dst': 'N', 'tz_id': '
Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 4161, 'name': 'Yaoundé Nsimalen International Airport', 'city':
'Yaounde', 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3.722559928894043, 'lon
gitude': 11.553299903869627, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Do
uala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 970, 'name': "Libreville Leon M'ba Interna
tional Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao': 'FOOL', 'latitu
de': 0.45860001444799997, 'longitude': 9.4122800827, 'timezone': 1.0, 'dst':
'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 897, 'name': 'Douala International Airport',
'city': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'l
ongitude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Doual
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 273, 'name': 'Murtala Muhammed Internation
al Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.57
73701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan',
'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude': -3
.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['737']}

{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 273, 'name': 'Murtala Muhammed Internation
al Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.57
73701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N',
'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 897, 'name': 'Douala International Airport', 'city': '
Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude'
: 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 898, 'name': 'Salak Airport', 'city': 'Mar
oua', 'iata': 'MVR', 'icao': 'FKKL', 'latitude': 10.45139980316162, 'longitud
e': 14.257399559020994, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
4161, 'name': 'Yaoundé Nsimalen International Airport', 'city': 'Yaounde', 'i
ata': 'NSI', 'icao': 'FKYS', 'latitude': 3.722559928894043, 'longitude': 11.5
53299903869627, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 999, 'name': "N'Djamena International Airp
ort", 'city': "N'djamena", 'iata': 'NDJ', 'icao': 'FTTJ', 'latitude': 12.1337
, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Ndjamena
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
900, 'name': "N'Gaoundéré Airport", 'city': "N'gaoundere", 'iata': 'NGE', 'ic
ao': 'FKKN', 'latitude': 7.357009887695312, 'longitude': 13.559200286865234,
'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 999, 'name': "N'Djamena International Airp
ort", 'city': "N'djamena", 'iata': 'NDJ', 'icao': 'FTTJ', 'latitude': 12.1337
, 'longitude': 15.034, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Ndjamena
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
4161, 'name': 'Yaoundé Nsimalen International Airport', 'city': 'Yaounde', 'i
ata': 'NSI', 'icao': 'FKYS', 'latitude': 3.722559928894043, 'longitude': 11.5
53299903869627, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['737']}

{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 900, 'name': "N'Gaoundéré Airport", 'city'
: "N'gaoundere", 'iata': 'NGE', 'icao': 'FKKN', 'latitude': 7.357009887695312
, 'longitude': 13.559200286865234, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Afr
ica/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4161, 'name': 'Yaoundé Nsimalen International Airport', 'city': 'Y
aounde', 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3.722559928894043, 'longi
tude': 11.553299903869627, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Doua
la', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 4161, 'name': 'Yaoundé Nsimalen Internatio
nal Airport', 'city': 'Yaounde', 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3
.722559928894043, 'longitude': 11.553299903869627, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Air
port', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798,
'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['767']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 4161, 'name': 'Yaoundé Nsimalen Internatio
nal Airport', 'city': 'Yaounde', 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3
.722559928894043, 'longitude': 11.553299903869627, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 897, 'name': 'Douala International Airport', 'city
': 'Douala', 'iata': 'DLA', 'icao': 'FKKD', 'latitude': 4.0060801506, 'longit
ude': 9.71947956085, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['767', '737']}
{'airline': {'airline_id': 16415, 'name': 'Camair-co', 'alias': 'nan', 'iata'
: 'QC', 'icao': 'NX1', 'callsign': 'nan', 'country': 'Cameroon', 'active': Tr
ue}, 'src_airport': {'airport_id': 4161, 'name': 'Yaoundé Nsimalen Internatio
nal Airport', 'city': 'Yaounde', 'iata': 'NSI', 'icao': 'FKYS', 'latitude': 3
.722559928894043, 'longitude': 11.553299903869627, 'timezone': 1.0, 'dst': 'N
', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 901, 'name': 'Garoua International Airport', 'city
': 'Garoua', 'iata': 'GOU', 'icao': 'FKKR', 'latitude': 9.33588981628418, 'lo
ngitude': 13.370100021362305, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/D
ouala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['737']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3333, 'name': 'Albury Airport',
'city': 'Albury', 'iata': 'ABX', 'icao': 'YMAY', 'latitude': -36.067798614501
95, 'longitude': 146.95799255371094, 'timezone': 10.0, 'dst': 'O', 'tz_id': '
Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport'
, 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.9460983276
3672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': '
Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide Internat
ional Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude'
: -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_
id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alic
e Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, '
longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Austra
lia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide Internat
ional Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude'
: -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_
id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'cit
y': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605
, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Au
stralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide Internat
ional Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude'
: -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_
id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3355, 'name': 'Canberra International Airport', 'cit
y': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude': -35.30690002441406
, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Au
stralia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3346, 'name': 'Kalgoorlie Boulder Airport', 'city': 'Kalgoorlie', 'iata': 'KGI', 'icao': 'YPKG', 'latitude': -30.7894001007, 'longitude': 121.461997986, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6311, 'name': 'Olympic Dam Airport', 'city': 'Olympic Dam', 'iata': 'OLP', 'icao': 'YOLD', 'latitude': -30.4850006104, 'longitude': 136.876998901, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['F50']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6318, 'name': 'Port Lincoln Airport', 'city': 'Port Lincoln', 'iata': 'PLO', 'icao': 'YPLC', 'latitude': -34.6053009033, 'longitude': 135.880004883, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '717']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W', '73H', '332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4075, 'name': "Faa'a International Airport", 'city': 'Papeete', 'iata': 'PPT', 'icao': 'NTAA', 'latitude': -17.553698999999998, 'longitude': -149.60699499999998, 'timezone': -10.0, 'dst': 'U', 'tz_id': 'Pacific/Tahiti', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo Merino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'icao': 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['773', '77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4062, 'name': 'Armidale Airport', 'city': 'Armidale', 'iata': 'ARM', 'icao': 'YARM', 'latitude': -30.5280990601, 'longitude': 151.617004395, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH8']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4010, 'name': 'Ayers Rock Connellan Airport', 'city': 'Uluru', 'iata': 'AYQ', 'icao': 'YAYE', 'latitude': -25.1861, 'longitude': 130.975998, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': 'KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['M80', '319', 'M83']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E75', 'CR7']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4010, 'name': 'Ayers Rock Connellan Airport', 'city': 'Uluru', 'iata': 'AYQ', 'icao': 'YAYE', 'latitude': -25.1861, 'longitude': 130.975998, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4010, 'name': 'Ayers Rock Connellan Airport', 'city': 'Uluru', 'iata': 'AYQ', 'icao': 'YAYE', 'latitude': -25.1861, 'longitude': 130.975998, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2057, 'name': 'Bahrain International Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332', '772', '773']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6238, 'name': 'Barcaldine Airport', 'city': 'Barcaldine', 'iata': 'BCI', 'icao': 'YBAR', 'latitude': -23.565299987800003, 'longitude': 145.307006836, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6289, 'name': 'Longreach Airport', 'city': 'Longreach', 'iata': 'LRE', 'icao': 'YLRE', 'latitude': -23.4342002869, 'longitude': 144.279998779, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4218, 'name': 'Bundaberg Airport', 'city': 'Bundaberg', 'iata': 'BDB', 'icao': 'YBUD', 'latitude': -24.9039001465, 'longitude': 152.319000244, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 469, 'name': 'Birmingham International Airport', 'city': 'Birmingham', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'longitude': -1.7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3932, 'name': 'Chiang Rai International Airport', 'city': 'Chiang Rai', 'iata': 'CEI', 'icao': 'VTCT', 'latitude': 19.952299118, 'longitude': 99.8828964233, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3174, 'name': 'Krabi Airport', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4217, 'name': 'Blackall Airport', 'city': 'Blackall', 'iata': 'BKQ', 'icao': 'YBCK', 'latitude': -24.427799224900003, 'longitude': 145.429000854, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6289, 'name': 'Longreach Airport', 'city': 'Longreach', 'iata': 'LRE', 'icao': 'YLRE', 'latitude': -23.4342002869, 'longitude': 144.279998779, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3347, 'name': 'Kununurra Airport', 'city': 'Kununurra', 'iata': 'KNX', 'icao': 'YPKU', 'latitude': -15.7781000137, 'longitude': 128.707992554, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3345, 'name': 'Karratha Airport', 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.712200164799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['388', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6238, 'name': 'Barcaldine Airport', 'city': 'Barcaldine', 'iata': 'BCI', 'icao': 'YBAR', 'latitude': -23.565299987800003, 'longitude': 145.307006836, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4218, 'name': 'Bundaberg Airport', 'city': 'Bundaberg', 'iata': 'BDB', 'icao': 'YBUD', 'latitude': -24.9039001465, 'longitude': 152.319000244, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4217, 'name': 'Blackall Airport', 'city': 'Blackall', 'iata': 'BKQ', 'icao': 'YBCK', 'latitude': -24.427799224900003, 'longitude': 145.429000854, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3355, 'name': 'Canberra International Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude': -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['717', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3323, 'name': 'Charleville Airport', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763', '73H']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3990, 'name': 'Emerald Airport', 'city': 'Emerald', 'iata': 'EMD', 'icao': 'YEML', 'latitude': -23.5674991608, 'longitude': 148.179000854, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6269, 'name': 'Gladstone Airport', 'city': 'Gladstone', 'iata': 'GLT', 'icao': 'YGLA', 'latitude': -23.869699, 'longitude': 151.223007, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', '717', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4052, 'name': 'Hervey Bay Airport', 'city': 'Hervey Bay', 'iata': 'HVB', 'icao': 'YHBA', 'latitude': -25.3188991547, 'longitude': 152.880004883, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3345, 'name': 'Karratha Airport', 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.712200164799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6285, 'name': 'Lord Howe Island Airport', 'city': 'Lord Howe Island', 'iata': 'LDH', 'icao': 'YLHI', 'latitude': -31.5382995605, 'longitude': 159.07699585, 'timezone': 10.5, 'dst': 'O', 'tz_id': 'Australia/Lord_Howe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6289, 'name': 'Longreach Airport', 'city': 'Longreach', 'iata': 'LRE', 'icao': 'YLRE', 'latitude': -23.4342002869, 'longitude': 144.279998779, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3326, 'name': 'Mackay Airport', 'city': 'Mackay', 'iata': 'MKY', 'icao': 'YBMK', 'latitude': -21.171699523900003, 'longitude': 149.179992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['100', 'DH4']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6301, 'name': 'Moranbah Airport', 'city': 'Moranbah', 'iata': 'MOV', 'icao': 'YMRB', 'latitude': -22.057800293000003, 'longitude': 148.07699585, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2005, 'name': 'La Tontouta International Airport', 'city': 'Noumea', 'iata': 'NOU', 'icao': 'NWWW', 'latitude': -22.01460075378418, 'longitude': 166.21299743652344, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Noumea', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4320, 'name': 'Newcastle Airport', 'city': 'Newcastle', 'iata': 'NTL', 'icao': 'YWLM', 'latitude': -32.79499816894530 5, 'longitude': 151.83399963378906, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH8']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '333', '763', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3349, 'name': 'Port Hedland International Airport', 'city': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'latitude': -20.3777999878, 'longitude': 118.625999451, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['763', '738']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6320, 'name': 'Port Macquarie Airport', 'city': 'Port Macquarie', 'iata': 'PQQ', 'icao': 'YPMQ', 'latitude': -31.435800552399996, 'longitude': 152.863006592, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6324, 'name': 'Roma Airport', 'city': 'Roma', 'iata': 'RMA', 'icao': 'YROM', 'latitude': -26.545000076300006, 'longitude': 148.774993896, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3329, 'name': 'Rockhampton Airport', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK', 'latitude': -23.3819007874, 'longitude': 150.475006104, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4', 'DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5908, 'name': 'Santo Pekoa International Airport', 'city': 'Santo', 'iata': 'SON', 'icao': 'NVSS', 'latitude': -15.505000114399998, 'longitude': 167.220001221, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '73H', '744', '763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1997, 'name': 'Bauerfield International Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': 'NVVV', 'latitude': -17.699300765991, 'longitude': 168.32000732422, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': True, 'stops': 0, 'equipment': ['DH8', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3355, 'name': 'Canberra Internat
ional Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude'
: -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airp
ort', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945,
'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Austr
alia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3355, 'name': 'Canberra Internat
ional Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude'
: -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airp
ort', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841
9914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 't
z_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['73H', '717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3355, 'name': 'Canberra Internat
ional Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude'
: -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Air
port', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.67
3302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austra
lia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H', '717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3355, 'name': 'Canberra Internat
ional Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude'
: -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport
', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.9402999877
9297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3355, 'name': 'Canberra Internat
ional Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude'
: -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Inte
rnational Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitud
e': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['717', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3932, 'name': 'Chiang Rai Intern
ational Airport', 'city': 'Chiang Rai', 'iata': 'CEI', 'icao': 'VTCT', 'latit
ude': 19.952299118, 'longitude': 99.8828964233, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok
', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude'
: 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3356, 'name': 'Coffs Harbour Air
port', 'city': "Coff's Harbour", 'iata': 'CFS', 'icao': 'YSCH', 'latitude': -
30.320600509600002, 'longitude': 153.115997314, 'timezone': 10.0, 'dst': 'O',
'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internationa
l Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.
94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O',
'tz_id': 'Australia/Sydney', type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['DH4', 'DH8', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta In
ternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lati
tude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Sin
gapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103
.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta In
ternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lati
tude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Ai
rport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.9460
9832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_
id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2009, 'name': 'Christchurch Inte
rnational Airport', 'city': 'Christchurch', 'iata': 'CHC', 'icao': 'NZCH', 'l
atitude': -43.48939895629883, 'longitude': 172.53199768066406, 'timezone': 12
.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Sm
ith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY',
'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10
.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6255, 'name': 'Cloncurry Airport
', 'city': 'Cloncurry', 'iata': 'CNJ', 'icao': 'YCCY', 'latitude': -20.668600
0824, 'longitude': 140.503997803, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata'
: 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.4889984
13, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6255, 'name': 'Cloncurry Airport
', 'city': 'Cloncurry', 'iata': 'CNJ', 'icao': 'YCCY', 'latitude': -20.668600
0824, 'longitude': 140.503997803, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'Townsville', 'iat
a': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'longitude': 146.
76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice
Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'lo
ngitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australi
a/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4010, 'name': 'Ayers Rock Connellan Airport', 'city':
'Uluru', 'iata': 'AYQ', 'icao': 'YAYE', 'latitude': -25.1861, 'longitude': 13
0.975998, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city'
: 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605,
'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Aust
ralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city':
'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'lon
gitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia
/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 6316, 'name': 'Gove Airport', 'city': 'Gove', 'iata':
'GOV', 'icao': 'YPGV', 'latitude': -12.269399642899998, 'longitude': 136.8179
93164, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Darwin', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 6272, 'name': 'Horn Island Airport', 'city': 'Horn Isl
and', 'iata': 'HID', 'icao': 'YHID', 'latitude': -10.586400032, 'longitude':
142.289993286, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 6242, 'name': 'Hamilton Island Airport', 'city': 'Hami
lton Island', 'iata': 'HTI', 'icao': 'YBHM', 'latitude': -20.358100891099998,
'longitude': 148.95199585, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/
Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3992, 'name': 'Kansai International Airport', 'city':
'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longi
tude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city
': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longi
tude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city':
'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'long
itude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airpor
t', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443
380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U',
'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Ai
rport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.9460
9832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_
id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['763', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'Townsvill
e', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'longitud
e': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Bri
sbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3331, 'name': 'Weipa Airport', 'city': 'Weipa', 'iata'
: 'WEI', 'icao': 'YBWP', 'latitude': -12.6786003113, 'longitude': 141.9250030
52, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Mai Intern
ational Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latit
ude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok
', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude'
: 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup
Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55
.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'cit
y': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, '
longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3323, 'name': 'Charleville Airpo
rt', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4
132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': '
Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'lo
ngitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Austral
ia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3323, 'name': 'Charleville Airpo
rt', 'city': 'Charlieville', 'iata': 'CTL', 'icao': 'YBCV', 'latitude': -26.4
132995605, 'longitude': 146.261993408, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 6324, 'name': 'Roma Airport', 'city': 'Roma', 'iata': 'RM
A', 'icao': 'YROM', 'latitude': -26.545000076300006, 'longitude': 148.7749938
96, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2252, 'name': 'Cassidy Internati
onal Airport', 'city': 'Kiritimati', 'iata': 'CXI', 'icao': 'PLCH', 'latitude
': 1.9861600399017332, 'longitude': -157.35000610351562, 'timezone': -12.0, '
dst': 'U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye Internatio
nal Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude':
21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': '
Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2252, 'name': 'Cassidy Internati
onal Airport', 'city': 'Kiritimati', 'iata': 'CXI', 'icao': 'PLCH', 'latitude
': 1.9861600399017332, 'longitude': -157.35000610351562, 'timezone': -12.0, '
dst': 'U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport
', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7553997039
79492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id':
'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3358, 'name': 'Dubbo City Region
al Airport', 'city': 'Dubbo', 'iata': 'DBO', 'icao': 'YSDU', 'latitude': -32.
2167015076, 'longitude': 148.574996948, 'timezone': 10.0, 'dst': 'O', 'tz_id'
: 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airpo
rt', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.9460983
2763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id'
: 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth
International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': '
KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta I
nternational Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'lat
itude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_i
d': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': True, 'stops': 0, 'equipment': ['M83', 'M80', '319']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth
International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': '
KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airpo
rt', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419
914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz
_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth
International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': '
KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst
': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans
International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY',
'latitude': 29.99340057373047, 'longitude': -90.25800323486328, 'timezone': -
6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['M83', 'M80']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3310, 'name': 'Presidente Nicola u Lobato International Airport', 'city': 'Dili', 'iata': 'DIL', 'icao': 'WPDL ', 'latitude': -8.54640007019, 'longitude': 125.52600097700001, 'timezone': 9 .0, 'dst': 'U', 'tz_id': 'Asia/Dili', 'type': 'airport', 'source': 'OurAirpor ts'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airpo rt', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.4146995 5444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id ': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar e': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 2064, 'name': 'King Fahd Interna tional Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': ' U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst _airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city' : 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'lo ngitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, ' equipment': ['332', '773', '772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 6264, 'name': 'Devonport Airport ', 'city': 'Devonport', 'iata': 'DPO', 'icao': 'YDPO', 'latitude': -41.169700 622600004, 'longitude': 146.429992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Melbourne', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp ort': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitud e': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 't ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq uipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'l atitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'd st': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports '}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport' , 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779 297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': ' Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T rue, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport',
'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841991424
5605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['763', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', '
city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'l
ongitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/B
risbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3310, 'name': 'Presidente Nicolau Lobato Intern
ational Airport', 'city': 'Dili', 'iata': 'DIL', 'icao': 'WPDL', 'latitude':
-8.54640007019, 'longitude': 125.52600097700001, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Dili', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6316, 'name': 'Gove Airport', 'city': 'Gove', '
iata': 'GOV', 'icao': 'YPGV', 'latitude': -12.269399642899998, 'longitude': 1
36.817993164, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Darwin', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mou
nt Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitud
e': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3347, 'name': 'Kununurra Airport', 'city': 'Kun
unurra', 'iata': 'KNX', 'icao': 'YPKU', 'latitude': -15.7781000137, 'longitud
e': 128.707992554, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport'
, 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302,
'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Ho
bart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'c
ity': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297,
'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Austr
alia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a

ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internati
onal Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -
33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O
', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'To
wnsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'l
ongitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Austra
lia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', '
city': 'Dublin', 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longi
tude': -6.27007, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, '
name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao':
'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone
': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport
', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.28950
1, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iat
a': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.36
43989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['7
7W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation

al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Ade
laide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.
53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'A
mman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude':
35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['773', '77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm
', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude'
: 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2057, 'name': 'Bahrain International Airport', 'city': 'Bahr
ain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.27079963684082, 'longitud
e': 50.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['332', '772', '773']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation

al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 469, 'name': 'Birmingham International Airport', 'city': 'Bi
rmingham', 'iata': 'BHX', 'icao': 'EGBB', 'latitude': 52.4538993835, 'longitu
de': -1.7480299472799998, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Londo
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'ia
ta': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.
74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['388', '77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Bri
sbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longi
tude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/
Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhag
en', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude':
12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation

al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2064, 'name': 'King Fahd International Airport', 'city': 'Da
mmam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longit
ude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['332', '773', '772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DU
B', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf', 'i
ata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.7667800000
00001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['7
7W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt
', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.57055
6, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']
}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2

52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 534, 'name': 'Glasgow International Airport', 'city': 'Glasg
ow', 'iata': 'GLA', 'icao': 'EGPF', 'latitude': 55.8718986511, 'longitude': -
4.43306016922, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['77W', '77L']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city
': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'l
ongitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/P
aris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['77L', '77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iata': '
HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.98822975
1586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Ista
nbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.
8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2

52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city'
: 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude':
39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city':
'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997
, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi
a/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 502, 'name': 'London Gatwick Airport', 'city': 'London', 'ia
ta': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longitude': -0.190278, 't
imezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '388
']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'i
ata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_

id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'ia
ta': 'MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.27
49500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['77W', '388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2194, 'name': 'Muscat International Airport', 'city': 'Musca
t', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude
': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['332', '77W', '772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Me
lbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude':
144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MU
C', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'

: {'airport_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 521, 'name': 'Newcastle Airport', 'city': 'Newcastle', 'iata': 'NCL', 'icao': 'EGNT', 'latitude': 55.037498474121094, 'longitude': -1.6916699409484863, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khaled International Airport', 'city': '

Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'long
itude': 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['773', '772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore
', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.99400
3, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W',
'388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport'
, 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.9460983276
3672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': '
Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iat
a': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671001
434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332
']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'Z

RH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['388', '77W
']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3990, 'name': 'Emerald Airport',
'city': 'Emerald', 'iata': 'EMD', 'icao': 'YEML', 'latitude': -23.5674991608,
'longitude': 148.179000854, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia
/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane',
'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 1
53.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main
Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.
033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata':
'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.364398
9563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']
}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6268, 'name': 'Geraldton Airport
', 'city': 'Geraldton', 'iata': 'GET', 'icao': 'YGEL', 'latitude': -28.796101
, 'longitude': 114.707001, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/P
erth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'P
ER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.9670028
6865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 534, 'name': 'Glasgow Internatio
nal Airport', 'city': 'Glasgow', 'iata': 'GLA', 'icao': 'EGPF', 'latitude': 5
5.8718986511, 'longitude': -4.43306016922, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Duba

i', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '77L']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6269, 'name': 'Gladstone Airport', 'city': 'Gladstone', 'iata': 'GLT', 'icao': 'YGLA', 'latitude': -23.869699, 'longitude': 151.223007, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', '717', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6269, 'name': 'Gladstone Airport', 'city': 'Gladstone', 'iata': 'GLT', 'icao': 'YGLA', 'latitude': -23.869699, 'longitude': 151.223007, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3329, 'name': 'Rockhampton Airport', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK', 'latitude': -23.3819007874, 'longitude': 150.475006104, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6269, 'name': 'Gladstone Airport', 'city': 'Gladstone', 'iata': 'GLT', 'icao': 'YGLA', 'latitude': -23.869699, 'longitude': 151.223007, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6316, 'name': 'Gove Airport', 'city': 'Gove', 'iata': 'GOV', 'icao': 'YPGV', 'latitude': -12.269399642899998, 'longitude': 136.817993164, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata'

: 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.75500488
3, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6316, 'name': 'Gove Airport', 'c
ity': 'Gove', 'iata': 'GOV', 'icao': 'YPGV', 'latitude': -12.269399642899998,
'longitude': 136.817993164, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/
Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata'
: 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.876
99890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin I
nternational Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'lati
tude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['77L', '77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 342, 'name': 'Hamburg Airport',
'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328
004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'i
ata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.
3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3336, 'name': 'Hobart Internatio
nal Airport', 'city': 'Hobart', 'iata': 'HBA', 'icao': 'YMHB', 'latitude': -4
2.836101532, 'longitude': 147.50999450700002, 'timezone': 10.0, 'dst': 'O', '
tz_id': 'Australia/Melbourne', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport',

'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, '
longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hob
art', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3336, 'name': 'Hobart Internatio
nal Airport', 'city': 'Hobart', 'iata': 'HBA', 'icao': 'YMHB', 'latitude': -4
2.836101532, 'longitude': 147.50999450700002, 'timezone': 10.0, 'dst': 'O', '
tz_id': 'Australia/Melbourne', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internatio
nal Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -3
3.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6272, 'name': 'Horn Island Airpo
rt', 'city': 'Horn Island', 'iata': 'HID', 'icao': 'YHID', 'latitude': -10.58
6400032, 'longitude': 142.289993286, 'timezone': 10.0, 'dst': 'O', 'tz_id': '
Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cai
rns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude':
145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong Interna
tional Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitud
e': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'cit
y': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605
, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Au
stralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong Interna
tional Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitud
e': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'ci

ty': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'lon
gitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong Interna
tional Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitud
e': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International
Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94
609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 't
z_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['388', '744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket Internatio
nal Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.
1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ban
gkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK',
'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.747001647949
22, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda Inte
rnational Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'latitude
': 35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_id':
'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'i
ata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 't
imezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye I
nternational Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'la
titude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', '
tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2252, 'name': 'Cassidy International Airport', 'cit
y': 'Kiritimati', 'iata': 'CXI', 'icao': 'PLCH', 'latitude': 1.98616003990173

32, 'longitude': -157.35000610351562, 'timezone': -12.0, 'dst': 'U', 'tz_id': 'Pacific/Majuro', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6242, 'name': 'Hamilton Island Airport', 'city': 'Hamilton Island', 'iata': 'HTI', 'icao': 'YBHM', 'latitude': -20.358100891099998, 'longitude': 148.95199585, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, '

longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 4052, 'name': 'Hervey Bay Airport', 'city': 'Hervey Bay', 'iata': 'HVB', 'icao': 'YHBA', 'latitude': -25.3188991547, 'longitude': 152.880004883, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6255, 'name': 'Cloncurry Airport', 'city': 'Cloncurry', 'iata': 'CNJ', 'icao': 'YCCY', 'latitude': -20.6686000824, 'longitude': 140.5039978

03, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport
', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.663900
3754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin'
, 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude':
130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport
', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.663900
3754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3321, 'name': 'Gold Coast Airport', 'city': 'Coolangatta', 'ia
ta': 'OOL', 'icao': 'YBCG', 'latitude': -28.1644001007, 'longitude': 153.5050
04883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport
', 'city': 'Mount Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.663900
3754, 'longitude': 139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'Townsville', 'iat
a': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'longitude': 146.
76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk Internati
onal Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude':
40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europ
e/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iat
a': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.36

43989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['7
7W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2072, 'name': 'King Abdulaziz In
ternational Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latit
ude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id':
'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'i
ata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.
3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kennedy In
ternational Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'lat
itude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport',
'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107
, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'A
merica/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo Internati
onal Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitu
de': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af
rica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth
', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude'
: 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['343', '346']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo Internati
onal Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitu
de': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af
rica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport
', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.946098327

63672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3174, 'name': 'Krabi Airport', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3346, 'name': 'Kalgoorlie Boulder Airport', 'city': 'Kalgoorlie', 'iata': 'KGI', 'icao': 'YPKG', 'latitude': -30.7894001007, 'longitude': 121.461997986, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3346, 'name': 'Kalgoorlie Boulder Airport', 'city': 'Kalgoorlie', 'iata': 'KGI', 'icao': 'YPKG', 'latitude': -30.7894001007, 'longitude': 121.461997986, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude'

: 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3321, 'name': 'Gold Coast Airport', 'city': 'Coolangatta', 'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.1644001007, 'longitude': 153.505004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3347, 'name': 'Kununurra Airport', 'city': 'Kununurra', 'iata': 'KNX', 'icao': 'YPKU', 'latitude': -15.7781000137, 'longitude': 128.707992554, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3347, 'name': 'Kununurra Airport', 'city': 'Kununurra', 'iata': 'KNX', 'icao': 'YPKU', 'latitude': -15.7781000137, 'longitude': 128.707992554, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3347, 'name': 'Kununurra Airport', 'city': 'Kununurra', 'iata': 'KNX', 'icao': 'YPKU', 'latitude': -15.7781000137, 'longitude': 128.707992554, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.

96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3345, 'name': 'Karratha Airport'
, 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.71220016
4799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'A
ustralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisb
ane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitu
de': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Br
isbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3345, 'name': 'Karratha Airport'
, 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.71220016
4799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'A
ustralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melb
ourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 1
44.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3345, 'name': 'Karratha Airport'
, 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.71220016
4799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'A
ustralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth',
'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 1
15.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3345, 'name': 'Karratha Airport'
, 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.71220016
4799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'A
ustralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3349, 'name': 'Port Hedland International Airport', 'city': 'P
ort Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'latitude': -20.3777999878, 'lon

gitude': 118.625999451, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3345, 'name': 'Karratha Airport', 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.712200164799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3

8419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4075, 'name': "Faa'a International Airport", 'city': 'Papeete', 'iata': 'PPT', 'icao': 'NTAA', 'latitude': -17.55369

8999999998, 'longitude': -149.60699499999998, 'timezone': -10.0, 'dst': 'U',
'tz_id': 'Pacific/Tahiti', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3484, 'name': 'Los Angeles Inter
national Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'lat
itude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst
': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith I
nternational Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'lati
tude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, '
dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['388', '744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6285, 'name': 'Lord Howe Island
Airport', 'city': 'Lord Howe Island', 'iata': 'LDH', 'icao': 'YLHI', 'latitud
e': -31.5382995605, 'longitude': 159.07699585, 'timezone': 10.5, 'dst': 'O',
'tz_id': 'Australia/Lord_Howe', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport',
'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841991424
5605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6285, 'name': 'Lord Howe Island
Airport', 'city': 'Lord Howe Island', 'iata': 'LDH', 'icao': 'YLHI', 'latitud
e': -31.5382995605, 'longitude': 159.07699585, 'timezone': 10.5, 'dst': 'O',
'tz_id': 'Australia/Lord_Howe', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 6320, 'name': 'Port Macquarie Airport', 'city':
'Port Macquarie', 'iata': 'PQQ', 'icao': 'YPMQ', 'latitude': -31.435800552399
996, 'longitude': 152.863006592, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aust
ralia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6285, 'name': 'Lord Howe Island
Airport', 'city': 'Lord Howe Island', 'iata': 'LDH', 'icao': 'YLHI', 'latitud
e': -31.5382995605, 'longitude': 159.07699585, 'timezone': 10.5, 'dst': 'O',
'tz_id': 'Australia/Lord_Howe', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internati
onal Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -

33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O
', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3348, 'name': 'Learmonth Airport
', 'city': 'Learmonth', 'iata': 'LEA', 'icao': 'YPLM', 'latitude': -22.235599
5178, 'longitude': 114.08899688700001, 'timezone': 8.0, 'dst': 'O', 'tz_id':
'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth'
, 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude':
115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['717', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 502, 'name': 'London Gatwick Air
port', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102
, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Londo
n', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB'
, 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563,
'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '388'
]}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 507, 'name': 'London Heathrow Ai
rport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706,
'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB',
'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, '
timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6289, 'name': 'Longreach Airport
', 'city': 'Longreach', 'iata': 'LRE', 'icao': 'YLRE', 'latitude': -23.434200
2869, 'longitude': 144.279998779, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisb
ane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitu
de': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Br

isbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3337, 'name': 'Launceston Airpor
t', 'city': 'Launceston', 'iata': 'LST', 'icao': 'YMLT', 'latitude': -41.5452
9953, 'longitude': 147.214004517, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Melbourne', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Me
lbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude':
144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester Airport
', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.353698
73046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E', 'tz_
id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dub
ai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitud
e': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['77W', '388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat Internatio
nal Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23
.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U
', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city':
'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'long
itude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['332', '77W', '772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city':
'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude':
138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Austra

lia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['73H', '763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3355, 'name': 'Canberra International Airport', 'city':
'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude': -35.30690002441406, 'l
ongitude': 149.19500732421875, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austra
lia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['73H', '717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'C
airns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude'
: 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 6264, 'name': 'Devonport Airport', 'city': 'Devonport',
'iata': 'DPO', 'icao': 'YDPO', 'latitude': -41.169700622600004, 'longitude':
146.429992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Melbourne',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport',
'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.74816989898
68, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia

/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'D
arwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longi
tude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/D
arwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Du
bai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitu
de': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3336, 'name': 'Hobart International Airport', 'city': 'H
obart', 'iata': 'HBA', 'icao': 'YMHB', 'latitude': -42.836101532, 'longitude'
: 147.50999450700002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Melbo
urne', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city':
'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, '
longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport', '
city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'long
itude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolul
u', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3345, 'name': 'Karratha Airport', 'city': 'Karratha', 'i
ata': 'KTA', 'icao': 'YPKA', 'latitude': -20.712200164799995, 'longitude': 11
6.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'cit
y': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.745579957961
9997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city
': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'lo
ngitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'Americ

a/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3337, 'name': 'Launceston Airport', 'city': 'Launceston'
, 'iata': 'LST', 'icao': 'YMLT', 'latitude': -41.54529953, 'longitude': 147.2
14004517, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Melbourne', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 6298, 'name': 'Mildura Airport', 'city': 'Mildura', 'iat
a': 'MQL', 'icao': 'YMIA', 'latitude': -34.229198455799995, 'longitude': 142.
085998535, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1960, 'name': 'Nadi International Airport', 'city': 'Nan
di', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.755399703979492, 'longitu
de': 177.4429931640625, 'timezone': 12.0, 'dst': 'U', 'tz_id': 'Pacific/Fiji'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Pe
rth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitu
de': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Per

th', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['332', '333', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3349, 'name': 'Port Hedland International Airport', 'cit
y': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'latitude': -20.3777999878
, 'longitude': 118.625999451, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australi
a/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', '
city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260
746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': '
Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3205, 'name': 'Tan Son Nhat International Airport', 'cit
y': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude': 10.8187999
725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/
Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singa
pore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.9
94003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airp
ort', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.946098
32763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['73H', '763', '332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Interna
tional Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitud
e': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id
': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2042, 'name': 'Wellington International Airport', 'city'
: 'Wellington', 'iata': 'WLG', 'icao': 'NZWN', 'latitude': -41.32720184329999
6, 'longitude': 174.80499267599998, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'P
acific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3326, 'name': 'Mackay Airport',
'city': 'Mackay', 'iata': 'MKY', 'icao': 'YBMK', 'latitude': -21.171699523900
003, 'longitude': 149.179992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aust
ralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisb
ane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitu
de': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Br
isbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['100', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3326, 'name': 'Mackay Airport',
'city': 'Mackay', 'iata': 'MKY', 'icao': 'YBMK', 'latitude': -21.171699523900
003, 'longitude': 149.179992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aust
ralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3329, 'name': 'Rockhampton Airport', 'city': 'Rockhampton', 'i
ata': 'ROK', 'icao': 'YBRK', 'latitude': -23.3819007874, 'longitude': 150.475
006104, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3326, 'name': 'Mackay Airport',
'city': 'Mackay', 'iata': 'MKY', 'icao': 'YBMK', 'latitude': -21.171699523900
003, 'longitude': 149.179992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aust
ralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'Townsville', 'iat
a': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'longitude': 146.
76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'ci
ty': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672,
'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austra
lia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6301, 'name': 'Moranbah Airport'
, 'city': 'Moranbah', 'iata': 'MOV', 'icao': 'YMRB', 'latitude': -22.05780029
3000003, 'longitude': 148.07699585, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'A
ustralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Br
isbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'long
itude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia
/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6301, 'name': 'Moranbah Airport'
, 'city': 'Moranbah', 'iata': 'MOV', 'icao': 'YMRB', 'latitude': -22.05780029
3000003, 'longitude': 148.07699585, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'A
ustralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3330, 'name': 'Townsville Airport', 'city': 'Townsville', '
iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.252500534057614, 'longitude': 1
46.76499938964844, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6298, 'name': 'Mildura Airport',
'city': 'Mildura', 'iata': 'MQL', 'icao': 'YMIA', 'latitude': -34.22919845579
9995, 'longitude': 142.085998535, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbo
urne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 14
4.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6300, 'name': 'Moree Airport', '
city': 'Moree', 'iata': 'MRZ', 'icao': 'YMOR', 'latitude': -29.4988994598, 'l
ongitude': 149.845001221, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/S
ydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': '
Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'long
itude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/S
ydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3861, 'name': 'Louis Armstrong N
ew Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'ica
o': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.25800323486328, '
timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3670, 'name': 'Dallas
Fort Worth International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW'
, 'icao': 'KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone':
-6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['M80', 'M83']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3861, 'name': 'Louis Armstrong N
ew Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'ica
o': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.25800323486328, '
timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago
O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KOR
D', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A',

'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airport', '
city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longi
tude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'n
ame': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao':
'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone
': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2006, 'name': 'Auckland International Airport', 'city'
: 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986023, 'lon
gitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/
Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['73H', '332', '73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city'
: 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605,
'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Aust
ralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['73H', '73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2009, 'name': 'Christchurch International Airport', 'c
ity': 'Christchurch', 'iata': 'CHC', 'icao': 'NZCH', 'latitude': -43.48939895
629883, 'longitude': 172.53199768066406, 'timezone': 12.0, 'dst': 'Z', 'tz_id

': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2252, 'name': 'Cassidy International Airport', 'city':
'Kiritimati', 'iata': 'CXI', 'icao': 'PLCH', 'latitude': 1.9861600399017332,
'longitude': -157.35000610351562, 'timezone': -12.0, 'dst': 'U', 'tz_id': 'Pa
cific/Majuro', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3728, 'name': 'Daniel K Inouye International Airport',
'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'latitude': 21.32062, 'lon
gitude': -157.924228, 'timezone': -10.0, 'dst': 'N', 'tz_id': 'Pacific/Honolu
lu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'ci
ty': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, '
longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'Amer
ica/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city
': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longi
tude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Ai
rport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.9460
9832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_
id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta Int
ernational Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'latit
ude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city
': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'l
ongitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['77W', '77L']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 521, 'name': 'Newcastle Airport'
, 'city': 'Newcastle', 'iata': 'NCL', 'icao': 'EGNT', 'latitude': 55.03749847
4121094, 'longitude': -1.6916699409484863, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Duba
i', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude
': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Air
port', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.74200
0579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz
_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', '
city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836
, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi

a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2005, 'name': 'La Tontouta International Airport', 'city': 'Noumea', 'iata': 'NOU', 'icao': 'NWWW', 'latitude': -22.01460075378418, 'longitude': 166.21299743652344, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Noumea', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.384199142456050, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2005, 'name': 'La Tontouta International Airport', 'city': 'Noumea', 'iata': 'NOU', 'icao': 'NWWW', 'latitude': -22.01460075378418, 'longitude': 166.21299743652344, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Noumea', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita Internatio
nal Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.
764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz
_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3321, 'name': 'Gold Coast Airport', 'city': 'Coolangatta',
'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.1644001007, 'longitude': 153.5
05004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita Internatio
nal Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.
764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz
_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport
', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.946098327
63672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 4320, 'name': 'Newcastle Airport
', 'city': 'Newcastle', 'iata': 'NTL', 'icao': 'YWLM', 'latitude': -32.794998
168945305, 'longitude': 151.83399963378906, 'timezone': 10.0, 'dst': 'O', 'tz
_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city
': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605,
'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Aust
ralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6311, 'name': 'Olympic Dam Airpo
rt', 'city': 'Olympic Dam', 'iata': 'OLP', 'icao': 'YOLD', 'latitude': -30.48
50006104, 'longitude': 136.876998901, 'timezone': 9.5, 'dst': 'O', 'tz_id': '
Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'A
delaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 13
8.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['F50']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3321, 'name': 'Gold Coast Airpor
t', 'city': 'Coolangatta', 'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.164
4001007, 'longitude': 153.505004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount Isa', 'i
ata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude': 139.488
998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3321, 'name': 'Gold Coast Airpor
t', 'city': 'Coolangatta', 'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.164
4001007, 'longitude': 153.505004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osa
ka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude
': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'eq
uipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3321, 'name': 'Gold Coast Airpor
t', 'city': 'Coolangatta', 'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.164
4001007, 'longitude': 153.505004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tok
yo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitud
e': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3321, 'name': 'Gold Coast Airpor
t', 'city': 'Coolangatta', 'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.164
4001007, 'longitude': 153.505004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airpor
t', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832
763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id':

'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E75', 'CR7']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY', 'latitude': 29.9340057373047, 'longitude': -90.25800323486328, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6314, 'name': 'Paraburdoo Airport', 'city': 'Paraburdoo', 'iata': 'PBO', 'icao': 'YPBO', 'latitude': -23.171100616500002, 'longitude': 117.745002747, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Airport', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.742000579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asi

a/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Airport', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -23.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4319, 'name': 'Broome International Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'A

ustralia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['763', '332', '333', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3355, 'name': 'Canberra International Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude': -35.3069000244140 6, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.74816 98989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6268, 'name': 'Geraldton Airport', 'city': 'Geraldt
on', 'iata': 'GET', 'icao': 'YGEL', 'latitude': -28.796101, 'longitude': 114.
707001, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'cit
y': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'lon
gitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['346', '343']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3346, 'name': 'Kalgoorlie Boulder Airport', 'city':
'Kalgoorlie', 'iata': 'KGI', 'icao': 'YPKG', 'latitude': -30.7894001007, 'lon
gitude': 121.461997986, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Pert
h', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73H', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3347, 'name': 'Kununurra Airport', 'city': 'Kununur
ra', 'iata': 'KNX', 'icao': 'YPKU', 'latitude': -15.7781000137, 'longitude':
128.707992554, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3345, 'name': 'Karratha Airport', 'city': 'Karratha
', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.712200164799995, 'longitude
': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3348, 'name': 'Learmonth Airport', 'city': 'Learmon
th', 'iata': 'LEA', 'icao': 'YPLM', 'latitude': -22.2355995178, 'longitude':
114.08899688700001, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['717', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'c
ity': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'lo
ngitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobar
t', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['332', '333', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6314, 'name': 'Paraburdoo Airport', 'city': 'Parabu
rdoo', 'iata': 'PBO', 'icao': 'YPBO', 'latitude': -23.171100616500002, 'longi
tude': 117.745002747, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth'

, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3349, 'name': 'Port Hedland International Airport',
'city': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'latitude': -20.377799
9878, 'longitude': 118.625999451, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Aust
ralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': '
Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude':
103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International
Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94
609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 't
z_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['332', '333', '73H', '763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 6310, 'name': 'Newman Airport', 'city': 'Newman', '
iata': 'ZNE', 'icao': 'YNWN', 'latitude': -23.417800903299998, 'longitude': 1
19.803001404, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3349, 'name': 'Port Hedland Inte
rnational Airport', 'city': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'l
atitude': -20.3777999878, 'longitude': 118.625999451, 'timezone': 8.0, 'dst':
'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4319, 'name': 'Broome International Airport', '
city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -17.9447002410888
67, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'A
ustralia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3349, 'name': 'Port Hedland Inte
rnational Airport', 'city': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'l
atitude': -20.3777999878, 'longitude': 118.625999451, 'timezone': 8.0, 'dst':
'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport',
'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841991424
5605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3349, 'name': 'Port Hedland Inte
rnational Airport', 'city': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'l
atitude': -20.3777999878, 'longitude': 118.625999451, 'timezone': 8.0, 'dst':
'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport'
, 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302,
'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Ho
bart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3349, 'name': 'Port Hedland Inte
rnational Airport', 'city': 'Port Hedland', 'iata': 'PHE', 'icao': 'YPPD', 'l
atitude': -20.3777999878, 'longitude': 118.625999451, 'timezone': 8.0, 'dst':
'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'c
ity': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297,
'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Austr

alia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6318, 'name': 'Port Lincoln Airport', 'city': 'Port Lincoln', 'iata': 'PLO', 'icao': 'YPLC', 'latitude': -34.6053009033, 'longitude': 135.880004883, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide International Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude': -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['763', '738']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 5, 'name': 'Port Moresby Jacksons International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYPY', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezone': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'tim

ezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 4075, 'name': "Faa'a Internation
al Airport", 'city': 'Papeete', 'iata': 'PPT', 'icao': 'NTAA', 'latitude': -1
7.553698999999998, 'longitude': -149.60699499999998, 'timezone': -10.0, 'dst'
: 'U', 'tz_id': 'Pacific/Tahiti', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland International Airport
', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude': -37.0080986
023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': 'Z', 'tz_id':
'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 4075, 'name': "Faa'a Internation
al Airport", 'city': 'Papeete', 'iata': 'PPT', 'icao': 'NTAA', 'latitude': -1
7.553698999999998, 'longitude': -149.60699499999998, 'timezone': -10.0, 'dst'
: 'U', 'tz_id': 'Pacific/Tahiti', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airp
ort', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94
250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_i
d': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6320, 'name': 'Port Macquarie Ai
rport', 'city': 'Port Macquarie', 'iata': 'PQQ', 'icao': 'YPMQ', 'latitude':
-31.435800552399996, 'longitude': 152.863006592, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport',
'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841991424
5605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6320, 'name': 'Port Macquarie Ai
rport', 'city': 'Port Macquarie', 'iata': 'PQQ', 'icao': 'YPMQ', 'latitude':
-31.435800552399996, 'longitude': 152.863006592, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 6285, 'name': 'Lord Howe Island Airport', 'city'
: 'Lord Howe Island', 'iata': 'LDH', 'icao': 'YLHI', 'latitude': -31.53829956
05, 'longitude': 159.07699585, 'timezone': 10.5, 'dst': 'O', 'tz_id': 'Austra

lia/Lord_Howe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6320, 'name': 'Port Macquarie Ai
rport', 'city': 'Port Macquarie', 'iata': 'PQQ', 'icao': 'YPMQ', 'latitude':
-31.435800552399996, 'longitude': 152.863006592, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internatio
nal Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -3
3.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1587, 'name': 'Václav Havel Airp
ort Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.
1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pragu
e', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB'
, 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563,
'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong I
nternational Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'la
titude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International
Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37
.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Aus
tralia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong I
nternational Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'la
titude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith I
nternational Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'lati
tude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, '

dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6324, 'name': 'Roma Airport', 'c
ity': 'Roma', 'iata': 'RMA', 'icao': 'YROM', 'latitude': -26.545000076300006,
'longitude': 148.774993896, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia
/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane',
'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 1
53.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 6324, 'name': 'Roma Airport', 'c
ity': 'Roma', 'iata': 'RMA', 'icao': 'YROM', 'latitude': -26.545000076300006,
'longitude': 148.774993896, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia
/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3323, 'name': 'Charleville Airport', 'city': 'Charlieville', 'iata'
: 'CTL', 'icao': 'YBCV', 'latitude': -26.4132995605, 'longitude': 146.2619934
08, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3329, 'name': 'Rockhampton Airpo
rt', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK', 'latitude': -23.38
19007874, 'longitude': 150.475006104, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': '
Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'lo
ngitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Austral
ia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['DH4', 'DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3329, 'name': 'Rockhampton Airpo
rt', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK', 'latitude': -23.38
19007874, 'longitude': 150.475006104, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 6269, 'name': 'Gladstone Airport', 'city': 'Gladstone', '
iata': 'GLT', 'icao': 'YGLA', 'latitude': -23.869699, 'longitude': 151.223007
, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3329, 'name': 'Rockhampton Airpo
rt', 'city': 'Rockhampton', 'iata': 'ROK', 'icao': 'YBRK', 'latitude': -23.38
19007874, 'longitude': 150.475006104, 'timezone': 10.0, 'dst': 'O', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3326, 'name': 'Mackay Airport', 'city': 'Mackay', 'iata':
'MKY', 'icao': 'YBMK', 'latitude': -21.171699523900003, 'longitude': 149.1799
92676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2082, 'name': 'King Khaled Inter
national Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude
': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst'
: 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'ci
ty': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['773', '772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo M
erino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'ica
o': 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062,
'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckla
nd International Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA',
'latitude': -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0
, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo M
erino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'ica
o': 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062,
'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney
Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'ica
o': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 't

imezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']
}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat Inte
rnational Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS'
, 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'ds
t': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport'
, 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302,
'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Ho
bart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat Inte
rnational Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS'
, 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'ds
t': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internati
onal Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -
33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O
', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', '
iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 15
3.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jakart
a', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 10

6.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2359, 'name': 'Tokyo Haneda International Airport', 'city': 'Tokyo', 'iata': 'HND', 'icao': 'RJTT', 'latitude': 35.552299, 'longitude': 139.779999, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata':
'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700
286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city':
'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'lon
gitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/
Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['333', '744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3177, 'name': 'Samui Airport', 'city': 'Ko Samui', 'iata': 'USM', 'ic
ao': 'VTSM', 'latitude': 9.547789573669997, 'longitude': 100.06199646, 'timez
one': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 5908, 'name': 'Santo Pekoa Inter
national Airport', 'city': 'Santo', 'iata': 'SON', 'icao': 'NVSS', 'latitude'
: -15.505000114399998, 'longitude': 167.220001221, 'timezone': 11.0, 'dst': '
U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', '
city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245
605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':

'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Internatio
nal Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude':
-7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city':
'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude':
103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3333, 'name': 'Albury Airport',
'city': 'Albury', 'iata': 'ABX', 'icao': 'YMAY', 'latitude': -36.067798614501
95, 'longitude': 146.95799255371094, 'timezone': 10.0, 'dst': 'O', 'tz_id': '
Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3341, 'name': 'Adelaide Internat
ional Airport', 'city': 'Adelaide', 'iata': 'ADL', 'icao': 'YPAD', 'latitude'
: -34.945, 'longitude': 138.53100600000002, 'timezone': 9.5, 'dst': 'O', 'tz_
id': 'Australia/Adelaide', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['73H', '717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2006, 'name': 'Auckland Internat
ional Airport', 'city': 'Auckland', 'iata': 'AKL', 'icao': 'NZAA', 'latitude'
: -37.0080986023, 'longitude': 174.79200744599999, 'timezone': 12.0, 'dst': '

Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4062, 'name': 'Armidale Airport'
, 'city': 'Armidale', 'iata': 'ARM', 'icao': 'YARM', 'latitude': -30.52809906
01, 'longitude': 151.617004395, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austr
alia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3319, 'name': 'Alice Springs Air
port', 'city': 'Alice Springs', 'iata': 'ASP', 'icao': 'YBAS', 'latitude': -2
3.806699752807614, 'longitude': 133.90199279785156, 'timezone': 9.5, 'dst': '
N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airp
ort', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099
891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_
id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4319, 'name': 'Broome Internatio
nal Airport', 'city': 'Broome', 'iata': 'BME', 'icao': 'YBRM', 'latitude': -1
7.944700241088867, 'longitude': 122.23200225830078, 'timezone': 8.0, 'dst': '

O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane Internat
ional Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude'
: -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst
': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '763', '333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3355, 'name': 'Canberra Internat
ional Airport', 'city': 'Canberra', 'iata': 'CBR', 'icao': 'YSCB', 'latitude'
: -35.30690002441406, 'longitude': 149.19500732421875, 'timezone': 10.0, 'dst
': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3356, 'name': 'Coffs Harbour Air
port', 'city': "Coff's Harbour", 'iata': 'CFS', 'icao': 'YSCH', 'latitude': -
30.320600509600002, 'longitude': 153.115997314, 'timezone': 10.0, 'dst': 'O',
'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['DH8', 'DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta In
ternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lati
tude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N',

'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2009, 'name': 'Christchurch Inte
rnational Airport', 'city': 'Christchurch', 'iata': 'CHC', 'icao': 'NZCH', 'l
atitude': -43.48939895629883, 'longitude': 172.53199768066406, 'timezone': 12
.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3322, 'name': 'Cairns Internatio
nal Airport', 'city': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -1
6.885799408, 'longitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id
': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['763', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3358, 'name': 'Dubbo City Region
al Airport', 'city': 'Dubbo', 'iata': 'DBO', 'icao': 'YSDU', 'latitude': -32.
2167015076, 'longitude': 148.574996948, 'timezone': 10.0, 'dst': 'O', 'tz_id'
: 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['DH4', 'DH8', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3670, 'name': 'Dallas Fort Worth
International Airport', 'city': 'Dallas-Fort Worth', 'iata': 'DFW', 'icao': '
KDFW', 'latitude': 32.896801, 'longitude': -97.038002, 'timezone': -6.0, 'dst

': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin Internatio
nal Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -1
2.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N
', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai Internation
al Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.2
52799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_
id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 6269, 'name': 'Gladstone Airport
', 'city': 'Gladstone', 'iata': 'GLT', 'icao': 'YGLA', 'latitude': -23.869699
, 'longitude': 151.223007, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/
Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3336, 'name': 'Hobart Internatio
nal Airport', 'city': 'Hobart', 'iata': 'HBA', 'icao': 'YMHB', 'latitude': -4
2.836101532, 'longitude': 147.50999450700002, 'timezone': 10.0, 'dst': 'O', '

tz_id': 'Australia/Melbourne', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['717']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Interna
tional Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitud
e': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['388', '744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3728, 'name': 'Daniel K Inouye I
nternational Airport', 'city': 'Honolulu', 'iata': 'HNL', 'icao': 'PHNL', 'la
titude': 21.32062, 'longitude': -157.924228, 'timezone': -10.0, 'dst': 'N', '
tz_id': 'Pacific/Honolulu', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon Internati
onal Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37
.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U'
, 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['772']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo Internati
onal Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitu
de': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af

rica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3345, 'name': 'Karratha Airport', 'city': 'Karratha', 'iata': 'KTA', 'icao': 'YPKA', 'latitude': -20.712200164799995, 'longitude': 116.773002625, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3484, 'name': 'Los Angeles International Airport', 'city': 'Los Angeles', 'iata': 'LAX', 'icao': 'KLAX', 'latitude': 33.94250107, 'longitude': -118.40799709999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744', '388']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6285, 'name': 'Lord Howe Island Airport', 'city': 'Lord Howe Island', 'iata': 'LDH', 'icao': 'YLHI', 'latitude': -31.5382995605, 'longitude': 159.07699585, 'timezone': 10.5, 'dst': 'O', 'tz_id': 'Australia/Lord_Howe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id

': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['763', '73H', '332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino Inte
rnational Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitud
e': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 6300, 'name': 'Moree Airport', '
city': 'Moree', 'iata': 'MRZ', 'icao': 'YMOR', 'latitude': -29.4988994598, 'l
ongitude': 149.845001221, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/S
ydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['DH3', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 1960, 'name': 'Nadi Internationa
l Airport', 'city': 'Nandi', 'iata': 'NAN', 'icao': 'NFFN', 'latitude': -17.7
55399703979492, 'longitude': 177.4429931640625, 'timezone': 12.0, 'dst': 'U',
'tz_id': 'Pacific/Fiji', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3388, 'name': 'Nanjing Lukou Air
port', 'city': 'Nanjing', 'iata': 'NKG', 'icao': 'ZSNJ', 'latitude': 31.74200
0579833984, 'longitude': 118.86199951171876, 'timezone': 8.0, 'dst': 'U', 'tz

_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2005, 'name': 'La Tontouta Inter
national Airport', 'city': 'Noumea', 'iata': 'NOU', 'icao': 'NWWW', 'latitude
': -22.01460075378418, 'longitude': 166.21299743652344, 'timezone': 11.0, 'ds
t': 'U', 'tz_id': 'Pacific/Noumea', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H', '763']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita Internatio
nal Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.
764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz
_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3321, 'name': 'Gold Coast Airpor
t', 'city': 'Coolangatta', 'iata': 'OOL', 'icao': 'YBCG', 'latitude': -28.164
4001007, 'longitude': 153.505004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth Internation
al Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.
94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N',

'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['332', '333', '763', '73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 5, 'name': 'Port Moresby Jackson
s International Airport', 'city': 'Port Moresby', 'iata': 'POM', 'icao': 'AYP
Y', 'latitude': -9.443380355834961, 'longitude': 147.22000122070312, 'timezon
e': 10.0, 'dst': 'U', 'tz_id': 'Pacific/Port_Moresby', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 6320, 'name': 'Port Macquarie Ai
rport', 'city': 'Port Macquarie', 'iata': 'PQQ', 'icao': 'YPMQ', 'latitude':
-31.435800552399996, 'longitude': 152.863006592, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4', 'DH8']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong I
nternational Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'la
titude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0
, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford
Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY'
, 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone':
10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2650, 'name': 'Comodoro Arturo M
erino Benítez International Airport', 'city': 'Santiago', 'iata': 'SCL', 'ica
o': 'SCEL', 'latitude': -33.393001556396484, 'longitude': -70.78579711914062,

'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Santiago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['744' ]}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY' , 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': ' OurAirports'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat Inte rnational Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS' , 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'ds t': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY' , 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': ' OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3 5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's tops': 0, 'equipment': ['333', '744']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY' , 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': ' OurAirports'}, 'dst_airport': {'airport_id': 3362, 'name': 'Tamworth Airport' , 'city': 'Tamworth', 'iata': 'TMW', 'icao': 'YSTW', 'latitude': -31.08390045 17, 'longitude': 150.847000122, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austr alia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH8', 'DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a ctive': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY' , 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': ' OurAirports'}, 'dst_airport': {'airport_id': 1997, 'name': 'Bauerfield Intern ational Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': 'NVVV', 'latitu

de': -17.699300765991, 'longitude': 168.32000732422, 'timezone': 11.0, 'dst': 'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3363, 'name': 'Wagga Wagga City Airport', 'city': 'Wagga Wagga', 'iata': 'WGA', 'icao': 'YSWG', 'latitude': -35.1652984619, 'longitude': 147.46600341799999, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2042, 'name': 'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'icao': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2030, 'name': 'Queenstown International Airport', 'city': 'Queenstown International', 'iata': 'ZQN', 'icao': 'NZQN', 'latitude': -45.0210990906, 'longitude': 168.738998413, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3362, 'name': 'Tamworth Airport', 'city': 'Tamworth', 'iata': 'TMW', 'icao': 'YSTW', 'latitude': -31.0839004517, 'longitude': 150.847000122, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672,

'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Austra
lia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['DH4', 'DH8', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', '
city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245
605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 6255, 'name': 'Cloncurry Airport', 'city': 'Clonc
urry', 'iata': 'CNJ', 'icao': 'YCCY', 'latitude': -20.6686000824, 'longitude'
: 140.503997803, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3322, 'name': 'Cairns International Airport', 'ci
ty': 'Cairns', 'iata': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'lon
gitude': 145.755004883, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Bri
sbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'ci
ty': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336,

'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Austr
alia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3324, 'name': 'Mount Isa Airport', 'city': 'Mount
Isa', 'iata': 'ISA', 'icao': 'YBMA', 'latitude': -20.6639003754, 'longitude':
139.488998413, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3326, 'name': 'Mackay Airport', 'city': 'Mackay',
'iata': 'MKY', 'icao': 'YBMK', 'latitude': -21.171699523900003, 'longitude':
149.179992676, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3330, 'name': 'Townsville Airpor
t', 'city': 'Townsville', 'iata': 'TSV', 'icao': 'YBTL', 'latitude': -19.2525
00534057614, 'longitude': 146.76499938964844, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 6301, 'name': 'Moranbah Airport', 'city': 'Moranb
ah', 'iata': 'MOV', 'icao': 'YMRB', 'latitude': -22.057800293000003, 'longitu
de': 148.07699585, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Brisbane
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3177, 'name': 'Samui Airport', '
city': 'Ko Samui', 'iata': 'USM', 'icao': 'VTSM', 'latitude': 9.5477895736699
97, 'longitude': 100.06199646, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ba
ngkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata':
'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezon

e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1997, 'name': 'Bauerfield Intern
ational Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': 'NVVV', 'latitu
de': -17.699300765991, 'longitude': 168.32000732422, 'timezone': 11.0, 'dst':
'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport',
'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.3841991424
5605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id':
'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 1997, 'name': 'Bauerfield Intern
ational Airport', 'city': 'Port-vila', 'iata': 'VLI', 'icao': 'NVVV', 'latitu
de': -17.699300765991, 'longitude': 168.32000732422, 'timezone': 11.0, 'dst':
'U', 'tz_id': 'Pacific/Efate', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith Internatio
nal Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -3
3.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O'
, 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airp
ort', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990
051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata'
: 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643
989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['332
']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways',
'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'a
ctive': True}, 'src_airport': {'airport_id': 3331, 'name': 'Weipa Airport', '
city': 'Weipa', 'iata': 'WEI', 'icao': 'YBWP', 'latitude': -12.6786003113, 'l
ongitude': 141.925003052, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/B
risbane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3322, 'name': 'Cairns International Airport', 'city': 'Cairns', 'iata
': 'CNS', 'icao': 'YBCS', 'latitude': -16.885799408, 'longitude': 145.7550048
83, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH3', 'DH4']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 3363, 'name': 'Wagga Wagga City Airport', 'city': 'Wagga Wagga', 'iata': 'WGA', 'icao': 'YSWG', 'latitude': -35.1652984619, 'longitude': 147.46600341799999, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'DH3']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2042, 'name': 'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'icao': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2042, 'name': 'Wellington International Airport', 'city': 'Wellington', 'iata': 'WLG', 'icao': 'NZWN', 'latitude': -41.327201843299996, 'longitude': 174.80499267599998, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3320, 'name': 'Brisbane International Airport', 'city': 'Brisbane', 'iata': 'BNE', 'icao': 'YBBN', 'latitude': -27.38419914245605, 'longitude': 153.11700439453125, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Australia/Brisbane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH8', 'DH3']}

{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 6310, 'name': 'Newman Airport', 'city': 'Newman', 'iata': 'ZNE', 'icao': 'YNWN', 'latitude': -23.417800903299998, 'longitude': 119.803001404, 'timezone': 8.0, 'dst': 'O', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 2030, 'name': 'Queenstown International Airport', 'city': 'Queenstown International', 'iata': 'ZQN', 'icao': 'NZQN', 'latitude': -45.0210990906, 'longitude': 168.738998413, 'timezone': 12.0, 'dst': 'Z', 'tz_id': 'Pacific/Auckland', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3361, 'name': 'Sydney Kingsford Smith International Airport', 'city': 'Sydney', 'iata': 'SYD', 'icao': 'YSSY', 'latitude': -33.94609832763672, 'longitude': 151.177001953125, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Sydney', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 4089, 'name': 'Qantas', 'alias': 'Qantas Airways', 'iata': 'QF', 'icao': 'QFA', 'callsign': 'QANTAS', 'country': 'Australia', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.46469899999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['388', '77W']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3908, 'name': 'Syamsudin Noor Airport', 'city': 'Banjarmasin', 'iata': 'BDJ', 'icao': 'WAOO', 'latitude': -3.4423599243164062, 'longitude': 114.76300048828124, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3908, 'name': 'Syamsudin
Noor Airport', 'city': 'Banjarmasin', 'iata': 'BDJ', 'icao': 'WAOO', 'latitud
e': -3.4423599243164062, 'longitude': 114.76300048828124, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda International Airport
', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.37982988
3575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id
': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': 'Husein Sas
tranegara International Airport', 'city': 'Bandung', 'iata': 'BDO', 'icao': '
WICC', 'latitude': -6.900629997253418, 'longitude': 107.57599639892578, 'time
zone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali
) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD',
'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3288, 'name': 'Fatmawati
Soekarno Airport', 'city': 'Bengkulu', 'iata': 'BKS', 'icao': 'WIPL', 'latitu
de': -3.8637, 'longitude': 102.33899699999999, 'timezone': 7.0, 'dst': 'N', '
tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport', '
city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, '
longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3919, 'name': 'Sultan Aji
Muhamad Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL
', 'latitude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta In
ternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lati
tude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3919, 'name': 'Sultan Aji
Muhamad Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL
', 'latitude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali)
International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'l
atitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3919, 'name': 'Sultan Aji
Muhamad Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL
', 'latitude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3898, 'name': 'Adi Sutjipto Inte
rnational Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'lat
itude': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3919, 'name': 'Sultan Aji
Muhamad Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL
', 'latitude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda Internatio
nal Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude':
-7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3919, 'name': 'Sultan Aji
Muhamad Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL
', 'latitude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezon
e': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3240, 'name': 'Hasanuddin Intern
ational Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'icao': 'WAAA', 'la
titude': -5.061629772186278, 'longitude': 119.5540008544922, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3903, 'name': 'Hang Nadim
International Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'lati
tude': 1.12102997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport'
, 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204
, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jaka
rta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3903, 'name': 'Hang Nadim
International Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'lati
tude': 1.12102997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 8807, 'name': 'Tabing Airport', 'city': 'Padang', 'i
ata': 'BEC', 'icao': 'WIMG', 'latitude': -0.8749889999999999, 'longitude': 10
0.351997, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Jakarta', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3903, 'name': 'Hang Nadim
International Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'lati
tude': 1.12102997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3273, 'name': 'Sultan Syarif Kasim Ii (Simpang Tiga)
Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'icao': 'WIBB', 'latitude': 0.4
607860147953034, 'longitude': 101.44499969482422, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3903, 'name': 'Hang Nadim
International Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'lati
tude': 1.12102997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3289, 'name': 'Sultan Mahmud Badaruddin II Airport',
'city': 'Palembang', 'iata': 'PLM', 'icao': 'WIPP', 'latitude': -2.8982501029
968, 'longitude': 104.69999694824, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asi
a/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3903, 'name': 'Hang Nadim
International Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'lati
tude': 1.12102997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3928, 'name': 'Juanda International Airport', 'city'
: 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575439,
'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/
Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3908, 'name': 'Syamsudin Noor Airport', 'city':
'Banjarmasin', 'iata': 'BDJ', 'icao': 'WAOO', 'latitude': -3.4423599243164062
, 'longitude': 114.76300048828124, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asi
a/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3288, 'name': 'Fatmawati Soekarno Airport', 'ci
ty': 'Bengkulu', 'iata': 'BKS', 'icao': 'WIPL', 'latitude': -3.8637, 'longitu
de': 102.33899699999999, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3919, 'name': 'Sultan Aji Muhamad Sulaiman Airp
ort', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL', 'latitude': -1.268
2700157200002, 'longitude': 116.89399719200001, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3903, 'name': 'Hang Nadim International Airport
', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'latitude': 1.12102997303,
'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakar
ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3287, 'name': 'Sultan Thaha Airport', 'city': '
Jambi', 'iata': 'DJB', 'icao': 'WIPA', 'latitude': -1.6380200386047363, 'long
itude': 103.6439971923828, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakart
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International
Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7
481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 8807, 'name': 'Tabing Airport', 'city': 'Padang
', 'iata': 'BEC', 'icao': 'WIMG', 'latitude': -0.8749889999999999, 'longitude
': 100.351997, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Jakarta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3905, 'name': 'Pangkal Pinang (Depati Amir) Air
port', 'city': 'Pangkal Pinang', 'iata': 'PGK', 'icao': 'WIPK', 'latitude': -
2.16219997406, 'longitude': 106.138999939, 'timezone': 7.0, 'dst': 'N', 'tz_i
d': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3273, 'name': 'Sultan Syarif Kasim Ii (Simpang
Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'icao': 'WIBB', 'latitude
': 0.4607860147953034, 'longitude': 101.44499969482422, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3289, 'name': 'Sultan Mahmud Badaruddin II Airp
ort', 'city': 'Palembang', 'iata': 'PLM', 'icao': 'WIPP', 'latitude': -2.8982
501029968, 'longitude': 104.69999694824, 'timezone': 7.0, 'dst': 'N', 'tz_id'
: 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3928, 'name': 'Juanda International Airport', '
city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575
439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': '
Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3904, 'name': 'Buluh Tumbang (H A S Hanandjoedd
in) Airport', 'city': 'Tanjung Pandan', 'iata': 'TJQ', 'icao': 'WIOD', 'latit
ude': -2.74571990967, 'longitude': 107.754997253, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3240, 'name': 'Hasanuddin International Airport
', 'city': 'Ujung Pandang', 'iata': 'UPG', 'icao': 'WAAA', 'latitude': -5.061
629772186278, 'longitude': 119.5540008544922, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3287, 'name': 'Sultan Tha
ha Airport', 'city': 'Jambi', 'iata': 'DJB', 'icao': 'WIPA', 'latitude': -1.6
380200386047363, 'longitude': 103.6439971923828, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport',
'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204,
'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakart
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai
(Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WA
DD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3896, 'name': 'Husein Sastranegara I
nternational Airport', 'city': 'Bandung', 'iata': 'BDO', 'icao': 'WICC', 'lat
itude': -6.900629997253418, 'longitude': 107.57599639892578, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai
(Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WA
DD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3919, 'name': 'Sultan Aji Muhamad Su
laiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL', 'latitu
de': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezone': 8.0, '
dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai
(Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WA
DD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Intern
ational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude
': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz
_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai
(Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WA
DD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda International
Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.3
79829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3303, 'name': 'Senai Inte
rnational Airport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'la
titude': 1.6413099999999998, 'longitude': 103.66999799999999, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda International
Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.3
79829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3898, 'name': 'Adi Sutjip
to International Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ
', 'latitude': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone
': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3919, 'name': 'Sultan Aji Muhamad
Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL', 'lati
tude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3916, 'name': 'El Tari Ai
rport', 'city': 'Kupang', 'iata': 'KOE', 'icao': 'WATT', 'latitude': -10.1716
00341796877, 'longitude': 123.6709976196289, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3928, 'name': 'Juanda International Airport', 'city': 'S
urabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575439, 'lon
gitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jaka
rta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lump
ur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WM
KK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda Inter
national Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitu
de': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'd
st': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 8401, 'name': 'Lombok Int
ernational Airport', 'city': 'Praya', 'iata': 'LOP', 'icao': 'WADL', 'latitud
e': -8.757322, 'longitude': 116.276675, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3928, 'name': 'Juanda International Airport', 'city': 'Surabay
a', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575439, 'longitude
': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3250, 'name': 'Sam Ratula
ngi Airport', 'city': 'Manado', 'iata': 'MDC', 'icao': 'WAMM', 'latitude': 1.
5492600202560425, 'longitude': 124.9260025024414, 'timezone': 8.0, 'dst': 'N'
, 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3928, 'name': 'Juanda International Airport', 'city
': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575439,
'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/
Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 8807, 'name': 'Tabing Air
port', 'city': 'Padang', 'iata': 'BEC', 'icao': 'WIMG', 'latitude': -0.874988
9999999999, 'longitude': 100.351997, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'A
sia/Jakarta', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3903, 'name': 'Hang Nadim International Airport', 'city': 'Batam'
, 'iata': 'BTH', 'icao': 'WIDD', 'latitude': 1.12102997303, 'longitude': 104.
119003296, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 8807, 'name': 'Tabing Air
port', 'city': 'Padang', 'iata': 'BEC', 'icao': 'WIMG', 'latitude': -0.874988
9999999999, 'longitude': 100.351997, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'A
sia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Ja
karta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude'
: 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3905, 'name': 'Pangkal Pi
nang (Depati Amir) Airport', 'city': 'Pangkal Pinang', 'iata': 'PGK', 'icao':
'WIPK', 'latitude': -2.16219997406, 'longitude': 106.138999939, 'timezone': 7
.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Internat
ional Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude':
-6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id
': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3273, 'name': 'Sultan Sya
rif Kasim Ii (Simpang Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'ic
ao': 'WIBB', 'latitude': 0.4607860147953034, 'longitude': 101.44499969482422,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3903, 'name': 'Hang Nadim
International Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'lati
tude': 1.12102997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3273, 'name': 'Sultan Sya
rif Kasim Ii (Simpang Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'ic
ao': 'WIBB', 'latitude': 0.4607860147953034, 'longitude': 101.44499969482422,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3289, 'name': 'Sultan Mah
mud Badaruddin II Airport', 'city': 'Palembang', 'iata': 'PLM', 'icao': 'WIPP
', 'latitude': -2.8982501029968, 'longitude': 104.69999694824, 'timezone': 7.
0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3903, 'name': 'Hang Nadim International
Airport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'latitude': 1.12102
997303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'As
ia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3289, 'name': 'Sultan Mah
mud Badaruddin II Airport', 'city': 'Palembang', 'iata': 'PLM', 'icao': 'WIPP
', 'latitude': -2.8982501029968, 'longitude': 104.69999694824, 'timezone': 7.
0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Internati
onal Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude':
-6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id
': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3908, 'name': 'Syamsudin Noor Airport', 'c
ity': 'Banjarmasin', 'iata': 'BDJ', 'icao': 'WAOO', 'latitude': -3.4423599243
164062, 'longitude': 114.76300048828124, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3919, 'name': 'Sultan Aji Muhamad Sulaiman
Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL', 'latitude': -1
.2682700157200002, 'longitude': 116.89399719200001, 'timezone': 8.0, 'dst': '
N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3903, 'name': 'Hang Nadim International Ai
rport', 'city': 'Batam', 'iata': 'BTH', 'icao': 'WIDD', 'latitude': 1.1210299
7303, 'longitude': 104.119003296, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia
/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Internationa
l Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.
1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id':
'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) Internati
onal Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude':
-8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3303, 'name': 'Senai International Airport
', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'latitude': 1.641309
9999999998, 'longitude': 103.66999799999999, 'timezone': 8.0, 'dst': 'N', 'tz
_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3916, 'name': 'El Tari Airport', 'city': '
Kupang', 'iata': 'KOE', 'icao': 'WATT', 'latitude': -10.171600341796877, 'lon
gitude': 123.6709976196289, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makas
sar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International
Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude':
2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 8401, 'name': 'Lombok International Airpor
t', 'city': 'Praya', 'iata': 'LOP', 'icao': 'WADL', 'latitude': -8.757322, 'l
ongitude': 116.276675, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': 'Juanda Int
ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3250, 'name': 'Sam Ratulangi Airport', 'ci
ty': 'Manado', 'iata': 'MDC', 'icao': 'WAMM', 'latitude': 1.5492600202560425,
'longitude': 124.9260025024414, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/M
akassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3904, 'name': 'Buluh Tumb
ang (H A S Hanandjoeddin) Airport', 'city': 'Tanjung Pandan', 'iata': 'TJQ',
'icao': 'WIOD', 'latitude': -2.74571990967, 'longitude': 107.754997253, 'time
zone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta I
nternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lat
itude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3240, 'name': 'Hasanuddin
International Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'icao': 'WAAA
', 'latitude': -5.061629772186278, 'longitude': 119.5540008544922, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3919, 'name': 'Sultan Aji Muhamad
Sulaiman Airport', 'city': 'Balikpapan', 'iata': 'BPN', 'icao': 'WALL', 'lati
tude': -1.2682700157200002, 'longitude': 116.89399719200001, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 19305, 'name': 'Citilink Indonesia', 'alias': 'nan
', 'iata': 'QG', 'icao': 'EAV', 'callsign': 'SUPERGREEN', 'country': 'Indones
ia', 'active': True}, 'src_airport': {'airport_id': 3240, 'name': 'Hasanuddin
International Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'icao': 'WAAA
', 'latitude': -5.061629772186278, 'longitude': 119.5540008544922, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Inte
rnational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitu
de': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', '
tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2968,
'name': 'Chelyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK'
, 'icao': 'USCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.
0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas Internationa
l Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.
0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id':
'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2968,
'name': 'Chelyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK'
, 'icao': 'USCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.
0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'cit
y': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitu
de': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4029,
'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME',
'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445
, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas I
nternational Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'lat
itude': 43.0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U
', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['733']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4029,
'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME',
'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445
, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Air
port', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.609001159
7, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bis
hkek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['733', '734']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandin
o Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude':
55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/
Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internati
onal Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 5
5.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N'
, 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 1701, 'name': 'Atatürk Internationa
l Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40
.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/
Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4374, 'name': 'Yemelyanovo Airport'
, 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'latitude': 56.172901
, 'longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoy
arsk', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky
International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', '
latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'city'
: 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitude
': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport',
'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.01259994
5068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'As
ia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['735']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', '
city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.7430992
12646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'A
sia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2983, 'name': 'Tashkent Internation
al Airport', 'city': 'Tashkent', 'iata': 'TAS', 'icao': 'UTTT', 'latitude': 4
1.257900238000005, 'longitude': 69.2811965942, 'timezone': 5.0, 'dst': 'U', '
tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2912,
'name': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'ica
o': 'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone'
: 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu Intern
ational Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude'
: 43.90710067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 1701,
'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', '
icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0,
'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas International Airp
ort', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.061298
3704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia
/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['73H']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 1701,
'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', '
icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0,
'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'city': 'O
sh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitude': 7
2.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4374,
'name': 'Yemelyanovo Airport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao':
'UNKL', 'latitude': 56.172901, 'longitude': 92.493301, 'timezone': 7.0, 'dst'
: 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas International Airport'
, 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.0612983704
, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bis
hkek', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4374,
'name': 'Yemelyanovo Airport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao':
'UNKL', 'latitude': 56.172901, 'longitude': 92.493301, 'timezone': 7.0, 'dst'
: 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'city': 'Osh',
'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitude': 72.793
296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2960,
'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'i
ata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.
170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2912, 'nam
e': 'Manas International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao':
'UAFM', 'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone': 6.
0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airport', 'city': '
Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.305801, 'longitud
e': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city'
: 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'lo
ngitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['733', '734']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2912, 'name': 'Manas International Airport', 'city': 'Bi
shkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.0612983704, 'longitude'
: 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': '
Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude':
28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4374, 'name': 'Yemelyanovo Airport', 'city': 'Krasnoyars
k', 'iata': 'KJA', 'icao': 'UNKL', 'latitude': 56.172901, 'longitude': 92.493
301, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk
', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 8
2.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['734']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 2974, 'name': 'Surgut Airport', 'city': 'Surgut', 'iata'
: 'SGC', 'icao': 'USRR', 'latitude': 61.34370040893555, 'longitude': 73.40180
206298828, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2913,
'name': 'Osh Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitud
e': 40.6090011597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 't
z_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Airport', 'ci
ty': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710067749024,
'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['735']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4078,
'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': '
UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas Internationa
l Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.
0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id':
'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 4078,
'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': '
UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'cit
y': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitu
de': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['734']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2974,
'name': 'Surgut Airport', 'city': 'Surgut', 'iata': 'SGC', 'icao': 'USRR', 'l
atitude': 61.34370040893555, 'longitude': 73.40180206298828, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'city':
'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitude':
72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2975,
'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': '
USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas Internatio
nal Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 4
3.0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id
': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['735']}

{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 2983,
'name': 'Tashkent International Airport', 'city': 'Tashkent', 'iata': 'TAS',
'icao': 'UTTT', 'latitude': 41.257900238000005, 'longitude': 69.2811965942, '
timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2912, 'name': 'Manas Int
ernational Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latit
ude': 43.0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U',
'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3399,
'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC
', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769
531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2912, 'name': 'Mana
s International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', '
latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst':
'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 882, 'name': 'Air Florida', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QH', 'icao': 'FLZ', 'callsign': 'AIR FLORIDA', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3399,
'name': 'Ürümqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC
', 'icao': 'ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769
531, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh
Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.609001
1597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/
Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2895, 'nam
e': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA
', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Intern
ational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude
': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['D93']}

{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'country': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2821, 'name': 'General José Antonio Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA', 'icao': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'country': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'country': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2821, 'name': 'General José Antonio Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA', 'icao': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Aviation Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'country': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2848, 'name': 'La Chinita International Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}

{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2851, 'nam
e': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS',
'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2850, 'name': 'Del Caribe Santiago
Mariño International Airport', 'city': 'Porlamar', 'iata': 'PMV', 'icao': 'SV
MG', 'latitude': 10.912603378295898, 'longitude': -63.96659851074219, 'timezo
ne': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2851, 'nam
e': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS',
'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2861, 'name': 'Mayor Buenaventura
Vivas International Airport', 'city': 'Santo Domingo', 'iata': 'STD', 'icao':
'SVSO', 'latitude': 7.56538, 'longitude': -72.035103, 'timezone': -4.0, 'dst'
: 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2851, 'nam
e': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS',
'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6072, 'name': 'Juan Pablo Pérez Al
fonso Airport', 'city': 'El Vigía', 'iata': 'VIG', 'icao': 'SVVG', 'latitude'
: 8.624139, 'longitude': -71.672668, 'timezone': -4.0, 'dst': 'U', 'tz_id': '
America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2848, 'nam
e': 'La Chinita International Airport', 'city': 'Maracaibo', 'iata': 'MAR', '
icao': 'SVMC', 'latitude': 10.5582084656, 'longitude': -71.7278594971, 'timez
one': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolíva
r International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', '
latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['D93']}

{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2850, 'nam
e': 'Del Caribe Santiago Mariño International Airport', 'city': 'Porlamar', '
iata': 'PMV', 'icao': 'SVMG', 'latitude': 10.912603378295898, 'longitude': -6
3.96659851074219, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 285
1, 'name': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata':
'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timez
one': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2850, 'nam
e': 'Del Caribe Santiago Mariño International Airport', 'city': 'Porlamar', '
iata': 'PMV', 'icao': 'SVMG', 'latitude': 10.912603378295898, 'longitude': -6
3.96659851074219, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 286
8, 'name': 'Arturo Michelena International Airport', 'city': 'Valencia', 'iat
a': 'VLN', 'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.92
839813232422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2861, 'nam
e': 'Mayor Buenaventura Vivas International Airport', 'city': 'Santo Domingo'
, 'iata': 'STD', 'icao': 'SVSO', 'latitude': 7.56538, 'longitude': -72.035103
, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simó
n Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': '
SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst
': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 6072, 'nam
e': 'Juan Pablo Pérez Alfonso Airport', 'city': 'El Vigía', 'iata': 'VIG', 'i
cao': 'SVVG', 'latitude': 8.624139, 'longitude': -71.672668, 'timezone': -4.0
, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Internat
ional Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude':
10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'A

merica/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['D93']}
{'airline': {'airline_id': 1206, 'name': 'Aero Lanka', 'alias': 'Pulkovo Avia
tion Enterprise', 'iata': 'QL', 'icao': 'RLN', 'callsign': 'AERO LANKA', 'cou
ntry': 'Sri Lanka', 'active': True}, 'src_airport': {'airport_id': 2868, 'nam
e': 'Arturo Michelena International Airport', 'city': 'Valencia', 'iata': 'VL
N', 'icao': 'SVVA', 'latitude': 10.14973258972168, 'longitude': -67.928398132
32422, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2850, 'name':
'Del Caribe Santiago Mariño International Airport', 'city': 'Porlamar', 'iata
': 'PMV', 'icao': 'SVMG', 'latitude': 10.912603378295898, 'longitude': -63.96
659851074219, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['D93']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 2965, 'name': '
Sochi International Airport', 'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS',
'latitude': 43.449902, 'longitude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city':
'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitu
de': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3941, 'name': '
Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH'
, 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots
International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'la
titude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': '
E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 1382, 'name': '
Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'ic
ao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport'
, 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202

, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yer
evan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2965, 'name': 'Sochi International Airpo
rt', 'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS', 'latitude': 43.449902, '
longitude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos Int
ernational Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitu
de': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle Interna
tional Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude':
49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/P
aris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4274, 'name': 'Nizhny Novgorod Strigino
International Airport', 'city': 'Nizhniy Novgorod', 'iata': 'GOJ', 'icao': 'U

WGG', 'latitude': 56.23009872436499, 'longitude': 43.784000396729, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2993, 'name': 'Kurumoch International Ai
rport', 'city': 'Samara', 'iata': 'KUF', 'icao': 'UWWW', 'latitude': 53.50490
1885986, 'longitude': 50.16429901123, 'timezone': 4.0, 'dst': 'N', 'tz_id': '
Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city':
'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.8003005981445
3, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city'
: 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646
, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Y
ekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 3964, 'name': '
Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': '
UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0
, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2988, 'name': 'Vnukovo International Air
port', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499

328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nippon Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 4274, 'name': 'Nizhny Novgorod Strigino International Airport', 'city': 'Nizhniy Novgorod', 'iata': 'GOJ', 'icao': 'UWGG', 'latitude': 56.23009872436499, 'longitude': 43.784000396729, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nippon Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 2993, 'name': 'Kurumoch International Airport', 'city': 'Samara', 'iata': 'KUF', 'icao': 'UWWW', 'latitude': 53.504901885986, 'longitude': 50.16429901123, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nippon Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nippon Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.14

73007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': '
Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 426, 'name': 'Air Armenia', 'alias': 'ANA All Nipp
on Airways', 'iata': 'QN', 'icao': 'ARR', 'callsign': 'AIR ARMENIA', 'country
': 'Armenia', 'active': False}, 'src_airport': {'airport_id': 2988, 'name': '
Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUW
W', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots Internationa
l Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.
1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id':
'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1107, 'name': 'Addis Ababa B
ole International Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HA
AB', 'latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International
Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.27305
6, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 210, 'name': 'Houari Boumedi
ene Airport', 'city': 'Algier', 'iata': 'ALG', 'icao': 'DAAG', 'latitude': 36
.691001892089844, 'longitude': 3.215409994125366, 'timezone': 1.0, 'dst': 'N'
, 'tz_id': 'Africa/Algiers', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'cit
y': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude'
: 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Vallab
hbhai Patel International Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao
': 'VAAH', 'latitude': 23.0771999359, 'longitude': 72.63469696039998, 'timezo
ne': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internati
onal Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.

273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia In
ternational Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitu
de': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'D
oha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.6
08056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
77W', '333', '332', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arla
nda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude':
59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'c
ity': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitud
e': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherios V
enizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LG
AV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International
Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.27305
6, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['333', '321', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Ja
ckson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao
': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3550, 'name': 'George Bush Intercontinen
tal Houston Airport', 'city': 'Houston', 'iata': 'IAH', 'icao': 'KIAH', 'lati

tude': 29.98439979553223, 'longitude': -95.34140014648438, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['nan']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR7']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3081, 'name': 'Sri Guru Ram Dass Jee International Airport', 'city': 'Amritsar', 'iata': 'ATQ', 'icao': 'VIAR', 'latitude': 31.7096004486, 'longitude': 74.7973022461, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2057, 'name': 'Bahrain International Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu

de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320', '321', '319', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona Int
ernational Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'lat
itude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city
': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude':
51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona Int
ernational Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'lat
itude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport
', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103
, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1739, 'name': 'Belgrade Niko
la Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitu
de': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1682, 'name': 'Esenboğa International Airport', 'ci
ty': 'Ankara', 'iata': 'ESB', 'icao': 'LTAC', 'latitude': 40.128101348899996,
'longitude': 32.995098114, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Ista
nbul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2177, 'name': 'Beirut Rafic
Hariri International Airport', 'city': 'Beirut', 'iata': 'BEY', 'icao': 'OLBA
', 'latitude': 33.820899963378906, 'longitude': 35.488399505615234, 'timezone
': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International
Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.27305

6, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 4130, 'name': 'Baghdad Inter
national Airport', 'city': 'Baghdad', 'iata': 'BGW', 'icao': 'ORBI', 'latitud
e': 33.262500762900004, 'longitude': 44.2346000671, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'cit
y': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude'
: 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3931, 'name': 'Chiang Mai International Airport', 'cit
y': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.7667999268, '
longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city':
'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51
.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3199, 'name': 'Noi Bai International Airport', 'city':
'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude': 21.221200942993164, 'long

itude': 105.80699920654295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigo
n', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3179, 'name': 'Phuket International Airport', 'city':
'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.
316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3174, 'name': 'Krabi Airport', 'city': 'Krabi', 'iata'
: 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 98.986198425
3, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320',
'319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3222, 'name': 'Mandalay International Airport', 'city'
: 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latitude': 21.702199935913086,
'longitude': 95.97789764404295, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/R
angoon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda In
ternational Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'la
titude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha
', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.6080

56, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788' ]}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2234, 'name': 'Basrah International Airport', 'city': 'Basrah', 'iata': 'BSR', 'icao': 'ORMM', 'latitude': 30.54910087585449, 'longitude': 47.66210174560547, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc

ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1489, 'name': 'Budapest Lisz
t Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': '
LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1208, 'name': 'Zagreb Airport', 'cit
y': 'Zagreb', 'iata': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005,
'longitude': 16.0687999725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zag
reb', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1128, 'name': 'Cairo Interna
tional Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude':
30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city
': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude':
51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['77L', '77W', '333', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Guangzhou Bai
yun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG
', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internationa
l Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273
056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3137, 'name': 'Calicut Inter
national Airport', 'city': 'Calicut', 'iata': 'CCJ', 'icao': 'VOCL', 'latitud
e': 11.1367998123, 'longitude': 75.95529937740001, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'cit
y': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude'
: 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhas
h Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ica
o': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Int
ernational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude
': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles de Ga
ulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG',
'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha'
, 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.60805
6, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346'
, '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles de Ga
ulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG',
'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city'
: 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longit
ude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['763']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatt
a International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', '
latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'ci
ty': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude
': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['77W', '332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3393, 'name': 'Chongqing Jia
ngbei International Airport', 'city': 'Chongqing', 'iata': 'CKG', 'icao': 'ZU
CK', 'latitude': 29.719200134277344, 'longitude': 106.64199829101562, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internati
onal Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.
273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3024, 'name': 'Bandaranaike
International Colombo Airport', 'city': 'Colombo', 'iata': 'CMB', 'icao': 'VC
BI', 'latitude': 7.180759906768799, 'longitude': 79.88410186767578, 'timezone
': 5.5, 'dst': 'U', 'tz_id': 'Asia/Colombo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internationa
l Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273
056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['77W', '321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1074, 'name': 'Mohammed V In
ternational Airport', 'city': 'Casablanca', 'iata': 'CMN', 'icao': 'GMMN', 'l
atitude': 33.36750030517578, 'longitude': -7.589970111846924, 'timezone': 0.0
, 'dst': 'N', 'tz_id': 'Africa/Casablanca', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International
Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.27305
6, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['333', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Chiang Mai In
ternational Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'l
atitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': '
U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Ban
gkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longit
ude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0
, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin Intern
ational Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude':
10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Do
ha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.60
8056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
46', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kas
trup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude
': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport'
, 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'long
itude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town Inte
rnational Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'lati
tude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport'
, 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'long
itude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town Inte
rnational Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'lati
tude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport
', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.139
2, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johanne

sburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 4140, 'name': 'Diosdado Maca
pagal International Airport', 'city': 'Angeles City', 'iata': 'CRK', 'icao':
'RPLC', 'latitude': 15.186, 'longitude': 120.559998, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'cit
y': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude'
: 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3395, 'name': 'Chengdu Shuan
gliu International Airport', 'city': 'Chengdu', 'iata': 'CTU', 'icao': 'ZUUU'
, 'latitude': 30.578500747680664, 'longitude': 103.9469985961914, 'timezone':
8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International
Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.27305
6, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahja
lal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', '
latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst':
'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city
': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude':
51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['333', '320', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1177, 'name': 'Julius Nyerer
e International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HT
DA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U
', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport
', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'lon
gitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1177, 'name': 'Julius Nyerer
e International Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HT
DA', 'latitude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U
', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1180, 'name': 'Kilimanjaro International Ai
rport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ', 'latitude': -3.
42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Dar_es_Salaam', type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi
International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'lati
tude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha',
'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo In
ternational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latit
ude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport'
, 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'long
itude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2064, 'name': 'King Fahd Int
ernational Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitu
de': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', '
city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu
de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['788', '321', '77W', '333', '320', '332', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'A
ddis Ababa', 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longi
tude': 38.7993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Aba
ba', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 210, 'name': 'Houari Boumediene Airport', 'city': 'Algier', 'iata'
: 'ALG', 'icao': 'DAAG', 'latitude': 36.691001892089844, 'longitude': 3.21540
9994125366, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Algiers', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'c
ity': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359,
'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman',
'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.993
1983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
7W', '333', '332', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'ia
ta': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.9
18600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3941, 'name': 'Eleftherios Venizelos International Airport', 'city
': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longi
tude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athe
ns', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['333', '321', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3081, 'name': 'Sri Guru Ram Dass Jee International Airport', 'city
': 'Amritsar', 'iata': 'ATQ', 'icao': 'VIAR', 'latitude': 31.7096004486, 'lon
gitude': 74.7973022461, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhab
i', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude
': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 't

ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '319', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2057, 'name': 'Bahrain International Airport', 'city': 'Bahrain',
'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.27079963684082, 'longitude': 50
.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320', '321', '319', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelon
a', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.078459
9999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2177, 'name': 'Beirut Rafic Hariri International Airport', 'city':
'Beirut', 'iata': 'BEY', 'icao': 'OLBA', 'latitude': 33.820899963378906, 'lon
gitude': 35.488399505615234, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beir
ut', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4130, 'name': 'Baghdad International Airport', 'city': 'Baghdad',
'iata': 'BGW', 'icao': 'ORBI', 'latitude': 33.262500762900004, 'longitude': 4
4.2346000671, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': '
BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.747001
64794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalo
re', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.7062
99, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788'
]}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city':
'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'lon
gitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU'
, 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'tim

ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2234, 'name': 'Basrah International Airport', 'city': 'Basrah', 'i
ata': 'BSR', 'icao': 'ORMM', 'latitude': 30.54910087585449, 'longitude': 47.6
6210174560547, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city
': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995,
'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapes
t', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1128, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iat
a': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.405
59959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['77L', '77W', '333', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3370, 'name': 'Guangzhou Baiyun International Airport', 'city': 'G
uangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latitude': 23.39240074157715, 'lon
gitude': 113.29900360107422, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan

ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3137, 'name': 'Calicut International Airport', 'city': 'Calicut',
'iata': 'CCJ', 'icao': 'VOCL', 'latitude': 11.1367998123, 'longitude': 75.955
29937740001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport',
'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561
523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1382, 'name': 'Charles de Gaulle International Airport', 'city': '
Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.
55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['346'
, '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jak
arta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude':
106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['332', '77W', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3393, 'name': 'Chongqing Jiangbei International Airport', 'city':
'Chongqing', 'iata': 'CKG', 'icao': 'ZUCK', 'latitude': 29.719200134277344, '
longitude': 106.64199829101562, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/S
hanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3024, 'name': 'Bandaranaike International Colombo Airport', 'city'
: 'Colombo', 'iata': 'CMB', 'icao': 'VCBI', 'latitude': 7.180759906768799, 'l
ongitude': 79.88410186767578, 'timezone': 5.5, 'dst': 'U', 'tz_id': 'Asia/Col
ombo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['321', '320', '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1074, 'name': 'Mohammed V International Airport', 'city': 'Casabla
nca', 'iata': 'CMN', 'icao': 'GMMN', 'latitude': 33.36750030517578, 'longitud
e': -7.589970111846924, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Casabla
nca', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['333', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3136, 'name': 'Cochin International Airport', 'city': 'Kochi', 'ia
ta': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'longitude': 76.4
01901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
333', '346']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', '
iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.65
6000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4140, 'name': 'Diosdado Macapagal International Airport', 'city':
'Angeles City', 'iata': 'CRK', 'icao': 'RPLC', 'latitude': 15.186, 'longitude
': 120.559998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['333', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3395, 'name': 'Chengdu Shuangliu International Airport', 'city': '
Chengdu', 'iata': 'CTU', 'icao': 'ZUUU', 'latitude': 30.578500747680664, 'lon
gitude': 103.9469985961914, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'D
haka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.
39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['333', '320', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1177, 'name': 'Julius Nyerere International Airport', 'city': 'Dar
Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude':
39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delh
i', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.10310
4, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788'
]}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow'
, 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude':
37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2064, 'name': 'King Fahd International Airport', 'city': 'Dammam',
'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164, 'longitude': 4
9.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['788', '321', '77W', '333', '320', '332', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 8076, 'name': 'Al Maktoum International Airport', 'city': 'Dubai',
'iata': 'DWC', 'icao': 'OMDW', 'latitude': 24.896356, 'longitude': 55.161389,
'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321
', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iat
a': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.36
43989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
788', '321', '320', '77W', '77L', '332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1187, 'name': 'Entebbe International Airport', 'city': 'Entebbe',
'iata': 'EBB', 'icao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3989, 'name': 'Erbil International Airport', 'city': 'Erbil', 'iat
a': 'EBL', 'icao': 'ORER', 'latitude': 36.23759841918945, 'longitude': 43.963
19961547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2067, 'name': 'Gassim Airport', 'city': 'Gassim', 'iata': 'ELQ', '
icao': 'OEGS', 'latitude': 26.30279922485352, 'longitude': 43.77439880371094,
'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '31
9']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1682, 'name': 'Esenboğa International Airport', 'city': 'Ankara',
'iata': 'ESB', 'icao': 'LTAC', 'latitude': 40.128101348899996, 'longitude': 3
2.995098114, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome
', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude'
: 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['333', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'ia
ta': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sourc

e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L', '788
', '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'ic
ao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.83139801029999, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro Interna
tional Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitud
e': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, '
dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Ge
neva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitu
de': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city': 'Baku
', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'longitude':
50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3410, 'name': 'Borg El Arab International Airport', 'city': 'Alexa
ndria', 'iata': 'HBE', 'icao': 'HEBA', 'latitude': 30.91769981384277, 'longit
ude': 29.696399688720703, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3386, 'name': 'Hangzhou Xiaoshan International Airport', 'city': '
Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC', 'latitude': 30.22949981689453, 'lon
gitude': 120.43399810791016, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shan
ghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kon
g', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude
': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['333', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None
, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3714, 'name': 'Washington Dulles International Airport', 'city': '
Washington', 'iata': 'IAD', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitu
de': -77.45580292, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3550, 'name': 'George Bush Intercontinental Houston Airport', 'cit
y': 'Houston', 'iata': 'IAH', 'icao': 'KIAH', 'latitude': 29.98439979553223,
'longitude': -95.34140014648438, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'Amer
ica/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3930, 'name': 'Incheon International Airport', 'city': 'Seoul', 'i
ata': 'ICN', 'icao': 'RKSI', 'latitude': 37.46910095214844, 'longitude': 126.
45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4330, 'name': 'Imam Khomeini International Airport', 'city': 'Tehr
an', 'iata': 'IKA', 'icao': 'OIIE', 'latitude': 35.416099548339844, 'longitud
e': 51.152198791503906, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2223, 'name': 'Benazir Bhutto International Airport', 'city': 'Isl
amabad', 'iata': 'RYK', 'icao': 'OPRN', 'latitude': 33.616699, 'longitude': 7
3.099197, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['333', '77L', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul',
'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, '
timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333',
'332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 5952, 'name': 'Sulaymaniyah International Airport', 'city': 'Sulay
maniyah', 'iata': 'ISU', 'icao': 'ORSU', 'latitude': 35.5617485046, 'longitud
e': 45.316738128699996, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jed
dah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156
502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788'
, '333', '77W', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New
York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -
73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesbu
rg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', '
iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 't
imezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka', 'ia
ta': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.2
4400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern

ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1175, 'name': 'Khartoum International Airport', 'city': 'Khartoum'
, 'iata': 'KRT', 'icao': 'HSSS', 'latitude': 15.589500427246096, 'longitude':
32.55319976806641, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Khartoum', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmand
u', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591,
'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320',
'333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala
Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'long
itude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala
_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['332', '77W', '333', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'i
ata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.
96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', '321', '77L', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern

ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca',
'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 3
3.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore
', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude':
74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['333', '77W', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata':
'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone
': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '788', '77
W', '346', '332', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 273, 'name': 'Murtala Muhammed International Airport', 'city': 'La
gos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.5773701667785645, 'longitu
de': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['333', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern

ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1132, 'name': 'Luxor International Airport', 'city': 'Luxor', 'iat
a': 'LXR', 'icao': 'HELX', 'latitude': 25.671, 'longitude': 32.7066, 'timezon
e': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', '
iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80
.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1229, 'name': 'Adolfo Suárez Madrid–Barajas Airport', 'city': 'Mad
rid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.5
6264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
7W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 478, 'name': 'Manchester Airport', 'city': 'Manchester', 'iata': '
MAN', 'icao': 'EGCC', 'latitude': 53.35369873046875, 'longitude': -2.27495002
74658203, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':

25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2194, 'name': 'Muscat International Airport', 'city': 'Muscat', 'i
ata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, 'longitude': 58.
284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', 'E75', '321', '73J', '332', '788', '73G', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airport', 'city': 'Ma
dinah', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'longitude': 39.7
05101, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3339, 'name': 'Melbourne International Airport', 'city': 'Melbourn
e', 'iata': 'MEL', 'icao': 'YMML', 'latitude': -37.673302, 'longitude': 144.8
43002, 'timezone': 10.0, 'dst': 'O', 'tz_id': 'Australia/Hobart', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4331, 'name': 'Mashhad International Airport', 'city': 'Mashhad',
'iata': 'MHD', 'icao': 'OIMM', 'latitude': 36.235198974609375, 'longitude': 5
9.64099884033203, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':

25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3156, 'name': 'Malé International Airport', 'city': 'Male', 'iata'
: 'MLE', 'icao': 'VRMM', 'latitude': 4.1918301582336435, 'longitude': 73.5290
9851074219, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Indian/Maldives', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manil
a', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.0199
97, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W',
'333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'i
cao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1524, 'name': 'Malpensa International Airport', 'city': 'Milano',
'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.7281100000
00001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['33
2', '320', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur

ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4059, 'name': 'Jomo Kenyatta International Airport', 'city': 'Nair
obi', 'iata': 'NBO', 'icao': 'HKJK', 'latitude': -1.31923997402, 'longitude':
36.9277992249, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Africa/Nairobi', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 7490, 'name': 'Al Najaf International Airport', 'city': 'Najaf', '
iata': 'NJF', 'icao': 'ORNI', 'latitude': 31.989853000000004, 'longitude': 44
.404317, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'ia
ta': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.
386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chi
cago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9
048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur

ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 644, 'name': 'Oslo Lufthavn', 'city': 'Oslo', 'iata': 'OSL', 'icao
': 'ENGM', 'latitude': 60.121, 'longitude': 11.0502, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucha
rest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26
.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Be
ijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitu
de': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3351, 'name': 'Perth International Airport', 'city': 'Perth', 'iat
a': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.9
6700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai

rport_id': 2219, 'name': 'Peshawar International Airport', 'city': 'Peshawar'
, 'iata': 'PEW', 'icao': 'OPPS', 'latitude': 33.993900299072266, 'longitude':
71.51460266113281, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3752, 'name': 'Philadelphia International Airport', 'city': 'Phila
delphia', 'iata': 'PHL', 'icao': 'KPHL', 'latitude': 39.87189865112305, 'long
itude': -75.24109649658203, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/N
ew_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Sh
anghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'long
itude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shang
hai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'i
ata': 'RGN', 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.
1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai

rport_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh
', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude'
: 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['788', '333', '321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3980, 'name': "Sana'a International Airport", 'city': 'Sanaa', 'ia
ta': 'SAH', 'icao': 'OYSN', 'latitude': 15.476300239562988, 'longitude': 44.2
1969985961914, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Aden', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3205, 'name': 'Tan Son Nhat International Airport', 'city': 'Ho Ch
i Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude': 10.8187999725, 'long
itude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah',
'iata': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55
.5172004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320', '319', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai

rport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'ia
ta': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788', '77
W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2195, 'name': 'Salalah Airport', 'city': 'Salalah', 'iata': 'SLL',
'icao': 'OOSA', 'latitude': 17.038700103759766, 'longitude': 54.0913009643554
7, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2157, 'name': 'Shiraz Shahid Dastghaib International Airport', 'ci
ty': 'Shiraz', 'iata': 'SYZ', 'icao': 'OISS', 'latitude': 29.53919982910156,
'longitude': 52.58980178833008, 'timezone': 3.5, 'dst': 'E', 'tz_id': 'Asia/T
ehran', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2090, 'name': 'Ta’if Regional Airport', 'city': 'Taif', 'iata': 'T
IF', 'icao': 'OETF', 'latitude': 21.483001, 'longitude': 40.543442, 'timezone
': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Intern
ational Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3153, 'name': 'Trivandrum International Airport', 'city': 'Trivand
rum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'longitude':

76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 287, 'name': 'Tunis Carthage International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA', 'latitude': 36.85100173950195, 'longitude': 10.22719955444336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1551, 'name': 'Venice Marco Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 45.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type

': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}

{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 8076, 'name': 'Al Maktoum International Airport', 'city': 'Dubai', 'iata': 'DWC', 'icao': 'OMDW', 'latitude': 24.896356, 'longitude': 55.161389, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '788', '321', '77W', '77L', '332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1187, 'name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1187, 'name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1165, 'name': 'Kigali International Airport', 'city': 'Kigali', 'iata': 'KGL', 'icao': 'HRYR', 'latitude': -1.9686299999999999, 'longitude': 30.1395, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Kigali', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3989, 'name': 'Erbil International Airport', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'ORER', 'latitude': 36.23759841918945, 'longitude': 43.96319961547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2067, 'name': 'Gassim Airport', 'city': 'Gassim', 'iata': 'ELQ', 'icao': 'OEGS', 'latitude': 26.30279922485352, 'longitude': 43.77439880371094, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1682, 'name': 'Esenboğa International Airport', 'city': 'Ankara', 'iata': 'ESB', 'icao': 'LTAC', 'latitude': 40.128101348899996, 'longitude': 32.995098114, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1682, 'name': 'Esenboğa International Airport', 'city': 'Ankara', 'iata': 'ESB', 'icao': 'LTAC', 'latitude': 40.128101348899996, 'longitude': 32.995098114, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L', '788', '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}

{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airport', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3988, 'name': 'Ministro Pistarini International Airport', 'city': 'Buenos Aires', 'iata': 'EZE', 'icao': 'SAEZ', 'latitude': -34.8222, 'longitude': -58.5358, 'timezone': -3.0, 'dst': 'N', 'tz_id': 'America/Buenos_Aires', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev
International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latit
ude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'ds
t': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3973, 'name': 'Tbilisi International Airport', '
city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitude': 41.6692008972, '
longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Asia/Tbilisi'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3199, 'name': 'Noi Bai Inter
national Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude'
: 21.221200942993164, 'longitude': 105.80699920654295, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'B
angkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'long
itude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangk
ok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3410, 'name': 'Borg El Arab
International Airport', 'city': 'Alexandria', 'iata': 'HBE', 'icao': 'HEBA',
'latitude': 30.91769981384277, 'longitude': 29.696399688720703, 'timezone': 2
.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Ai
rport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056,
'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3386, 'name': 'Hangzhou Xiao
shan International Airport', 'city': 'Hangzhou', 'iata': 'HGH', 'icao': 'ZSHC
', 'latitude': 30.22949981689453, 'longitude': 120.43399810791016, 'timezone'
: 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internationa
l Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273
056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo

scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong Int
ernational Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'lat
itude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', '
city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu
de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket Intern
ational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude'
: 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia
/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BK
K', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164
794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket Intern
ational Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude'
: 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia
/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala L
umpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longi
tude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_
Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 11051,
'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao':
'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst'
: 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 3714, 'name': 'Washington Du
lles International Airport', 'city': 'Washington', 'iata': 'IAD', 'icao': 'KI
AD', 'latitude': 38.94449997, 'longitude': -77.45580292, 'timezone': -5.0, 'd
st': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airp
ort', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, '
longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3550, 'name': 'George Bush I
ntercontinental Houston Airport', 'city': 'Houston', 'iata': 'IAH', 'icao': '
KIAH', 'latitude': 29.98439979553223, 'longitude': -95.34140014648438, 'timez
one': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Inter
national Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude':
25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Incheon Inter
national Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude'
: 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst':
'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city
': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude':
51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 4330, 'name': 'Imam Khomeini
International Airport', 'city': 'Tehran', 'iata': 'IKA', 'icao': 'OIIE', 'lat
itude': 35.416099548339844, 'longitude': 51.152198791503906, 'timezone': 3.5,
'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport
', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'lon
gitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 2223, 'name': 'Benazir Bhutt
o International Airport', 'city': 'Islamabad', 'iata': 'RYK', 'icao': 'OPRN',
'latitude': 33.616699, 'longitude': 73.099197, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': '
Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.
608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'332', '333', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk Inter
national Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitu
de': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': '
Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha',
'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '
332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 5952, 'name': 'Sulaymaniyah
International Airport', 'city': 'Sulaymaniyah', 'iata': 'ISU', 'icao': 'ORSU'
, 'latitude': 35.5617485046, 'longitude': 45.316738128699996, 'timezone': 3.0
, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airp
ort', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, '
longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2072, 'name': 'King Abdulazi
z International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'l
atitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_i
d': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha'
, 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.60805
6, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788'
, '333', '77W', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona International Airpor
t', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971,
'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle Internationa
l Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.01
2798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['757']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport',
'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longit
ude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3877, 'name': 'McCarran International Airport
', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'latitude': 36.0801010
1, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': '
America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans In
ternational Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY', '
latitude': 29.99340057373047, 'longitude': -90.25800323486328, 'timezone': -6
.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Airport
', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'lon
gitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rom
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['763']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International A
irport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.978
6, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chi
cago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F Kenned
y International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK',
'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst':
'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3731, 'name': 'San Diego International Airpor
t', 'city': 'San Diego', 'iata': 'SAN', 'icao': 'KSAN', 'latitude': 32.733600
6165, 'longitude': -117.190002441, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'Am
erica/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'

, 'active': True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo Inter
national Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'la
titude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city':
'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'long
itude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannes
burg', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo Inter
national Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'la
titude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'D
oha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.6
08056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 813, 'name': 'OR Tambo Inter
national Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'la
titude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id':
'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 979, 'name': 'Maputo Airport', 'city': 'Maputo', 'iata':
'MPM', 'icao': 'FQMA', 'latitude': -25.920799, 'longitude': 32.572601, 'timez
one': 2.0, 'dst': 'U', 'tz_id': 'Africa/Maputo', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1180, 'name': 'Kilimanjaro I
nternational Airport', 'city': 'Kilimanjaro', 'iata': 'JRO', 'icao': 'HTKJ',
'latitude': -3.42940998077, 'longitude': 37.0745010376, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1177, 'name': 'Julius Nyerere Internat
ional Airport', 'city': 'Dar Es Salaam', 'iata': 'DAR', 'icao': 'HTDA', 'lati
tude': -6.87811, 'longitude': 39.202599, 'timezone': 3.0, 'dst': 'U', 'tz_id'
: 'Africa/Dar_es_Salaam', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3174, 'name': 'Krabi Airport

', 'city': 'Krabi', 'iata': 'KBV', 'icao': 'VTSG', 'latitude': 8.09912014008, 'longitude': 98.9861984253, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1165, 'name': 'Kigali International Airport', 'city': 'Kigali', 'iata': 'KGL', 'icao': 'HRYR', 'latitude': -1.9686299999999999, 'longitude': 30.1395, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Kigali', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1187, 'name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2206, 'name': 'Jinnah International Airport', 'city': 'Karachi', 'iata': 'KHI', 'icao': 'OPKC', 'latitude': 24.9065, 'longitude': 67.160797, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3992, 'name': 'Kansai International Airport', 'city': 'Osaka', 'iata': 'KIX', 'icao': 'RJBB', 'latitude': 34.42729949951172, 'longitude': 135.24400329589844, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1175, 'name': 'Khartoum International Airport', 'city': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS', 'latit

ude': 15.589500427246096, 'longitude': 32.55319976806641, 'timezone': 3.0, 'd
st': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airpo
rt', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'l
ongitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuvan Int
ernational Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'lat
itude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id':
'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha',
'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '
333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur
International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK'
, 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internati
onal Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.
273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['332', '77W', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur
International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK'
, 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket Internati
onal Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8
.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ba
ngkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait Intern
ational Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude'

: 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '321', '77L', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3877, 'name': 'McCarran International Airport', 'city': 'Las Vegas', 'iata': 'LAS', 'icao': 'KLAS', 'latitude': 36.08010101, 'longitude': -115.15200039999999, 'timezone': -8.0, 'dst': 'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2207, 'name': 'Alama Iqbal International Airport', 'city': 'Lahore', 'iata': 'LHE', 'icao': 'OPLA', 'latitude': 31.5216007232666, 'longitude': 74.40360260009766, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '333', '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4

706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lo
ndon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'D
OH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '333', '77
W', '788', '346', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 273, 'name': 'Murtala Muhamm
ed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'l
atitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone': 1.0
, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airp
ort', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, '
longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['333', '332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1132, 'name': 'Luxor Interna
tional Airport', 'city': 'Luxor', 'iata': 'LXR', 'icao': 'HELX', 'latitude':
25.671, 'longitude': 32.7066, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/C
airo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'D
OH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai Inter
national Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude
': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst'
: 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', '
city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu
de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez
Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'la
titude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_i

d': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doh
a', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608
056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77
W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 478, 'name': 'Manchester Air
port', 'city': 'Manchester', 'iata': 'MAN', 'icao': 'EGCC', 'latitude': 53.35
369873046875, 'longitude': -2.2749500274658203, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city':
'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51
.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat Intern
ational Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude'
: 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'c
ity': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitud
e': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['E75', '320', '321', '73J', '332', '788', '73G', '77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3222, 'name': 'Mandalay Inte
rnational Airport', 'city': 'Mandalay', 'iata': 'MDL', 'icao': 'VYMD', 'latit
ude': 21.702199935913086, 'longitude': 95.97789764404295, 'timezone': 6.5, 'd
st': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city'
: 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, '
longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/B
angkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2074, 'name': 'Prince Mohamm
ad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao': 'OEMA',
'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst': 'U', 'tz

_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doh
a', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608
056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3339, 'name': 'Melbourne Int
ernational Airport', 'city': 'Melbourne', 'iata': 'MEL', 'icao': 'YMML', 'lat
itude': -37.673302, 'longitude': 144.843002, 'timezone': 10.0, 'dst': 'O', 't
z_id': 'Australia/Hobart', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city'
: 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude':
51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1824, 'name': 'Licenciado Be
nito Juarez International Airport', 'city': 'Mexico City', 'iata': 'MEX', 'ic
ao': 'MMMX', 'latitude': 19.4363, 'longitude': -99.072098, 'timezone': -6.0,
'dst': 'S', 'tz_id': 'America/Mexico_City', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 3682, 'name': 'Hartsfield Jackson A
tlanta International Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KAT
L', 'latitude': 33.6367, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A
', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['77X']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 4331, 'name': 'Mashhad Inter
national Airport', 'city': 'Mashhad', 'iata': 'MHD', 'icao': 'OIMM', 'latitud
e': 36.235198974609375, 'longitude': 59.64099884033203, 'timezone': 3.5, 'dst
': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', '
city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu
de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3156, 'name': 'Malé Internat
ional Airport', 'city': 'Male', 'iata': 'MLE', 'icao': 'VRMM', 'latitude': 4.
1918301582336435, 'longitude': 73.52909851074219, 'timezone': 5.0, 'dst': 'U'

, 'tz_id': 'Indian/Maldives', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2397, 'name': 'Ninoy Aquino International Airport', 'city': 'Manila', 'iata': 'MNL', 'icao': 'RPLL', 'latitude': 14.5086, 'longitude': 121.019997, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Manila', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['333', '77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 979, 'name': 'Maputo Airport', 'city': 'Maputo', 'iata': 'MPM', 'icao': 'FQMA', 'latitude': -25.920799, 'longitude': 32.572601, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Maputo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans International Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY', 'latitude': 29.99340057373047, 'longitude': -90.25800323486328, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1105

1, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'ica
o': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, '
dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpensa Inte
rnational Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitud
e': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doh
a', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608
056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['33
2', '320', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpensa Inte
rnational Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitud
e': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', 'cit
y': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'long
itude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_Yor
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['763']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 4059, 'name': 'Jomo Kenyatta
International Airport', 'city': 'Nairobi', 'iata': 'NBO', 'icao': 'HKJK', 'la
titude': -1.31923997402, 'longitude': 36.9277992249, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Africa/Nairobi', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', '
city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu
de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 7490, 'name': 'Al Najaf Inte
rnational Airport', 'city': 'Najaf', 'iata': 'NJF', 'icao': 'ORNI', 'latitude
': 31.989853000000004, 'longitude': 44.404317, 'timezone': 3.0, 'dst': 'U', '
tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': '

Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.
608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita Intern
ational Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude':
35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U',
'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'D
oha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.6
08056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Har
e International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', '
latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3682, 'name': 'Hartsfield Jackson Atlanta International
Airport', 'city': 'Atlanta', 'iata': 'ATL', 'icao': 'KATL', 'latitude': 33.63
67, 'longitude': -84.428101, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['CR7']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Har
e International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', '
latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': '
Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.
608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Har
e International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', '
latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3797, 'name': 'John F Kennedy International Airport', '

city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'l
ongitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_
York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago O'Har
e International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', '
latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_
id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3861, 'name': 'Louis Armstrong New Orleans Internationa
l Airport', 'city': 'New Orleans', 'iata': 'MSY', 'icao': 'KMSY', 'latitude':
29.99340057373047, 'longitude': -90.25800323486328, 'timezone': -6.0, 'dst':
'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 644, 'name': 'Oslo Lufthavn'
, 'city': 'Oslo', 'iata': 'OSL', 'icao': 'ENGM', 'latitude': 60.121, 'longitu
de': 11.0502, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name
': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTH
H', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă
International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', '
latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city':
'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51
.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă
International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', '
latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_
id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata'
: 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 23.4114

36080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Beijing Capit
al International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA',
'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.
0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Ai
rport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056,
'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3351, 'name': 'Perth Interna
tional Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude':
-31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', '
city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitu
de': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2219, 'name': 'Peshawar Inte
rnational Airport', 'city': 'Peshawar', 'iata': 'PEW', 'icao': 'OPPS', 'latit
ude': 33.993900299072266, 'longitude': 71.51460266113281, 'timezone': 5.0, 'd
st': 'N', 'tz_id': 'Asia/Karachi', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport'
, 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'long
itude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3752, 'name': 'Philadelphia
International Airport', 'city': 'Philadelphia', 'iata': 'PHL', 'icao': 'KPHL'
, 'latitude': 39.87189865112305, 'longitude': -75.24109649658203, 'timezone':
-5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internatio
nal Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.2

73056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3034, 'name': 'Phnom Penh International Airport', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao': 'VDPP', 'latitude': 11.546600341796875, 'longitude': 104.84400177001952, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3406, 'name': 'Shanghai Pudong International Airport', 'city': 'Shanghai', 'iata': 'PVG', 'icao': 'ZSPD', 'latitude': 31.143400192260746, 'longitude': 121.80500030517578, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3239, 'name': 'Yangon International Airport', 'city': 'Yangon', 'iata': 'RGN', 'icao': 'VYYY', 'latitude': 16.907300949099998, 'longitude': 96.1332015991, 'timezone': 6.5, 'dst': 'U', 'tz_id': 'Asia/Rangoon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'long

itude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['788', '333', '321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3980, 'name': "Sana'a Intern
ational Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': 'OYSN', 'latitude':
15.476300239562988, 'longitude': 44.21969985961914, 'timezone': 3.0, 'dst': '
U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city':
'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51
.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3731, 'name': 'San Diego Int
ernational Airport', 'city': 'San Diego', 'iata': 'SAN', 'icao': 'KSAN', 'lat
itude': 32.7336006165, 'longitude': -117.190002441, 'timezone': -8.0, 'dst':
'A', 'tz_id': 'America/Los_Angeles', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3797, 'name': 'John F Kennedy Internationa
l Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40
.63980103, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id':
'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat
International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'V
VTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport
', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'lon
gitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat
International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'V
VTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3034, 'name': 'Phnom Penh International Air
port', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao': 'VDPP', 'latitude': 11.54

6600341796875, 'longitude': 104.84400177001952, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2191, 'name': 'Sharjah International Airport', 'city': 'Sharjah', 'iata': 'SHJ', 'icao': 'OMSJ', 'latitude': 25.32859992980957, 'longitude': 55.5172004699707, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W', '788']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 2195, 'name': 'Salalah Airport', 'city': 'Salalah', 'iata': 'SLL', 'icao': 'OOSA', 'latitude': 17.038700103759766, 'longitude': 54.09130096435547, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056,

'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1194, 'name': 'Sofia Airport
', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.69669342041
0156, 'longitude': 23.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bu
charest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude':
26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2157, 'name': 'Shiraz Shahid
Dastghaib International Airport', 'city': 'Shiraz', 'iata': 'SYZ', 'icao': 'O
ISS', 'latitude': 29.53919982910156, 'longitude': 52.58980178833008, 'timezon
e': 3.5, 'dst': 'E', 'tz_id': 'Asia/Tehran', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad Internationa
l Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273
056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3973, 'name': 'Tbilisi Inter
national Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitud
e': 41.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz
_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'cit
y': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'lo
ngitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 2090, 'name': 'Ta’if Regiona
l Airport', 'city': 'Taif', 'iata': 'TIF', 'icao': 'OETF', 'latitude': 21.483
001, 'longitude': 40.543442, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riya
dh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH
', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone':

3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum In
ternational Airport', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'l
atitude': 8.48211956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'c
ity': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitud
e': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['321']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 287, 'name': 'Tunis Carthage
International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA', 'lati
tude': 36.85100173950195, 'longitude': 10.22719955444336, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport'
, 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'long
itude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-Tegel A
irport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597
, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH',
'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332', '333']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Ai
rways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar'
, 'active': True}, 'src_airport': {'airport_id': 1551, 'name': 'Venice Marco
Polo Airport', 'city': 'Venice', 'iata': 'VCE', 'icao': 'LIPZ', 'latitude': 4
5.505299, 'longitude': 12.3519, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': '
DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezon
e': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}

{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1208, 'name': 'Zagreb Airport', 'city': 'Zagreb', 'iata': 'ZAG', 'icao': 'LDZA', 'latitude': 45.742900848400005, 'longitude': 16.0687999725, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}

{'airline': {'airline_id': 4091, 'name': 'Qatar Airways', 'alias': 'Qantas Airways', 'iata': 'QR', 'icao': 'QTR', 'callsign': 'QATARI', 'country': 'Qatar', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['788']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenhovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country': 'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenhovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country': 'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenhovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country': 'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1688, 'name': 'Antalya International Airport', 'city': 'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude': 30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1218, 'name'
: 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'ica
o': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport
Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008
, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319', '738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 302, 'name':
'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao': 'EBBR', 'latit
ude': 50.9014015198, 'longitude': 4.48443984985, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city'
: 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude':
14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1745, 'name'
: 'M. R. Štefánik Airport', 'city': 'Bratislava', 'iata': 'BTS', 'icao': 'LZI
B', 'latitude': 48.17020034790039, 'longitude': 17.212699890136722, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Bratislava', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel A
irport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude':
50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pr
ague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['AT4', 'AT7']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1489, 'name'
: 'Budapest Liszt Ferenc International Airport', 'city': 'Budapest', 'iata':
'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longitude': 19.261093
, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav
Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'lati
tude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1382, 'name'
: 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG',
'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Paris', type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1582, 'name': 'Ostrava Leos Janáček Airport'
, 'city': 'Ostrava', 'iata': 'OSR', 'icao': 'LKMT', 'latitude': 49.6963005065
918, 'longitude': 18.111099243164066, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1382, 'name'
: 'Charles de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG',
'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'd
st': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague',
'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longit
ude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319', '73G', '738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 609, 'name':
'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'E
KCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source'
: 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel A
irport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude':
50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pr
ague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 345, 'name':
'Düsseldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', '
latitude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'ci
ty': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude
': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319', 'AT7']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1555, 'name'
: 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao
': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.238888900000001, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel
Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude':
50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pr
ague', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['738', '320', '319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 4091, 'name'
: 'Madeira Airport', 'city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latit
ude': 32.697899, 'longitude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id':
'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague',
'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 340, 'name':
'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDD
F', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city'
: 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude':
14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
AT7', '319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 342, 'name':
'Hamburg Airport', 'city': 'Hamburg', 'iata': 'HAM', 'icao': 'EDDH', 'latitud
e': 53.630401611328004, 'longitude': 9.988229751586902, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague',
'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longit
ude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['319', 'AT7']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 2939, 'name'
: 'Boryspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'U
KBB', 'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezon
e': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airpor
t Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.10
08, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1746, 'name'
: 'Košice Airport', 'city': 'Kosice', 'iata': 'KSC', 'icao': 'LZKZ', 'latitud
e': 48.66310119628906, 'longitude': 21.241100311279297, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Bratislava', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Pragu
e', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'lo
ngitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT4', 'AT7']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1054, 'name'
: 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCL
P', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezon
e': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Air
port Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50
.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prag
ue', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1229, 'name'
: 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'i
cao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Pragu
e', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'lo
ngitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1524, 'name'
: 'Malpensa International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao':
'LIMC', 'latitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague'
, 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'long
itude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1354, 'name'
: "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE', 'icao': 'LFMN',
'latitude': 43.658401489300005, 'longitude': 7.215869903560001, 'timezone': 1
.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Pr
ague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008,
'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1582, 'name'
: 'Ostrava Leos Janáček Airport', 'city': 'Ostrava', 'iata': 'OSR', 'icao': '
LKMT', 'latitude': 49.6963005065918, 'longitude': 18.111099243164066, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1382, 'name': 'Charles de Gaull
e International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'la
titude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1582, 'name'
: 'Ostrava Leos Janáček Airport', 'city': 'Ostrava', 'iata': 'OSR', 'icao': '
LKMT', 'latitude': 49.6963005065918, 'longitude': 18.111099243164066, 'timezo
ne': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Air
port Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50
.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prag
ue', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['AT4']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1657, 'name'
: 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', '
icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Pr
ague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008,
'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 3998, 'name'
: 'Palma De Mallorca Airport', 'city': 'Palma de Mallorca', 'iata': 'PMI', 'i
cao': 'LEPA', 'latitude': 39.551700591999996, 'longitude': 2.73881006241, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel
Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude':
50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pr
ague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Ams
terdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4
.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stoc
kholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longi
tude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockho
lm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1688, 'name': 'Antalya International Airport', 'city':
'Antalya', 'iata': 'AYT', 'icao': 'LTAI', 'latitude': 36.898701, 'longitude':
30.800501, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city'
: 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude
': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319', '738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'i
ata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.484439
84985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1745, 'name': 'M. R. Štefánik Airport', 'city': 'Bratis
lava', 'iata': 'BTS', 'icao': 'LZIB', 'latitude': 48.17020034790039, 'longitu
de': 17.212699890136722, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Bratis
lava', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['AT4', 'AT7']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc International Airp
ort', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.42975
9999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airport'
, 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'lon
gitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', '73G', '738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Cop
enhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longit
ude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copen
hagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 345, 'name': 'Düsseldorf Airport', 'city': 'Duesseldorf
', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501, 'longitude': 6.76678
0000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319', 'AT7']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'c
ity': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996,
'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['738', '320', '319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4091, 'name': 'Madeira Airport', 'city': 'Funchal', 'ia
ta': 'FNC', 'icao': 'LPMA', 'latitude': 32.697899, 'longitude': -16.7745, 'ti
mezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Fran
kfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.
570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'AT7', '319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 342, 'name': 'Hamburg Airport', 'city': 'Hamburg', 'iat
a': 'HAM', 'icao': 'EDDH', 'latitude': 53.630401611328004, 'longitude': 9.988
229751586902, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319', 'AT7']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1452, 'name': 'Heraklion International Nikos Kazantzaki
s Airport', 'city': 'Heraklion', 'iata': 'HER', 'icao': 'LGIR', 'latitude': 3
5.3396987915, 'longitude': 25.1802997589, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'city':
'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'longit
ude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1746, 'name': 'Košice Airport', 'city': 'Kosice', 'iata
': 'KSC', 'icao': 'LZKZ', 'latitude': 48.66310119628906, 'longitude': 21.2411
00311279297, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Bratislava', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['AT4']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Can
aria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longit
ude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Can
ary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['738']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', '
city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longi
tude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1524, 'name': 'Malpensa International Airport', 'city':
'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306, 'longitude': 8.
728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice
', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude'
: 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1582, 'name': 'Ostrava Leos Janáček Airport', 'city': '
Ostrava', 'iata': 'OSR', 'icao': 'LKMT', 'latitude': 49.6963005065918, 'longi
tude': 18.111099243164066, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prag
ue', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['AT4']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'ci
ty': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'lon
gitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['319']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3998, 'name': 'Palma De Mallorca Airport', 'city': 'Pal
ma de Mallorca', 'iata': 'PMI', 'icao': 'LEPA', 'latitude': 39.55170059199999
6, 'longitude': 2.73881006241, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1472, 'name': 'Diagoras Airport', 'city': 'Rhodos', 'ia
ta': 'RHO', 'icao': 'LGRP', 'latitude': 36.40539932250977, 'longitude': 28.08
6200714111328, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1206, 'name': 'Split Airport', 'city': 'Split', 'iata':
'SPU', 'icao': 'LDSP', 'latitude': 43.53889846801758, 'longitude': 16.2980003
3569336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zagreb', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['738']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1435, 'name': 'Strasbourg Airport', 'city': 'Strasbourg
', 'iata': 'SXB', 'icao': 'LFST', 'latitude': 48.53829956054688, 'longitude':
7.628230094909668, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['AT4']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1056, 'name': 'Tenerife South Airport', 'city': 'Teneri
fe', 'iata': 'TFS', 'icao': 'GCTS', 'latitude': 28.044500351, 'longitude': -1
6.5725002289, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city
': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695,
'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/J
erusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['320', '738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin',
'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1246, 'name': 'Valencia Airport', 'city': 'Valencia', '
iata': 'VLC', 'icao': 'LEVC', 'latitude': 39.4893, 'longitude': -0.481625, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw',
'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.967
1001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7', 'AT4']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1587, 'name'
: 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LK
PR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata
': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.5491
7, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7'
]}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1472, 'name'
: 'Diagoras Airport', 'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP', 'latit
ude': 36.40539932250977, 'longitude': 28.086200714111328, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague'
, 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'long
itude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['738']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1206, 'name'
: 'Split Airport', 'city': 'Split', 'iata': 'SPU', 'icao': 'LDSP', 'latitude'
: 43.53889846801758, 'longitude': 16.29800033569336, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'ci
ty': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude
': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1435, 'name'
: 'Strasbourg Airport', 'city': 'Strasbourg', 'iata': 'SXB', 'icao': 'LFST',
'latitude': 48.53829956054688, 'longitude': 7.628230094909668, 'timezone': 1.
0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Pra
gue', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, '
longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['AT4']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1056, 'name'
: 'Tenerife South Airport', 'city': 'Tenerife', 'iata': 'TFS', 'icao': 'GCTS'
, 'latitude': 28.044500351, 'longitude': -16.5725002289, 'timezone': 0.0, 'ds
t': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague
', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'lon
gitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1590, 'name'
: 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'ica
o': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, '
timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Ha
vel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitu
de': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['738', '320']}

{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 351, 'name':
'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'lat
itude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague',
'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'time
zone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT4']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1246, 'name'
: 'Valencia Airport', 'city': 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'lat
itude': 39.4893, 'longitude': -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague
', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 't
imezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 679, 'name':
'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'la
titude': 52.1656990051, 'longitude': 20.9671001434, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'cit
y': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude'
: 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT7', 'AT4']}
{'airline': {'airline_id': 5097, 'name': 'Travel Service', 'alias': 'Turkmenh
ovayollary', 'iata': 'QS', 'icao': 'TVS', 'callsign': 'SKYTRAVEL', 'country':
'Czech Republic', 'active': True}, 'src_airport': {'airport_id': 1678, 'name'
: 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitud
e': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'P
rague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.2
6, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7'
]}
{'airline': {'airline_id': 2104, 'name': 'East African', 'alias': 'CSA Czech
Airlines', 'iata': 'QU', 'icao': 'UGX', 'callsign': 'CRANE', 'country': 'Ugan

da', 'active': True}, 'src_airport': {'airport_id': 2944, 'name': 'Kiev Zhuli
any International Airport', 'city': 'Kiev', 'iata': 'IEV', 'icao': 'UKKK', 'l
atitude': 50.40194, 'longitude': 30.451940000000004, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2988, 'name': 'Vnukovo International Airport', 'ci
ty': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994,
'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mos
cow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['735']}
{'airline': {'airline_id': 2104, 'name': 'East African', 'alias': 'CSA Czech
Airlines', 'iata': 'QU', 'icao': 'UGX', 'callsign': 'CRANE', 'country': 'Ugan
da', 'active': True}, 'src_airport': {'airport_id': 2945, 'name': 'Lviv Inter
national Airport', 'city': 'Lvov', 'iata': 'LWO', 'icao': 'UKLL', 'latitude':
49.8125, 'longitude': 23.95610046386719, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2988, 'name': 'Vnukovo International Airport', 'city': 'Moscow
', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude'
: 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['735']}
{'airline': {'airline_id': 2104, 'name': 'East African', 'alias': 'CSA Czech
Airlines', 'iata': 'QU', 'icao': 'UGX', 'callsign': 'CRANE', 'country': 'Ugan
da', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo In
ternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latit
ude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2944, 'name': 'Kiev Zhuliany International Airpo
rt', 'city': 'Kiev', 'iata': 'IEV', 'icao': 'UKKK', 'latitude': 50.40194, 'lo
ngitude': 30.451940000000004, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/K
iev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['735']}
{'airline': {'airline_id': 2104, 'name': 'East African', 'alias': 'CSA Czech
Airlines', 'iata': 'QU', 'icao': 'UGX', 'callsign': 'CRANE', 'country': 'Ugan
da', 'active': True}, 'src_airport': {'airport_id': 2988, 'name': 'Vnukovo In
ternational Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latit
ude': 55.591499328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2945, 'name': 'Lviv International Airport', 'cit
y': 'Lvov', 'iata': 'LWO', 'icao': 'UKLL', 'latitude': 49.8125, 'longitude':
23.95610046386719, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['735']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati

c Republic', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Su
varnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latit
ude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang International
Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitude':
19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Su
varnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latit
ude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Airport
', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.9883003
23500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'A
sia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320', 'AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Su
varnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latit
ude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3118, 'name': 'Savannakhet Airport', 'city'
: 'Savannakhet', 'iata': 'ZVK', 'icao': 'VLSK', 'latitude': 16.55660057067871
, 'longitude': 104.76000213623048, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asi
a/Vientiane', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3370, 'name': 'Gu
angzhou Baiyun International Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'i
cao': 'ZGGG', 'latitude': 23.39240074157715, 'longitude': 113.29900360107422,
'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay In
ternational Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'la
titude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst
': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati

c Republic', 'active': True}, 'src_airport': {'airport_id': 3931, 'name': 'Ch
iang Mai International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao':
'VTCC', 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0
, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang Internation
al Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitud
e': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'ds
t': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3199, 'name': 'No
i Bai International Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB',
'latitude': 21.221200942993164, 'longitude': 105.80699920654295, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang Internati
onal Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latit
ude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, '
dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3199, 'name': 'No
i Bai International Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB',
'latitude': 21.221200942993164, 'longitude': 105.80699920654295, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Ai
rport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.98
8300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id
': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_i
d': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata'
: 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.563
00354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'In
cheon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI',
'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9

.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Airp
ort', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.9883
00323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3381, 'name': 'Xi
shuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZP
JH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang In
ternational Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB',
'latitude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3382, 'name': 'Ku
nming Changshui International Airport', 'city': 'Kunming', 'iata': 'KMG', 'ic
ao': 'ZPPP', 'latitude': 25.101944399999997, 'longitude': 102.9291667, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay Internati
onal Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude'
: 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Lu
ang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', '
icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.1610031127929
5, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarn
abhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude'
: 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Lu
ang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', '
icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.1610031127929

5, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3931, 'name': 'Chiang Mai International Airport', 'city': 'Chiang Mai', 'iata': 'CNX', 'icao': 'VTCC', 'latitude': 18.7667999268, 'longitude': 98.962600708, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Luang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3199, 'name': 'Noi Bai International Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude': 21.221200942993164, 'longitude': 105.80699920654295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Luang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3381, 'name': 'Xishuangbanna Gasa Airport', 'city': 'Jinghonggasa', 'iata': 'JHG', 'icao': 'ZPJH', 'latitude': 21.973899841308594, 'longitude': 100.76000213623048, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Luang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3116, 'name': 'Pakse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', 'latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Luang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.16100311279

5, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3035, 'name': 'Siem Reap International Airport', 'city': 'Siem-reap', 'iata': 'REP', 'icao': 'VDSR', 'latitude': 13.410699844400003, 'longitude': 103.81300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3115, 'name': 'Luang Phabang International Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'latitude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 4142, 'name': 'Luang Namtha Airport', 'city': 'Luang Namtha', 'iata': 'LXG', 'icao': 'VLLN', 'latitude': 20.966998999999998, 'longitude': 101.400002, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 4143, 'name': 'Oudomsay Airport', 'city': 'Muang Xay', 'iata': 'ODY', 'icao': 'VLOS', 'latitude': 20.68269920349121, 'longitude': 101.99400329589844, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3116, 'name': 'Pakse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', 'latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7

.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang Interna
tional Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'lat
itude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3116, 'name': 'Pa
kse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', '
latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7
.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3035, 'name': 'Siem Reap Internation
al Airport', 'city': 'Siem-reap', 'iata': 'REP', 'icao': 'VDSR', 'latitude':
13.410699844400003, 'longitude': 103.81300354, 'timezone': 7.0, 'dst': 'U', '
tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3116, 'name': 'Pa
kse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', '
latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7
.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3205, 'name': 'Tan Son Nhat Internat
ional Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN', 'icao': 'VVTS', 'l
atitude': 10.8187999725, 'longitude': 106.652000427, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3116, 'name': 'Pa
kse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', '
latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7
.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International
Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.
988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_
id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['AT7', '320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3116, 'name': 'Pa
kse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', '
latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7

.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 3118, 'name': 'Savannakhet Airport',
'city': 'Savannakhet', 'iata': 'ZVK', 'icao': 'VLSK', 'latitude': 16.55660057
067871, 'longitude': 104.76000213623048, 'timezone': 7.0, 'dst': 'U', 'tz_id'
: 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3034, 'name': 'Ph
nom Penh International Airport', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao':
'VDPP', 'latitude': 11.546600341796875, 'longitude': 104.84400177001952, 'tim
ezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay Inte
rnational Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'lati
tude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3035, 'name': 'Si
em Reap International Airport', 'city': 'Siem-reap', 'iata': 'REP', 'icao': '
VDSR', 'latitude': 13.410699844400003, 'longitude': 103.81300354, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang Inter
national Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'l
atitude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3035, 'name': 'Si
em Reap International Airport', 'city': 'Siem-reap', 'iata': 'REP', 'icao': '
VDSR', 'latitude': 13.410699844400003, 'longitude': 103.81300354, 'timezone':
7.0, 'dst': 'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3116, 'name': 'Pakse International
Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', 'latitude': 15.1321
00105285645, 'longitude': 105.78099822998048, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3205, 'name': 'Ta
n Son Nhat International Airport', 'city': 'Ho Chi Minh City', 'iata': 'SGN',
'icao': 'VVTS', 'latitude': 10.8187999725, 'longitude': 106.652000427, 'timez

one': 7.0, 'dst': 'U', 'tz_id': 'Asia/Saigon', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3116, 'name': 'Pakse Internation
al Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', 'latitude': 15.1
32100105285645, 'longitude': 105.78099822998048, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Si
ngapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS',
'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city':
'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, '
longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientia
ne', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport',
'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662
598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': '
Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320', 'AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3370, 'name': 'Guangzhou Baiyun Inter
national Airport', 'city': 'Guangzhou', 'iata': 'CAN', 'icao': 'ZGGG', 'latit
ude': 23.39240074157715, 'longitude': 113.29900360107422, 'timezone': 8.0, 'd
st': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.

0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3199, 'name': 'Noi Bai International
Airport', 'city': 'Hanoi', 'iata': 'HAN', 'icao': 'VVNB', 'latitude': 21.2212
00942993164, 'longitude': 105.80699920654295, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Saigon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': [
'AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon International
Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'latitude': 37.4691
0095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, 'dst': 'U', 'tz
_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3382, 'name': 'Kunming Changshui Inte
rnational Airport', 'city': 'Kunming', 'iata': 'KMG', 'icao': 'ZPPP', 'latitu
de': 25.101944399999997, 'longitude': 102.9291667, 'timezone': 8.0, 'dst': 'N
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3115, 'name': 'Luang Phabang Internat
ional Airport', 'city': 'Luang Prabang', 'iata': 'LPQ', 'icao': 'VLLB', 'lati

tude': 19.897300720214844, 'longitude': 102.16100311279295, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4142, 'name': 'Luang Namtha Airport', 'city': 'Luang Namtha', 'iata': 'LXG', 'icao': 'VLLN', 'latitude': 20.966998999999998, 'longitude': 101.400002, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4143, 'name': 'Oudomsay Airport', 'city': 'Muang Xay', 'iata': 'ODY', 'icao': 'VLOS', 'latitude': 20.68269920349121, 'longitude': 101.99400329589844, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3116, 'name': 'Pakse International Airport', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', 'latitude': 15.132100105285645, 'longitude': 105.78099822998048, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', '320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iata': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democratic Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3034, 'name': 'Phnom Penh International Airport', 'city': 'Phnom-penh', 'iata': 'PNH', 'icao': 'VDPP', 'latitude':

11.546600341796875, 'longitude': 104.84400177001952, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Phnom_Penh', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpo
rt', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019,
'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapor
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4081, 'name': 'Xieng Khouang Airport'
, 'city': 'Phon Savan', 'iata': 'XKH', 'icao': 'VLXK', 'latitude': 19.450001,
'longitude': 103.157997, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientian
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3120, 'name': 'Wa
ttay International Airport', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLV
T', 'latitude': 17.988300323500003, 'longitude': 102.56300354, 'timezone': 7.
0, 'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3118, 'name': 'Savannakhet Airport',
'city': 'Savannakhet', 'iata': 'ZVK', 'icao': 'VLSK', 'latitude': 16.55660057
067871, 'longitude': 104.76000213623048, 'timezone': 7.0, 'dst': 'U', 'tz_id'
: 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 4081, 'name': 'Xi
eng Khouang Airport', 'city': 'Phon Savan', 'iata': 'XKH', 'icao': 'VLXK', 'l
atitude': 19.450001, 'longitude': 103.157997, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3120, 'name': 'Wattay International Airport', 'city':
'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.988300323500003, '

longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Vientia
ne', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3118, 'name': 'Sa
vannakhet Airport', 'city': 'Savannakhet', 'iata': 'ZVK', 'icao': 'VLSK', 'la
titude': 16.55660057067871, 'longitude': 104.76000213623048, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'c
ity': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68109989166259
8, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'As
ia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3118, 'name': 'Sa
vannakhet Airport', 'city': 'Savannakhet', 'iata': 'ZVK', 'icao': 'VLSK', 'la
titude': 16.55660057067871, 'longitude': 104.76000213623048, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3116, 'name': 'Pakse International Airpo
rt', 'city': 'Pakse', 'iata': 'PKZ', 'icao': 'VLPS', 'latitude': 15.132100105
285645, 'longitude': 105.78099822998048, 'timezone': 7.0, 'dst': 'U', 'tz_id'
: 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 3233, 'name': 'Lao Airlines', 'alias': 'nan', 'iat
a': 'QV', 'icao': 'LAO', 'callsign': 'LAO', 'country': 'Lao Peoples Democrati
c Republic', 'active': True}, 'src_airport': {'airport_id': 3118, 'name': 'Sa
vannakhet Airport', 'city': 'Savannakhet', 'iata': 'ZVK', 'icao': 'VLSK', 'la
titude': 16.55660057067871, 'longitude': 104.76000213623048, 'timezone': 7.0,
'dst': 'U', 'tz_id': 'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3120, 'name': 'Wattay International Airp
ort', 'city': 'Vientiane', 'iata': 'VTE', 'icao': 'VLVT', 'latitude': 17.9883
00323500003, 'longitude': 102.56300354, 'timezone': 7.0, 'dst': 'U', 'tz_id':
'Asia/Vientiane', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': '
Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO',
'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.575996398925
78, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah
Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao':

'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone
': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': '
Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO',
'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.575996398925
78, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3303, 'name': 'Senai
International Airport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ',
'latitude': 1.6413099999999998, 'longitude': 103.66999799999999, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': '
Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO',
'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.575996398925
78, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala
Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao':
'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'tim
ezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': '
Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO',
'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.575996398925
78, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3273, 'name': 'Sultan
Syarif Kasim Ii (Simpang Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU',
'icao': 'WIBB', 'latitude': 0.4607860147953034, 'longitude': 101.444999694824
22, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320'
]}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': '
Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO',
'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.575996398925
78, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singap

ore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'lat
itude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id
': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3896, 'name': '
Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO',
'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.575996398925
78, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda
International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'l
atitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.
0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3269, 'name': '
Kota Kinabalu International Airport', 'city': 'Kota Kinabalu', 'iata': 'BKI',
'icao': 'WBKK', 'latitude': 5.9372100830078125, 'longitude': 116.051002502441
4, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ng
urah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'i
cao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Internation
al Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude': 13
.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U', 't
z_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) Inte

rnational Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latit
ude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3179, 'name': 'Phuket International A
irport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132,
'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3303, 'name': 'Senai International Ai
rport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'latitude': 1.6
413099999999998, 'longitude': 103.66999799999999, 'timezone': 8.0, 'dst': 'N'
, 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3898, 'name': 'Adi Sutjipto Internati
onal Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'latitude
': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur Internati

onal Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitu
de': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3308, 'name': 'Penang International A
irport', 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP', 'latitude': 5.29714
0121459961, 'longitude': 100.2770004272461, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airpo
rt', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019,
'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapor
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3275, 'name': '
Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'ica
o': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda International A
irport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.37
9829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': '
Don Mueang International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao':
'VTBD', 'latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone
': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Inte

rnational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitu
de': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', '
tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3157, 'name': '
Don Mueang International Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao':
'VTBD', 'latitude': 13.912599563599999, 'longitude': 100.607002258, 'timezone
': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda Internationa
l Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7
.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N
', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3896, 'name': 'Husein Sas
tranegara International Airport', 'city': 'Bandung', 'iata': 'BDO', 'icao': '
WICC', 'latitude': -6.900629997253418, 'longitude': 107.57599639892578, 'time
zone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3269, 'name': 'Kota Kinab
alu International Airport', 'city': 'Kota Kinabalu', 'iata': 'BKI', 'icao': '
WBKK', 'latitude': 5.9372100830078125, 'longitude': 116.0510025024414, 'timez
one': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-H

atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3999, 'name': 'Darwin Int
ernational Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitu
de': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'd
st': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3898, 'name': 'Adi Sutjip
to International Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ
', 'latitude': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone
': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lump
ur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WM
KK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezo
ne': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': '
Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS',
'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, '
timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3351, 'name': 'Perth Inte

rnational Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH', 'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3240, 'name': 'Hasanuddin International Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'icao': 'WAAA', 'latitude': -5.061629772186278, 'longitude': 119.5540008544922, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3999, 'name': 'Darwin International Airport', 'city': 'Darwin', 'iata': 'DRW', 'icao': 'YPDN', 'latitude': -12.41469955444336, 'longitude': 130.87699890136722, 'timezone': 9.5, 'dst': 'N', 'tz_id': 'Australia/Darwin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali

) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3179, 'name': 'Phuket International Airport', 'city': 'Phuket', 'iata': 'HKT', 'icao': 'VTSP', 'latitude': 8.1132, 'longitude': 98.316902, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3303, 'name': 'Senai International Airport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'latitude': 1.6413099999999998, 'longitude': 103.66999799999999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3896, 'name': 'Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO', 'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.57599639892578, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3303, 'name': 'Senai International Airport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'latitude': 1.6413099999999998, 'longitude': 103.66999799999999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horizon Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country': 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3303, 'name': 'Senai International Airport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'latitude': 1.6413099999999998, 'longitude': 103.66999799999999, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda Int

ernational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lati
tude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3898, 'name': '
Adi Sutjipto International Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'ic
ao': 'WARJ', 'latitude': -7.788179874420166, 'longitude': 110.43199920654295,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-H
atta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII'
, 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst
': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3898, 'name': '
Adi Sutjipto International Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'ic
ao': 'WARJ', 'latitude': -7.788179874420166, 'longitude': 110.43199920654295,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai
(Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WA
DD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3898, 'name': '
Adi Sutjipto International Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'ic
ao': 'WARJ', 'latitude': -7.788179874420166, 'longitude': 110.43199920654295,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore
Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitud
e': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': '
Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': '
Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', '
icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.7099990844699
8, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3896, 'name': 'Hu

sein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO', '
icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.5759963989257
8, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': '
Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', '
icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.7099990844699
8, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'So
ekarno-Hatta International Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao'
: 'WIII', 'latitude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7
.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': '
Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', '
icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.7099990844699
8, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ng
urah Rai (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'i
cao': 'WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'ti
mezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': '
Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', '
icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.7099990844699
8, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Ju
anda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR
', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone
': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3308, 'name': '
Penang International Airport', 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP
', 'latitude': 5.297140121459961, 'longitude': 100.2770004272461, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': '

OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta In
ternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lati
tude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3308, 'name': '
Penang International Airport', 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP
', 'latitude': 5.297140121459961, 'longitude': 100.2770004272461, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda Internatio
nal Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude':
-7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3351, 'name': '
Perth International Airport', 'city': 'Perth', 'iata': 'PER', 'icao': 'YPPH',
'latitude': -31.94029998779297, 'longitude': 115.96700286865234, 'timezone':
8.0, 'dst': 'N', 'tz_id': 'Australia/Perth', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) I
nternational Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'la
titude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'ds
t': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3273, 'name': '
Sultan Syarif Kasim Ii (Simpang Tiga) Airport', 'city': 'Pekanbaru', 'iata':
'PKU', 'icao': 'WIBB', 'latitude': 0.4607860147953034, 'longitude': 101.44499
969482422, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3896, 'name':
'Husein Sastranegara International Airport', 'city': 'Bandung', 'iata': 'BDO'
, 'icao': 'WICC', 'latitude': -6.900629997253418, 'longitude': 107.5759963989
2578, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',

'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3896, 'name': 'Husein Sastranegara International Air
port', 'city': 'Bandung', 'iata': 'BDO', 'icao': 'WICC', 'latitude': -6.90062
9997253418, 'longitude': 107.57599639892578, 'timezone': 7.0, 'dst': 'N', 'tz
_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport'
, 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204
, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jaka
rta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airpo
rt', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.748169
8989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3898, 'name': 'Adi Sutjipto International Airport',
'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'latitude': -7.788179874
420166, 'longitude': 110.43199920654295, 'timezone': 7.0, 'dst': 'N', 'tz_id'
: 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',

'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3901, 'name': 'Achmad Yani Airport', 'city': 'Semara
ng', 'iata': 'SRG', 'icao': 'WARS', 'latitude': -6.97273, 'longitude': 110.37
5, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']
}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': '
Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS'
, 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3928, 'name': 'Juanda International Airport', 'city'
: 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'latitude': -7.379829883575439,
'longitude': 112.78700256347656, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/
Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3901, 'name': '
Achmad Yani Airport', 'city': 'Semarang', 'iata': 'SRG', 'icao': 'WARS', 'lat
itude': -6.97273, 'longitude': 110.375, 'timezone': 7.0, 'dst': 'N', 'tz_id':
'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore',
'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3896, 'name': 'Husein Sastranega
ra International Airport', 'city': 'Bandung', 'iata': 'BDO', 'icao': 'WICC',
'latitude': -6.900629997253418, 'longitude': 107.57599639892578, 'timezone':
7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '

OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta In
ternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lati
tude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3157, 'name': 'Don Mueang Intern
ational Airport', 'city': 'Bangkok', 'iata': 'DMK', 'icao': 'VTBD', 'latitude
': 13.912599563599999, 'longitude': 100.607002258, 'timezone': 7.0, 'dst': 'U
', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali)
International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'l
atitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'd
st': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3303, 'name': 'Senai Internation
al Airport', 'city': 'Johor Bahru', 'iata': 'JHB', 'icao': 'WMKJ', 'latitude'
: 1.6413099999999998, 'longitude': 103.66999799999999, 'timezone': 8.0, 'dst'
: 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '

OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur Inte
rnational Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'l
atitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.
0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3308, 'name': 'Penang Internatio
nal Airport', 'city': 'Penang', 'iata': 'PEN', 'icao': 'WMKP', 'latitude': 5.
297140121459961, 'longitude': 100.2770004272461, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3928, 'name': '
Juanda International Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WA
RR', 'latitude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezo
ne': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3240, 'name': 'Hasanuddin Intern
ational Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'icao': 'WAAA', 'la
titude': -5.061629772186278, 'longitude': 119.5540008544922, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3240, 'name': '
Hasanuddin International Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'i
cao': 'WAAA', 'latitude': -5.061629772186278, 'longitude': 119.5540008544922,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'so

urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3940, 'name': 'Ngurah Ra
i (Bali) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': '
WADD', 'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 2857, 'name': 'Indonesia AirAsia', 'alias': 'Horiz
on Airlines', 'iata': 'QZ', 'icao': 'AWQ', 'callsign': 'WAGON AIR', 'country'
: 'Indonesia', 'active': True}, 'src_airport': {'airport_id': 3240, 'name': '
Hasanuddin International Airport', 'city': 'Ujung Pandang', 'iata': 'UPG', 'i
cao': 'WAAA', 'latitude': -5.061629772186278, 'longitude': 119.5540008544922,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 3928, 'name': 'Juanda In
ternational Airport', 'city': 'Surabaya', 'iata': 'SUB', 'icao': 'WARR', 'lat
itude': -7.379829883575439, 'longitude': 112.78700256347656, 'timezone': 7.0,
'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan',
'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'ac
tive': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo Interna
tional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 6164, 'name': 'Orsk Airport', 'city': 'Orsk', 'iat
a': 'OSW', 'icao': 'UWOR', 'latitude': 51.0724983215332, 'longitude': 58.5956
0012817383, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan',
'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'ac
tive': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo Interna
tional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city':
'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'l
ongitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yek
aterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan',
'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'ac
tive': True}, 'src_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport'
, 'city': 'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069
580078, 'longitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id':
'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':

{'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan', 'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan', 'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6164, 'name': 'Orsk Airport', 'city': 'Orsk', 'iata': 'OSW', 'icao': 'UWOR', 'latitude': 51.0724983215332, 'longitude': 58.59560012817383, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan', 'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan', 'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2991, 'name': 'Orenburg Central Airport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.795799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'd

st_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushan
be', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'longitud
e': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan',
'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'ac
tive': True}, 'src_airport': {'airport_id': 2991, 'name': 'Orenburg Central A
irport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.79
5799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudz
hand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitu
de': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['738']}
{'airline': {'airline_id': 3805, 'name': 'Orenburg Airlines', 'alias': 'nan',
'iata': 'R2', 'icao': 'ORB', 'callsign': 'ORENBURG', 'country': 'Russia', 'ac
tive': True}, 'src_airport': {'airport_id': 2991, 'name': 'Orenburg Central A
irport', 'city': 'Orenburg', 'iata': 'REN', 'icao': 'UWOO', 'latitude': 51.79
5799255371094, 'longitude': 55.45669937133789, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Pet
ersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'long
itude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['738']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2965
, 'name': 'Sochi International Airport', 'city': 'Sochi', 'iata': 'AER', 'ica
o': 'URSS', 'latitude': 43.449902, 'longitude': 39.9566, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky Internat
ional Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', 'latitude
': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2926
, 'name': 'Ignatyevo Airport', 'city': 'Blagoveschensk', 'iata': 'BQS', 'icao
': 'UHBB', 'latitude': 50.42539978027344, 'longitude': 127.41200256347656, 't
imezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'sourc

e': 'OurAirports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-N
ovy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude'
: 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N',
'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2926
, 'name': 'Ignatyevo Airport', 'city': 'Blagoveschensk', 'iata': 'BQS', 'icao
': 'UHBB', 'latitude': 50.42539978027344, 'longitude': 127.41200256347656, 't
imezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airp
ort', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299
865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id'
: 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2936
, 'name': 'Bratsk Airport', 'city': 'Bratsk', 'iata': 'BTK', 'icao': 'UIBB',
'latitude': 56.37060165405274, 'longitude': 101.697998046875, 'timezone': 8.0
, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2988, 'name': 'Vnukovo International Air
port', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499
328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6093
, 'name': 'Chokurdakh Airport', 'city': 'Chokurdah', 'iata': 'CKH', 'icao': '
UESO', 'latitude': 70.62310028076172, 'longitude': 147.90199279785156, 'timez
one': 11.0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk A
irport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093
299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_
id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6094
, 'name': 'Cherskiy Airport', 'city': 'Cherskiy', 'iata': 'CYX', 'icao': 'UES
S', 'latitude': 68.7406005859375, 'longitude': 161.33799743652344, 'timezone'
: 11.0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'source

': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airpo
rt', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.0932998
65722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id':
'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6098
, 'name': 'Ugolny Airport', 'city': 'Anadyr', 'iata': 'DYR', 'icao': 'UHMA',
'latitude': 64.734902, 'longitude': 177.740997, 'timezone': 12.0, 'dst': 'N',
'tz_id': 'Asia/Anadyr', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khaba
rovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude
': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2979
, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTD
D', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5
.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'cit
y': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'l
ongitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkut
sk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2979
, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTD
D', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5
.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky I
nternational Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', 'l
atitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6156
, 'name': 'Belgorod International Airport', 'city': 'Belgorod', 'iata': 'EGO'
, 'icao': 'UUOB', 'latitude': 50.643798828125, 'longitude': 36.5900993347168,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so

urce': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao' : 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'time zone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source' : 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6149 , 'name': 'Fergana International Airport', 'city': 'Fergana', 'iata': 'FEG', 'icao': 'UTKF', 'latitude': 40.3587989807, 'longitude': 71.7450027466, 'timez one': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source' : 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pash kovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'U RKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone ': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2930 , 'name': 'Sokol Airport', 'city': 'Magadan', 'iata': 'GDX', 'icao': 'UHMM', 'latitude': 59.9109992980957, 'longitude': 150.72000122070312, 'timezone': 11 .0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'source': ' OurAirports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy A irport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48. 52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_ id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh are': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3400 , 'name': 'Taiping Airport', 'city': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'longitude': 126.25, 'timezone': 8.0, 'dst': 'U ', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'ds t_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk' , 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type' : 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip ment': ['SU9']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6095 , 'name': 'Tiksi Airport', 'city': 'Tiksi', 'iata': 'IKS', 'icao': 'UEST', 'l atitude': 71.69770050048801, 'longitude': 128.90299987793, 'timezone': 9.0, ' dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports

'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Y
akutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'long
itude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['DH4', 'A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937
, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII'
, 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city':
'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'l
ongitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanb
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937
, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII'
, 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['DH4'
]}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937
, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII'
, 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2983, 'name': 'Tashkent International Airp
ort', 'city': 'Tashkent', 'iata': 'TAS', 'icao': 'UTTT', 'latitude': 41.25790
0238000005, 'longitude': 69.2811965942, 'timezone': 5.0, 'dst': 'U', 'tz_id':
'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937
, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII'
, 'latitude': 52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': '
Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'lon
gitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73W', '73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2926, 'name': 'Ignatyevo A
irport', 'city': 'Blagoveschensk', 'iata': 'BQS', 'icao': 'UHBB', 'latitude':
50.42539978027344, 'longitude': 127.41200256347656, 'timezone': 9.0, 'dst': '
N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 6098, 'name': 'Ugolny Airp
ort', 'city': 'Anadyr', 'iata': 'DYR', 'icao': 'UHMA', 'latitude': 64.734902,
'longitude': 177.740997, 'timezone': 12.0, 'dst': 'N', 'tz_id': 'Asia/Anadyr'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2930, 'name': 'Sokol Airpo
rt', 'city': 'Magadan', 'iata': 'GDX', 'icao': 'UHMM', 'latitude': 59.9109992
980957, 'longitude': 150.72000122070312, 'timezone': 11.0, 'dst': 'N', 'tz_id
': 'Asia/Srednekolymsk', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH4']}

{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927
, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'ic
ao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timez
one': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Air
port', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.09329
9865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id
': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['SU9', 'DH4', '73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4374
, 'name': 'Yemelyanovo Airport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao'
: 'UNKL', 'latitude': 56.172901, 'longitude': 92.493301, 'timezone': 7.0, 'ds
t': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city':
'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'lo
ngitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakuts
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'

: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2965, 'n
ame': 'Sochi International Airport', 'city': 'Sochi', 'iata': 'AER', 'icao':
'URSS', 'latitude': 43.449902, 'longitude': 39.9566, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2979, 'n
ame': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD',
'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0,
'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6156, 'n
ame': 'Belgorod International Airport', 'city': 'Belgorod', 'iata': 'EGO', 'i
cao': 'UUOB', 'latitude': 50.643798828125, 'longitude': 36.5900993347168, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6149, 'n
ame': 'Fergana International Airport', 'city': 'Fergana', 'iata': 'FEG', 'ica
o': 'UTKF', 'latitude': 40.3587989807, 'longitude': 71.7450027466, 'timezone'
: 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'

: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1701, 'n
ame': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'ic
ao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'd
st': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'n
ame': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'ica
o': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, '
timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2961, 'n
ame': 'Uytash Airport', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': 'URML',
'latitude': 42.81679916381836, 'longitude': 47.65230178833008, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4364, 'n
ame': 'Novy Urengoy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao':
'USMU', 'latitude': 66.06939697265625, 'longitude': 76.52030181884766, 'timez
one': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'

: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1587, 'n
ame': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao':
'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73W', '73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1546, 'n
ame': 'Federico Fellini International Airport', 'city': 'Rimini', 'iata': 'RM
I', 'icao': 'LIPR', 'latitude': 44.020302, 'longitude': 12.6117, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2983, 'n
ame': 'Tashkent International Airport', 'city': 'Tashkent', 'iata': 'TAS', 'i
cao': 'UTTT', 'latitude': 41.257900238000005, 'longitude': 69.2811965942, 'ti
mezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3
9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'n
ame': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV',
'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.8866996765136
7, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W'
]}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960
, 'name': 'Krasnodar Pashkovsky International Airport', 'city': 'Krasnodar',
'iata': 'KRR', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 3

9.170501708984, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2988, 'n
ame': 'Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', 'icao
': 'UUWW', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 'timez
one': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1197
, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA',
'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.6249008178710
9, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnod
ar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'ic
ao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948
, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao':
'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timez
one': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport'
, 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.0932998657
22656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'A
sia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2961
, 'name': 'Uytash Airport', 'city': 'Makhachkala', 'iata': 'MCX', 'icao': 'UR
ML', 'latitude': 42.81679916381836, 'longitude': 47.65230178833008, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovs
ky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK'
, 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3
.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2925
, 'name': 'Mirny Airport', 'city': 'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', '
latitude': 62.53469848632813, 'longitude': 114.03900146484376, 'timezone': 9.

0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city'
: 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, '
longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yaku
tsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'
: {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata':
'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longitude': 129.77099
609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2962
, 'name': 'Mineralnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV
', 'icao': 'URMM', 'latitude': 44.22510147094727, 'longitude': 43.08190155029
297, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben
Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LL
BG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezon
e': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'
: {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk', 'iata':
'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.38899993
896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH4'
]}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'
: {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk
', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 13
5.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'

: {'airport_id': 2988, 'name': 'Vnukovo International Airport', 'city': 'Mosc
ow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.591499328599994, 'longitud
e': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'
: {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata':
'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longitude': 129.77099
609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'
: {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk
', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 13
5.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4364
, 'name': 'Novy Urengoy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'ica
o': 'USMU', 'latitude': 66.06939697265625, 'longitude': 76.52030181884766, 't
imezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasno
dar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'i
cao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, '
timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': None, 'dst_airport'
: {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk
', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 13
5.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364
, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata':

'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.5849990
8447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': '
Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude
': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst':
'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1587
, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'ic
ao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky Internationa
l Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', 'latitude': 4
5.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['73W', '73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2931
, 'name': 'Pevek Airport', 'city': 'Pevek', 'iata': 'PWE', 'icao': 'UHMP', 'l
atitude': 69.783302307129, 'longitude': 170.59700012207, 'timezone': 12.0, 'd
st': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2988, 'name': 'Vnukovo International A
irport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.5914
99328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6092
, 'name': 'Polyarny Airport', 'city': 'Yakutia', 'iata': 'PYJ', 'icao': 'UERP
', 'latitude': 66.4003982544, 'longitude': 112.029998779, 'timezone': 9.0, 'd
st': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Ya
kutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longi
tude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1546
, 'name': 'Federico Fellini International Airport', 'city': 'Rimini', 'iata':

'RMI', 'icao': 'LIPR', 'latitude': 44.020302, 'longitude': 12.6117, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsky
International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK', '
latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2983
, 'name': 'Tashkent International Airport', 'city': 'Tashkent', 'iata': 'TAS'
, 'icao': 'UTTT', 'latitude': 41.257900238000005, 'longitude': 69.2811965942,
'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk
Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.26
8001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id
': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2983
, 'name': 'Tashkent International Airport', 'city': 'Tashkent', 'iata': 'TAS'
, 'icao': 'UTTT', 'latitude': 41.257900238000005, 'longitude': 69.2811965942,
'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnoda
r Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'ica
o': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'ti
mezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1590
, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TL
V', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.886699676
51367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'K
rasnodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR
', 'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.1705017089
84, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W'
]}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 1590

, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TL
V', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.886699676
51367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2962, 'name': 'M
ineralnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': '
URMM', 'latitude': 44.22510147094727, 'longitude': 43.08190155029297, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 9026
, 'name': 'Lensk Airport', 'city': 'Lensk', 'iata': 'ULK', 'icao': 'UERL', 'l
atitude': 60.7206001282, 'longitude': 114.82599639899999, 'timezone': 9.0, 'd
st': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Ya
kutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longi
tude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2938
, 'name': 'Ulan-Ude Airport (Mukhino)', 'city': 'Ulan-ude', 'iata': 'UUD', 'i
cao': 'UIUU', 'latitude': 51.80780029296875, 'longitude': 107.43800354003906,
'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Ai
rport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.0932
99865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_i
d': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2988
, 'name': 'Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', '
icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2936, 'name': 'Bratsk Airp
ort', 'city': 'Bratsk', 'iata': 'BTK', 'icao': 'UIBB', 'latitude': 56.3706016
5405274, 'longitude': 101.697998046875, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2988

, 'name': 'Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', '
icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar P
ashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao':
'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezo
ne': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2988
, 'name': 'Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', '
icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'eq
uipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2988
, 'name': 'Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', '
icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2931, 'name': 'Pevek Airpo
rt', 'city': 'Pevek', 'iata': 'PWE', 'icao': 'UHMP', 'latitude': 69.783302307
129, 'longitude': 170.59700012207, 'timezone': 12.0, 'dst': 'N', 'tz_id': 'As
ia/Srednekolymsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['752']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2988
, 'name': 'Vnukovo International Airport', 'city': 'Moscow', 'iata': 'VKO', '
icao': 'UUWW', 'latitude': 55.591499328599994, 'longitude': 37.2615013123, 't
imezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Air
port', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.09329
9865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id
': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934
, 'name': 'Vladivostok International Airport', 'city': 'Vladivostok', 'iata':
'VVO', 'icao': 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.147994
99511722, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type':

'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'nam
e': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'lat
itude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'd
st': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2926, 'name': 'Ignatyevo Airport', 'ci
ty': 'Blagoveschensk', 'iata': 'BQS', 'icao': 'UHBB', 'latitude': 50.42539978
027344, 'longitude': 127.41200256347656, 'timezone': 9.0, 'dst': 'N', 'tz_id'
: 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6093, 'name': 'Chokurdakh Airport', 'c
ity': 'Chokurdah', 'iata': 'CKH', 'icao': 'UESO', 'latitude': 70.623100280761
72, 'longitude': 147.90199279785156, 'timezone': 11.0, 'dst': 'N', 'tz_id': '
Asia/Srednekolymsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6094, 'name': 'Cherskiy Airport', 'cit
y': 'Cherskiy', 'iata': 'CYX', 'icao': 'UESS', 'latitude': 68.7406005859375,
'longitude': 161.33799743652344, 'timezone': 11.0, 'dst': 'N', 'tz_id': 'Asia
/Srednekolymsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir

ports'}, 'dst_airport': {'airport_id': 3400, 'name': 'Taiping Airport', 'city
': 'Harbin', 'iata': 'HRB', 'icao': 'ZYHB', 'latitude': 45.6234016418457, 'lo
ngitude': 126.25, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['SU9']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6095, 'name': 'Tiksi Airport', 'city':
'Tiksi', 'iata': 'IKS', 'icao': 'UEST', 'latitude': 71.69770050048801, 'longi
tude': 128.90299987793, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['DH4', 'A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city
': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'lo
ngitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkuts
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['73W', '73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport
', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.527999
87793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['SU9', 'DH4', '73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir

ports'}, 'dst_airport': {'airport_id': 4374, 'name': 'Yemelyanovo Airport', '
city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'latitude': 56.172901, '
longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyars
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['DH4']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city
': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.8003005981
4453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2925, 'name': 'Mirny Airport', 'city':
'Mirnyj', 'iata': 'MJZ', 'icao': 'UERR', 'latitude': 62.53469848632813, 'long
itude': 114.03900146484376, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakut
sk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['
A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['
A40']}

{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital Interna
tional Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude'
: 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 6092, 'name': 'Polyarny Airport', 'cit
y': 'Yakutia', 'iata': 'PYJ', 'icao': 'UERP', 'latitude': 66.4003982544, 'lon
gitude': 112.029998779, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 9026, 'name': 'Lensk Airport', 'city':
'Lensk', 'iata': 'ULK', 'icao': 'UERL', 'latitude': 60.7206001282, 'longitude
': 114.82599639899999, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['A40']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2938, 'name': 'Ulan-Ude Airport (Mukhi
no)', 'city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU', 'latitude': 51.80780
029296875, 'longitude': 107.43800354003906, 'timezone': 8.0, 'dst': 'N', 'tz_
id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['DH4']}

{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2988, 'name': 'Vnukovo International A
irport', 'city': 'Moscow', 'iata': 'VKO', 'icao': 'UUWW', 'latitude': 55.5914
99328599994, 'longitude': 37.2615013123, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 1287, 'name': 'Aircompany Yakutia', 'alias': 'Pulk
ovo Aviation Enterprise', 'iata': 'R3', 'icao': 'SYL', 'callsign': 'AIR YAKUT
IA', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923
, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE'
, 'latitude': 62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9
.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok Internation
al Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude'
: 43.39899826049805, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst'
: 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['SU9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2895, 'name': 'Queen Beatrix I
nternational Airport', 'city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', '
latitude': 12.5014, 'longitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 't
z_id': 'America/Aruba', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'c
ity': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longi
tude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2821, 'name': 'General José An
tonio Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA',
'icao': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Inter
national Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitud
e': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id'
: 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['M80', 'DC9']}

{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2821, 'name': 'General José An
tonio Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA',
'icao': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2856, 'name': 'General Manuel Carl
os Piar International Airport', 'city': 'Guayana', 'iata': 'PZO', 'icao': 'SV
PR', 'latitude': 8.288530349731445, 'longitude': -62.7603988647461, 'timezone
': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2821, 'name': 'General José An
tonio Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA',
'icao': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2868, 'name': 'Arturo Michelena In
ternational Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA', 'lat
itude': 10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -4.0,
'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2824, 'name': 'Barquisimeto In
ternational Airport', 'city': 'Barquisimeto', 'iata': 'BRM', 'icao': 'SVBM',
'latitude': 10.042746543884276, 'longitude': -69.35861968994139, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Inte
rnational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitu
de': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id
': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['DC9', 'M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2895, 'name': 'Queen Beatrix International Airport', '
city': 'Oranjestad', 'iata': 'AUA', 'icao': 'TNCA', 'latitude': 12.5014, 'lon
gitude': -70.015198, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Aruba',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['M80']}

{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2821, 'name': 'General José Antonio Anzoategui Interna
tional Airport', 'city': 'Barcelona', 'iata': 'BLA', 'icao': 'SVBC', 'latitud
e': 10.111111, 'longitude': -64.692222, 'timezone': -4.0, 'dst': 'U', 'tz_id'
: 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['M80', 'DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2824, 'name': 'Barquisimeto International Airport', 'c
ity': 'Barquisimeto', 'iata': 'BRM', 'icao': 'SVBM', 'latitude': 10.042746543
884276, 'longitude': -69.35861968994139, 'timezone': -4.0, 'dst': 'U', 'tz_id
': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2844, 'name': 'Josefa Camejo International Airport', '
city': 'Paraguana', 'iata': 'LSP', 'icao': 'SVJC', 'latitude': 11.78077507019
043, 'longitude': -70.15149688720703, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2848, 'name': 'La Chinita International Airport', 'cit
y': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude': 10.5582084656, 'l
ongitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Ca
racas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['DC9', 'M80']}

{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2852, 'name': 'Maturín Airport', 'city': 'Maturin', 'i
ata': 'MUN', 'icao': 'SVMT', 'latitude': 9.75452995300293, 'longitude': -63.1
4739990234375, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2850, 'name': 'Del Caribe Santiago Mariño Internationa
l Airport', 'city': 'Porlamar', 'iata': 'PMV', 'icao': 'SVMG', 'latitude': 10
.912603378295898, 'longitude': -63.96659851074219, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['M80', 'DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2856, 'name': 'General Manuel Carlos Piar Internationa
l Airport', 'city': 'Guayana', 'iata': 'PZO', 'icao': 'SVPR', 'latitude': 8.2
88530349731445, 'longitude': -62.7603988647461, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['DC9', 'M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2851, 'name': 'Simón Bolívar I
nternational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'lat
itude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz
_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2861, 'name': 'Mayor Buenaventura Vivas International
Airport', 'city': 'Santo Domingo', 'iata': 'STD', 'icao': 'SVSO', 'latitude':
7.56538, 'longitude': -72.035103, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Ame
rica/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['M80', 'DC9']}

{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2844, 'name': 'Josefa Camejo I
nternational Airport', 'city': 'Paraguana', 'iata': 'LSP', 'icao': 'SVJC', 'l
atitude': 11.78077507019043, 'longitude': -70.15149688720703, 'timezone': -4.
0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Interna
tional Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude'
: 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2848, 'name': 'La Chinita Inte
rnational Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'lati
tude': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar International Airp
ort', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194
, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Ca
racas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['M80', 'DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2848, 'name': 'La Chinita Inte
rnational Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'lati
tude': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2868, 'name': 'Arturo Michelena International A
irport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA', 'latitude': 10.14
973258972168, 'longitude': -67.92839813232422, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2852, 'name': 'Maturín Airport
', 'city': 'Maturin', 'iata': 'MUN', 'icao': 'SVMT', 'latitude': 9.7545299530
0293, 'longitude': -63.14739990234375, 'timezone': -4.0, 'dst': 'U', 'tz_id':
'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2851, 'name': 'Simón Bolívar International Airport', 'city':
'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 10.601194, 'longitude':
-66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['DC9']}

{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2850, 'name': 'Del Caribe Sant
iago Mariño International Airport', 'city': 'Porlamar', 'iata': 'PMV', 'icao'
: 'SVMG', 'latitude': 10.912603378295898, 'longitude': -63.96659851074219, 't
imezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bo
lívar International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI
', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': '
U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['M80', 'DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2850, 'name': 'Del Caribe Sant
iago Mariño International Airport', 'city': 'Porlamar', 'iata': 'PMV', 'icao'
: 'SVMG', 'latitude': 10.912603378295898, 'longitude': -63.96659851074219, 't
imezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2856, 'name': 'General
Manuel Carlos Piar International Airport', 'city': 'Guayana', 'iata': 'PZO',
'icao': 'SVPR', 'latitude': 8.288530349731445, 'longitude': -62.7603988647461
, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M8
0']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2856, 'name': 'General Manuel
Carlos Piar International Airport', 'city': 'Guayana', 'iata': 'PZO', 'icao':
'SVPR', 'latitude': 8.288530349731445, 'longitude': -62.7603988647461, 'timez
one': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2821, 'name': 'General José
Antonio Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA'
, 'icao': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2856, 'name': 'General Manuel
Carlos Piar International Airport', 'city': 'Guayana', 'iata': 'PZO', 'icao':
'SVPR', 'latitude': 8.288530349731445, 'longitude': -62.7603988647461, 'timez
one': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolíva
r International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', '
latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U',

'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['M80', 'DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2856, 'name': 'General Manuel
Carlos Piar International Airport', 'city': 'Guayana', 'iata': 'PZO', 'icao':
'SVPR', 'latitude': 8.288530349731445, 'longitude': -62.7603988647461, 'timez
one': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 2850, 'name': 'Del Caribe S
antiago Mariño International Airport', 'city': 'Porlamar', 'iata': 'PMV', 'ic
ao': 'SVMG', 'latitude': 10.912603378295898, 'longitude': -63.96659851074219,
'timezone': -4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M80'
]}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2861, 'name': 'Mayor Buenavent
ura Vivas International Airport', 'city': 'Santo Domingo', 'iata': 'STD', 'ic
ao': 'SVSO', 'latitude': 7.56538, 'longitude': -72.035103, 'timezone': -4.0,
'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Internatio
nal Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latitude': 1
0.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'Am
erica/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['M80', 'DC9']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2868, 'name': 'Arturo Michelen
a International Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA',
'latitude': 10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2821, 'name': 'General José Antoni
o Anzoategui International Airport', 'city': 'Barcelona', 'iata': 'BLA', 'ica
o': 'SVBC', 'latitude': 10.111111, 'longitude': -64.692222, 'timezone': -4.0,
'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['M80']}
{'airline': {'airline_id': 622, 'name': 'Aserca Airlines', 'alias': 'Air Asia
', 'iata': 'R7', 'icao': 'OCA', 'callsign': 'AROSCA', 'country': 'Venezuela',
'active': True}, 'src_airport': {'airport_id': 2868, 'name': 'Arturo Michelen
a International Airport', 'city': 'Valencia', 'iata': 'VLN', 'icao': 'SVVA',
'latitude': 10.14973258972168, 'longitude': -67.92839813232422, 'timezone': -
4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2848, 'name': 'La Chinita Internat
ional Airport', 'city': 'Maracaibo', 'iata': 'MAR', 'icao': 'SVMC', 'latitude

': 10.5582084656, 'longitude': -71.7278594971, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['M80']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'i
ata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'ac
tive': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airpo
rt', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.6810998
91662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_i
d': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'K
athmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 8
5.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'i
ata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'ac
tive': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad Internation
al Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.27
3056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', '
iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'tim
ezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'i
ata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'ac
tive': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong Internat
ional Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude
': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'ci
ty': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longit
ude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'i
ata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'ac
tive': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuvan Internat
ional Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude
': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asi
a/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': '
BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.747001
64794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airp

ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'iata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'active': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'iata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'active': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'iata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'active': True}, 'src_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/Katmandu', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 3637, 'name': 'Nepal Airlines', 'alias': 'nan', 'iata': 'RA', 'icao': 'RNA', 'callsign': 'ROYAL NEPAL', 'country': 'Nepal', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3125, 'name': 'Tribhuvan International Airport', 'city': 'Kathmandu', 'iata': 'KTM', 'icao': 'VNKT', 'latitude': 27.6966, 'longitude': 85.3591, 'timezone': 5.75, 'dst': 'N', 'tz_id': 'Asia/K

atmandu', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 636
, 'name': 'Bergen Airport Flesland', 'city': 'Bergen', 'iata': 'BGO', 'icao':
'ENBR', 'latitude': 60.29339981, 'longitude': 5.218140125, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 625, 'name': 'Vagar Airport', 'city': 'Vagar
', 'iata': 'FAE', 'icao': 'EKVG', 'latitude': 62.0635986328125, 'longitude':
-7.277219772338867, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Faeroe',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 608
, 'name': 'Billund Airport', 'city': 'Billund', 'iata': 'BLL', 'icao': 'EKBI'
, 'latitude': 55.7402992249, 'longitude': 9.15178012848, 'timezone': 1.0, 'ds
t': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 625, 'name': 'Vagar Airport', 'city': 'V
agar', 'iata': 'FAE', 'icao': 'EKVG', 'latitude': 62.0635986328125, 'longitud
e': -7.277219772338867, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Faero
e', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 609
, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH',
'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 625, 'name': 'Vagar A
irport', 'city': 'Vagar', 'iata': 'FAE', 'icao': 'EKVG', 'latitude': 62.06359
86328125, 'longitude': -7.277219772338867, 'timezone': 0.0, 'dst': 'E', 'tz_i
d': 'Atlantic/Faeroe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 625
, 'name': 'Vagar Airport', 'city': 'Vagar', 'iata': 'FAE', 'icao': 'EKVG', 'l
atitude': 62.0635986328125, 'longitude': -7.277219772338867, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Atlantic/Faeroe', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesland',
'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.29339981, 'lo
ngitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', '

type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 625
, 'name': 'Vagar Airport', 'city': 'Vagar', 'iata': 'FAE', 'icao': 'EKVG', 'l
atitude': 62.0635986328125, 'longitude': -7.277219772338867, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Atlantic/Faeroe', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 608, 'name': 'Billund Airport', 'city':
'Billund', 'iata': 'BLL', 'icao': 'EKBI', 'latitude': 55.7402992249, 'longitu
de': 9.15178012848, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 625
, 'name': 'Vagar Airport', 'city': 'Vagar', 'iata': 'FAE', 'icao': 'EKVG', 'l
atitude': 62.0635986328125, 'longitude': -7.277219772338867, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Atlantic/Faeroe', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airpor
t', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.61790
0848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 625
, 'name': 'Vagar Airport', 'city': 'Vagar', 'iata': 'FAE', 'icao': 'EKVG', 'l
atitude': 62.0635986328125, 'longitude': -7.277219772338867, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Atlantic/Faeroe', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 666, 'name': 'Stavanger Airport Sola',
'city': 'Stavanger', 'iata': 'SVG', 'icao': 'ENZV', 'latitude': 58.876701354,
'longitude': 5.637780189500001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Oslo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 666
, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao
': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 636, 'name': 'Bergen Airport Flesl
and', 'city': 'Bergen', 'iata': 'BGO', 'icao': 'ENBR', 'latitude': 60.2933998
1, 'longitude': 5.218140125, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Os

lo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 881, 'name': 'Atlantic Airways', 'alias': 'Pulkovo
Aviation Enterprise', 'iata': 'RC', 'icao': 'FLI', 'callsign': 'FAROELINE', '
country': 'Faroe Islands', 'active': True}, 'src_airport': {'airport_id': 666
, 'name': 'Stavanger Airport Sola', 'city': 'Stavanger', 'iata': 'SVG', 'icao
': 'ENZV', 'latitude': 58.876701354, 'longitude': 5.637780189500001, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Oslo', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 625, 'name': 'Vagar Airport', 'cit
y': 'Vagar', 'iata': 'FAE', 'icao': 'EKVG', 'latitude': 62.0635986328125, 'lo
ngitude': -7.277219772338867, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic
/Faeroe', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig
', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'ac
tive': True}, 'src_airport': {'airport_id': 2180, 'name': 'Bateen Airport', '
city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'latitude': 24.42830085754
3945, 'longitude': 54.45809936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': '
Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iat
a': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.36
43989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig
', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'ac
tive': True}, 'src_airport': {'airport_id': 2180, 'name': 'Bateen Airport', '
city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'latitude': 24.42830085754
3945, 'longitude': 54.45809936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': '
Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2189, 'name': 'Fujairah International Airport', 'city': 'Fujeirah'
, 'iata': 'FJR', 'icao': 'OMFJ', 'latitude': 25.112199783325195, 'longitude':
56.32400131225586, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig
', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'ac
tive': True}, 'src_airport': {'airport_id': 2180, 'name': 'Bateen Airport', '
city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'latitude': 24.42830085754
3945, 'longitude': 54.45809936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': '
Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 8961, 'name': 'Sir Bani Yas Airport', 'city': 'Sir Bani Yas Island
', 'iata': 'XSB', 'icao': 'OMBY', 'latitude': 24.283610999999997, 'longitude'
: 52.580278, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'active': True}, 'src_airport': {'airport_id': 2180, 'name': 'Bateen Airport', 'city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'latitude': 24.428300857543945, 'longitude': 54.45809936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2180, 'name': 'Bateen Airport', 'city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'latitude': 24.428300857543945, 'longitude': 54.45809936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 8961, 'name': 'Sir Bani Yas Airport', 'city': 'Sir Bani Yas Island', 'iata': 'XSB', 'icao': 'OMBY', 'latitude': 24.283610999999997, 'longitude': 52.580278, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'active': True}, 'src_airport': {'airport_id': 2189, 'name': 'Fujairah International Airport', 'city': 'Fujeirah', 'iata': 'FJR', 'icao': 'OMFJ', 'latitude': 25.112199783325195, 'longitude': 56.32400131225586, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2180, 'name': 'Bateen Airport', 'city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'latitude': 24.428300857543945, 'longitude': 54.45809936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'ac

tive': True}, 'src_airport': {'airport_id': 8961, 'name': 'Sir Bani Yas Airpo
rt', 'city': 'Sir Bani Yas Island', 'iata': 'XSB', 'icao': 'OMBY', 'latitude'
: 24.283610999999997, 'longitude': 52.580278, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2180, 'name': 'Bateen Airport', 'city': 'Abu Dhabi', 'iata
': 'AZI', 'icao': 'OMAD', 'latitude': 24.428300857543945, 'longitude': 54.458
09936523438, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig
', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'ac
tive': True}, 'src_airport': {'airport_id': 8961, 'name': 'Sir Bani Yas Airpo
rt', 'city': 'Sir Bani Yas Island', 'iata': 'XSB', 'icao': 'OMBY', 'latitude'
: 24.283610999999997, 'longitude': 52.580278, 'timezone': 4.0, 'dst': 'U', 't
z_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Duba
i', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude
': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['ERJ']}
{'airline': {'airline_id': 5368, 'name': 'VRG Linhas Aereas', 'alias': 'Varig
', 'iata': 'RG', 'icao': 'VRN', 'callsign': 'VARIG', 'country': 'Brazil', 'ac
tive': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2180, 'name'
: 'Bateen Airport', 'city': 'Abu Dhabi', 'iata': 'AZI', 'icao': 'OMAD', 'lati
tude': 24.428300857543945, 'longitude': 54.45809936523438, 'timezone': 4.0, '
dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['ERJ']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Air
port', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68109
9891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz
_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'ci
ty': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'lo
ngitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta I
nternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lat
itude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_

airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangk
ok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitud
e': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta I
nternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lat
itude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Airpo
rt', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.748169
8989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id':
'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta I
nternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lat
itude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3273, 'name': 'Sultan Syarif Kasim Ii (Simpang Tiga)
Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'icao': 'WIBB', 'latitude': 0.4
607860147953034, 'longitude': 101.44499969482422, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta I
nternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lat
itude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'S
ingapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'longitude': 1
03.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali
) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD',
'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor

ts'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta Internation
al Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6
.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id':
'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali
) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD',
'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Ai
rport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.30
8901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali
) International Airport', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD',
'latitude': -8.7481698989868, 'longitude': 115.16699981689, 'timezone': 8.0,
'dst': 'N', 'tz_id': 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport',
'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.35019, 'lon
gitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Singapore',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong Intern
ational Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitu
de': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U'
, 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3940, 'name': 'Ngurah Rai (Bali) International Air
port', 'city': 'Denpasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481
698989868, 'longitude': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id'
: 'Asia/Makassar', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3898, 'name': 'Adi Sutjipto Int
ernational Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'la
titude': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone': 7.0
, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirpo

rts'}, 'dst_airport': {'airport_id': 3273, 'name': 'Sultan Syarif Kasim Ii (S
impang Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'icao': 'WIBB', 'l
atitude': 0.4607860147953034, 'longitude': 101.44499969482422, 'timezone': 7.
0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3898, 'name': 'Adi Sutjipto Int
ernational Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'la
titude': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone': 7.0
, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3289, 'name': 'Sultan Mahmud Badaruddin
II Airport', 'city': 'Palembang', 'iata': 'PLM', 'icao': 'WIPP', 'latitude':
-2.8982501029968, 'longitude': 104.69999694824, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3273, 'name': 'Sultan Syarif Ka
sim Ii (Simpang Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'icao': '
WIBB', 'latitude': 0.4607860147953034, 'longitude': 101.44499969482422, 'time
zone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3275, 'name': 'Soekarno-Hatta I
nternational Airport', 'city': 'Jakarta', 'iata': 'CGK', 'icao': 'WIII', 'lat
itude': -6.1255698204, 'longitude': 106.65599823, 'timezone': 7.0, 'dst': 'N'
, 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3273, 'name': 'Sultan Syarif Ka
sim Ii (Simpang Tiga) Airport', 'city': 'Pekanbaru', 'iata': 'PKU', 'icao': '
WIBB', 'latitude': 0.4607860147953034, 'longitude': 101.44499969482422, 'time
zone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 3898, 'name': 'Adi Sutjipto Int
ernational Airport', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'la
titude': -7.788179874420166, 'longitude': 110.43199920654295, 'timezone': 7.0
, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3289, 'name': 'Sultan Mahmud Ba
daruddin II Airport', 'city': 'Palembang', 'iata': 'PLM', 'icao': 'WIPP', 'la
titude': -2.8982501029968, 'longitude': 104.69999694824, 'timezone': 7.0, 'ds
t': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}

, 'dst_airport': {'airport_id': 3898, 'name': 'Adi Sutjipto International Air
port', 'city': 'Yogyakarta', 'iata': 'JOG', 'icao': 'WARJ', 'latitude': -7.78
8179874420166, 'longitude': 110.43199920654295, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Jakarta', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3275, 'name': 'Soekarno-Hatta International Airport', 'city': 'Jakart
a', 'iata': 'CGK', 'icao': 'WIII', 'latitude': -6.1255698204, 'longitude': 10
6.65599823, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Jakarta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['320']}
{'airline': {'airline_id': 3391, 'name': 'Mandala Airlines', 'alias': 'nan',
'iata': 'RI', 'icao': 'MDL', 'callsign': 'MANDALA', 'country': 'Indonesia', '
active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi
Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude': 1.3
5019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Si
ngapore', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3940, 'name': 'Ngurah Rai (Bali) International Airport', 'city': 'Den
pasar', 'iata': 'DPS', 'icao': 'WADD', 'latitude': -8.7481698989868, 'longitu
de': 115.16699981689, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Makassar',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3977, 'name': 'Aden In
ternational Airport', 'city': 'Aden', 'iata': 'ADE', 'icao': 'OYAA', 'latitud
e': 12.829500198364258, 'longitude': 45.02880096435547, 'timezone': 3.0, 'dst
': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport',
'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'l
ongitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', 'E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 210, 'name': 'Houari B
oumediene Airport', 'city': 'Algier', 'iata': 'ALG', 'icao': 'DAAG', 'latitud
e': 36.691001892089844, 'longitude': 3.215409994125366, 'timezone': 1.0, 'dst
': 'N', 'tz_id': 'Africa/Algiers', 'type': 'airport', 'source': 'OurAirports'

}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airp
ort', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260093
69, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/A
mman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3977, 'name': 'Aden International Airport', 'city':
'Aden', 'iata': 'ADE', 'icao': 'OYAA', 'latitude': 12.829500198364258, 'longi
tude': 45.02880096435547, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Aden',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', 'E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 210, 'name': 'Houari Boumediene Airport', 'city': '
Algier', 'iata': 'ALG', 'icao': 'DAAG', 'latitude': 36.691001892089844, 'long
itude': 3.215409994125366, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Algi
ers', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city':
'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude
': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['321', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 2172, 'name': 'Aqaba King Hussein International Air
port', 'city': 'Aqaba', 'iata': 'AQJ', 'icao': 'OJAQ', 'latitude': 29.6116008
7585449, 'longitude': 35.01810073852539, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320', 'E95', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International
Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.936
4013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'c
ity': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575
195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': '
Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2057, 'name': 'Bahrain International Airport', 'cit
y': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'latitude': 26.27079963684082,
'longitude': 50.63359832763672, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/B
ahrain', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'c
ity': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longi
tude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madr
id', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1154, 'name': 'Benina International Airport', 'city
': 'Benghazi', 'iata': 'BEN', 'icao': 'HLLB', 'latitude': 32.096801757799994,
'longitude': 20.2695007324, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Africa/Tri
poli', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['E95', '319', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2177, 'name': 'Beirut Rafic Hariri International Ai
rport', 'city': 'Beirut', 'iata': 'BEY', 'icao': 'OLBA', 'latitude': 33.82089
9963378906, 'longitude': 35.488399505615234, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Asia/Beirut', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['E75', 'E95', '320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4130, 'name': 'Baghdad International Airport', 'cit
y': 'Baghdad', 'iata': 'BGW', 'icao': 'ORBI', 'latitude': 33.262500762900004,
'longitude': 44.2346000671, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghd
ad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320', 'E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bang
kok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitu
de': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Ai
rport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.08869
9340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2234, 'name': 'Basrah International Airport', 'city
': 'Basrah', 'iata': 'BSR', 'icao': 'ORMM', 'latitude': 30.54910087585449, 'l
ongitude': 47.66210174560547, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Bag
hdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1128, 'name': 'Cairo International Airport', 'city'
: 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'lon
gitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cai
ro', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['E95', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International Airp
ort', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798,
'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319', '320', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport'
, 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longi
tude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', '
city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344
, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Euro
pe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2064, 'name': 'King Fahd International Airport', 'c
ity': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', 'latitude': 26.471200942993164
, 'longitude': 49.79790115356445, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia
/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['E95', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 11051, 'name': 'Hamad International Airport', 'city
': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latitude': 25.273056, 'longitude':
51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['319', 'E95', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city'
: 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'lo
ngitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320', '321', '330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3989, 'name': 'Erbil International Airport', 'city'
: 'Erbil', 'iata': 'EBL', 'icao': 'ORER', 'latitude': 36.23759841918945, 'lon
gitude': 43.96319961547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghd
ad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319', 'E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport'
, 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.8002777999999
96, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320', '321', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': '
Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude'
: 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Airpor
t', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.238098144
53125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'cit
y': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longit
ude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320', 'E75', '319', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 5952, 'name': 'Sulaymaniyah International Airport',
'city': 'Sulaymaniyah', 'iata': 'ISU', 'icao': 'ORSU', 'latitude': 35.5617485
046, 'longitude': 45.316738128699996, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 2072, 'name': 'King Abdulaziz International Airport
', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'lon
gitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['321', 'E95', '320', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 3797, 'name': 'John F Kennedy International Airport
', 'city': 'New York', 'iata': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103
, 'longitude': -73.77890015, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/
New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['340', '330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport', 'ci
ty': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500122070313, 'l
ongitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/K
iev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1175, 'name': 'Khartoum International Airport', 'ci
ty': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS', 'latitude': 15.58950042724609
6, 'longitude': 32.55319976806641, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Afr
ica/Khartoum', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city
': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, '
longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Ku
wait', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['E95', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'cit
y': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906,
'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/N
icosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['E95', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'Lo
ndon', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.46
1941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
30', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 273, 'name': 'Murtala Muhammed International Airpor
t', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNMM', 'latitude': 6.57737016677
85645, 'longitude': 3.321160078048706, 'timezone': 1.0, 'dst': 'N', 'tz_id':
'Africa/Lagos', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst

_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport
', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'l
ongitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['319', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2194, 'name': 'Muscat International Airport', 'city
': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'latitude': 23.593299865722656, '
longitude': 58.284400939941406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/M
uscat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73G', '73J']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2074, 'name': 'Prince Mohammad Bin Abdulaziz Airpor
t', 'city': 'Madinah', 'iata': 'MED', 'icao': 'OEMA', 'latitude': 24.5534, 'l
ongitude': 39.705101, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '340', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'i
ata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'ti
mezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}

{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3830, 'name': "Chicago O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KORD', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A', 'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['340']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipment': ['E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2082, 'name': 'King Khaled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK', 'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E75', '320', 'E95', '340']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '

latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3980, 'name': "Sana'a International Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': 'OYSN', 'latitude': 15.476300239562988, 'longitude': 44.21969985961914, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '340']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4057, 'name': 'Sharm El Sheikh International Airport', 'city': 'Sharm El Sheikh', 'iata': 'SSH', 'icao': 'HESH', 'latitude': 27.977300643899998, 'longitude': 34.3950004578, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1157, 'name': 'Tripoli International Airport', 'city': 'Tripoli', 'iata': 'TIP', 'icao': 'HLLT', 'latitude': 32.6635017395, 'longitude': 13.159000396700002, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Africa/Tripoli', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95', '321', '320', '330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E75', 'E95', '320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '

latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 287, 'name': 'Tunis Carthage International Airport'
, 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA', 'latitude': 36.851001739501
95, 'longitude': 10.22719955444336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Af
rica/Tunis', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['319', 'E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berli
n', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '
319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city
': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, '
longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '
latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst':
'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 146, 'name': 'Montreal / Pierre Elliott Trudeau Int
ernational Airport', 'city': 'Montreal', 'iata': 'YUL', 'icao': 'CYUL', 'lati
tude': 45.4706001282, 'longitude': -73.7407989502, 'timezone': -5.0, 'dst': '
A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Queen A
lia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', '

latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2172, 'name': 'Aqaba King Hussein International Airport', 'city': 'Aqaba', 'iata': 'AQJ', 'icao': 'OJAQ', 'latitude': 29.61160087585449, 'longitude': 35.01810073852539, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'E95', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA'

, 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezone'
: 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internation
al Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7
226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2057, 'name': 'Bahrain
International Airport', 'city': 'Bahrain', 'iata': 'BAH', 'icao': 'OBBI', 'la
titude': 26.27079963684082, 'longitude': 50.63359832763672, 'timezone': 3.0,
'dst': 'U', 'tz_id': 'Asia/Bahrain', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Ai
rport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.722600
9369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia
/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelo
na International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL'
, 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst
': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airpo
rt', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.722600936
9, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Am
man', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1154, 'name': 'Benina
International Airport', 'city': 'Benghazi', 'iata': 'BEN', 'icao': 'HLLB', 'l
atitude': 32.096801757799994, 'longitude': 20.2695007324, 'timezone': 2.0, 'd
st': 'N', 'tz_id': 'Africa/Tripoli', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Ai
rport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.722600
9369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia
/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['E95', '319', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2177, 'name': 'Beirut
Rafic Hariri International Airport', 'city': 'Beirut', 'iata': 'BEY', 'icao':

'OLBA', 'latitude': 33.820899963378906, 'longitude': 35.488399505615234, 'tim
ezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Inter
national Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude'
: 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['E75', 'E95', '320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 4130, 'name': 'Baghdad
International Airport', 'city': 'Baghdad', 'iata': 'BGW', 'icao': 'ORBI', 'la
titude': 33.262500762900004, 'longitude': 44.2346000671, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airpo
rt', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.722600936
9, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Am
man', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320', 'E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarna
bhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude':
13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport',
'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'l
ongitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarna
bhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude':
13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport',
'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.3089010000
00002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/H
ong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suvarna
bhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude':

13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst':
'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport
', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.74557
99579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 't
z_id': 'Asia/Kuala_Lumpur', type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatra
pati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao':
'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone
': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Interna
tional Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude':
31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2234, 'name': 'Basrah
International Airport', 'city': 'Basrah', 'iata': 'BSR', 'icao': 'ORMM', 'lat
itude': 30.54910087585449, 'longitude': 47.66210174560547, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Air
port', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009
369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/
Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1128, 'name': 'Cairo I
nternational Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latit
ude': 30.12190055847168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'ds
t': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airpo
rt', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.722600936
9, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Am
man', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['E95', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1382, 'name': 'Charles
de Gaulle International Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LF

PG', 'latitude': 49.012798, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city
': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longit
ude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['319', '320', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhag
en Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'la
titude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna International Ai
rport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.11029
8156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira
Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP'
, 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'cit
y': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longi
tude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domoded
ovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD',
'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.
0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internationa
l Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72
26009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2064, 'name': 'King Fa
hd International Airport', 'city': 'Dammam', 'iata': 'DMM', 'icao': 'OEDF', '

latitude': 26.471200942993164, 'longitude': 49.79790115356445, 'timezone': 3.
0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International
Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226
009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'As
ia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['E95', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 11051, 'name': 'Hamad
International Airport', 'city': 'Doha', 'iata': 'DOH', 'icao': 'OTHH', 'latit
ude': 25.273056, 'longitude': 51.608056, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'A
mman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude':
35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319', 'E95', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3645, 'name': 'Detroit
Metropolitan Wayne County Airport', 'city': 'Detroit', 'iata': 'DTW', 'icao':
'KDTW', 'latitude': 42.212398529052734, 'longitude': -83.35340118408203, 'tim
ezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 146, 'name': 'Montreal /
Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata': 'Y
UL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502,
'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330'
]}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai I
nternational Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latit
ude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst':
'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', '
city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'lo
ngitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['321', '320', '330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3989, 'name': 'Erbil I

nternational Airport', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'ORER', 'latit
ude': 36.23759841918945, 'longitude': 43.96319961547852, 'timezone': 3.0, 'ds
t': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airpo
rt', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.722600936
9, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Am
man', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['319', 'E95', 'E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1555, 'name': 'Leonard
o da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF',
'latitude': 41.800277799999996, 'longitude': 12.238888900000001, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internationa
l Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72
26009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320', '321', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfur
t am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'lati
tude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'A
mman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude':
35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva
Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LS
GG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone
': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internat
ional Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 3
1.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1665, 'name': 'Geneva

Cointrin International Airport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'E75', '319', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 5952, 'name': 'Sulaymaniyah International Airport', 'city': 'Sulaymaniyah', 'iata': 'ISU', 'icao': 'ORSU', 'latitude': 35.5617485046, 'longitude': 45.316738128699996, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E75']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2072, 'name': 'King Ab

dulaziz International Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJ
N', 'latitude': 21.6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U',
'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city
': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longit
ude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['321', 'E95', '320', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3797, 'name': 'John F
Kennedy International Airport', 'city': 'New York', 'iata': 'JFK', 'icao': 'K
JFK', 'latitude': 40.63980103, 'longitude': -73.77890015, 'timezone': -5.0, '
dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International
Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226
009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'As
ia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['340', '330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Boryspi
l International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'lat
itude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, '
dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airp
ort', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260093
69, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/A
mman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1175, 'name': 'Khartou
m International Airport', 'city': 'Khartoum', 'iata': 'KRT', 'icao': 'HSSS',
'latitude': 15.589500427246096, 'longitude': 32.55319976806641, 'timezone': 3
.0, 'dst': 'U', 'tz_id': 'Africa/Khartoum', 'type': 'airport', 'source': 'Our
Airports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internati
onal Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31
.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala L

umpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 2176, 'name': 'Kuwait International Airport', 'city': 'Kuwait', 'iata': 'KWI', 'icao': 'OKBK', 'latitude': 29.226600646972656, 'longitude': 47.96889877319336, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Kuwait', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95', 'E75', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 273, 'name': 'Murtala

Muhammed International Airport', 'city': 'Lagos', 'iata': 'LOS', 'icao': 'DNM
M', 'latitude': 6.5773701667785645, 'longitude': 3.321160078048706, 'timezone
': 1.0, 'dst': 'N', 'tz_id': 'Africa/Lagos', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internat
ional Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 3
1.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo
Suárez Madrid–Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEM
D', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E'
, 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', '
city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'lo
ngitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319', '320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2194, 'name': 'Muscat
International Airport', 'city': 'Muscat', 'iata': 'MCT', 'icao': 'OOMS', 'lat
itude': 23.593299865722656, 'longitude': 58.284400939941406, 'timezone': 4.0,
'dst': 'U', 'tz_id': 'Asia/Muscat', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Air
port', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009
369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/
Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['73G', '73J']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2074, 'name': 'Prince
Mohammad Bin Abdulaziz Airport', 'city': 'Madinah', 'iata': 'MED', 'icao': 'O
EMA', 'latitude': 24.5534, 'longitude': 39.705101, 'timezone': 3.0, 'dst': 'U
', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'c
ity': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'lon
gitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['320', '340', '321']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2

170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AM
M', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95', 'E75']
}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich A
irport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.3538
02, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata':
'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich A
irport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.3538
02, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berli
n', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VI
E', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241
089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
E90']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1524, 'name': 'Malpens
a International Airport', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'l
atitude': 45.6306, 'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E
', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city'
: 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'l
ongitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3830, 'name': "Chicago
O'Hare International Airport", 'city': 'Chicago', 'iata': 'ORD', 'icao': 'KOR
D', 'latitude': 41.9786, 'longitude': -87.9048, 'timezone': -6.0, 'dst': 'A',
'tz_id': 'America/Chicago', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', '

city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'lo
ngitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['340']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2
170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AM
M', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E75', 'E95']
}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri C
oandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LR
OP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport'
, 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369,
'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['318']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 2082, 'name': 'King Kh
aled International Airport', 'city': 'Riyadh', 'iata': 'RUH', 'icao': 'OERK',
'latitude': 24.957599639892575, 'longitude': 46.69879913330078, 'timezone': 3
.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International
Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226
009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'As
ia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['E75', '320', 'E95', '340']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 3980, 'name': "Sana'a
International Airport", 'city': 'Sanaa', 'iata': 'SAH', 'icao': 'OYSN', 'lati
tude': 15.476300239562988, 'longitude': 44.21969985961914, 'timezone': 3.0, '
dst': 'U', 'tz_id': 'Asia/Aden', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport
', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369,
'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman

', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '340']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 4057, 'name': 'Sharm El Sheikh International Airport', 'city': 'Sharm El Sheikh', 'iata': 'SSH', 'icao': 'HESH', 'latitude': 27.977300643899998, 'longitude': 34.3950004578, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 1157, 'name': 'Tripoli International Airport', 'city': 'Tripoli', 'iata': 'TIP', 'icao': 'HLLT', 'latitude': 32.6635017395, 'longitude': 13.159000396700002, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Africa/Tripoli', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E95', '321', '320', '330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E75', 'E95', '320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'Jordan', 'active': True}, 'src_airport': {'airport_id': 287, 'name': 'Tunis Carthage International Airport', 'city': 'Tunis', 'iata': 'TUN', 'icao': 'DTTA', 'latitude': 36.85100173950195, 'longitude': 10.22719955444336, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Africa/Tunis', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id':

'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['319', 'E75', 'E95']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-T
egel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 5
2.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iat
a': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931983
948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320',
'319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia International A
irport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260
09369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asi
a/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport'
, 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.6179008
48389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: True, 'stops': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'M
unich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11
.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airpor

t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['E
90']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1524, 'name': 'Malpensa International Air
port', 'city': 'Milano', 'iata': 'MXP', 'icao': 'LIMC', 'latitude': 45.6306,
'longitude': 8.728110000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['E90']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vienna
International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'lat
itude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': '
Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996, 'long
itude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equi
pment': ['320']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 146, 'name': 'Montreal
/ Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata':
'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Quee
n Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI'
, 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas
Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J
ordan', 'active': True}, 'src_airport': {'airport_id': 146, 'name': 'Montreal
/ Pierre Elliott Trudeau International Airport', 'city': 'Montreal', 'iata':
'YUL', 'icao': 'CYUL', 'latitude': 45.4706001282, 'longitude': -73.7407989502
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3645, 'name': 'Detr
oit Metropolitan Wayne County Airport', 'city': 'Detroit', 'iata': 'DTW', 'ic
ao': 'KDTW', 'latitude': 42.212398529052734, 'longitude': -83.35340118408203,

'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330' ]}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J ordan', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464 698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu rope/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a irport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman' , 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9 931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airpo rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [ '320', '319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J ordan', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464 698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu rope/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a irport_id': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'G eneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longit ude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris' , 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0 , 'equipment': ['319']}
{'airline': {'airline_id': 4259, 'name': 'Royal Jordanian', 'alias': 'Qantas Airways', 'iata': 'RJ', 'icao': 'RJA', 'callsign': 'JORDANIAN', 'country': 'J ordan', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464 698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu rope/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a irport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', ' iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16 .569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'typ e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ ipment': ['321', 'E90']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T rue}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International A irport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260 09369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asi a/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo rt_id': 1128, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.4055995

9411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'737']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International A
irport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260
09369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asi
a/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 3989, 'name': 'Erbil International Airport', 'city': 'Erbil', 'iata':
'EBL', 'icao': 'ORER', 'latitude': 36.23759841918945, 'longitude': 43.9631996
1547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Baghdad', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International A
irport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260
09369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asi
a/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 2072, 'name': 'King Abdulaziz International Airport', 'city': 'Jeddah
', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.6796, 'longitude': 39.156502
, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riyadh', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International A
irport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.72260
09369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asi
a/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': {'airport_id': 1128, 'name': 'Cairo International Airpor
t', 'city': 'Cairo', 'iata': 'CAI', 'icao': 'HECA', 'latitude': 30.1219005584
7168, 'longitude': 31.40559959411621, 'timezone': 2.0, 'dst': 'U', 'tz_id': '
Africa/Cairo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman
', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.
9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['737']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T

rue}, 'src_airport': {'airport_id': 3989, 'name': 'Erbil International Airpor
t', 'city': 'Erbil', 'iata': 'EBL', 'icao': 'ORER', 'latitude': 36.2375984191
8945, 'longitude': 43.96319961547852, 'timezone': 3.0, 'dst': 'U', 'tz_id': '
Asia/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman
', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.
9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['320']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': {'airport_id': 2072, 'name': 'King Abdulaziz Internation
al Airport', 'city': 'Jeddah', 'iata': 'JED', 'icao': 'OEJN', 'latitude': 21.
6796, 'longitude': 39.156502, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia/Riy
adh', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata'
: 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.993198394
8, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': {'airport_id': 7490, 'name': 'Al Najaf International Air
port', 'city': 'Najaf', 'iata': 'NJF', 'icao': 'ORNI', 'latitude': 31.9898530
00000004, 'longitude': 44.404317, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Asia
/Baghdad', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', '
iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.9931
983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['32
0']}
{'airline': {'airline_id': 11857, 'name': 'Royal Falcon', 'alias': 'nan', 'ia
ta': 'RL', 'icao': 'RFJ', 'callsign': 'nan', 'country': 'Jordan', 'active': T
rue}, 'src_airport': None, 'dst_airport': {'airport_id': 2170, 'name': 'Queen
Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI',
'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst'
: 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 2170, 'name': 'Queen Alia International Airport
', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369,
'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iat

a': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'time
zone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol', 'cit
y': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longi
tude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657,
'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'O
TP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizelos Internatio
nal Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37
.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, 'dst': 'E', 't
z_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'ci
ty': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'lon
gitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1649, 'name': 'Tautii Magheraus Airport', 'city
': 'Baia Mare', 'iata': 'BAY', 'icao': 'LRBM', 'latitude': 47.65840148925781,
'longitude': 23.46999931335449, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucha
rest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26
.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport'
, 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'l
ongitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/
Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest
', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085
, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport'

, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1739, 'name': 'Belgrade Nikola Tesla Airport',
'city': 'Belgrade', 'iata': 'BEG', 'icao': 'LYBE', 'latitude': 44.8184013367,
'longitude': 20.3090991974, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Bel
grade', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest'
, 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5'
, 'AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 2177, 'name': 'Beirut Rafic Hariri Internationa
l Airport', 'city': 'Beirut', 'iata': 'BEY', 'icao': 'OLBA', 'latitude': 33.8
20899963378906, 'longitude': 35.488399505615234, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Asia/Beirut', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'ci
ty': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'lon
gitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1538, 'name': 'Bologna Guglielmo Marconi Airpor
t', 'city': 'Bologna', 'iata': 'BLQ', 'icao': 'LIPE', 'latitude': 44.5354, 'l
ongitude': 11.2887, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1655,
'name': 'Iaşi Airport', 'city': 'Iasi', 'iata': 'IAS', 'icao': 'LRIA', 'latit
ude': 47.17850112915039, 'longitude': 27.6205997467041, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 302, 'name': 'Brussels Airport', 'city': 'Bruss
els', 'iata': 'BRU', 'icao': 'EBBR', 'latitude': 50.9014015198, 'longitude':
4.48443984985, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, '
name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OT
P', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318', '733']}

{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1489, 'name': 'Budapest Liszt Ferenc Internatio
nal Airport', 'city': 'Budapest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude':
47.429759999999995, 'longitude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Budapest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'ci
ty': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'lon
gitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['AT5', 'AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1382, 'name': 'Charles de Gaulle International
Airport', 'city': 'Paris', 'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.0127
98, 'longitude': 2.55, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16
57, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata'
: 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezo
ne': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W', '318'
]}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1652, 'name': 'Cluj-Napoca International Airpor
t', 'city': 'Cluj-napoca', 'iata': 'CLJ', 'icao': 'LRCL', 'latitude': 46.7851
9821166992, 'longitude': 23.686199188232425, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', '
city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'l
ongitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['318', 'AT7', 'AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1652, 'name': 'Cluj-Napoca International Airpor
t', 'city': 'Cluj-napoca', 'iata': 'CLJ', 'icao': 'LRCL', 'latitude': 46.7851
9821166992, 'longitude': 23.686199188232425, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'city':
'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14
.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
5']}

{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1652, 'name': 'Cluj-Napoca International Airpor
t', 'city': 'Cluj-napoca', 'iata': 'CLJ', 'icao': 'LRCL', 'latitude': 46.7851
9821166992, 'longitude': 23.686199188232425, 'timezone': 2.0, 'dst': 'E', 'tz
_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 1613, 'name': 'Vienna International Airport', 'city':
'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'lon
gitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vi
enna', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 599, 'name': 'Dublin Airport', 'city': 'Dublin'
, 'iata': 'DUB', 'icao': 'EIDW', 'latitude': 53.421299, 'longitude': -6.27007
, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri C
oandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LR
OP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E'
, 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'c
ity': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003,
'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iat
a': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'time
zone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airp
ort', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799
999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', 'iata': 'IAS', '
icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.6205997467041,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733'
]}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},

'src_airport': {'airport_id': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airp
ort', 'city': 'Rome', 'iata': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799
999996, 'longitude': 12.238888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id'
: 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'B
ucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude'
: 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city
': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longit
ude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'n
ame': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP
', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2
.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1665, 'name': 'Geneva Cointrin International Ai
rport', 'city': 'Geneva', 'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809
814453125, 'longitude': 6.108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_i
d': 'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city':
'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitud
e': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['733', '318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.
6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1538,
'name': 'Bologna Guglielmo Marconi Airport', 'city': 'Bologna', 'iata': 'BLQ'
, 'icao': 'LIPE', 'latitude': 44.5354, 'longitude': 11.2887, 'timezone': 1.0,
'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.

6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1555,
'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iata': 'FCO',
'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.2388889000000
01, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']
}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.
6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 492, '
name': 'London Luton Airport', 'city': 'London', 'iata': 'LTN', 'icao': 'EGGW
', 'latitude': 51.87469863891602, 'longitude': -0.36833301186561584, 'timezon
e': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.
6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657,
'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'O
TP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT7', 'AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.
6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1590,
'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'iata': 'TLV'
, 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.88669967651
367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
33']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.
6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1526,

'name': 'Turin Airport', 'city': 'Torino', 'iata': 'TRN', 'icao': 'LIMF', 'la
titude': 45.200802, 'longitude': 7.64963, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', '
iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.
6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1613,
'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'ica
o': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.569700241089002,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1701, 'name': 'Atatürk International Airport',
'city': 'Istanbul', 'iata': 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'lo
ngitude': 28.8146, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 165
7, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata':
'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone
': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1735, 'name': 'Chişinău International Airport',
'city': 'Chisinau', 'iata': 'KIV', 'icao': 'LUKK', 'latitude': 46.92770004272
461, 'longitude': 28.93099975585937, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'E
urope/Chisinau', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'B
ucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude'
: 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['AT5', 'AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport',
'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128
906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'A
sia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Buch
arest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 2
6.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'air

port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 1529, 'name': 'Milano Linate Airport', 'city': 'Milan', 'iata': 'LIN', 'icao': 'LIML', 'latitude': 45.445099, 'longitude': 9.27674, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 492, 'name': 'London Luton Airport', 'city': 'London', 'iata': 'LTN', 'icao': 'EGGW', 'latitude': 51.87469863891602, 'longitude': -0.36833301186561584, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', 'iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},

'src_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich'
, 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coa
ndă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP
', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E',
'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich'
, 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1658, 'name': 'Sibiu Int
ernational Airport', 'city': 'Sibiu', 'iata': 'SBZ', 'icao': 'LRSB', 'latitud
e': 45.78559875488281, 'longitude': 24.09129905700684, 'timezone': 2.0, 'dst'
: 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1354, 'name': "Nice-Côte d'Azur Airport", 'city
': 'Nice', 'iata': 'NCE', 'icao': 'LFMN', 'latitude': 43.658401489300005, 'lo
ngitude': 7.215869903560001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Pa
ris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest',
'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, '
timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']
}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1656, 'name': 'Oradea International Airport', '
city': 'Oradea', 'iata': 'OMR', 'icao': 'LROD', 'latitude': 47.02529907226562
, 'longitude': 21.90250015258789, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Euro
pe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Buc
harest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude':
26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111

11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2170, 'name': 'Queen Alia International Airport', 'city': 'Amman', 'iata'
: 'AMM', 'icao': 'OJAI', 'latitude': 31.7226009369, 'longitude': 35.993198394
8, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 580, 'name': 'Amsterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': '
AMS', 'icao': 'EHAM', 'latitude': 52.308601, 'longitude': 4.76389, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 3941, 'name': 'Eleftherios Venizelos International Airport', 'city': 'Ath
ens', 'iata': 'ATH', 'icao': 'LGAV', 'latitude': 37.9364013672, 'longitude':
23.944499969499997, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1649, 'name': 'Tautii Magheraus Airport', 'city': 'Baia Mare', 'iata': 'B
AY', 'icao': 'LRBM', 'latitude': 47.65840148925781, 'longitude': 23.469999313
35449, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i

d': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'ia
ta': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999
998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73
W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1739, 'name': 'Belgrade Nikola Tesla Airport', 'city': 'Belgrade', 'iata'
: 'BEG', 'icao': 'LYBE', 'latitude': 44.8184013367, 'longitude': 20.309099197
4, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Belgrade', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT
5', 'AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2177, 'name': 'Beirut Rafic Hariri International Airport', 'city': 'Beiru
t', 'iata': 'BEY', 'icao': 'OLBA', 'latitude': 33.820899963378906, 'longitude
': 35.488399505615234, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Beirut', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 302, 'name': 'Brussels Airport', 'city': 'Brussels', 'iata': 'BRU', 'icao
': 'EBBR', 'latitude': 50.9014015198, 'longitude': 4.48443984985, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Brussels', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1489, 'name': 'Budapest Liszt Ferenc International Airport', 'city': 'Bud

apest', 'iata': 'BUD', 'icao': 'LHBP', 'latitude': 47.429759999999995, 'longi
tude': 19.261093, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Budapest', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['AT5', 'AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1382, 'name': 'Charles de Gaulle International Airport', 'city': 'Paris',
'iata': 'CDG', 'icao': 'LFPG', 'latitude': 49.012798, 'longitude': 2.55, 'tim
ezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W', '318']
}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1652, 'name': 'Cluj-Napoca International Airport', 'city': 'Cluj-napoca',
'iata': 'CLJ', 'icao': 'LRCL', 'latitude': 46.78519821166992, 'longitude': 23
.686199188232425, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, '
equipment': ['AT5', 'AT7', '318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 599, 'name': 'Dublin Airport', 'city': 'Dublin', 'iata': 'DUB', 'icao': '
EIDW', 'latitude': 53.421299, 'longitude': -6.27007, 'timezone': 0.0, 'dst':
'E', 'tz_id': 'Europe/Dublin', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DX
B', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.364398956

3, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1555, 'name': 'Leonardo da Vinci-Fiumicino Airport', 'city': 'Rome', 'iat
a': 'FCO', 'icao': 'LIRF', 'latitude': 41.800277799999996, 'longitude': 12.23
8888900000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['73W', '32S']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'F
RA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone'
: 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'Ou
rAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1665, 'name': 'Geneva Cointrin International Airport', 'city': 'Geneva',
'iata': 'GVA', 'icao': 'LSGG', 'latitude': 46.23809814453125, 'longitude': 6.
108950138092041, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['733', '318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', 'iata': 'IAS', 'icao': 'LRI
A', 'latitude': 47.17850112915039, 'longitude': 27.6205997467041, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5', 'AT7']}

{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1701, 'name': 'Atatürk International Airport', 'city': 'Istanbul', 'iata'
: 'ISL', 'icao': 'LTBA', 'latitude': 40.976898, 'longitude': 28.8146, 'timezo
ne': 3.0, 'dst': 'E', 'tz_id': 'Europe/Istanbul', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1735, 'name': 'Chişinău International Airport', 'city': 'Chisinau', 'iata
': 'KIV', 'icao': 'LUKK', 'latitude': 46.92770004272461, 'longitude': 28.9309
9975585937, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Chisinau', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata':
'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.624900
81787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 507, 'name': 'London Heathrow Airport', 'city': 'London', 'iata': 'LHR',
'icao': 'EGLL', 'latitude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0,
'dst': 'E', 'tz_id': 'Europe/London', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['318']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},

'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1529, 'name': 'Milano Linate Airport', 'city': 'Milan', 'iata': 'LIN', 'i
cao': 'LIML', 'latitude': 45.445099, 'longitude': 9.27674, 'timezone': 1.0, '
dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': True, 'stops': 0, 'equipment': ['32S']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1229, 'name': 'Adolfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', '
iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, '
timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': '
EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['73W', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1354, 'name': "Nice-Côte d'Azur Airport", 'city': 'Nice', 'iata': 'NCE',
'icao': 'LFMN', 'latitude': 43.658401489300005, 'longitude': 7.21586990356000
1, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']
}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar

est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1656, 'name': 'Oradea International Airport', 'city': 'Oradea', 'iata': '
OMR', 'icao': 'LROD', 'latitude': 47.02529907226562, 'longitude': 21.90250015
258789, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment'
: ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1587, 'name': 'Václav Havel Airport Prague', 'city': 'Prague', 'iata': 'P
RG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0
, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1486, 'name': 'Thessaloniki Macedonia International Airport', 'city': 'Th
essaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'l
ongitude': 22.97089958190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/A
thens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1194, 'name': 'Sofia Airport', 'city': 'Sofia', 'iata': 'SOF', 'icao': 'L
BSF', 'latitude': 42.696693420410156, 'longitude': 23.411436080932614, 'timez
one': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 1659, 'name': 'Satu Mare Airport', 'city': 'Satu Mare', 'iata': 'SUJ', 'i

cao': 'LRSM', 'latitude': 47.70330047607422, 'longitude': 22.885700225830078, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5' ]}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO ', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111 11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i d': 2985, 'name': 'Sheremetyevo International Airport', 'city': 'Moscow', 'ia ta': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599, 'longitude': 37.4146, 'tim ezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source ': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733', '73G' ]}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO ', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111 11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i d': 1590, 'name': 'Ben Gurion International Airport', 'city': 'Tel-aviv', 'ia ta': 'TLV', 'icao': 'LLBG', 'latitude': 32.011398315429695, 'longitude': 34.8 8669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Jerusalem', 'type' : 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip ment': ['310', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO ', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111 11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i d': 1663, 'name': 'Timişoara Traian Vuia Airport', 'city': 'Timisoara', 'iata ': 'TSR', 'icao': 'LRTR', 'latitude': 45.80989837646485, 'longitude': 21.3379 00161743164, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type' : 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip ment': ['733', 'AT5', '318', 'AT7']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO ', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True}, 'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111 11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i d': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'iata': '

VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.5697002
41089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['318', '73W', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Airpo
rt', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.57111
11, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buchar
est', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 679, 'name': 'Warsaw Chopin Airport', 'city': 'Warsaw', 'iata': 'WAW', 'i
cao': 'EPWA', 'latitude': 52.1656990051, 'longitude': 20.9671001434, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'c
ity': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitud
e': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1652, 'name':
'Cluj-Napoca International Airport', 'city': 'Cluj-napoca', 'iata': 'CLJ', 'i
cao': 'LRCL', 'latitude': 46.78519821166992, 'longitude': 23.686199188232425,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5'
]}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague', 'c
ity': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longitud
e': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657, 'name':
'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'OTP', 'ic
ao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1658, 'name': 'Sibiu International Airport', 'c
ity': 'Sibiu', 'iata': 'SBZ', 'icao': 'LRSB', 'latitude': 45.78559875488281,
'longitude': 24.09129905700684, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'i
cao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, '

dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1658, 'name': 'Sibiu International Airport', 'c
ity': 'Sibiu', 'iata': 'SBZ', 'icao': 'LRSB', 'latitude': 45.78559875488281,
'longitude': 24.09129905700684, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucha
rest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26
.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['73W']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1658, 'name': 'Sibiu International Airport', 'c
ity': 'Sibiu', 'iata': 'SBZ', 'icao': 'LRSB', 'latitude': 45.78559875488281,
'longitude': 24.09129905700684, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe
/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 1613, 'name': 'Vienna International Airport', 'city': 'Vienna', 'i
ata': 'VIE', 'icao': 'LOWW', 'latitude': 48.110298156738004, 'longitude': 16.
569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['DH4']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia Internati
onal Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'latitu
de': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0, 'dst
': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International Air
port', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.571
1111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buch
arest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1194, 'name': 'Sofia Airport', 'city': 'Sofia',
'iata': 'SOF', 'icao': 'LBSF', 'latitude': 42.696693420410156, 'longitude': 2
3.411436080932614, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657,
'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'O
TP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone':

2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1659, 'name': 'Satu Mare Airport', 'city': 'Sat
u Mare', 'iata': 'SUJ', 'icao': 'LRSM', 'latitude': 47.70330047607422, 'longi
tude': 22.885700225830078, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buch
arest', type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest'
, 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['AT5'
]}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 2985, 'name': 'Sheremetyevo International Airpo
rt', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'latitude': 55.972599,
'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 16
57, 'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata'
: 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezo
ne': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1662, 'name': 'Transilvania Târgu Mureș Interna
tional Airport', 'city': 'Tirgu Mures', 'iata': 'TGM', 'icao': 'LRTM', 'latit
ude': 46.46770095825195, 'longitude': 24.41250038146973, 'timezone': 2.0, 'ds
t': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 1657, 'name': 'Henri Coandă International
Airport', 'city': 'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.
5711111, 'longitude': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/B
ucharest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport
', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.01139831
5429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', 'iata': 'IAS'
, 'icao': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.620599746704
1, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['7
33']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1590, 'name': 'Ben Gurion International Airport
', 'city': 'Tel-aviv', 'iata': 'TLV', 'icao': 'LLBG', 'latitude': 32.01139831
5429695, 'longitude': 34.88669967651367, 'timezone': 2.0, 'dst': 'E', 'tz_id'
: 'Asia/Jerusalem', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city':
'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitud
e': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['310', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1526, 'name': 'Turin Airport', 'city': 'Torino'
, 'iata': 'TRN', 'icao': 'LIMF', 'latitude': 45.200802, 'longitude': 7.64963,
'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 1655, 'name': 'Iaşi Airpor
t', 'city': 'Iasi', 'iata': 'IAS', 'icao': 'LRIA', 'latitude': 47.17850112915
039, 'longitude': 27.6205997467041, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Bucharest', type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1663, 'name': 'Timişoara Traian Vuia Airport',
'city': 'Timisoara', 'iata': 'TSR', 'icao': 'LRTR', 'latitude': 45.8098983764
6485, 'longitude': 21.337900161743164, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Bucharest', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1657, 'name': 'Henri Coandă International Airport', 'city':
'Bucharest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitud
e': 26.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['318', '733', 'AT7', 'AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', '
city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.11029815673800
4, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1652, 'name': 'Cluj-Napoca International Airport', 'city': 'Cluj-
napoca', 'iata': 'CLJ', 'icao': 'LRCL', 'latitude': 46.78519821166992, 'longi
tude': 23.686199188232425, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Buch

arest', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['AT5']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', '
city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.11029815673800
4, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1655, 'name': 'Iaşi Airport', 'city': 'Iasi', 'iata': 'IAS', 'ica
o': 'LRIA', 'latitude': 47.17850112915039, 'longitude': 27.6205997467041, 'ti
mezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', '
city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.11029815673800
4, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1657, 'name': 'Henri Coandă International Airport', 'city': 'Buch
arest', 'iata': 'OTP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 2
6.085, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['318', '73W', '733']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 1613, 'name': 'Vienna International Airport', '
city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.11029815673800
4, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu
rope/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1658, 'name': 'Sibiu International Airport', 'city': 'Sibiu', 'ia
ta': 'SBZ', 'icao': 'LRSB', 'latitude': 45.78559875488281, 'longitude': 24.09
129905700684, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['DH4']}
{'airline': {'airline_id': 5179, 'name': 'Tarom', 'alias': 'TWA', 'iata': 'RO
', 'icao': 'ROT', 'callsign': 'TAROM', 'country': 'Romania', 'active': True},
'src_airport': {'airport_id': 679, 'name': 'Warsaw Chopin Airport', 'city': '
Warsaw', 'iata': 'WAW', 'icao': 'EPWA', 'latitude': 52.1656990051, 'longitude
': 20.9671001434, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Warsaw', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1657,
'name': 'Henri Coandă International Airport', 'city': 'Bucharest', 'iata': 'O
TP', 'icao': 'LROP', 'latitude': 44.5711111, 'longitude': 26.085, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Europe/Bucharest', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['E70']}

{'airline': {'airline_id': 3097, 'name': 'Kam Air', 'alias': 'nan', 'iata': '
RQ', 'icao': 'KMF', 'callsign': 'KAMGAR', 'country': 'Afghanistan', 'active':
True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi Internation
al Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5
665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul', 'ia
ta': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303, 't
imezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82', '320']
}
{'airline': {'airline_id': 3097, 'name': 'Kam Air', 'alias': 'nan', 'iata': '
RQ', 'icao': 'KMF', 'callsign': 'KAMGAR', 'country': 'Afghanistan', 'active':
True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airpo
rt', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987
800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'As
ia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 2050, 'name': 'Hamid Karzai International Airport', 'city': 'Kabul',
'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.565899, 'longitude': 69.212303,
'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kabul', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 3097, 'name': 'Kam Air', 'alias': 'nan', 'iata': '
RQ', 'icao': 'KMF', 'callsign': 'KAMGAR', 'country': 'Afghanistan', 'active':
True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Internationa
l Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.56
5899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kab
ul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iat
a': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M82', '320']
}
{'airline': {'airline_id': 3097, 'name': 'Kam Air', 'alias': 'nan', 'iata': '
RQ', 'icao': 'KMF', 'callsign': 'KAMGAR', 'country': 'Afghanistan', 'active':
True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Internationa
l Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.56
5899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kab
ul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB
', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563
, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', 'M
87']}

{'airline': {'airline_id': 3097, 'name': 'Kam Air', 'alias': 'nan', 'iata': '
RQ', 'icao': 'KMF', 'callsign': 'KAMGAR', 'country': 'Afghanistan', 'active':
True}, 'src_airport': {'airport_id': 2050, 'name': 'Hamid Karzai Internationa
l Airport', 'city': 'Kabul', 'iata': 'KBL', 'icao': 'OAKB', 'latitude': 34.56
5899, 'longitude': 69.212303, 'timezone': 4.5, 'dst': 'U', 'tz_id': 'Asia/Kab
ul', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id
': 2979, 'name': 'Dushanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao
': 'UTDD', 'latitude': 38.543300628699996, 'longitude': 68.8249969482, 'timez
one': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['M87']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3885,
'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VT
BS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezo
ne': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3069, 'name': 'Shah Amanat Inter
national Airport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VGEG', 'lati
tude': 22.24959945678711, 'longitude': 91.81330108642578, 'timezone': 6.0, 'd
st': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3885,
'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VT
BS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, 'timezo
ne': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal
International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'lati
tude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U'
, 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3043,
'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata
', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude'
: 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 306
9, 'name': 'Shah Amanat International Airport', 'city': 'Chittagong', 'iata':
'CGP', 'icao': 'VGEG', 'latitude': 22.24959945678711, 'longitude': 91.8133010
8642578, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['D
H8']}

{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3043,
'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata
', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude'
: 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 307
6, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata':
'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999,
'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3069,
'name': 'Shah Amanat International Airport', 'city': 'Chittagong', 'iata': 'C
GP', 'icao': 'VGEG', 'latitude': 22.24959945678711, 'longitude': 91.813301086
42578, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarn
abhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude'
: 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst'
: 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3069,
'name': 'Shah Amanat International Airport', 'city': 'Chittagong', 'iata': 'C
GP', 'icao': 'VGEG', 'latitude': 22.24959945678711, 'longitude': 91.813301086
42578, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji
Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU'
, 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980
469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH
8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3069,
'name': 'Shah Amanat International Airport', 'city': 'Chittagong', 'iata': 'C
GP', 'icao': 'VGEG', 'latitude': 22.24959945678711, 'longitude': 91.813301086
42578, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat
Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VG
ZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0,

'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['737', 'DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3068,
'name': "Cox's Bazar Airport", 'city': "Cox's Bazar", 'iata': 'CXB', 'icao':
'VGCB', 'latitude': 21.452199935913086, 'longitude': 91.96389770507812, 'time
zone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal
International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'lati
tude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U'
, 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi
Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.68
1099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U',
'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhas
h Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'ica
o': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3069, 'name': 'Shah Amanat I
nternational Airport', 'city': 'Chittagong', 'iata': 'CGP', 'icao': 'VGEG', '
latitude': 22.24959945678711, 'longitude': 91.81330108642578, 'timezone': 6.0

, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['737', 'DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3068, 'name': "Cox's Bazar A
irport", 'city': "Cox's Bazar", 'iata': 'CXB', 'icao': 'VGCB', 'latitude': 21
.452199935913086, 'longitude': 91.96389770507812, 'timezone': 6.0, 'dst': 'U'
, 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3071, 'name': 'Jessore Airpo
rt', 'city': 'Jessore', 'iata': 'JSR', 'icao': 'VGJR', 'latitude': 23.1837997
43652344, 'longitude': 89.16079711914062, 'timezone': 6.0, 'dst': 'U', 'tz_id
': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur
International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK'
, 'latitude': 2.7455799579619997, 'longitude': 101.70999908446998, 'timezone'
: 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076,
'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D
AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, '
timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 3316, 'name': 'Singapore Cha
ngi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao': 'WSSS', 'latitude':
1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia

/Singapore', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': ' Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'D AC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, ' timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source ': 'OurAirports'}, 'dst_airport': {'airport_id': 3074, 'name': 'Osmany Intern ational Airport', 'city': 'Sylhet Osmani', 'iata': 'ZYL', 'icao': 'VGSY', 'la titude': 24.96319961547852, 'longitude': 91.8667984008789, 'timezone': 6.0, ' dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'} , 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': ' Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3071, 'name': 'Jessore Airport', 'city': 'Jessore', 'iata': 'JSR', 'icao': 'VGJR', 'latitude': 23.183799743652344, 'longitude': 89.16079711914062, 'timezone': 6 .0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirpo rts'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal Internat ional Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 2 3.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id ': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa lse, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': ' Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3304, 'name': 'Kuala Lumpur International Airport', 'city': 'Kuala Lumpur', 'iata': 'KUL', 'icao': 'WMKK', 'latitude': 2.7455799579619997, 'longitude': 101.70999 908446998, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Kuala_Lumpur', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'nam e': 'Hazrat Shahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timez one': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'O urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': ' Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3316, 'name': 'Singapore Changi Airport', 'city': 'Singapore', 'iata': 'SIN', 'icao ': 'WSSS', 'latitude': 1.35019, 'longitude': 103.994003, 'timezone': 8.0, 'ds t': 'N', 'tz_id': 'Asia/Singapore', 'type': 'airport', 'source': 'OurAirports '}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat Shahjalal Internation al Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZR', 'latitude': 23.8 43347, 'longitude': 90.39778299999999, 'timezone': 6.0, 'dst': 'U', 'tz_id':

'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 19676, 'name': 'Rainbow Air Polynesia', 'alias': '
Rainbow Air POL', 'iata': 'RX', 'icao': 'RPO', 'callsign': 'Rainbow Air', 'co
untry': 'United States', 'active': True}, 'src_airport': {'airport_id': 3074,
'name': 'Osmany International Airport', 'city': 'Sylhet Osmani', 'iata': 'ZYL
', 'icao': 'VGSY', 'latitude': 24.96319961547852, 'longitude': 91.86679840087
89, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3076, 'name': 'Hazrat S
hahjalal International Airport', 'city': 'Dhaka', 'iata': 'DAC', 'icao': 'VGZ
R', 'latitude': 23.843347, 'longitude': 90.39778299999999, 'timezone': 6.0, '
dst': 'U', 'tz_id': 'Asia/Dhaka', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['DH8']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 6945, 'name': 'Drake Ba
y Airport', 'city': 'Puntarenas', 'iata': 'DRK', 'icao': 'MRDK', 'latitude':
8.71889019012, 'longitude': -83.6417007446, 'timezone': -6.0, 'dst': 'N', 'tz
_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airpor
t', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.99386024
4750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_i
d': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1879, 'name': 'Golfito
Airport', 'city': 'Golfito', 'iata': 'GLF', 'icao': 'MRGF', 'latitude': 8.654
009819030763, 'longitude': -83.18219757080078, 'timezone': -6.0, 'dst': 'U',
'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Air
port', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.99386
0244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 't
z_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1881, 'name': 'Daniel O
duber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao'
: 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'ds
t': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria Internat
ional Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude'
: 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst'

: 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 5847, 'name': 'Puerto J
imenez Airport', 'city': 'Puerto Jimenez', 'iata': 'PJM', 'icao': 'MRPJ', 'la
titude': 8.533329963684082, 'longitude': -83.30000305175781, 'timezone': -6.0
, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria Int
ernational Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'lati
tude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0,
'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1887, 'name': 'Palmar S
ur Airport', 'city': 'Palmar Sur', 'iata': 'PMZ', 'icao': 'MRPM', 'latitude':
8.951029777526855, 'longitude': -83.46859741210938, 'timezone': -6.0, 'dst':
'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria Internationa
l Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.
993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U
', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan San
tamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'M
ROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezo
ne': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 6945, 'name': 'Drake Bay
Airport', 'city': 'Puntarenas', 'iata': 'DRK', 'icao': 'MRDK', 'latitude': 8.
71889019012, 'longitude': -83.6417007446, 'timezone': -6.0, 'dst': 'N', 'tz_i
d': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan San
tamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'M
ROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezo
ne': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 6731, 'name': 'Arenal Air
port', 'city': 'La Fortuna/San Carlos', 'iata': 'FON', 'icao': 'MRAN', 'latit
ude': 10.478, 'longitude': -84.634499, 'timezone': -6.0, 'dst': 'U', 'tz_id':

'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emirates Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1879, 'name': 'Golfito Airport', 'city': 'Golfito', 'iata': 'GLF', 'icao': 'MRGF', 'latitude': 8.654009819030763, 'longitude': -83.18219757080078, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emirates Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1881, 'name': 'Daniel Oduber Quiros International Airport', 'city': 'Liberia', 'iata': 'LIR', 'icao': 'MRLB', 'latitude': 10.5933, 'longitude': -85.544403, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emirates Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5847, 'name': 'Puerto Jimenez Airport', 'city': 'Puerto Jimenez', 'iata': 'PJM', 'icao': 'MRPJ', 'latitude': 8.533329963684082, 'longitude': -83.30000305175781, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emirates Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sweden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1887, 'name': 'Palmar Sur Airport', 'city': 'Palmar Sur', 'iata': 'PMZ', 'icao': 'MRPM', 'latitude': 8.951029777526855, 'longitude': -83.46859741210938, 'timezone': -6.0, 'dst': 'U

', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan San
tamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'M
ROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezo
ne': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 6732, 'name': 'Tambor Air
port', 'city': 'Nicoya', 'iata': 'TMU', 'icao': 'MRTR', 'latitude': 9.73852,
'longitude': -85.013802, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Cost
a_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan San
tamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'M
ROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezo
ne': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 5844, 'name': 'Cabo Velas
Airport', 'city': 'Nicoya', 'iata': 'BCL', 'icao': 'MRCV', 'latitude': 10.355
699539185, 'longitude': -85.852897644043, 'timezone': -6.0, 'dst': 'U', 'tz_i
d': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1885, 'name': 'Juan San
tamaria International Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'M
ROC', 'latitude': 9.993860244750977, 'longitude': -84.20880126953125, 'timezo
ne': -6.0, 'dst': 'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1889, 'name': 'Quepos Man
agua Airport', 'city': 'Quepos', 'iata': 'XQP', 'icao': 'MRQP', 'latitude': 9
.443160057067873, 'longitude': -84.12979888916016, 'timezone': -6.0, 'dst': '
U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 6732, 'name': 'Tambor A
irport', 'city': 'Nicoya', 'iata': 'TMU', 'icao': 'MRTR', 'latitude': 9.73852
, 'longitude': -85.013802, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Co
sta_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airp
ort_id': 1885, 'name': 'Juan Santamaria International Airport', 'city': 'San
Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.993860244750977, 'longitu
de': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_id': 'America/Cost

a_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 5844, 'name': 'Cabo Vel
as Airport', 'city': 'Nicoya', 'iata': 'BCL', 'icao': 'MRCV', 'latitude': 10.
355699539185, 'longitude': -85.852897644043, 'timezone': -6.0, 'dst': 'U', 't
z_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 1885, 'name': 'Juan Santamaria International Airpo
rt', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.9938602
44750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U', 'tz_
id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 2226, 'name': 'Euro Exec Express', 'alias': 'Emira
tes Airlines', 'iata': 'RZ', 'icao': 'nan', 'callsign': 'nan', 'country': 'Sw
eden', 'active': True}, 'src_airport': {'airport_id': 1889, 'name': 'Quepos M
anagua Airport', 'city': 'Quepos', 'iata': 'XQP', 'icao': 'MRQP', 'latitude':
9.443160057067873, 'longitude': -84.12979888916016, 'timezone': -6.0, 'dst':
'U', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1885, 'name': 'Juan Santamaria Internationa
l Airport', 'city': 'San Jose', 'iata': 'SJO', 'icao': 'MROC', 'latitude': 9.
993860244750977, 'longitude': -84.20880126953125, 'timezone': -6.0, 'dst': 'U
', 'tz_id': 'America/Costa_Rica', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CNA']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3039, 'name': 'Lengpui Airport', 'city': 'Ai
zwal', 'iata': 'AJL', 'icao': 'VELP', 'latitude': 23.8405990601, 'longitude':
92.6196975708, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'nam
e': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', '
iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88
.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3039, 'name': 'Lengpui Airport', 'city': 'Ai
zwal', 'iata': 'AJL', 'icao': 'VELP', 'latitude': 23.8405990601, 'longitude':
92.6196975708, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6173, 'nam
e': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati', '
iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.
58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type'

: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel Inte
rnational Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'lati
tude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International
Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088
699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel Inte
rnational Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'lati
tude': 23.0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst':
'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airpo
rt', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'lo
ngitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['738', '73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3081, 'name': 'Sri Guru Ram Dass Jee Interna
tional Airport', 'city': 'Amritsar', 'iata': 'ATQ', 'icao': 'VIAR', 'latitude
': 31.7096004486, 'longitude': 74.7973022461, 'timezone': 5.5, 'dst': 'N', 't
z_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'c
ity': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude
': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['AT7', '73H', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3001, 'name': 'Vadodara Airport', 'city': 'B
aroda', 'iata': 'BDQ', 'icao': 'VABO', 'latitude': 22.336201000000003, 'longi
tude': 73.226303, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997,
'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata'
: 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678
970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo

rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
73W', '738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2999, 'name': 'Bhuj Airport', 'city': 'Bhuj'
, 'iata': 'BHJ', 'icao': 'VABJ', 'latitude': 23.2877998352, 'longitude': 69.6
701965332, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name':
'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM',
'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '73
H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3002, 'name': 'Raja Bhoj International Airpo
rt', 'city': 'Bhopal', 'iata': 'BHO', 'icao': 'VABP', 'latitude': 23.28750038
15, 'longitude': 77.33740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city'
: 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'l
ongitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73G', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3002, 'name': 'Raja Bhoj International Airpo
rt', 'city': 'Bhopal', 'iata': 'BHO', 'icao': 'VABP', 'latitude': 23.28750038
15, 'longitude': 77.33740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Del
hi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.1031
04, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3003, 'name': 'Bhavnagar Airport', 'city': '
Bhaunagar', 'iata': 'BHU', 'icao': 'VABV', 'latitude': 21.752199173, 'longitu
de': 72.18520355220001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai',
'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 7
2.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':

'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai'
, 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude':
72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['738', '73W', '73G', '73H', '739']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city':
'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'lo
ngitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3135, 'name': 'Coimbatore International Airport', 'city': 'Coimbatore', 'ia
ta': 'CJB', 'icao': 'VOCB', 'latitude': 11.029999733, 'longitude': 77.0434036
255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7
']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3136, 'name': 'Cochin International Airport', 'city': 'Kochi', 'iata': 'COK
', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'longitude': 76.401901, 't

imezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata
': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '739', '7
38']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAG
O', 'latitude': 15.3808002472, 'longitude': 73.83139801029999, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codesh
are': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3008, 'name': 'Devi Ahilyabai Holkar Airport', 'city': 'Indore', 'iata': 'I
DR', 'icao': 'VAID', 'latitude': 22.721799850500002, 'longitude': 75.80110168
46, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp

ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3143, 'name': 'Mangalore International Airport', 'city': 'Mangalore', 'iata
': 'IXE', 'icao': 'VOML', 'latitude': 12.961299896199998, 'longitude': 74.890
09857180001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment
': ['AT7', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'M
AA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626
464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
739', 'AT7', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO'
, 'latitude': 18.58209991455078, 'longitude': 73.9197006225586, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979
, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3153, 'name': 'Trivandrum International Airport', 'city': 'Trivandrum', 'ia
ta': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, 'longitude': 76.920097
3511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airp
ort', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979

, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3066, 'name': 'Vishakhapatnam Airport', 'city': 'Vishakhapatnam', 'iata': '
VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943, 'longitude': 83.2245025635000
1, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73G']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2994, 'name': 'Sardar Vallabhbhai Patel International
Airport', 'city': 'Ahmedabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.
0771999359, 'longitude': 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3001, 'name': 'Vadodara Airport', 'city': 'Baroda', 'i
ata': 'BDQ', 'icao': 'VABO', 'latitude': 22.336201000000003, 'longitude': 73.
226303, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'73H', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2999, 'name': 'Bhuj Airport', 'city': 'Bhuj', 'iata':
'BHJ', 'icao': 'VABJ', 'latitude': 23.2877998352, 'longitude': 69.6701965332,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '7
3H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1

9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3002, 'name': 'Raja Bhoj International Airport', 'city
': 'Bhopal', 'iata': 'BHO', 'icao': 'VABP', 'latitude': 23.2875003815, 'longi
tude': 77.33740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3003, 'name': 'Bhavnagar Airport', 'city': 'Bhaunagar'
, 'iata': 'BHU', 'icao': 'VABV', 'latitude': 21.752199173, 'longitude': 72.18
520355220001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'cit
y': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitu
de': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['738', '73W', '73G', '73H', '739']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3137, 'name': 'Calicut International Airport', 'city':
'Calicut', 'iata': 'CCJ', 'icao': 'VOCL', 'latitude': 11.1367998123, 'longitu
de': 75.95529937740001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1

9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose Internation
al Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22
.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N'
, 'tz_id': 'Asia/Calcutta', type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3135, 'name': 'Coimbatore International Airport', 'cit
y': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.029999733, 'l
ongitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3136, 'name': 'Cochin International Airport', 'city':
'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'long
itude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', '
city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitud
e': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['73H', '739', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1

9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 5711, 'name': 'Diu Airport', 'city': 'Diu', 'iata': 'D
IU', 'icao': 'VA1P', 'latitude': 20.71310043334961, 'longitude': 70.921096801
75781, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['A
T7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata'
: 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.831398010
29999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['7
3H', '73G', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': None, 'codeshare': True, 'stops': 0, 'equipment': ['738', '73G', '73H
']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport', 'city':
'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.721799850500002, 'lon
gitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['73H', '73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3089, 'name': 'Chandigarh Airport', 'city': 'Chandigar

h', 'iata': 'IXC', 'icao': 'VICG', 'latitude': 30.67350006103516, 'longitude'
: 76.78849792480469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3143, 'name': 'Mangalore International Airport', 'city
': 'Mangalore', 'iata': 'IXE', 'icao': 'VOML', 'latitude': 12.961299896199998
, 'longitude': 74.89009857180001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 2996, 'name': 'Aurangabad Airport', 'city': 'Aurangaba
d', 'iata': 'IXU', 'icao': 'VAAU', 'latitude': 19.862699508666992, 'longitude
': 75.39810180664062, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['738', 'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3098, 'name': 'Jaipur International Airport', 'city':
'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75
.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'73G', '73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3097, 'name': 'Jodhpur Airport', 'city': 'Jodhpur', 'i

ata': 'JDH', 'icao': 'VIJO', 'latitude': 26.25110054016113, 'longitude': 73.0
4889678955078, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh International Ai
rport', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'latitude': 26.7605
991364, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city':
'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'lon
gitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar International Ai
rport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'latitude': 21.09219
9325561523, 'longitude': 79.04720306396484, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata':

'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.9197006
225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3019, 'name': 'Rajkot Airport', 'city': 'Rajkot', 'iat
a': 'RAJ', 'icao': 'VARK', 'latitude': 22.3092002869, 'longitude': 70.7795028
6869998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airp
ort', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': [
'73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iat
a': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3153, 'name': 'Trivandrum International Airport', 'cit
y': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.48211956024, '
longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcut
ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3023, 'name': 'Maharana Pratap Airport', 'city': 'Udai
pur', 'iata': 'UDR', 'icao': 'VAUD', 'latitude': 24.617700576799997, 'longitu

de': 73.89610290530001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['73H', '73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Internati
onal Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 1
9.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', '
tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'city': 'Visha
khapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943, 'longitu
de': 83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3137, 'name': 'Calicut International Airport
', 'city': 'Calicut', 'iata': 'CCJ', 'icao': 'VOCL', 'latitude': 11.136799812
3, 'longitude': 75.95529937740001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city':
'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'lon
gitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3039, 'name': 'Lengpui Airport', 'city':
'Aizwal', 'iata': 'AJL', 'icao': 'VELP', 'latitude': 23.8405990601, 'longitud
e': 92.6196975708, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International A
irport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1

979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji Intern
ational Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude'
: 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N'
, 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi Internationa
l Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.56
65, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi
International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'l
atitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3038, 'name': 'Agartala Airport', 'city':
'Agartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.8869991302, 'longit

ude': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city':
'Baghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'l
ongitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Cal
cutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'cit
y': 'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006,
'longitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3055, 'name': 'Silchar Airport', 'city':
'Silchar', 'iata': 'IXS', 'icao': 'VEKU', 'latitude': 24.912900924699997, 'lo
ngitude': 92.97869873049999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3146, 'name': 'Vir Savarkar International
Airport', 'city': 'Port Blair', 'iata': 'IXZ', 'icao': 'VOPB', 'latitude': 11

.641200065612793, 'longitude': 92.72969818115234, 'timezone': 5.5, 'dst': 'N'
, 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash Airp
ort', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.5912990
56999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz_id
': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3084, 'name': 'Lal Bahadur Shastri Airpor
t', 'city': 'Varanasi', 'iata': 'VNS', 'icao': 'VIBN', 'latitude': 25.4524002
075, 'longitude': 82.85929870609999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose I
nternational Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'lat
itude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', '
city': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200
943, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3135, 'name': 'Coimbatore International Airp
ort', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.029
999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangal
ore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706

299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7
']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3135, 'name': 'Coimbatore International Airp
ort', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.029
999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city'
: 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'l
ongitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3135, 'name': 'Coimbatore International Airp
ort', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.029
999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'As
ia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras',
'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 8
0.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin International Airport'
, 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000
001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalore', '
iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 't
imezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin International Airport'
, 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000
001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumb
ai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitud
e': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3136, 'name': 'Cochin International Airport'
, 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000
001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc
utta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_
id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata':
'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.169296
26464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['AT7', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3092, 'name': 'Dehradun Airport', 'city': 'D
ehra Dun', 'iata': 'DED', 'icao': 'VIDN', 'latitude': 30.189698999999997, 'lo
ngitude': 78.180298, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 309
3, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'D
EL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone':
5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '738', 'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2994, 'name': 'Sardar Vallabhbhai Patel International Airport', 'city': 'Ahme
dabad', 'iata': 'AMD', 'icao': 'VAAH', 'latitude': 23.0771999359, 'longitude'
: 72.63469696039998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['73W', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3081, 'name': 'Sri Guru Ram Dass Jee International Airport', 'city': 'Amritsa
r', 'iata': 'ATQ', 'icao': 'VIAR', 'latitude': 31.7096004486, 'longitude': 74
.7973022461, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '73H', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3002, 'name': 'Raja Bhoj International Airport', 'city': 'Bhopal', 'iata': 'BHO', 'icao': 'VABP', 'latitude': 23.2875003815, 'longitude': 77.33740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', '73H', '739']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['739', '738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcut

ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3092, 'name': 'Dehradun Airport', 'city': 'Dehra Dun', 'iata': 'DED', 'icao':
'VIDN', 'latitude': 30.189698999999997, 'longitude': 78.180298, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '738', 'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Gu
wahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longi
tude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
6741, 'name': 'Gorakhpur Airport', 'city': 'Gorakhpur', 'iata': 'GOP', 'icao'
: 'VEGK', 'latitude': 26.739700317399997, 'longitude': 83.44969940189999, 'ti
mezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshar
e': True, 'stops': 0, 'equipment': ['73W', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,

'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3008, 'name': 'Devi Ahilyabai Holkar Airport', 'city': 'Indore', 'iata': 'IDR
', 'icao': 'VAID', 'latitude': 22.721799850500002, 'longitude': 75.8011016846
, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H',
'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3040, 'name': 'Bagdogra Airport', 'city': 'Baghdogra', 'iata': 'IXB', 'icao':
'VEBD', 'latitude': 26.68120002746582, 'longitude': 88.32859802246094, 'timez
one': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3089, 'name': 'Chandigarh Airport', 'city': 'Chandigarh', 'iata': 'IXC', 'ica
o': 'VICG', 'latitude': 30.67350006103516, 'longitude': 76.78849792480469, 't
imezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', 'AT7
']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3100, 'name': 'Jammu Airport', 'city': 'Jammu', 'iata': 'IXJ', 'icao': 'VIJU'
, 'latitude': 32.6890983582, 'longitude': 74.83740234380001, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':

3104, 'name': 'Leh Kushok Bakula Rimpochee Airport', 'city': 'Leh', 'iata': '
IXL', 'icao': 'VILH', 'latitude': 34.135898590100005, 'longitude': 77.5465011
597, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W
']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3063, 'name': 'Birsa Munda Airport', 'city': 'Ranchi', 'iata': 'IXR', 'icao':
'VERC', 'latitude': 23.314300537100006, 'longitude': 85.3217010498, 'timezone
': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3098, 'name': 'Jaipur International Airport', 'city': 'Jaipur', 'iata': 'JAI'
, 'icao': 'VIJP', 'latitude': 26.8242, 'longitude': 75.812202, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', 'AT7', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3097, 'name': 'Jodhpur Airport', 'city': 'Jodhpur', 'iata': 'JDH', 'icao': 'V
IJO', 'latitude': 26.25110054016113, 'longitude': 73.04889678955078, 'timezon
e': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3105, 'name': 'Chaudhary Charan Singh International Airport', 'city': 'Luckno
w', 'iata': 'LKO', 'icao': 'VILK', 'latitude': 26.7605991364, 'longitude': 80
.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '73W', '739', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', '73H', '73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Raipur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}

{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3112, 'name': 'Sheikh ul Alam Airport', 'city': 'Srinagar', 'iata': 'SXR', 'i
cao': 'VISR', 'latitude': 33.987098693847656, 'longitude': 74.77420043945312,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', '7
3H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3023, 'name': 'Maharana Pratap Airport', 'city': 'Udaipur', 'iata': 'UDR', 'i
cao': 'VAUD', 'latitude': 24.617700576799997, 'longitude': 73.89610290530001,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International A
irport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665,
'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3084, 'name': 'Lal Bahadur Shastri Airport', 'city': 'Varanasi', 'iata': 'VNS
', 'icao': 'VIBN', 'latitude': 25.4524002075, 'longitude': 82.85929870609999,
'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3057, 'name': 'Dibrugarh Airport', 'city': '
Mohanbari', 'iata': 'DIB', 'icao': 'VEMN', 'latitude': 27.4839000702, 'longit
ude': 95.01689910889999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Gu
wahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longi
tude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True

}, 'src_airport': {'airport_id': 5711, 'name': 'Diu Airport', 'city': 'Diu', 'iata': 'DIU', 'icao': 'VA1P', 'latitude': 20.71310043334961, 'longitude': 70.92109680175781, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3018, 'name': 'Porbandar Airport', 'city': 'Porbandar', 'iata': 'PBD', 'icao': 'VAPR', 'latitude': 21.6487007141, 'longitude': 69.65720367429999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3039, 'name': 'Lengpui Airport', 'city': 'Aizwal', 'iata': 'AJL', 'icao': 'VELP', 'latitude': 23.8405990601, 'longitude': 92.6196975708, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi In

ternational Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'lat
itude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3057, 'name': 'Dibrugarh Airport', 'city':
'Mohanbari', 'iata': 'DIB', 'icao': 'VEMN', 'latitude': 27.4839000702, 'longi
tude': 95.01689910889999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi In
ternational Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'lat
itude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3050, 'name': 'Imphal Airport', 'city': 'I
mphal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.760000228899997, 'longi
tude': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 6173, 'name': 'Lokpriya Gopinath Bordoloi In
ternational Airport', 'city': 'Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'lat
itude': 26.10610008239746, 'longitude': 91.58589935302734, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 3055, 'name': 'Silchar Airport', 'city': '
Silchar', 'iata': 'IXS', 'icao': 'VEKU', 'latitude': 24.912900924699997, 'lon
gitude': 92.97869873049999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Go
a', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73
.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, '
name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR'
, 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Go
a', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73

.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '73G', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 6741, 'name': 'Gorakhpur Airport', 'city': 'Gorakhpur', 'iata': 'GOP', 'icao': 'VEGK', 'latitude': 26.739700317399997, 'longitude': 83.44969940189999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': None, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', '73G', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True

}, 'src_airport': None, 'dst_airport': {'airport_id': 3093, 'name': 'Indira G
andhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP',
'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz
_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['738', '73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': None, 'dst_airport': {'airport_id': 3144, 'name': 'Chennai
International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'lat
itude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', 'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': None, 'dst_airport': {'airport_id': 3017, 'name': 'Pune Air
port', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991
455078, 'longitude': 73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': None, 'dst_airport': {'airport_id': 3148, 'name': 'Rajahmun
dry Airport', 'city': 'Rajahmundry', 'iata': 'RJA', 'icao': 'VORY', 'latitude
': 17.1103992462, 'longitude': 81.81819915770001, 'timezone': 5.5, 'dst': 'N'
, 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport
', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.7217998505
00002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalo
re', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.7062
99, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport
', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.7217998505
00002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city':

'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'lon
gitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['73H', '73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport
', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.7217998505
00002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delh
i', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.10310
4, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H',
'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3008, 'name': 'Devi Ahilyabai Holkar Airport
', 'city': 'Indore', 'iata': 'IDR', 'icao': 'VAID', 'latitude': 22.7217998505
00002, 'longitude': 75.8011016846, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asi
a/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao
': 'VAPO', 'latitude': 18.58209991455078, 'longitude': 73.9197006225586, 'tim
ezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3050, 'name': 'Imphal Airport', 'city': 'Imp
hal', 'iata': 'IMF', 'icao': 'VEIM', 'latitude': 24.760000228899997, 'longitu
de': 93.896697998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6173,
'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': 'Guwahati
', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'longitude':
91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3038, 'name': 'Agartala Airport', 'city': 'A
gartala', 'iata': 'IXA', 'icao': 'VEAT', 'latitude': 23.8869991302, 'longitud
e': 91.2404022217, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043,
'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata
', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude'

: 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city': 'B
aghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'lon
gitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city'
: 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, '
longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3040, 'name': 'Bagdogra Airport', 'city': 'B
aghdogra', 'iata': 'IXB', 'icao': 'VEBD', 'latitude': 26.68120002746582, 'lon
gitude': 88.32859802246094, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'ia
ta': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'tim
ezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3089, 'name': 'Chandigarh Airport', 'city':
'Chandigarh', 'iata': 'IXC', 'icao': 'VICG', 'latitude': 30.67350006103516, '
longitude': 76.78849792480469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mu
mbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longit
ude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'e
quipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3089, 'name': 'Chandigarh Airport', 'city':
'Chandigarh', 'iata': 'IXC', 'icao': 'VICG', 'latitude': 30.67350006103516, '
longitude': 76.78849792480469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Ca
lcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpor
t_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi',
'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, '
timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou

rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', 'AT
7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3143, 'name': 'Mangalore International Airpo
rt', 'city': 'Mangalore', 'iata': 'IXE', 'icao': 'VOML', 'latitude': 12.96129
9896199998, 'longitude': 74.89009857180001, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city':
'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude':
77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'ai
rport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['AT7', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3143, 'name': 'Mangalore International Airpo
rt', 'city': 'Mangalore', 'iata': 'IXE', 'icao': 'VOML', 'latitude': 12.96129
9896199998, 'longitude': 74.89009857180001, 'timezone': 5.5, 'dst': 'N', 'tz_
id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport'
, 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.08869934079
9998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3100, 'name': 'Jammu Airport', 'city': 'Jamm
u', 'iata': 'IXJ', 'icao': 'VIJU', 'latitude': 32.6890983582, 'longitude': 74
.83740234380001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type
': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, '
name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL',
'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5,
'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3104, 'name': 'Leh Kushok Bakula Rimpochee A
irport', 'city': 'Leh', 'iata': 'IXL', 'icao': 'VILH', 'latitude': 34.1358985
90100005, 'longitude': 77.5465011597, 'timezone': 5.5, 'dst': 'N', 'tz_id': '
Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'D
elhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.10
3104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73
W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3142, 'name': 'Madurai Airport', 'city': 'Ma
durai', 'iata': 'IXM', 'icao': 'VOMD', 'latitude': 9.83450984955, 'longitude'
: 78.09339904790002, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', '
type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 314
4, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA',
'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.1692962646484
4, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city':
'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'lon
gitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'K
olkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'long
itude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcut
ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3063, 'name': 'Birsa Munda Airport', 'city':
'Ranchi', 'iata': 'IXR', 'icao': 'VERC', 'latitude': 23.314300537100006, 'lon
gitude': 85.3217010498, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata':
'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone
': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3055, 'name': 'Silchar Airport', 'city': 'Si
lchar', 'iata': 'IXS', 'icao': 'VEKU', 'latitude': 24.912900924699997, 'longi
tude': 92.97869873049999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city':
'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'lo
ngitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calc

utta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3055, 'name': 'Silchar Airport', 'city': 'Si
lchar', 'iata': 'IXS', 'icao': 'VEKU', 'latitude': 24.912900924699997, 'longi
tude': 92.97869873049999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutt
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 6173, 'name': 'Lokpriya Gopinath Bordoloi International Airport', 'city': '
Guwahati', 'iata': 'GAU', 'icao': 'VEGT', 'latitude': 26.10610008239746, 'lon
gitude': 91.58589935302734, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 2996, 'name': 'Aurangabad Airport', 'city':
'Aurangabad', 'iata': 'IXU', 'icao': 'VAAU', 'latitude': 19.862699508666992,
'longitude': 75.39810180664062, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/C
alcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'M
umbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longi
tude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['738', 'AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3146, 'name': 'Vir Savarkar International Ai
rport', 'city': 'Port Blair', 'iata': 'IXZ', 'icao': 'VOPB', 'latitude': 11.6
41200065612793, 'longitude': 92.72969818115234, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose Internatio
nal Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 2
2.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N
', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3146, 'name': 'Vir Savarkar International Ai
rport', 'city': 'Port Blair', 'iata': 'IXZ', 'icao': 'VOPB', 'latitude': 11.6
41200065612793, 'longitude': 92.72969818115234, 'timezone': 5.5, 'dst': 'N',
'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city'
: 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'l
ongitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Cal

cutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport'
, 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'long
itude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997,
'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata'
: 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678
970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
73G', '73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3098, 'name': 'Jaipur International Airport'
, 'city': 'Jaipur', 'iata': 'JAI', 'icao': 'VIJP', 'latitude': 26.8242, 'long
itude': 75.812202, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093,
'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL'
, 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', 'AT7', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3097, 'name': 'Jodhpur Airport', 'city': 'Jo
dhpur', 'iata': 'JDH', 'icao': 'VIJO', 'latitude': 26.25110054016113, 'longit
ude': 73.04889678955078, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai',
'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 7
2.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipmen
t': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3097, 'name': 'Jodhpur Airport', 'city': 'Jo
dhpur', 'iata': 'JDH', 'icao': 'VIJO', 'latitude': 26.25110054016113, 'longit
ude': 73.04889678955078, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta
', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id':
3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata':
'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone
': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'latitude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3105, 'name': 'Chaudhary Charan Singh International Airport', 'city': 'Lucknow', 'iata': 'LKO', 'icao': 'VILK', 'latitude': 26.7605991364, 'longitude': 80.8892974854, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '73W', '739', '738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '739', '738', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', '73H']}

{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport ', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3135, 'name': 'Coimbatore International Airport', 'city': 'Coimbatore', 'iata': 'CJB', 'icao': 'VOCB', 'latitude': 11.029999733, 'longitude': 77.0434036255, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport ', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3136, 'name': 'Cochin International Airport', 'city': 'Kochi', 'iata': 'COK', 'icao': 'VOCI', 'latitude': 10.152000000000001, 'longitude': 76.401901, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7', '73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport ', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True }, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport ', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3007, 'name': 'Dabolim Airport', 'city': 'Goa', 'iata': 'GOI', 'icao': 'VAGO', 'latitude': 15.3808002472, 'longitude': 73.83139801029999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}

{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport
', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.9900054931
64062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
None, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport
', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.9900054931
64062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3142, 'name': 'Madurai Airport', 'city': 'Madurai', 'iata': 'I
XM', 'icao': 'VOMD', 'latitude': 9.83450984955, 'longitude': 78.0933990479000
2, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport
', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.9900054931
64062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3146, 'name': 'Vir Savarkar International Airport', 'city': 'P
ort Blair', 'iata': 'IXZ', 'icao': 'VOPB', 'latitude': 11.641200065612793, 'l
ongitude': 92.72969818115234, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Cal
cutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3144, 'name': 'Chennai International Airport
', 'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.9900054931
64062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id':
'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 3152, 'name': 'Tiruchirapally Civil Airport Airport', 'city':
'Tiruchirappalli', 'iata': 'TRZ', 'icao': 'VOTR', 'latitude': 10.765399932861
328, 'longitude': 78.70970153808594, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3015, 'name': 'Dr. Babasaheb Ambedkar Intern
ational Airport', 'city': 'Nagpur', 'iata': 'NAG', 'icao': 'VANP', 'latitude'

: 21.092199325561523, 'longitude': 79.04720306396484, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3061, 'name': 'Lok Nayak Jayaprakash Airport', 'city': 'Patina', 'iata': 'PAT', 'icao': 'VEPT', 'latitude': 25.591299056999997, 'longitude': 85.08799743649999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3018, 'name': 'Porbandar Airport', 'city': 'Porbandar', 'iata': 'PBD', 'icao': 'VAPR', 'latitude': 21.6487007141, 'longitude': 69.65720367429999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune', 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude':

73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3131,
'name': 'Kempegowda International Airport', 'city': 'Bangalore', 'iata': 'BLR
', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.706299, 'timezone': 5
.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune'
, 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude':
73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997,
'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata'
: 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678
970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune'
, 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude':
73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093,
'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL'
, 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.
5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738', '73H', '73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune'
, 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude':
73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3017, 'name': 'Pune Airport', 'city': 'Pune'
, 'iata': 'PNQ', 'icao': 'VAPO', 'latitude': 18.58209991455078, 'longitude':
73.9197006225586, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3008,
'name': 'Devi Ahilyabai Holkar Airport', 'city': 'Indore', 'iata': 'IDR', 'ic
ao': 'VAID', 'latitude': 22.721799850500002, 'longitude': 75.8011016846, 'tim
ezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}

{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3019, 'name': 'Rajkot Airport', 'city': 'Raj
kot', 'iata': 'RAJ', 'icao': 'VARK', 'latitude': 22.3092002869, 'longitude':
70.77950286869998, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997,
'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata'
: 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678
970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['
73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3148, 'name': 'Rajahmundry Airport', 'city':
'Rajahmundry', 'iata': 'RJA', 'icao': 'VORY', 'latitude': 17.1103992462, 'lon
gitude': 81.81819915770001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcu
tta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': None, 'code
share': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Rai
pur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7
388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3002, 'name': 'Raja
Bhoj International Airport', 'city': 'Bhopal', 'iata': 'BHO', 'icao': 'VABP',
'latitude': 23.2875003815, 'longitude': 77.33740234380001, 'timezone': 5.5, '
dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Rai
pur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7
388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chha
trapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'ica
o': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'time
zone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source'
: 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3020, 'name': 'Raipur Airport', 'city': 'Rai
pur', 'iata': 'RPR', 'icao': 'VARP', 'latitude': 21.180401, 'longitude': 81.7
388, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indi

ra Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VI
DP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N'
, 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': True, 'stops': 0, 'equipment': ['73W']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3112, 'name': 'Sheikh ul Alam Airport', 'cit
y': 'Srinagar', 'iata': 'SXR', 'icao': 'VISR', 'latitude': 33.987098693847656
, 'longitude': 74.77420043945312, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi
', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104
, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738',
'73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airp
ort', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.4821
1956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Banga
lore', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.70
6299, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73
H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3153, 'name': 'Trivandrum International Airp
ort', 'city': 'Trivandrum', 'iata': 'TRV', 'icao': 'VOTV', 'latitude': 8.4821
1956024, 'longitude': 76.9200973511, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city
': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, '
longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcut
ta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['73H']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3152, 'name': 'Tiruchirapally Civil Airport
Airport', 'city': 'Tiruchirappalli', 'iata': 'TRZ', 'icao': 'VOTR', 'latitude
': 10.765399932861328, 'longitude': 78.70970153808594, 'timezone': 5.5, 'dst'
: 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 3144, 'name': 'Chennai International Airport',

'city': 'Madras', 'iata': 'MAA', 'icao': 'VOMM', 'latitude': 12.990005493164062, 'longitude': 80.16929626464844, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3023, 'name': 'Maharana Pratap Airport', 'city': 'Udaipur', 'iata': 'UDR', 'icao': 'VAUD', 'latitude': 24.617700576799997, 'longitude': 73.89610290530001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73H', '73G']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3023, 'name': 'Maharana Pratap Airport', 'city': 'Udaipur', 'iata': 'UDR', 'icao': 'VAUD', 'latitude': 24.617700576799997, 'longitude': 73.89610290530001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3084, 'name': 'Lal Bahadur Shastri Airport', 'city': 'Varanasi', 'iata': 'VNS', 'icao': 'VIBN', 'latitude': 25.4524002075, 'longitude': 82.85929870609999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport', 'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AT7']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata': 'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True}, 'src_airport': {'airport_id': 3084, 'name': 'Lal Bahadur Shastri Airport', 'city': 'Varanasi', 'iata': 'VNS', 'icao': 'VIBN', 'latitude': 25.4524002075, 'longitude': 82.85929870609999, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3093, 'name': 'Indira Gandhi International Airport', 'city': 'Delhi', 'iata': 'DEL', 'icao': 'VIDP', 'latitude': 28.5665, 'longitude': 77.103104, '

timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'cit
y': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943
, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3131, 'name': 'Kempegowda International Airport', 'city': 'Bangalor
e', 'iata': 'BLR', 'icao': 'VOBL', 'latitude': 13.1979, 'longitude': 77.70629
9, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['73G']
}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'cit
y': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943
, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 2997, 'name': 'Chhatrapati Shivaji International Airport', 'city':
'Mumbai', 'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'lon
gitude': 72.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['738']}
{'airline': {'airline_id': 241, 'name': 'Air Sahara', 'alias': '\\N', 'iata':
'S2', 'icao': 'RSH', 'callsign': 'SAHARA', 'country': 'India', 'active': True
}, 'src_airport': {'airport_id': 3066, 'name': 'Vishakhapatnam Airport', 'cit
y': 'Vishakhapatnam', 'iata': 'VTZ', 'icao': 'VEVZ', 'latitude': 17.721200943
, 'longitude': 83.22450256350001, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia
/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 3043, 'name': 'Netaji Subhash Chandra Bose International Airport',
'city': 'Kolkata', 'iata': 'CCU', 'icao': 'VECC', 'latitude': 22.654699325561
523, 'longitude': 88.44670104980469, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'A
sia/Calcutta', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['73G']}
{'airline': {'airline_id': 4735, 'name': 'Santa Barbara Airlines', 'alias': '
Swiss European', 'iata': 'S3', 'icao': 'BBR', 'callsign': 'SANTA BARBARA', 'c
ountry': 'Venezuela', 'active': True}, 'src_airport': {'airport_id': 2851, 'n
ame': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS'
, 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 3576, 'name': 'Miami Internationa
l Airport', 'city': 'Miami', 'iata': 'MIA', 'icao': 'KMIA', 'latitude': 25.79
319953918457, 'longitude': -80.29060363769531, 'timezone': -5.0, 'dst': 'A',

'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['767', '757']}
{'airline': {'airline_id': 4735, 'name': 'Santa Barbara Airlines', 'alias': '
Swiss European', 'iata': 'S3', 'icao': 'BBR', 'callsign': 'SANTA BARBARA', 'c
ountry': 'Venezuela', 'active': True}, 'src_airport': {'airport_id': 2851, 'n
ame': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS'
, 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 1871, 'name': 'Tocumen Internatio
nal Airport', 'city': 'Panama City', 'iata': 'PTY', 'icao': 'MPTO', 'latitude
': 9.0713596344, 'longitude': -79.3834991455, 'timezone': -5.0, 'dst': 'U', '
tz_id': 'America/Panama', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4735, 'name': 'Santa Barbara Airlines', 'alias': '
Swiss European', 'iata': 'S3', 'icao': 'BBR', 'callsign': 'SANTA BARBARA', 'c
ountry': 'Venezuela', 'active': True}, 'src_airport': {'airport_id': 2851, 'n
ame': 'Simón Bolívar International Airport', 'city': 'Caracas', 'iata': 'CCS'
, 'icao': 'SVMI', 'latitude': 10.601194, 'longitude': -66.991222, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 1057, 'name': 'Tenerife Norte Air
port', 'city': 'Tenerife', 'iata': 'TFN', 'icao': 'GCXO', 'latitude': 28.4827
003479, 'longitude': -16.341499328599998, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['767']}
{'airline': {'airline_id': 4735, 'name': 'Santa Barbara Airlines', 'alias': '
Swiss European', 'iata': 'S3', 'icao': 'BBR', 'callsign': 'SANTA BARBARA', 'c
ountry': 'Venezuela', 'active': True}, 'src_airport': {'airport_id': 3576, 'n
ame': 'Miami International Airport', 'city': 'Miami', 'iata': 'MIA', 'icao':
'KMIA', 'latitude': 25.79319953918457, 'longitude': -80.29060363769531, 'time
zone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolí
var International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI',
'latitude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['767', '757']}
{'airline': {'airline_id': 4735, 'name': 'Santa Barbara Airlines', 'alias': '
Swiss European', 'iata': 'S3', 'icao': 'BBR', 'callsign': 'SANTA BARBARA', 'c
ountry': 'Venezuela', 'active': True}, 'src_airport': {'airport_id': 1871, 'n
ame': 'Tocumen International Airport', 'city': 'Panama City', 'iata': 'PTY',
'icao': 'MPTO', 'latitude': 9.0713596344, 'longitude': -79.3834991455, 'timez
one': -5.0, 'dst': 'U', 'tz_id': 'America/Panama', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar
International Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'la
titude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 't

z_id': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4735, 'name': 'Santa Barbara Airlines', 'alias': '
Swiss European', 'iata': 'S3', 'icao': 'BBR', 'callsign': 'SANTA BARBARA', 'c
ountry': 'Venezuela', 'active': True}, 'src_airport': {'airport_id': 1057, 'n
ame': 'Tenerife Norte Airport', 'city': 'Tenerife', 'iata': 'TFN', 'icao': 'G
CXO', 'latitude': 28.4827003479, 'longitude': -16.341499328599998, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 2851, 'name': 'Simón Bolívar Int
ernational Airport', 'city': 'Caracas', 'iata': 'CCS', 'icao': 'SVMI', 'latit
ude': 10.601194, 'longitude': -66.991222, 'timezone': -4.0, 'dst': 'U', 'tz_i
d': 'America/Caracas', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['767']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1230, 'name': 'M
álaga Airport', 'city': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude':
36.67490005493164, 'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': '
E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon P
ortela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude'
: 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Euro
pe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Am
sterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM'
, 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Por
tela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude':
38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe
/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 580, 'name': 'Am
sterdam Airport Schiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM'
, 'latitude': 52.308601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Amsterdam', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Pon
ta Delgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longi
tude': -25.6979007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azore

s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.651901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER4', '319', '100', '320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1218, 'name': 'Barcelona International Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude': 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1216, 'name': 'Bilbao Airport', 'city': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latitude': 43.30110168457031, 'longitude': -2.9106099605560303, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur

ope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER4', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 3448, 'name': 'General Edward Lawrence Logan International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 3448, 'name': 'General Edward Lawrence Logan International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup Airport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1626, 'name': 'Faro Airport', 'city': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'longitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/L

isbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['319', '320', 'ER4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 4091, 'name': 'M
adeira Airport', 'city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude'
: 32.697899, 'longitude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)'
, 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'long
itude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['321', '319', '100', '320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 4091, 'name': 'M
adeira Airport', 'city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude'
: 32.697899, 'longitude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'ia
ta': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.
38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['DH4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 4091, 'name': 'M
adeira Airport', 'city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude'
: 32.697899, 'longitude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto'
, 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude':
-8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['319', '320', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 4091, 'name': 'M
adeira Airport', 'city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude'
: 32.697899, 'longitude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eu
rope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'a
irport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Ponta Delgada', '
iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longitude': -25.697
9007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'a

irport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment'
: ['DH4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Fr
ankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF',
'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela
Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.78
13, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisb
on', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Fr
ankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF',
'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Ponta D
elgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longitude
': -25.6979007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1628, 'name': 'H
orta Airport', 'city': 'Horta', 'iata': 'HOR', 'icao': 'LPHR', 'latitude': 38
.51990127563477, 'longitude': -28.715900421142575, 'timezone': -1.0, 'dst': '
E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon
Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude
': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'Lo
ndon Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'lati
tude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Air
port)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813,
'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 502, 'name': 'Lo
ndon Gatwick Airport', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'lati
tude': 51.148102, 'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Ponta Delga
da', 'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longitude': -
25.6979007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 507, 'name': 'Lo
ndon Heathrow Airport', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'lat
itude': 51.4706, 'longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id'
: 'Europe/London', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airp
ort)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813,
'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1230, 'name': 'Málaga Airport', 'c
ity': 'Malaga', 'iata': 'AGP', 'icao': 'LEMG', 'latitude': 36.67490005493164,
'longitude': -4.499110221862793, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europ
e/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Sc
hiphol', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.3
08601, 'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Am

sterdam', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Ai
rport', 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65
1901245116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona Internati
onal Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude'
: 41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_
id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': True, 'stops': 0, 'equipment': ['ER4', '319', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1216, 'name': 'Bilbao Airport', 'c
ity': 'Bilbao', 'iata': 'BIO', 'icao': 'LEBB', 'latitude': 43.30110168457031,
'longitude': -2.9106099605560303, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Euro
pe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, '
stops': 0, 'equipment': ['ER4', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3448, 'name': 'General Edward Lawr
ence Logan International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': '
KBOS', 'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0,

'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 609, 'name': 'Copenhagen Kastrup A
irport', 'city': 'Copenhagen', 'iata': 'CPH', 'icao': 'EKCH', 'latitude': 55.
617900848389, 'longitude': 12.656000137328999, 'timezone': 1.0, 'dst': 'E', '
tz_id': 'Europe/Copenhagen', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1626, 'name': 'Faro Airport', 'cit
y': 'Faro', 'iata': 'FAO', 'icao': 'LPFR', 'latitude': 37.014400482199996, 'l
ongitude': -7.965909957889999, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/
Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'sto
ps': 0, 'equipment': ['319', '320', 'ER4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4091, 'name': 'Madeira Airport', '
city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude': 32.697899, 'long
itude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equi
pment': ['319', '320', '100', '321']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Ai
rport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.03
3333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Be

rlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops
': 0, 'equipment': ['319', '321']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1628, 'name': 'Horta Airport', 'ci
ty': 'Horta', 'iata': 'HOR', 'icao': 'LPHR', 'latitude': 38.51990127563477, '
longitude': -28.715900421142575, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atla
ntic/Azores', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airpo
rt', 'city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102,
'longitude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 507, 'name': 'London Heathrow Airp
ort', 'city': 'London', 'iata': 'LHR', 'icao': 'EGLL', 'latitude': 51.4706, '
longitude': -0.461941, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['319', '321']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airpor
t', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931
900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', '

tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['CR9']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madri
d-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitud
e': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['319', 'ER4', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Car
neiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 4
1.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['100', '320', 'ER4', '319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1633, 'name': 'João Paulo II Airpo
rt', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7
411994934, 'longitude': -25.6979007721, 'timezone': -1.0, 'dst': 'E', 'tz_id'
: 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320', '313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1634, 'name': 'Pico Airport', 'cit
y': 'Pico', 'iata': 'PIX', 'icao': 'LPPI', 'latitude': 38.554297999999996, 'l
ongitude': -28.441299, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azore

s', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1637, 'name': 'Porto Santo Airport
', 'city': 'Porto Santo', 'iata': 'PXO', 'icao': 'LPPS', 'latitude': 33.07339
8590100005, 'longitude': -16.3500003815, 'timezone': 0.0, 'dst': 'E', 'tz_id'
: 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['100', '319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1617, 'name': 'Santa Maria Airport
', 'city': 'Santa Maria (island)', 'iata': 'SMA', 'icao': 'LPAZ', 'latitude':
36.97140121459961, 'longitude': -25.17060089111328, 'timezone': -1.0, 'dst':
'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1253, 'name': 'Sevilla Airport', '
city': 'Sevilla', 'iata': 'SVQ', 'icao': 'LEZL', 'latitude': 37.4179992675781
3, 'longitude': -5.8931097984313965, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1629, 'name': 'Lajes Airport', 'ci
ty': 'Lajes (terceira Island)', 'iata': 'TER', 'icao': 'LPLA', 'latitude': 38
.761798999999996, 'longitude': -27.090799, 'timezone': -1.0, 'dst': 'E', 'tz_

id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1246, 'name': 'Valencia Airport',
'city': 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'latitude': 39.4893, 'long
itude': -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['ER4', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson In
ternational Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'lati
tude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst
': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'H
umberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata':
'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone'
: 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1678, 'name': 'Zürich Airport', 'c
ity': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude': 47.464698999999996
, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Zurich'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0,
'equipment': ['319', '321']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'G
ran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP',
'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4091, 'name': 'Madeira Airport', '
city': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude': 32.697899, 'long
itude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'typ

e': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1054, 'name': 'Gran Canaria Airport', 'city': 'Gran Canaria', 'iata': 'LPA', 'icao': 'GCLP', 'latitude': 27.931900024414066, 'longitude': -15.38659954071045, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Atlantic/Canary', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CR9']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid–Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319', 'ER4', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid–Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': '

airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'F
rancisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LP
PR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1218, 'name': 'Barcelona Internation
al Airport', 'city': 'Barcelona', 'iata': 'BCN', 'icao': 'LEBL', 'latitude':
41.2971, 'longitude': 2.0784599999999998, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['ER4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'F
rancisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LP
PR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4091, 'name': 'Madeira Airport', 'ci
ty': 'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude': 32.697899, 'longit
ude': -16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['319', '100', '320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'F
rancisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LP
PR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airp
ort (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT
', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', '
tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': True, 'stops': 0, 'equipment': ['320', 'ER4', '100', '319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'F
rancisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LP
PR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madrid-
Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitude'
: 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eu

rope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1629, 'name': 'Lajes Airport', 'city': 'Lajes (terceira Island)', 'iata': 'TER', 'icao': 'LPLA', 'latitude': 38.761798999999996, 'longitude': -27.090799, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qantas Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country': 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst':

'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1386, 'name': 'P
aris-Orly Airport', 'city': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude
': 48.7233333, 'longitude': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Paris', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {
'airport_id': 1633, 'name': 'João Paulo II Airport', 'city': 'Ponta Delgada',
'iata': 'PDL', 'icao': 'LPPD', 'latitude': 37.7411994934, 'longitude': -25.69
79007721, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 580, 'name': 'Amsterdam Airport Schiphol
', 'city': 'Amsterdam', 'iata': 'AMS', 'icao': 'EHAM', 'latitude': 52.308601,
'longitude': 4.76389, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Amsterdam
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 737, 'name': 'Stockholm-Arlanda Airport'
, 'city': 'Stockholm', 'iata': 'ARN', 'icao': 'ESSA', 'latitude': 59.65190124
5116996, 'longitude': 17.918600082397, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Stockholm', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 3448, 'name': 'General Edward Lawrence L
ogan International Airport', 'city': 'Boston', 'iata': 'BOS', 'icao': 'KBOS',
'latitude': 42.36429977, 'longitude': -71.00520325, 'timezone': -5.0, 'dst':

'A', 'tz_id': 'America/New_York', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4091, 'name': 'Madeira Airport', 'city':
'Funchal', 'iata': 'FNC', 'icao': 'LPMA', 'latitude': 32.697899, 'longitude':
-16.7745, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment':
['DH4']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport'
, 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333,
'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 502, 'name': 'London Gatwick Airport', '
city': 'London', 'iata': 'LGW', 'icao': 'EGKK', 'latitude': 51.148102, 'longi
tude': -0.190278, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/London', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport
(Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', '
latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_i

d': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['313', '320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carneiro
Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.2481
00280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz_id
': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 1386, 'name': 'Paris-Orly Airport', 'cit
y': 'Paris', 'iata': 'ORY', 'icao': 'LFPO', 'latitude': 48.7233333, 'longitud
e': 2.3794444, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Paris', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1633, 'name': 'J
oão Paulo II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD'
, 'latitude': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, '
dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 193, 'name': 'Lester B. Pearson Internat
ional Airport', 'city': 'Toronto', 'iata': 'YYZ', 'icao': 'CYYZ', 'latitude':
43.6772003174, 'longitude': -79.63059997559999, 'timezone': -5.0, 'dst': 'A',
'tz_id': 'America/Toronto', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1634, 'name': 'P
ico Airport', 'city': 'Pico', 'iata': 'PIX', 'icao': 'LPPI', 'latitude': 38.5
54297999999996, 'longitude': -28.441299, 'timezone': -1.0, 'dst': 'E', 'tz_id
': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpo
rt': {'airport_id': 1629, 'name': 'Lajes Airport', 'city': 'Lajes (terceira I
sland)', 'iata': 'TER', 'icao': 'LPLA', 'latitude': 38.761798999999996, 'long
itude': -27.090799, 'timezone': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores',

'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1637, 'name': 'P
orto Santo Airport', 'city': 'Porto Santo', 'iata': 'PXO', 'icao': 'LPPS', 'l
atitude': 33.073398590100005, 'longitude': -16.3500003815, 'timezone': 0.0, '
dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (L
isbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'la
titude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id'
: 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['100', '319']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1617, 'name': 'S
anta Maria Airport', 'city': 'Santa Maria (island)', 'iata': 'SMA', 'icao': '
LPAZ', 'latitude': 36.97140121459961, 'longitude': -25.17060089111328, 'timez
one': -1.0, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 1633, 'name': 'João Paulo I
I Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitude
': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, 'dst': 'E',
'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1253, 'name': 'S
evilla Airport', 'city': 'Sevilla', 'iata': 'SVQ', 'icao': 'LEZL', 'latitude'
: 37.41799926757813, 'longitude': -5.8931097984313965, 'timezone': 1.0, 'dst'
: 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon
Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude
': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Eur
ope/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['BEH']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1629, 'name': 'L
ajes Airport', 'city': 'Lajes (terceira Island)', 'iata': 'TER', 'icao': 'LPL
A', 'latitude': 38.761798999999996, 'longitude': -27.090799, 'timezone': -1.0
, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Airpo
rt (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT'
, 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 't

z_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1629, 'name': 'L
ajes Airport', 'city': 'Lajes (terceira Island)', 'iata': 'TER', 'icao': 'LPL
A', 'latitude': 38.761798999999996, 'longitude': -27.090799, 'timezone': -1.0
, 'dst': 'E', 'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco de Sá Carnei
ro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'latitude': 41.2
48100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'dst': 'E', 'tz
_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1246, 'name': 'V
alencia Airport', 'city': 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'latitud
e': 39.4893, 'longitude': -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'E
urope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'
airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Airport)
', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813, 'lon
gitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['ER4', '100']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Le
ster B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'ic
ao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'tim
ezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto D
elgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'i
cao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'd
st': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Le
ster B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'ic
ao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'tim
ezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1636, 'name': 'Francisco
de Sá Carneiro Airport', 'city': 'Porto', 'iata': 'OPO', 'icao': 'LPPR', 'lat
itude': 41.248100280799996, 'longitude': -8.68138980865, 'timezone': 0.0, 'ds

t': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 193, 'name': 'Le
ster B. Pearson International Airport', 'city': 'Toronto', 'iata': 'YYZ', 'ic
ao': 'CYYZ', 'latitude': 43.6772003174, 'longitude': -79.63059997559999, 'tim
ezone': -5.0, 'dst': 'A', 'tz_id': 'America/Toronto', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 1633, 'name': 'João Paulo
II Airport', 'city': 'Ponta Delgada', 'iata': 'PDL', 'icao': 'LPPD', 'latitud
e': 37.7411994934, 'longitude': -25.6979007721, 'timezone': -1.0, 'dst': 'E',
'tz_id': 'Atlantic/Azores', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['313']}
{'airline': {'airline_id': 4304, 'name': 'SATA International', 'alias': 'Qant
as Airways', 'iata': 'S4', 'icao': 'RZO', 'callsign': 'AIR AZORES', 'country'
: 'Portugal', 'active': True}, 'src_airport': {'airport_id': 1678, 'name': 'Z
ürich Airport', 'city': 'Zurich', 'iata': 'ZRH', 'icao': 'LSZH', 'latitude':
47.464698999999996, 'longitude': 8.54917, 'timezone': 1.0, 'dst': 'E', 'tz_id
': 'Europe/Zurich', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport
': {'airport_id': 1638, 'name': 'Humberto Delgado Airport (Lisbon Portela Air
port)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LPPT', 'latitude': 38.7813,
'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['319', '321']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2526, 'name': 'Va
l de Cans/Júlio Cezar Ribeiro International Airport', 'city': 'Belem', 'iata'
: 'BEL', 'icao': 'SBBE', 'latitude': -1.3792500495900002, 'longitude': -48.47
6299285900005, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2584, 'n
ame': 'João Correa da Rocha Airport', 'city': 'Maraba', 'iata': 'MAB', 'icao'
: 'SBMA', 'latitude': -5.36858987808, 'longitude': -49.1380004883, 'timezone'
: -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2531, 'name': 'Pr
esidente Juscelino Kubistschek International Airport', 'city': 'Brasilia', 'i
ata': 'BSB', 'icao': 'SBBR', 'latitude': -15.86916732788086, 'longitude': -47
.92083358764648, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo',
'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 25
62, 'name': 'Santa Genoveva Airport', 'city': 'Goiania', 'iata': 'GYN', 'icao
': 'SBGO', 'latitude': -16.631999969482422, 'longitude': -49.22069931030274,

'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CN
C']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2518, 'name': 'Co
nceição do Araguaia Airport', 'city': 'Conceicao Do Araguaia', 'iata': 'CDJ',
'icao': 'SBAA', 'latitude': -8.348349571228027, 'longitude': -49.301498413085
94, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7369, 'name': 'Sant
ana do Araguaia Airport', 'city': 'Santana do Araguaia', 'iata': 'CMP', 'icao
': 'SNKE', 'latitude': -9.31997013092041, 'longitude': -50.32849884033203, 't
imezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 7532, 'name': 'Ca
rajás Airport', 'city': 'Parauapebas', 'iata': 'CKS', 'icao': 'SBCJ', 'latitu
de': -6.11527776718, 'longitude': -50.0013885498, 'timezone': -3.0, 'dst': 'S
', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 2584, 'name': 'João Correa da Rocha Airport', 'cit
y': 'Maraba', 'iata': 'MAB', 'icao': 'SBMA', 'latitude': -5.36858987808, 'lon
gitude': -49.1380004883, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Bele
m', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 7368, 'name': 'Gu
rupi Airport', 'city': 'Gurupi', 'iata': 'GRP', 'icao': 'SWGI', 'latitude': -
11.73960018157959, 'longitude': -49.13219833374024, 'timezone': -3.0, 'dst':
'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 7375, 'name': 'Minaçu Airport', 'city': 'Min
acu', 'iata': 'MQH', 'icao': 'SBMC', 'latitude': -13.5491, 'longitude': -48.1
95301, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America/Sao_Paulo', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2572, 'name': 'Pr
efeito Renato Moreira Airport', 'city': 'Imperatriz', 'iata': 'IMP', 'icao':
'SBIZ', 'latitude': -5.53129, 'longitude': -47.459998999999996, 'timezone': -
3.0, 'dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': None, 'codeshare': False, 'stops': 0, 'equipmen
t': ['CNC']}

{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2584, 'name': 'Jo
ão Correa da Rocha Airport', 'city': 'Maraba', 'iata': 'MAB', 'icao': 'SBMA',
'latitude': -5.36858987808, 'longitude': -49.1380004883, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2572, 'name': 'Prefeito Renato Moreira Airp
ort', 'city': 'Imperatriz', 'iata': 'IMP', 'icao': 'SBIZ', 'latitude': -5.531
29, 'longitude': -47.459998999999996, 'timezone': -3.0, 'dst': 'S', 'tz_id':
'America/Fortaleza', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2584, 'name': 'Jo
ão Correa da Rocha Airport', 'city': 'Maraba', 'iata': 'MAB', 'icao': 'SBMA',
'latitude': -5.36858987808, 'longitude': -49.1380004883, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 8239, 'name': 'Ourilândia do Norte Airport'
, 'city': 'Ourilandia do Norte', 'iata': 'OIA', 'icao': 'SDOW', 'latitude': -
6.763100147250001, 'longitude': -51.0499000549, 'timezone': -3.0, 'dst': 'S',
'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 2584, 'name': 'Jo
ão Correa da Rocha Airport', 'city': 'Maraba', 'iata': 'MAB', 'icao': 'SBMA',
'latitude': -5.36858987808, 'longitude': -49.1380004883, 'timezone': -3.0, 'd
st': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 8240, 'name': 'Redenção Airport', 'city': '
Redencao', 'iata': 'RDC', 'icao': 'SNDC', 'latitude': -8.033289909362793, 'lo
ngitude': -49.97990036010742, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'America
/Belem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 7375, 'name': 'Mi
naçu Airport', 'city': 'Minacu', 'iata': 'MQH', 'icao': 'SBMC', 'latitude': -
13.5491, 'longitude': -48.195301, 'timezone': -3.0, 'dst': 'S', 'tz_id': 'Ame
rica/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 2531, 'name': 'Presidente Juscelino Kubistschek International
Airport', 'city': 'Brasilia', 'iata': 'BSB', 'icao': 'SBBR', 'latitude': -15.
86916732788086, 'longitude': -47.92083358764648, 'timezone': -3.0, 'dst': 'S'
, 'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': False, 'stops': 0, 'equipment': ['CNC']}

{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 8239, 'name': 'Ou
rilândia do Norte Airport', 'city': 'Ourilandia do Norte', 'iata': 'OIA', 'ic
ao': 'SDOW', 'latitude': -6.763100147250001, 'longitude': -51.0499000549, 'ti
mezone': -3.0, 'dst': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 7532, 'name': 'Carajás Air
port', 'city': 'Parauapebas', 'iata': 'CKS', 'icao': 'SBCJ', 'latitude': -6.1
1527776718, 'longitude': -50.0013885498, 'timezone': -3.0, 'dst': 'S', 'tz_id
': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 8240, 'name': 'Re
denção Airport', 'city': 'Redencao', 'iata': 'RDC', 'icao': 'SNDC', 'latitude
': -8.033289909362793, 'longitude': -49.97990036010742, 'timezone': -3.0, 'ds
t': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2518, 'name': 'Conceição do Araguaia Airport
', 'city': 'Conceicao Do Araguaia', 'iata': 'CDJ', 'icao': 'SBAA', 'latitude'
: -8.348349571228027, 'longitude': -49.30149841308594, 'timezone': -3.0, 'dst
': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 7374, 'name': 'Sa
nta Terezinha Airport', 'city': 'Santa Terezinha', 'iata': 'STZ', 'icao': 'SW
ST', 'latitude': -10.4647216796875, 'longitude': -50.51861190795898, 'timezon
e': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 8243, 'name': 'São Félix
do Araguaia Airport', 'city': 'Sao Felix do Araguaia', 'iata': 'SXO', 'icao':
'SWFX', 'latitude': -11.632399559020994, 'longitude': -50.68960189819336, 'ti
mezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CN
C']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 8243, 'name': 'Sã
o Félix do Araguaia Airport', 'city': 'Sao Felix do Araguaia', 'iata': 'SXO',
'icao': 'SWFX', 'latitude': -11.632399559020994, 'longitude': -50.68960189819
336, 'timezone': -4.0, 'dst': 'S', 'tz_id': 'America/Campo_Grande', 'type': '
airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 7368, 'name
': 'Gurupi Airport', 'city': 'Gurupi', 'iata': 'GRP', 'icao': 'SWGI', 'latitu
de': -11.73960018157959, 'longitude': -49.13219833374024, 'timezone': -3.0, '

dst': 'S', 'tz_id': 'America/Fortaleza', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 4822, 'name': 'Shuttle America', 'alias': 'Swiss E
uropean', 'iata': 'S5', 'icao': 'TCF', 'callsign': 'MERCURY', 'country': 'Uni
ted States', 'active': True}, 'src_airport': {'airport_id': 8241, 'name': 'Sã
o Félix do Xingu Airport', 'city': 'Sao Felix do Xingu', 'iata': 'SXX', 'icao
': 'SNFX', 'latitude': -6.6413, 'longitude': -51.9523, 'timezone': -3.0, 'dst
': 'S', 'tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 8239, 'name': 'Ourilândia do Norte Airport',
'city': 'Ourilandia do Norte', 'iata': 'OIA', 'icao': 'SDOW', 'latitude': -6.
763100147250001, 'longitude': -51.0499000549, 'timezone': -3.0, 'dst': 'S', '
tz_id': 'America/Belem', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['CNC']}
{'airline': {'airline_id': 10776, 'name': 'Salmon Air', 'alias': 'nan', 'iata
': 'S6', 'icao': 'SQH', 'callsign': 'nan', 'country': 'United States', 'activ
e': True}, 'src_airport': {'airport_id': 1895, 'name': 'Cap Haitien Internati
onal Airport', 'city': 'Cap Haitien', 'iata': 'CAP', 'icao': 'MTCH', 'latitud
e': 19.733, 'longitude': -72.194702, 'timezone': -5.0, 'dst': 'U', 'tz_id': '
America/Port-au-Prince', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1897, 'name': 'Toussaint Louverture International Airp
ort', 'city': 'Port-au-prince', 'iata': 'PAP', 'icao': 'MTPP', 'latitude': 18
.57999992370605, 'longitude': -72.2925033569336, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Port-au-Prince', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['J32']}
{'airline': {'airline_id': 10776, 'name': 'Salmon Air', 'alias': 'nan', 'iata
': 'S6', 'icao': 'SQH', 'callsign': 'nan', 'country': 'United States', 'activ
e': True}, 'src_airport': {'airport_id': 1895, 'name': 'Cap Haitien Internati
onal Airport', 'city': 'Cap Haitien', 'iata': 'CAP', 'icao': 'MTCH', 'latitud
e': 19.733, 'longitude': -72.194702, 'timezone': -5.0, 'dst': 'U', 'tz_id': '
America/Port-au-Prince', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 1754, 'name': 'Providenciales Airport', 'city': 'Provi
denciales', 'iata': 'PLS', 'icao': 'MBPV', 'latitude': 21.77359962463379, 'lo
ngitude': -72.26589965820312, 'timezone': -4.0, 'dst': 'U', 'tz_id': 'America
/Grand_Turk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['J32']}
{'airline': {'airline_id': 10776, 'name': 'Salmon Air', 'alias': 'nan', 'iata
': 'S6', 'icao': 'SQH', 'callsign': 'nan', 'country': 'United States', 'activ
e': True}, 'src_airport': {'airport_id': 5811, 'name': 'La Isabela Internatio
nal Airport', 'city': 'La Isabela', 'iata': 'JBQ', 'icao': 'MDJB', 'latitude'
: 18.57250022888184, 'longitude': -69.98560333251953, 'timezone': -4.0, 'dst'
: 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 1897, 'name': 'Toussaint Louverture In
ternational Airport', 'city': 'Port-au-prince', 'iata': 'PAP', 'icao': 'MTPP'
, 'latitude': 18.57999992370605, 'longitude': -72.2925033569336, 'timezone':

-5.0, 'dst': 'U', 'tz_id': 'America/Port-au-Prince', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['J32']}
{'airline': {'airline_id': 10776, 'name': 'Salmon Air', 'alias': 'nan', 'iata
': 'S6', 'icao': 'SQH', 'callsign': 'nan', 'country': 'United States', 'activ
e': True}, 'src_airport': {'airport_id': 1897, 'name': 'Toussaint Louverture
International Airport', 'city': 'Port-au-prince', 'iata': 'PAP', 'icao': 'MTP
P', 'latitude': 18.57999992370605, 'longitude': -72.2925033569336, 'timezone'
: -5.0, 'dst': 'U', 'tz_id': 'America/Port-au-Prince', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 1895, 'name': 'Cap Haiti
en International Airport', 'city': 'Cap Haitien', 'iata': 'CAP', 'icao': 'MTC
H', 'latitude': 19.733, 'longitude': -72.194702, 'timezone': -5.0, 'dst': 'U'
, 'tz_id': 'America/Port-au-Prince', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['J32']}
{'airline': {'airline_id': 10776, 'name': 'Salmon Air', 'alias': 'nan', 'iata
': 'S6', 'icao': 'SQH', 'callsign': 'nan', 'country': 'United States', 'activ
e': True}, 'src_airport': {'airport_id': 1897, 'name': 'Toussaint Louverture
International Airport', 'city': 'Port-au-prince', 'iata': 'PAP', 'icao': 'MTP
P', 'latitude': 18.57999992370605, 'longitude': -72.2925033569336, 'timezone'
: -5.0, 'dst': 'U', 'tz_id': 'America/Port-au-Prince', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 5811, 'name': 'La Isabel
a International Airport', 'city': 'La Isabela', 'iata': 'JBQ', 'icao': 'MDJB'
, 'latitude': 18.57250022888184, 'longitude': -69.98560333251953, 'timezone':
-4.0, 'dst': 'U', 'tz_id': 'America/Santo_Domingo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['J32']}
{'airline': {'airline_id': 10776, 'name': 'Salmon Air', 'alias': 'nan', 'iata
': 'S6', 'icao': 'SQH', 'callsign': 'nan', 'country': 'United States', 'activ
e': True}, 'src_airport': {'airport_id': 1754, 'name': 'Providenciales Airpor
t', 'city': 'Providenciales', 'iata': 'PLS', 'icao': 'MBPV', 'latitude': 21.7
7359962463379, 'longitude': -72.26589965820312, 'timezone': -4.0, 'dst': 'U',
'tz_id': 'America/Grand_Turk', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 1895, 'name': 'Cap Haitien International Airport
', 'city': 'Cap Haitien', 'iata': 'CAP', 'icao': 'MTCH', 'latitude': 19.733,
'longitude': -72.194702, 'timezone': -5.0, 'dst': 'U', 'tz_id': 'America/Port
-au-Prince', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['J32']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4353, 'name': 'Ana
pa Vityazevo Airport', 'city': 'Anapa', 'iata': 'AAQ', 'icao': 'URKA', 'latit
ude': 45.002101898193, 'longitude': 37.347301483154, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport'
, 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777
344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'E

urope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2955, 'name': 'Aba
kan Airport', 'city': 'Abakan', 'iata': 'ABA', 'icao': 'UNAA', 'latitude': 53
.7400016784668, 'longitude': 91.38500213623048, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport',
'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177734
4, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2965, 'name': 'Soc
hi International Airport', 'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS', 'l
atitude': 43.449902, 'longitude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city':
'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'long
itude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319', '320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2908, 'name': 'Alm
aty Airport', 'city': 'Alma-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude':
43.35210037231445, 'longitude': 77.04049682617188, 'timezone': 6.0, 'dst': 'U
', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novo
sibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longit
ude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyars
k', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1212, 'name': 'Ali
cante International Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEA
L', 'latitude': 38.28219985961914, 'longitude': -0.5581560134887695, 'timezon
e': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Intern
ational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude'
: 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst':

'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2170, 'name': 'Que
en Alia International Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI
', 'latitude': 31.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'd
st': 'E', 'tz_id': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport
', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177
7344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2976, 'name': 'Ash
gabat International Airport', 'city': 'Ashkhabad', 'iata': 'ASB', 'icao': 'UT
AA', 'latitude': 37.986801, 'longitude': 58.361000000000004, 'timezone': 5.0,
'dst': 'U', 'tz_id': 'Asia/Ashgabat', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International A
irport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087
9821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_
id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2966, 'name': 'Ast
rakhan Airport', 'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitud
e': 46.2832984924, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', '
tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'cit
y': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, '
longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/
Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3941, 'name': 'Ele
ftherios Venizelos International Airport', 'city': 'Athens', 'iata': 'ATH', '
icao': 'LGAV', 'latitude': 37.9364013672, 'longitude': 23.944499969499997, 't
imezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo
International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lat
itude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, '

dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2179, 'name': 'Abu
Dhabi International Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OM
AA', 'latitude': 24.433000564575195, 'longitude': 54.651100158691406, 'timezo
ne': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internat
ional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2956, 'name': 'Bar
naul Airport', 'city': 'Barnaul', 'iata': 'BAX', 'icao': 'UNBB', 'latitude':
53.36380004882813, 'longitude': 83.53849792480469, 'timezone': 7.0, 'dst': 'N
', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport
', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177
7344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suv
arnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitu
de': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'd
st': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Ir
kutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitud
e': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3885, 'name': 'Suv
arnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitu
de': 13.681099891662598, 'longitude': 100.74700164794922, 'timezone': 7.0, 'd
st': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city':
'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'l
ongitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasn

oyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1191, 'name': 'Bur
gas Airport', 'city': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 4
2.56959915161133, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E
', 'tz_id': 'Europe/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', '
city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344
, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Euro
pe/Moscow', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['763', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2936, 'name': 'Bra
tsk Airport', 'city': 'Bratsk', 'iata': 'BTK', 'icao': 'UIBB', 'latitude': 56
.37060165405274, 'longitude': 101.697998046875, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_ai
rport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'cit
y': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, '
longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/
Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3971, 'name': 'Bat
umi International Airport', 'city': 'Batumi', 'iata': 'BUS', 'icao': 'UGSB',
'latitude': 41.610298156700004, 'longitude': 41.5997009277, 'timezone': 4.0,
'dst': 'N', 'tz_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirport
s'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Ai
rport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879
821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_i
d': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2968, 'name': 'Che
lyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'U
SCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airpo
rt', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821
777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id':

'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2968, 'name': 'Che
lyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'U
SCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Du
shanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'long
itude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2968, 'name': 'Che
lyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'U
SCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airpor
t', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.14730072
02, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Y
erevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2968, 'name': 'Che
lyabinsk Balandino Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'U
SCC', 'latitude': 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N
', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city': 'K
hudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'lon
gitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushan
be', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2914, 'name': 'Shy
mkent Airport', 'city': 'Chimkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude'
: 42.364200592041016, 'longitude': 69.47889709472656, 'timezone': 6.0, 'dst':
'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'No
vosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'long
itude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoya

rsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4353, 'name': 'Anapa Vityazevo Air
port', 'city': 'Anapa', 'iata': 'AAQ', 'icao': 'URKA', 'latitude': 45.0021018
98193, 'longitude': 37.347301483154, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'E
urope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2955, 'name': 'Abakan Airport', 'c
ity': 'Abakan', 'iata': 'ABA', 'icao': 'UNAA', 'latitude': 53.7400016784668,
'longitude': 91.38500213623048, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/K
rasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2965, 'name': 'Sochi International
Airport', 'city': 'Sochi', 'iata': 'AER', 'icao': 'URSS', 'latitude': 43.4499
02, 'longitude': 39.9566, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosco
w', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320', '738', '319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1212, 'name': 'Alicante Internatio
nal Airport', 'city': 'Alicante', 'iata': 'ALC', 'icao': 'LEAL', 'latitude':
38.28219985961914, 'longitude': -0.5581560134887695, 'timezone': 1.0, 'dst':

'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2170, 'name': 'Queen Alia Internat
ional Airport', 'city': 'Amman', 'iata': 'AMM', 'icao': 'OJAI', 'latitude': 3
1.7226009369, 'longitude': 35.9931983948, 'timezone': 2.0, 'dst': 'E', 'tz_id
': 'Asia/Amman', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2976, 'name': 'Ashgabat Internatio
nal Airport', 'city': 'Ashkhabad', 'iata': 'ASB', 'icao': 'UTAA', 'latitude':
37.986801, 'longitude': 58.361000000000004, 'timezone': 5.0, 'dst': 'U', 'tz_
id': 'Asia/Ashgabat', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2966, 'name': 'Astrakhan Airport',
'city': 'Astrakhan', 'iata': 'ASF', 'icao': 'URWA', 'latitude': 46.2832984924
, 'longitude': 48.0063018799, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/S
amara', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3941, 'name': 'Eleftherios Venizel
os International Airport', 'city': 'Athens', 'iata': 'ATH', 'icao': 'LGAV', '
latitude': 37.9364013672, 'longitude': 23.944499969499997, 'timezone': 2.0, '

dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2179, 'name': 'Abu Dhabi Internati
onal Airport', 'city': 'Abu Dhabi', 'iata': 'AUH', 'icao': 'OMAA', 'latitude'
: 24.433000564575195, 'longitude': 54.651100158691406, 'timezone': 4.0, 'dst'
: 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2956, 'name': 'Barnaul Airport', '
city': 'Barnaul', 'iata': 'BAX', 'icao': 'UNBB', 'latitude': 53.3638000488281
3, 'longitude': 83.53849792480469, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asi
a/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1191, 'name': 'Burgas Airport', 'c
ity': 'Bourgas', 'iata': 'BOJ', 'icao': 'LBBG', 'latitude': 42.56959915161133
, 'longitude': 27.515199661254886, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eur
ope/Sofia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['763', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2936, 'name': 'Bratsk Airport', 'c
ity': 'Bratsk', 'iata': 'BTK', 'icao': 'UIBB', 'latitude': 56.37060165405274,
'longitude': 101.697998046875, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Ir

kutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3971, 'name': 'Batumi Internationa
l Airport', 'city': 'Batumi', 'iata': 'BUS', 'icao': 'UGSB', 'latitude': 41.6
10298156700004, 'longitude': 41.5997009277, 'timezone': 4.0, 'dst': 'N', 'tz_
id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandi
no Airport', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude'
: 55.305801, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asi
a/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 345, 'name': 'Düsseldorf Airport',
'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latitude': 51.289501,
'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots Internati
onal Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude':
40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_i

d': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1528, 'name': 'Genoa Cristoforo Colombo Airport', 'city': 'Genoa', 'iata': 'GOA', 'icao': 'LIMJ', 'latitude': 44.4133, 'longitude': 8.8375, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4274, 'name': 'Nizhny Novgorod Strigino International Airport', 'city': 'Nizhniy Novgorod', 'iata': 'GOJ', 'icao': 'UWGG', 'latitude': 56.23009872436499, 'longitude': 43.784000396729, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E

', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airp
ort', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.31719
9707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id':
'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1452, 'name': 'Heraklion Internati
onal Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata': 'HER', 'icao':
'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAir
ports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong Internati
onal Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude'
: 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', '
tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2935, 'name': 'Chita-Kadala Airpor
t', 'city': 'Chita', 'iata': 'HTA', 'icao': 'UIAA', 'latitude': 52.026299, 'l
ongitude': 113.306, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'ty

pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', '
city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396,
'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irk
utsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil Internatio
nal Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3
4500122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319', '735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2957, 'name': 'Kemerovo Airport',
'city': 'Kemorovo', 'iata': 'KEJ', 'icao': 'UNEE', 'latitude': 55.27009963989
258, 'longitude': 86.1072006225586, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'As
ia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2952, 'name': 'Khrabrovo Airport',
'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latitude': 54.88999938
964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'dst': 'N', 'tz_id'

: 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1735, 'name': 'Chişinău Internatio
nal Airport', 'city': 'Chisinau', 'iata': 'KIV', 'icao': 'LUKK', 'latitude':
46.92770004272461, 'longitude': 28.93099975585937, 'timezone': 2.0, 'dst': 'E
', 'tz_id': 'Europe/Chisinau', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4374, 'name': 'Yemelyanovo Airport
', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'latitude': 56.17290
1, 'longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasno
yarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2960, 'name': 'Krasnodar Pashkovsk
y International Airport', 'city': 'Krasnodar', 'iata': 'KRR', 'icao': 'URKK',
'latitude': 45.034698486328004, 'longitude': 39.170501708984, 'timezone': 3.0
, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '319', '320', '7
38']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2993, 'name': 'Kurumoch Internatio
nal Airport', 'city': 'Samara', 'iata': 'KUF', 'icao': 'UWWW', 'latitude': 53

.504901885986, 'longitude': 50.16429901123, 'timezone': 4.0, 'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2990, 'name': 'Kazan International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'latitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1197, 'name': 'Larnaca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK', 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.800300

59814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319', '734', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1638, 'name': 'Humberto Delgado Ai
rport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'LIS', 'icao': 'LP
PT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone': 0.0, 'dst': 'E',
'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1229, 'name': 'Adolfo Suárez Madri
d-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao': 'LEMD', 'latitud
e': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst': 'E', 'tz_id': '
Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2962, 'name': 'Mineralnyye Vody Ai
rport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'URMM', 'latitude':
44.22510147094727, 'longitude': 43.08190155029297, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2954, 'name': 'Minsk National Airp
ort', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS', 'latitude': 53.882499

694824, 'longitude': 28.030700683594, 'timezone': 3.0, 'dst': 'E', 'tz_id': '
Europe/Minsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'ci
ty': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitu
de': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', '321', '763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2972, 'name': 'Nizhnevartovsk Airp
ort', 'city': 'Nizhnevartovsk', 'iata': 'NJC', 'icao': 'USNN', 'latitude': 60
.94929885864258, 'longitude': 76.48359680175781, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6119, 'name': 'Spichenkovo Airport
', 'city': 'Novokuznetsk', 'iata': 'NOZ', 'icao': 'UNWW', 'latitude': 53.8114
01000000004, 'longitude': 86.877197, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'A
sia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': F
alse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita Internationa
l Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.76

4701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_i
d': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': T
rue, 'stops': 0, 'equipment': ['787']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4352, 'name': 'Norilsk-Alykel Airp
ort', 'city': 'Norilsk', 'iata': 'NSK', 'icao': 'UOOO', 'latitude': 69.311096
19140625, 'longitude': 87.33219909667969, 'timezone': 7.0, 'dst': 'N', 'tz_id
': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4364, 'name': 'Novy Urengoy Airpor
t', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'latitude': 66.069
39697265625, 'longitude': 76.52030181884766, 'timezone': 5.0, 'dst': 'N', 'tz
_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['738', '319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6143, 'name': 'Nadym Airport', 'ci
ty': 'Nadym', 'iata': 'NYM', 'icao': 'USMM', 'latitude': 65.48090362548828, '
longitude': 72.69889831542969, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Ye
katerinburg', type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2947, 'name': 'Odessa Internationa
l Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO', 'latitude': 46.4

2679977416992, 'longitude': 30.67650032043457, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6124, 'name': 'Beslan Airport', 'c
ity': 'Beslan', 'iata': 'OGZ', 'icao': 'URMO', 'latitude': 43.2051010132, 'lo
ngitude': 44.606601715100005, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2958, 'name': 'Omsk Central Airpor
t', 'city': 'Omsk', 'iata': 'OMS', 'icao': 'UNOO', 'latitude': 54.96699905395
508, 'longitude': 73.31050109863281, 'timezone': 6.0, 'dst': 'N', 'tz_id': 'A
sia/Omsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'city
': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitud
e': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type
': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equip
ment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport'
, 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599

945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': '
Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['738', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2973, 'name': 'Bolshoye Savino Air
port', 'city': 'Perm', 'iata': 'PEE', 'icao': 'USPP', 'latitude': 57.91450119
0186, 'longitude': 56.021198272705, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'As
ia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1198, 'name': 'Paphos Internationa
l Airport', 'city': 'Paphos', 'iata': 'PFO', 'icao': 'LCPH', 'latitude': 34.7
1799850463867, 'longitude': 32.48569869995117, 'timezone': 2.0, 'dst': 'E', '
tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['738', '734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1203, 'name': 'Pula Airport', 'cit
y': 'Pula', 'iata': 'PUY', 'icao': 'LDPL', 'latitude': 44.89350128173828, 'lo
ngitude': 13.922200202941895, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Z
agreb', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2917, 'name': 'Pavlodar Airport',
'city': 'Pavlodar', 'iata': 'PWQ', 'icao': 'UASP', 'latitude': 52.19499969482

422, 'longitude': 77.07389831542969, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'A
sia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 8740, 'name': 'Gorno-Altaysk Airpo
rt', 'city': 'Gorno-Altaysk', 'iata': 'RGK', 'icao': 'UNBG', 'latitude': 51.9
667015076, 'longitude': 85.8332977295, 'timezone': 7.0, 'dst': 'N', 'tz_id':
'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1472, 'name': 'Diagoras Airport',
'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP', 'latitude': 36.4053993225097
7, 'longitude': 28.086200714111328, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2964, 'name': 'Platov Internationa
l Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP', 'latitude': 47.4
93888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2974, 'name': 'Surgut Airport', 'c
ity': 'Surgut', 'iata': 'SGC', 'icao': 'USRR', 'latitude': 61.34370040893555,

'longitude': 73.40180206298828, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Y
ekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2942, 'name': 'Simferopol Internat
ional Airport', 'city': 'Simferopol', 'iata': 'SIP', 'icao': 'UKFF', 'latitud
e': 45.05220031738281, 'longitude': 33.975101470947266, 'timezone': 3.0, 'dst
': 'E', 'tz_id': 'Europe/Simferopol', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedo
nia International Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'L
GTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezon
e': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2963, 'name': 'Stavropol Shpakovsk
oye Airport', 'city': 'Stavropol', 'iata': 'STW', 'icao': 'URMT', 'latitude':
45.10919952392578, 'longitude': 42.11280059814453, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport',
'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099

212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': '
Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 3973, 'name': 'Tbilisi Internation
al Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB', 'latitude': 41
.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst': 'N', 'tz_id':
'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1743, 'name': 'Tivat Airport', 'ci
ty': 'Tivat', 'iata': 'TIV', 'icao': 'LYTV', 'latitude': 42.404701232910156,
'longitude': 18.72330093383789, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Podgorica', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4111, 'name': 'Roshchino Internati
onal Airport', 'city': 'Tyumen', 'iata': 'TJM', 'icao': 'USTR', 'latitude': 5
7.189601898199996, 'longitude': 65.3243026733, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 7563, 'name': 'Kulob Airport', 'ci
ty': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.98809814453125,

'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/D
ushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 4297, 'name': 'Bogashevo Airport',
'city': 'Tomsk', 'iata': 'TOF', 'icao': 'UNTT', 'latitude': 56.380298614502,
'longitude': 85.208297729492, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Kra
snoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['738', '734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2992, 'name': 'Ufa International A
irport', 'city': 'Ufa', 'iata': 'UFA', 'icao': 'UWUU', 'latitude': 54.5574989
3188501, 'longitude': 55.874401092529, 'timezone': 5.0, 'dst': 'N', 'tz_id':
'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6152, 'name': 'Urgench Airport', '
city': 'Urgench', 'iata': 'UGC', 'icao': 'UTNU', 'latitude': 41.5843009948730
5, 'longitude': 60.6417007446289, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia
/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 6086, 'name': 'Ust-Kamennogorsk Ai
rport', 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UASK', 'latitude':

50.036598205566406, 'longitude': 82.49420166015625, 'timezone': 6.0, 'dst': '
U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2938, 'name': 'Ulan-Ude Airport (M
ukhino)', 'city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU', 'latitude': 51.8
0780029296875, 'longitude': 107.43800354003906, 'timezone': 8.0, 'dst': 'N',
'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1196, 'name': 'Varna Airport', 'ci
ty': 'Varna', 'iata': 'VAR', 'icao': 'LBWN', 'latitude': 43.232101, 'longitud
e': 27.8251, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Sofia', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320', '763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1613, 'name': 'Vienna Internationa
l Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW', 'latitude': 48.1
10298156738004, 'longitude': 16.569700241089002, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320', 'E90']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1246, 'name': 'Valencia Airport',
'city': 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'latitude': 39.4893, 'long

itude': -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Madrid', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2967, 'name': 'Volgograd Internati
onal Airport', 'city': 'Volgograd', 'iata': 'VOG', 'icao': 'URWW', 'latitude'
: 48.78250122070313, 'longitude': 44.34550094604492, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1550, 'name': 'Verona Villafranca
Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX', 'latitude': 4
5.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe
/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4029, 'name': 'Dom
odedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUD
D', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone'
: 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', '
city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.0932998657226
56, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia
/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 's
tops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 345, 'name': 'Düss
eldorf Airport', 'city': 'Duesseldorf', 'iata': 'DUS', 'icao': 'EDDL', 'latit
ude': 51.289501, 'longitude': 6.766780000000001, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'ci
ty': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344,

'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dub
ai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'l
atitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'd
st': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'No
vosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'long
itude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoya
rsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2979, 'name': 'Dus
hanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude'
: 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U'
, 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airport', 'cit
y': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.305801, 'lon
gitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2979, 'name': 'Dus
hanbe Airport', 'city': 'Dushanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude'
: 38.543300628699996, 'longitude': 68.8249969482, 'timezone': 5.0, 'dst': 'U'
, 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst
_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosi
birsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitud
e': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk'
, 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0
, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3964, 'name': 'Zva
rtnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDY
Z', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, '
dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airpor
t', 'city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.3058

01, 'longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekater
inburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3964, 'name': 'Zva
rtnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDY
Z', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, '
dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Air
port', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408798
21777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['321', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3964, 'name': 'Zva
rtnots International Airport', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDY
Z', 'latitude': 40.1473007202, 'longitude': 44.3959007263, 'timezone': 4.0, '
dst': 'E', 'tz_id': 'Asia/Yerevan', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city':
'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'l
ongitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasn
oyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6149, 'name': 'Fer
gana International Airport', 'city': 'Fergana', 'iata': 'FEG', 'icao': 'UTKF'
, 'latitude': 40.3587989807, 'longitude': 71.7450027466, 'timezone': 5.0, 'ds
t': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city':
'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'l
ongitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasn
oyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Fran
kfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', '
latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city'
: 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'lo

ngitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mo
scow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Fran
kfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', '
latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Berlin', type': 'airport', 'source': 'OurAirports'}, 'dst_airp
ort': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk
', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 8
2.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2912, 'name': 'Man
as International Airport', 'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM',
'latitude': 43.0612983704, 'longitude': 74.4776000977, 'timezone': 6.0, 'dst'
: 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'No
vosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'long
itude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoya
rsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2930, 'name': 'Sok
ol Airport', 'city': 'Magadan', 'iata': 'GDX', 'icao': 'UHMM', 'latitude': 59
.9109992980957, 'longitude': 150.72000122070312, 'timezone': 11.0, 'dst': 'N'
, 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkut
sk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude':
104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equip
ment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1528, 'name': 'Gen
oa Cristoforo Colombo Airport', 'city': 'Genoa', 'iata': 'GOA', 'icao': 'LIMJ
', 'latitude': 44.4133, 'longitude': 8.8375, 'timezone': 1.0, 'dst': 'E', 'tz
_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airpor
t': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city':
'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'long

itude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4274, 'name': 'Niz
hny Novgorod Strigino International Airport', 'city': 'Nizhniy Novgorod', 'ia
ta': 'GOJ', 'icao': 'UWGG', 'latitude': 56.23009872436499, 'longitude': 43.78
4000396729, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name'
: 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao'
: 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'tim
ezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Hey
dar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UB
BB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone
': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internation
al Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.
40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Hey
dar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UB
BB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone
': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'cit
y': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.800300598
14453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2922, 'name': 'Hey
dar Aliyev International Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UB
BB', 'latitude': 40.46749877929688, 'longitude': 50.04669952392578, 'timezone
': 4.0, 'dst': 'E', 'tz_id': 'Asia/Baku', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', '
city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945

068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asi
a/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Hels
inki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'lat
itude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst'
: 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airp
ort', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982
1777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Hels
inki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'lat
itude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst'
: 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St
. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453,
'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 421, 'name': 'Hels
inki Vantaa Airport', 'city': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'lat
itude': 60.317199707031, 'longitude': 24.963300704956, 'timezone': 2.0, 'dst'
: 'E', 'tz_id': 'Europe/Helsinki', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city': 'Y
ekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646, 'l
ongitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekat
erinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1452, 'name': 'Her
aklion International Nikos Kazantzakis Airport', 'city': 'Heraklion', 'iata':
'HER', 'icao': 'LGIR', 'latitude': 35.3396987915, 'longitude': 25.1802997589,
'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedov
o International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'l

atitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude

': 43.39899826049805, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst
': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2935, 'name': 'Chi
ta-Kadala Airport', 'city': 'Chita', 'iata': 'HTA', 'icao': 'UIAA', 'latitude
': 52.026299, 'longitude': 113.306, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'As
ia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow'
, 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude':
37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equ
ipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2935, 'name': 'Chi
ta-Kadala Airport', 'city': 'Chita', 'iata': 'HTA', 'icao': 'UIAA', 'latitude
': 52.026299, 'longitude': 113.306, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'As
ia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata':
'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430
176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3930, 'name': 'Inc
heon International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI',
'latitude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9
.0, 'dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok International
Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude': 4
3.39899826049805, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst': '
N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok'
, 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'longitude':

100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city
': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'l
ongitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2930, 'name': 'Sokol Airport', 'city': 'Magadan', 'iata
': 'GDX', 'icao': 'UHMM', 'latitude': 59.9109992980957, 'longitude': 150.7200
0122070312, 'timezone': 11.0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirs
k', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude':
82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 't
ype': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'e
quipment': ['320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3364, 'name': 'Beijing Capital International Airport',
'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.080101013183

6, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2934, 'name': 'Vladivostok International Airport', 'cit
y': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude': 43.398998260498
05, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst': 'N', 'tz_id': '
Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2937, 'name': 'Irk
utsk Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude':
52.268001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', '
tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yakutsk', 'ia
ta': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longitude': 129.
77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International
Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['735', '319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2952, 'name': 'Khrabrovo Airport', 'city
': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latitude': 54.8899993896484

4, 'longitude': 20.592599868774414, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Eu
rope/Kaliningrad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city':
'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.8003005981445
3, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'cit
y': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068
, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/K
rasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2964, 'name': 'Platov International Airp
ort', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP', 'latitude': 47.493888,
'longitude': 39.924721999999996, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europ
e/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, '
stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2939, 'name': 'Bor
yspil International Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB',
'latitude': 50.34500122070313, 'longitude': 30.89469909667969, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airport', 'city'
: 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.743099212646

, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Y
ekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2957, 'name': 'Kem
erovo Airport', 'city': 'Kemorovo', 'iata': 'KEJ', 'icao': 'UNEE', 'latitude'
: 55.27009963989258, 'longitude': 86.1072006225586, 'timezone': 7.0, 'dst': '
N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport
', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177
7344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2952, 'name': 'Khr
abrovo Airport', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latit
ude': 54.88999938964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'd
st': 'N', 'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internationa
l Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4
0879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2952, 'name': 'Khr
abrovo Airport', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latit
ude': 54.88999938964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'd
st': 'N', 'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International
Airport', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.34500
122070313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_i
d': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2952, 'name': 'Khr
abrovo Airport', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latit
ude': 54.88999938964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'd
st': 'N', 'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', '
city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitu

de': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude':

40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U
', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927, 'name': 'Kha
barovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', '
latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'd
st': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2932, 'name': 'Yelizovo Airport', 'city'
: 'Petropavlovsk', 'iata': 'PKC', 'icao': 'UHPP', 'latitude': 53.167900085449
22, 'longitude': 158.45399475097656, 'timezone': 12.0, 'dst': 'N', 'tz_id': '
Asia/Anadyr', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2927, 'name': 'Kha
barovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', '
latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'd
st': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 2933, 'name': 'Yuzhno-Sakhalinsk Airport
', 'city': 'Yuzhno-sakhalinsk', 'iata': 'UUS', 'icao': 'UHSS', 'latitude': 46
.88869857788086, 'longitude': 142.71800231933594, 'timezone': 11.0, 'dst': 'N
', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1735, 'name': 'Chi
șinău International Airport', 'city': 'Chisinau', 'iata': 'KIV', 'icao': 'LUK
K', 'latitude': 46.92770004272461, 'longitude': 28.93099975585937, 'timezone'
: 2.0, 'dst': 'E', 'tz_id': 'Europe/Chisinau', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Intern
ational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude'
: 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4374, 'name': 'Yem
elyanovo Airport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'lat
itude': 56.172901, 'longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_i
d': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city
': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'l

ongitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4374, 'name': 'Yem
elyanovo Airport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'lat
itude': 56.172901, 'longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_i
d': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 3364, 'name': 'Beijing Capital International Airport',
'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.080101013183
6, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2960, 'name': 'Kra
snodar Pashkovsky International Airport', 'city': 'Krasnodar', 'iata': 'KRR',
'icao': 'URKK', 'latitude': 45.034698486328004, 'longitude': 39.170501708984,
'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'so
urce': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedov
o International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'l
atitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['734', '319', '320', '738
']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2993, 'name': 'Kur
umoch International Airport', 'city': 'Samara', 'iata': 'KUF', 'icao': 'UWWW'
, 'latitude': 53.504901885986, 'longitude': 50.16429901123, 'timezone': 4.0,
'dst': 'N', 'tz_id': 'Europe/Samara', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International A
irport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087
9821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_
id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2990, 'name': 'Kaz
an International Airport', 'city': 'Kazan', 'iata': 'KZN', 'icao': 'UWKD', 'l
atitude': 55.606201171875, 'longitude': 49.278701782227, 'timezone': 3.0, 'ds
t': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airp

ort', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982
1777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6147, 'name': 'Khu
dzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitud
e': 40.21540069580078, 'longitude': 69.6947021484375, 'timezone': 5.0, 'dst':
'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 2968, 'name': 'Chelyabinsk Balandino Airport', '
city': 'Chelyabinsk', 'iata': 'CEK', 'icao': 'USCC', 'latitude': 55.305801, '
longitude': 61.5033, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinbur
g', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6147, 'name': 'Khu
dzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitud
e': 40.21540069580078, 'longitude': 69.6947021484375, 'timezone': 5.0, 'dst':
'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport'
, 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777
344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'E
urope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6147, 'name': 'Khu
dzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitud
e': 40.21540069580078, 'longitude': 69.6947021484375, 'timezone': 5.0, 'dst':
'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Nov
osibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longi
tude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyar
sk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1197, 'name': 'Lar
naca International Airport', 'city': 'Larnaca', 'iata': 'LCA', 'icao': 'LCLK'
, 'latitude': 34.875099182128906, 'longitude': 33.62490081787109, 'timezone':
2.0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internation

al Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.
40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['738', '734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Air
port', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408798
21777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319', '734', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International
Airport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.46749
877929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_i
d': 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tr
ue, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'ci
ty': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031,
'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/H
elsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['ATR']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airpo

rt', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3450012207
0313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2954, 'name': 'Minsk National Airport', 'ci
ty': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS', 'latitude': 53.882499694824, '
longitude': 28.030700683594, 'timezone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Mi
nsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops'
: 0, 'equipment': ['CRJ', '735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city':
'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'l
ongitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasn
oyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['738', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital Internationa
l Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.
0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2948, 'name': 'Pul
kovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'lati
tude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'd
st': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 1486, 'name': 'Thessaloniki Macedonia Inter

national Airport', 'city': 'Thessaloniki', 'iata': 'SKG', 'icao': 'LGTS', 'la
titude': 40.51969909667969, 'longitude': 22.97089958190918, 'timezone': 2.0,
'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1638, 'name': 'Hum
berto Delgado Airport (Lisbon Portela Airport)', 'city': 'Lisbon', 'iata': 'L
IS', 'icao': 'LPPT', 'latitude': 38.7813, 'longitude': -9.13592, 'timezone':
0.0, 'dst': 'E', 'tz_id': 'Europe/Lisbon', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internatio
nal Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55
.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1229, 'name': 'Ado
lfo Suárez Madrid-Barajas Airport', 'city': 'Madrid', 'iata': 'MAD', 'icao':
'LEMD', 'latitude': 40.471926, 'longitude': -3.56264, 'timezone': 1.0, 'dst':
'E', 'tz_id': 'Europe/Madrid', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport'
, 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777
344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'E
urope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2962, 'name': 'Min
eralnyye Vody Airport', 'city': 'Mineralnye Vody', 'iata': 'MRV', 'icao': 'UR
MM', 'latitude': 44.22510147094727, 'longitude': 43.08190155029297, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Interna
tional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2954, 'name': 'Min
sk National Airport', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS', 'lati
tude': 53.882499694824, 'longitude': 28.030700683594, 'timezone': 3.0, 'dst':
'E', 'tz_id': 'Europe/Minsk', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport',

'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177734
4, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2954, 'name': 'Min
sk National Airport', 'city': 'Minsk 2', 'iata': 'MSQ', 'icao': 'UMMS', 'lati
tude': 53.882499694824, 'longitude': 28.030700683594, 'timezone': 3.0, 'dst':
'E', 'tz_id': 'Europe/Minsk', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Pet
ersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'long
itude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Mosc
ow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops':
0, 'equipment': ['CRJ', '735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Muni
ch Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.
353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'ia
ta': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90
629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['320', '321', '763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 346, 'name': 'Muni
ch Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.
353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/B
erlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB
', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176,
'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']
}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2972, 'name': 'Niz
hnevartovsk Airport', 'city': 'Nizhnevartovsk', 'iata': 'NJC', 'icao': 'USNN'
, 'latitude': 60.94929885864258, 'longitude': 76.48359680175781, 'timezone':
5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Inter

national Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6119, 'name': 'Spichenkovo Airport', 'city': 'Novokuznetsk', 'iata': 'NOZ', 'icao': 'UNWW', 'latitude': 53.811401000000004, 'longitude': 86.877197, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['787']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2279, 'name': 'Narita International Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latitude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst': 'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok International Airp

ort', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude': 43.39
899826049805, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst': 'N',
'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4352, 'name': 'Nor
ilsk-Alykel Airport', 'city': 'Norilsk', 'iata': 'NSK', 'icao': 'UOOO', 'lati
tude': 69.31109619140625, 'longitude': 87.33219909667969, 'timezone': 7.0, 'd
st': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International
Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4352, 'name': 'Nor
ilsk-Alykel Airport', 'city': 'Norilsk', 'iata': 'NSK', 'icao': 'UOOO', 'lati
tude': 69.31109619140625, 'longitude': 87.33219909667969, 'timezone': 7.0, 'd
st': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'cit
y': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068
, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/K
rasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4364, 'name': 'Nov
y Urengoy Airport', 'city': 'Novy Urengoy', 'iata': 'NUX', 'icao': 'USMU', 'l
atitude': 66.06939697265625, 'longitude': 76.52030181884766, 'timezone': 5.0,
'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internatio
nal Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55
.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['738', '319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6143, 'name': 'Nad
ym Airport', 'city': 'Nadym', 'iata': 'NYM', 'icao': 'USMM', 'latitude': 65.4
8090362548828, 'longitude': 72.69889831542969, 'timezone': 5.0, 'dst': 'N', '
tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport',

'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177734
4, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['737']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2947, 'name': 'Ode
ssa International Airport', 'city': 'Odessa', 'iata': 'ODS', 'icao': 'UKOO',
'latitude': 46.42679977416992, 'longitude': 30.67650032043457, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Europe/Kiev', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International
Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6124, 'name': 'Bes
lan Airport', 'city': 'Beslan', 'iata': 'OGZ', 'icao': 'URMO', 'latitude': 43
.2051010132, 'longitude': 44.606601715100005, 'timezone': 3.0, 'dst': 'N', 't
z_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city
': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'l
ongitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'sto
ps': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2958, 'name': 'Oms
k Central Airport', 'city': 'Omsk', 'iata': 'OMS', 'icao': 'UNOO', 'latitude'
: 54.96699905395508, 'longitude': 73.31050109863281, 'timezone': 6.0, 'dst':
'N', 'tz_id': 'Asia/Omsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'c
ity': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344,
'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2913, 'name': 'Osh
Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.609001
1597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/
Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', '

iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.
90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type'
: 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipm
ent': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2913, 'name': 'Osh
Airport', 'city': 'Osh', 'iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.609001
1597, 'longitude': 72.793296814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/
Bishkek', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airpo
rt_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'O
VB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.65070343017
6, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2908, 'name': 'Almaty Airport', 'city': 'Alma
-ata', 'iata': 'ALA', 'icao': 'UAAA', 'latitude': 43.35210037231445, 'longitu
de': 77.04049682617188, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3885, 'name': 'Suvarnabhumi Airport', 'city':
'Bangkok', 'iata': 'BKK', 'icao': 'VTBS', 'latitude': 13.681099891662598, 'lo
ngitude': 100.74700164794922, 'timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Ban
gkok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stop
s': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2914, 'name': 'Shymkent Airport', 'city': 'Ch

imkent', 'iata': 'CIT', 'icao': 'UAII', 'latitude': 42.364200592041016, 'long
itude': 69.47889709472656, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylo
rda', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airpo
rt', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821
777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['738', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport',
'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.25279998780000
3, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Du
bai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops
': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2979, 'name': 'Dushanbe Airport', 'city': 'Du
shanbe', 'iata': 'DYU', 'icao': 'UTDD', 'latitude': 38.543300628699996, 'long
itude': 68.8249969482, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0,
'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3964, 'name': 'Zvartnots International Airpor

t', 'city': 'Yerevan', 'iata': 'EVN', 'icao': 'UDYZ', 'latitude': 40.14730072
02, 'longitude': 44.3959007263, 'timezone': 4.0, 'dst': 'E', 'tz_id': 'Asia/Y
erevan', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 6149, 'name': 'Fergana International Airport'
, 'city': 'Fergana', 'iata': 'FEG', 'icao': 'UTKF', 'latitude': 40.3587989807
, 'longitude': 71.7450027466, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Sam
arkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'st
ops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'ci
ty': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'long
itude': 8.570556, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'typ
e': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equ
ipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2912, 'name': 'Manas International Airport',
'city': 'Bishkek', 'iata': 'FRU', 'icao': 'UAFM', 'latitude': 43.0612983704,
'longitude': 74.4776000977, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishk
ek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2922, 'name': 'Heydar Aliyev International Ai

rport', 'city': 'Baku', 'iata': 'GYD', 'icao': 'UBBB', 'latitude': 40.4674987
7929688, 'longitude': 50.04669952392578, 'timezone': 4.0, 'dst': 'E', 'tz_id'
: 'Asia/Baku', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kong International Airpor
t', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH', 'latitude': 22.308901
000000002, 'longitude': 113.915001, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'As
ia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2935, 'name': 'Chita-Kadala Airport', 'city':
'Chita', 'iata': 'HTA', 'icao': 'UIAA', 'latitude': 52.026299, 'longitude': 1
13.306, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irk
utsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude
': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'cit

y': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6147, 'name': 'Khudzhand Airport', 'city': 'Khudzhand', 'iata': 'LBD', 'icao': 'UTDL', 'latitude': 40.21540069580078, 'longitude': 69.6947021484375, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 346, 'name': 'Munich Airport', 'city': 'Munich', 'iata': 'MUC', 'icao': 'EDDM', 'latitude': 48.353802, 'longitude': 11.7861, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4352, 'name': 'Norilsk-Alykel Airport', 'city

': 'Norilsk', 'iata': 'NSK', 'icao': 'UOOO', 'latitude': 69.31109619140625, '
longitude': 87.33219909667969, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Kr
asnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2913, 'name': 'Osh Airport', 'city': 'Osh', '
iata': 'OSS', 'icao': 'UAFO', 'latitude': 40.6090011597, 'longitude': 72.7932
96814, 'timezone': 6.0, 'dst': 'U', 'tz_id': 'Asia/Bishkek', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
20']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital International
Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.08
01010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 't
z_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codesha
re': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 1587, 'name': 'Václav Havel Airport Prague',
'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', 'latitude': 50.1008, 'longit
ude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Prague', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2983, 'name': 'Tashkent International Airport

', 'city': 'Tashkent', 'iata': 'TAS', 'icao': 'UTTT', 'latitude': 41.25790023
8000005, 'longitude': 69.2811965942, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'A
sia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 3399, 'name': 'Ürümqi Diwopu International Ai
rport', 'city': 'Urumqi', 'iata': 'URC', 'icao': 'ZWWW', 'latitude': 43.90710
067749024, 'longitude': 87.47419738769531, 'timezone': 8.0, 'dst': 'U', 'tz_i
d': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2938, 'name': 'Ulan-Ude Airport (Mukhino)', '
city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU', 'latitude': 51.807800292968
75, 'longitude': 107.43800354003906, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok International Airp
ort', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude': 43.39
899826049805, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst': 'N',
'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4078, 'name': 'Tol
machevo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'lati
tude': 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst':
'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airport', 'city': 'Yak

utsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.093299865722656, 'longit
ude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id': 'Asia/Yakutsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2973, 'name': 'Bol
shoye Savino Airport', 'city': 'Perm', 'iata': 'PEE', 'icao': 'USPP', 'latitu
de': 57.914501190186, 'longitude': 56.021198272705, 'timezone': 5.0, 'dst': '
N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'
}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airp
ort', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982
1777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk Airpo
rt', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.2680015
56396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'A
sia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-No
vy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude':
48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', '
tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 4374, 'name': 'Yemelyanovo A

irport', 'city': 'Krasnoyarsk', 'iata': 'KJA', 'icao': 'UNKL', 'latitude': 56
.172901, 'longitude': 92.493301, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/
Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'Pulkovo Airpo
rt', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'latitude': 59.
80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Ai
rport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.
012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_
id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2985, 'name': 'Sheremetyevo
International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'UUEE', 'lat
itude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N', 'tz_id'
: 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2975, 'name': 'Koltsovo Airp

ort', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'latitude': 56.
743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst': 'N', 'tz_
id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'code
share': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2938, 'name': 'Ulan-Ude Airp
ort (Mukhino)', 'city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU', 'latitude'
: 51.80780029296875, 'longitude': 107.43800354003906, 'timezone': 8.0, 'dst':
'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok I
nternational Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW',
'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'timezone': 1
0.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3364, 'name': 'Bei
jing Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao'
: 'ZBAA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'tim
ezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source
': 'OurAirports'}, 'dst_airport': {'airport_id': 2923, 'name': 'Yakutsk Airpo
rt', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude': 62.0932998
65722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N', 'tz_id':
'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1198, 'name': 'Pap
hos International Airport', 'city': 'Paphos', 'iata': 'PFO', 'icao': 'LCPH',
'latitude': 34.71799850463867, 'longitude': 32.48569869995117, 'timezone': 2.
0, 'dst': 'E', 'tz_id': 'Asia/Nicosia', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International

Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408
79821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz
_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshar
e': False, 'stops': 0, 'equipment': ['738', '734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2932, 'name': 'Yel
izovo Airport', 'city': 'Petropavlovsk', 'iata': 'PKC', 'icao': 'UHPP', 'lati
tude': 53.16790008544922, 'longitude': 158.45399475097656, 'timezone': 12.0,
'dst': 'N', 'tz_id': 'Asia/Anadyr', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarovsk-Novy Airport', 'c
ity': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latitude': 48.52799987793
, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/
Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2932, 'name': 'Yel
izovo Airport', 'city': 'Petropavlovsk', 'iata': 'PKC', 'icao': 'UHPP', 'lati
tude': 53.16790008544922, 'longitude': 158.45399475097656, 'timezone': 12.0,
'dst': 'N', 'tz_id': 'Asia/Anadyr', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivostok International Ai
rport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UHWW', 'latitude': 43.
39899826049805, 'longitude': 132.14799499511722, 'timezone': 10.0, 'dst': 'N'
, 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1587, 'name': 'Vác
lav Havel Airport Prague', 'city': 'Prague', 'iata': 'PRG', 'icao': 'LKPR', '
latitude': 50.1008, 'longitude': 14.26, 'timezone': 1.0, 'dst': 'E', 'tz_id':
'Europe/Prague', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport':
{'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosibirsk', 'ia
ta': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude': 82.6507
03430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': '
airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipmen
t': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1203, 'name': 'Pul
a Airport', 'city': 'Pula', 'iata': 'PUY', 'icao': 'LDPL', 'latitude': 44.893
50128173828, 'longitude': 13.922200202941895, 'timezone': 1.0, 'dst': 'E', 't
z_id': 'Europe/Zagreb', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city

': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'l
ongitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2917, 'name': 'Pav
lodar Airport', 'city': 'Pavlodar', 'iata': 'PWQ', 'icao': 'UASP', 'latitude'
: 52.19499969482422, 'longitude': 77.07389831542969, 'timezone': 6.0, 'dst':
'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport
', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177
7344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 8740, 'name': 'Gor
no-Altaysk Airport', 'city': 'Gorno-Altaysk', 'iata': 'RGK', 'icao': 'UNBG',
'latitude': 51.9667015076, 'longitude': 85.8332977295, 'timezone': 7.0, 'dst'
: 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Air
port', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408798
21777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1472, 'name': 'Dia
goras Airport', 'city': 'Rhodos', 'iata': 'RHO', 'icao': 'LGRP', 'latitude':
36.40539932250977, 'longitude': 28.086200714111328, 'timezone': 2.0, 'dst': '
E', 'tz_id': 'Europe/Athens', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport',
'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177734
4, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2964, 'name': 'Pla
tov International Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP',
'latitude': 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst
': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airpo

rt', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821
777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id':
'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2964, 'name': 'Pla
tov International Airport', 'city': 'Rostov', 'iata': 'ROV', 'icao': 'URRP',
'latitude': 47.493888, 'longitude': 39.924721999999996, 'timezone': 3.0, 'dst
': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}
, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airport
', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.345001220703
13, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Eu
rope/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2974, 'name': 'Sur
gut Airport', 'city': 'Surgut', 'iata': 'SGC', 'icao': 'USRR', 'latitude': 61
.34370040893555, 'longitude': 73.40180206298828, 'timezone': 5.0, 'dst': 'N',
'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, '
dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport'
, 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777
344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'E
urope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2942, 'name': 'Sim
feropol International Airport', 'city': 'Simferopol', 'iata': 'SIP', 'icao':
'UKFF', 'latitude': 45.05220031738281, 'longitude': 33.975101470947266, 'time
zone': 3.0, 'dst': 'E', 'tz_id': 'Europe/Simferopol', 'type': 'airport', 'sou
rce': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo
International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'lat
itude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, '
dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'The
ssaloniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': '
SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958
190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'D

omodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'U
UDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezon
e': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': '
OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1486, 'name': 'The
ssaloniki Macedonia International Airport', 'city': 'Thessaloniki', 'iata': '
SKG', 'icao': 'LGTS', 'latitude': 40.51969909667969, 'longitude': 22.97089958
190918, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/Athens', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2948, 'name': 'P
ulkovo Airport', 'city': 'St. Petersburg', 'iata': 'LED', 'icao': 'ULLI', 'la
titude': 59.80030059814453, 'longitude': 30.26250076293945, 'timezone': 3.0,
'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2963, 'name': 'Sta
vropol Shpakovskoye Airport', 'city': 'Stavropol', 'iata': 'STW', 'icao': 'UR
MT', 'latitude': 45.10919952392578, 'longitude': 42.11280059814453, 'timezone
': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Interna
tional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2985, 'name': 'She
remetyevo International Airport', 'city': 'Moscow', 'iata': 'SVO', 'icao': 'U
UEE', 'latitude': 55.972599, 'longitude': 37.4146, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airpo
rt', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.0801010
131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id'
: 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['333']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Air

port', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.408798
21777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id
': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 421, 'name': 'Helsinki Vantaa Airport', 'ci
ty': 'Helsinki', 'iata': 'HEL', 'icao': 'EFHK', 'latitude': 60.317199707031,
'longitude': 24.963300704956, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/H
elsinki', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 's
tops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 2939, 'name': 'Boryspil International Airpo
rt', 'city': 'Kiev', 'iata': 'KBP', 'icao': 'UKBB', 'latitude': 50.3450012207
0313, 'longitude': 30.89469909667969, 'timezone': 2.0, 'dst': 'E', 'tz_id': '
Europe/Kiev', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False
, 'stops': 0, 'equipment': ['735']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2975, 'name': 'Kol
tsovo Airport', 'city': 'Yekaterinburg', 'iata': 'SVX', 'icao': 'USSS', 'lati
tude': 56.743099212646, 'longitude': 60.802700042725, 'timezone': 5.0, 'dst':
'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports
'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital Internationa
l Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.
0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U',
'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2983, 'name': 'Tas
hkent International Airport', 'city': 'Tashkent', 'iata': 'TAS', 'icao': 'UTT
T', 'latitude': 41.257900238000005, 'longitude': 69.2811965942, 'timezone': 5
.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport',

'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.01259994
5068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'As
ia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3973, 'name': 'Tbi
lisi International Airport', 'city': 'Tbilisi', 'iata': 'TBS', 'icao': 'UGTB'
, 'latitude': 41.6692008972, 'longitude': 44.95470047, 'timezone': 4.0, 'dst'
: 'N', 'tz_id': 'Asia/Tbilisi', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport
', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177
7344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': '
Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fal
se, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1743, 'name': 'Tiv
at Airport', 'city': 'Tivat', 'iata': 'TIV', 'icao': 'LYTV', 'latitude': 42.4
04701232910156, 'longitude': 18.72330093383789, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Podgorica', 'type': 'airport', 'source': 'OurAirports'}, 'ds
t_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport',
'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177734
4, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 4111, 'name': 'Ros
hchino International Airport', 'city': 'Tyumen', 'iata': 'TJM', 'icao': 'USTR
', 'latitude': 57.189601898199996, 'longitude': 65.3243026733, 'timezone': 5.
0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'O
urAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Interna
tional Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude':
55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N
', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 7563, 'name': 'Kul
ob Airport', 'city': 'Kulyab', 'iata': 'TJU', 'icao': 'UTDK', 'latitude': 37.
98809814453125, 'longitude': 69.80500030517578, 'timezone': 5.0, 'dst': 'U',
'tz_id': 'Asia/Dushanbe', 'type': 'airport', 'source': 'OurAirports'}, 'dst_a
irport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'ci

ty': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['321']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 4297, 'name': 'Bogashevo Airport', 'city': 'Tomsk', 'iata': 'TOF', 'icao': 'UNTT', 'latitude': 56.380298614502, 'longitude': 85.208297729492, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '734']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 351, 'name': 'Berlin-Tegel Airport', 'city': 'Berlin', 'iata': 'TXL', 'icao': 'EDDT', 'latitude': 52.5597, 'longitude': 13.2877, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2952, 'name': 'Khrabrovo Airport', 'city': 'Kaliningrad', 'iata': 'KGD', 'icao': 'UMKK', 'latitude': 54.88999938964844, 'longitude': 20.592599868774414, 'timezone': 2.0, 'dst': 'N', 'tz_id': 'Europe/Kaliningrad', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 2992, 'name': 'Ufa International Airport', 'city': 'Ufa', 'iata': 'UFA', 'icao': 'UWUU', 'latitude': 54.55749893188501, 'longitude': 55.874401092529, 'timezone': 5.0, 'dst': 'N', 'tz_id': 'Asia/Yekaterinburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airlines', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country': 'Russia', 'active': True}, 'src_airport': {'airport_id': 6152, 'name': 'Urgench Airport', 'city': 'Urgench', 'iata': 'UGC', 'icao': 'UTNU', 'latitude': 41.58430099487305, 'longitude': 60.6417007446289, 'timezone': 5.0, 'dst': 'U', 'tz_id': 'Asia/Samarkand', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport',

'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4087982177734
4, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Eur
ope/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 6086, 'name': 'Ust
-Kamennogorsk Airport', 'city': 'Ust Kamenogorsk', 'iata': 'UKK', 'icao': 'UA
SK', 'latitude': 50.036598205566406, 'longitude': 82.49420166015625, 'timezon
e': 6.0, 'dst': 'U', 'tz_id': 'Asia/Qyzylorda', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Inter
national Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude
': 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 3399, 'name': 'Ürü
mqi Diwopu International Airport', 'city': 'Urumqi', 'iata': 'URC', 'icao': '
ZWWW', 'latitude': 43.90710067749024, 'longitude': 87.47419738769531, 'timezo
ne': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airpo
rt', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012
599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id'
: 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare
': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2938, 'name': 'Ula
n-Ude Airport (Mukhino)', 'city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU',
'latitude': 51.80780029296875, 'longitude': 107.43800354003906, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internationa
l Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.4
0879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', '
tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codesh
are': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2938, 'name': 'Ula
n-Ude Airport (Mukhino)', 'city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU',
'latitude': 51.80780029296875, 'longitude': 107.43800354003906, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'c

ity': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.0125999450
68, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia
/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fals
e, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2938, 'name': 'Ula
n-Ude Airport (Mukhino)', 'city': 'Ulan-ude', 'iata': 'UUD', 'icao': 'UIUU',
'latitude': 51.80780029296875, 'longitude': 107.43800354003906, 'timezone': 8
.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAir
ports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing Capital Interna
tional Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude'
: 40.0801010131836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst':
'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2933, 'name': 'Yuz
hno-Sakhalinsk Airport', 'city': 'Yuzhno-sakhalinsk', 'iata': 'UUS', 'icao':
'UHSS', 'latitude': 46.88869857788086, 'longitude': 142.71800231933594, 'time
zone': 11.0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2927, 'name': 'Khabarov
sk-Novy Airport', 'city': 'Khabarovsk', 'iata': 'KHV', 'icao': 'UHHH', 'latit
ude': 48.52799987793, 'longitude': 135.18800354004, 'timezone': 10.0, 'dst':
'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2933, 'name': 'Yuz
hno-Sakhalinsk Airport', 'city': 'Yuzhno-sakhalinsk', 'iata': 'UUS', 'icao':
'UHSS', 'latitude': 46.88869857788086, 'longitude': 142.71800231933594, 'time
zone': 11.0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2934, 'name': 'Vladivos
tok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao': 'UH
WW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'timezon
e': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1196, 'name': 'Var
na Airport', 'city': 'Varna', 'iata': 'VAR', 'icao': 'LBWN', 'latitude': 43.2
32101, 'longitude': 27.8251, 'timezone': 2.0, 'dst': 'E', 'tz_id': 'Europe/So
fia', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow', 'iata

': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude': 37.9062
9959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['320', '763']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1613, 'name': 'Vie
nna International Airport', 'city': 'Vienna', 'iata': 'VIE', 'icao': 'LOWW',
'latitude': 48.110298156738004, 'longitude': 16.569700241089002, 'timezone':
1.0, 'dst': 'E', 'tz_id': 'Europe/Vienna', 'type': 'airport', 'source': 'OurA
irports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Internatio
nal Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55
.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N',
'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': False, 'stops': 0, 'equipment': ['320', 'E90']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1246, 'name': 'Val
encia Airport', 'city': 'Valencia', 'iata': 'VLC', 'icao': 'LEVC', 'latitude'
: 39.4893, 'longitude': -0.481625, 'timezone': 1.0, 'dst': 'E', 'tz_id': 'Eur
ope/Madrid', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'ai
rport_id': 4029, 'name': 'Domodedovo International Airport', 'city': 'Moscow'
, 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'longitude':
37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'ty
pe': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'eq
uipment': ['319']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2967, 'name': 'Vol
gograd International Airport', 'city': 'Volgograd', 'iata': 'VOG', 'icao': 'U
RWW', 'latitude': 48.78250122070313, 'longitude': 44.34550094604492, 'timezon
e': 3.0, 'dst': 'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 4029, 'name': 'Domodedovo Intern
ational Airport', 'city': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude'
: 55.40879821777344, 'longitude': 37.90629959106445, 'timezone': 3.0, 'dst':
'N', 'tz_id': 'Europe/Moscow', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['319', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 1550, 'name': 'Ver
ona Villafranca Airport', 'city': 'Villafranca', 'iata': 'VRN', 'icao': 'LIPX
', 'latitude': 45.395699, 'longitude': 10.8885, 'timezone': 1.0, 'dst': 'E',
'tz_id': 'Europe/Rome', 'type': 'airport', 'source': 'OurAirports'}, 'dst_air
port': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'city

': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344, 'l
ongitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe/M
oscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stop
s': 0, 'equipment': ['320', '738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3077, 'name': 'Hong Kon
g International Airport', 'city': 'Hong Kong', 'iata': 'HKG', 'icao': 'VHHH',
'latitude': 22.308901000000002, 'longitude': 113.915001, 'timezone': 8.0, 'ds
t': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3930, 'name': 'Incheon
International Airport', 'city': 'Seoul', 'iata': 'ICN', 'icao': 'RKSI', 'lati
tude': 37.46910095214844, 'longitude': 126.45099639892578, 'timezone': 9.0, '
dst': 'U', 'tz_id': 'Asia/Seoul', 'type': 'airport', 'source': 'OurAirports'}
, 'codeshare': True, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2937, 'name': 'Irkutsk
Airport', 'city': 'Irkutsk', 'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.26
8001556396, 'longitude': 104.38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id
': 'Asia/Irkutsk', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2279, 'name': 'Narita I

nternational Airport', 'city': 'Tokyo', 'iata': 'NRT', 'icao': 'RJAA', 'latit
ude': 35.764701843299996, 'longitude': 140.386001587, 'timezone': 9.0, 'dst':
'U', 'tz_id': 'Asia/Tokyo', 'type': 'airport', 'source': 'OurAirports'}, 'cod
eshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 4078, 'name': 'Tolmache
vo Airport', 'city': 'Novosibirsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude'
: 55.012599945068, 'longitude': 82.650703430176, 'timezone': 7.0, 'dst': 'N',
'tz_id': 'Asia/Krasnoyarsk', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 3364, 'name': 'Beijing
Capital International Airport', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZB
AA', 'latitude': 40.0801010131836, 'longitude': 116.58499908447266, 'timezone
': 8.0, 'dst': 'U', 'tz_id': 'Asia/Shanghai', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2932, 'name': 'Yelizovo
Airport', 'city': 'Petropavlovsk', 'iata': 'PKC', 'icao': 'UHPP', 'latitude':
53.16790008544922, 'longitude': 158.45399475097656, 'timezone': 12.0, 'dst':
'N', 'tz_id': 'Asia/Anadyr', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2934, 'name': 'Vla
divostok International Airport', 'city': 'Vladivostok', 'iata': 'VVO', 'icao'
: 'UHWW', 'latitude': 43.39899826049805, 'longitude': 132.14799499511722, 'ti
mezone': 10.0, 'dst': 'N', 'tz_id': 'Asia/Vladivostok', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 2933, 'name': 'Yuzhno-S

akhalinsk Airport', 'city': 'Yuzhno-sakhalinsk', 'iata': 'UUS', 'icao': 'UHSS
', 'latitude': 46.88869857788086, 'longitude': 142.71800231933594, 'timezone'
: 11.0, 'dst': 'N', 'tz_id': 'Asia/Srednekolymsk', 'type': 'airport', 'source
': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923, 'name': 'Yak
utsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude':
62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N'
, 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4029, 'name': 'Domodedovo International Airport', 'c
ity': 'Moscow', 'iata': 'DME', 'icao': 'UUDD', 'latitude': 55.40879821777344,
'longitude': 37.90629959106445, 'timezone': 3.0, 'dst': 'N', 'tz_id': 'Europe
/Moscow', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'st
ops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923, 'name': 'Yak
utsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude':
62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N'
, 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 2937, 'name': 'Irkutsk Airport', 'city': 'Irkutsk',
'iata': 'IKT', 'icao': 'UIII', 'latitude': 52.268001556396, 'longitude': 104.
38899993896, 'timezone': 8.0, 'dst': 'N', 'tz_id': 'Asia/Irkutsk', 'type': 'a
irport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment
': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923, 'name': 'Yak
utsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude':
62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N'
, 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 4078, 'name': 'Tolmachevo Airport', 'city': 'Novosib
irsk', 'iata': 'OVB', 'icao': 'UNNT', 'latitude': 55.012599945068, 'longitude
': 82.650703430176, 'timezone': 7.0, 'dst': 'N', 'tz_id': 'Asia/Krasnoyarsk',
'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, '
equipment': ['738']}
{'airline': {'airline_id': 4329, 'name': 'S7 Airlines', 'alias': 'Sibir Airli
nes', 'iata': 'S7', 'icao': 'SBI', 'callsign': 'SIBERIAN AIRLINES', 'country'
: 'Russia', 'active': True}, 'src_airport': {'airport_id': 2923, 'name': 'Yak
utsk Airport', 'city': 'Yakutsk', 'iata': 'YKS', 'icao': 'UEEE', 'latitude':
62.093299865722656, 'longitude': 129.77099609375, 'timezone': 9.0, 'dst': 'N'
, 'tz_id': 'Asia/Yakutsk', 'type': 'airport', 'source': 'OurAirports'}, 'dst_
airport': {'airport_id': 3364, 'name': 'Beijing Capital International Airport

', 'city': 'Beijing', 'iata': 'PEK', 'icao': 'ZBAA', 'latitude': 40.080101013
1836, 'longitude': 116.58499908447266, 'timezone': 8.0, 'dst': 'U', 'tz_id':
'Asia/Shanghai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Fa
lse, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 253, 'name': 'Port Bouet Airport', 'city
': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, '
longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Afric
a/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'air
port_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata
': 'ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.1667
8600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['143']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka International Airpo
rt', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.6051898002
62451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 253, 'name': 'Port Bouet Airport', 'city': 'Abidjan', 'iata'
: 'ABJ', 'icao': 'DIAP', 'latitude': 5.261390209197998, 'longitude': -3.92629
00352478023, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 'type':
'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipme
nt': ['143']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka International Airpo
rt', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.6051898002
62451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 5556, 'name': 'Kumasi Airport', 'city': 'Kumasi', 'iata': 'K
MS', 'icao': 'DGSI', 'latitude': 6.714560031890869, 'longitude': -1.590819954
8721311, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'143']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka International Airpo
rt', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.6051898002
62451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 252, 'name': 'Takoradi Airport', 'city': 'Takoradi', 'iata':

'TKD', 'icao': 'DGTK', 'latitude': 4.896059989929199, 'longitude': -1.7747600
078582764, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['143']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 248, 'name': 'Kotoka International Airpo
rt', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude': 5.6051898002
62451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id
': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport'
: {'airport_id': 249, 'name': 'Tamale Airport', 'city': 'Tamale', 'iata': 'TM
L', 'icao': 'DGLE', 'latitude': 9.55718994140625, 'longitude': -0.86321401596
06934, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['1
43']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 5556, 'name': 'Kumasi Airport', 'city':
'Kumasi', 'iata': 'KMS', 'icao': 'DGSI', 'latitude': 6.714560031890869, 'long
itude': -1.5908199548721311, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Ac
cra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_i
d': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'AC
C', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.1667860001
3256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': [
'143']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 252, 'name': 'Takoradi Airport', 'city':
'Takoradi', 'iata': 'TKD', 'icao': 'DGTK', 'latitude': 4.896059989929199, 'lo
ngitude': -1.7747600078582764, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/
Accra', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport
_id': 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': '
ACC', 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600
013256073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'air
port', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment':
['143']}
{'airline': {'airline_id': 17099, 'name': 'Starbow Airlines', 'alias': 'nan',
'iata': 'S9', 'icao': 'SGG', 'callsign': 'nan', 'country': 'Ghana', 'active':
True}, 'src_airport': {'airport_id': 249, 'name': 'Tamale Airport', 'city': '
Tamale', 'iata': 'TML', 'icao': 'DGLE', 'latitude': 9.55718994140625, 'longit
ude': -0.8632140159606934, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accr
a', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id'
: 248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC'

, 'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.166786000132
56073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport
', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['1
43']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
253, 'name': 'Port Bouet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao':
'DIAP', 'latitude': 5.261390209197998, 'longitude': -3.9262900352478023, 'tim
ezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 248, 'name': 'Kotoka Intern
ational Airport', 'city': 'Accra', 'iata': 'ACC', 'icao': 'DGAA', 'latitude':
5.605189800262451, 'longitude': -0.16678600013256073, 'timezone': 0.0, 'dst':
'N', 'tz_id': 'Africa/Accra', 'type': 'airport', 'source': 'OurAirports'}, 'c
odeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC',
'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600013256
073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 253, 'name': 'Port Bo
uet Airport', 'city': 'Abidjan', 'iata': 'ABJ', 'icao': 'DIAP', 'latitude': 5
.261390209197998, 'longitude': -3.9262900352478023, 'timezone': 0.0, 'dst': '
N', 'tz_id': 'Africa/Abidjan', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
248, 'name': 'Kotoka International Airport', 'city': 'Accra', 'iata': 'ACC',
'icao': 'DGAA', 'latitude': 5.605189800262451, 'longitude': -0.16678600013256
073, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Accra', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tamb
o International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAO
R', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', '
tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa'
, 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7
993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1044, 'n

ame': 'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO',
'icao': 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0,
'dst': 'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirpor
ts'}, 'codeshare': True, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1107, 'name': 'Addis Ababa Bole International Airport', 'city': 'Addis Ababa'
, 'iata': 'ADD', 'icao': 'HAAB', 'latitude': 8.97789001465, 'longitude': 38.7
993011475, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Addis_Ababa', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'na
me': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB',
'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77L']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
984, 'name': 'Nampula Airport', 'city': 'Nampula', 'iata': 'APL', 'icao': 'FQ
NP', 'latitude': -15.105600357055664, 'longitude': 39.28179931640625, 'timezo
ne': 2.0, 'dst': 'U', 'tz_id': 'Africa/Maputo', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo Internat
ional Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latit
ude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'A
frica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare'
: True, 'stops': 0, 'equipment': ['ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
2179, 'name': 'Abu Dhabi International Airport', 'city': 'Abu Dhabi', 'iata':
'AUH', 'icao': 'OMAA', 'latitude': 24.433000564575195, 'longitude': 54.651100
158691406, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR
Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao':
'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
879, 'name': 'Kasane Airport', 'city': 'Kasane', 'iata': 'BBK', 'icao': 'FBKE
', 'latitude': -17.83289909362793, 'longitude': 25.16239929199219, 'timezone'
: 2.0, 'dst': 'U', 'tz_id': 'Africa/Gaborone', 'type': 'airport', 'source': '
OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo Internati

onal Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitu
de': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af
rica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
974, 'name': 'Beira Airport', 'city': 'Beira', 'iata': 'BEW', 'icao': 'FQBR',
'latitude': -19.79640007019043, 'longitude': 34.90760040283203, 'timezone': 2
.0, 'dst': 'U', 'tz_id': 'Africa/Maputo', 'type': 'airport', 'source': 'OurAi
rports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International
Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude':
-26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/
Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
794, 'name': 'Bram Fischer International Airport', 'city': 'Bloemfontein', 'i
ata': 'BFN', 'icao': 'FABL', 'latitude': -29.092699050900002, 'longitude': 26
.302400589, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 797, '
name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT',
'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'time
zone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 's
ource': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733',
'738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
794, 'name': 'Bram Fischer International Airport', 'city': 'Bloemfontein', 'i
ata': 'BFN', 'icao': 'FABL', 'latitude': -29.092699050900002, 'longitude': 26
.302400589, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 799, '
name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'DUR', '
icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199997, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER3
', 'J41']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
794, 'name': 'Bram Fischer International Airport', 'city': 'Bloemfontein', 'i
ata': 'BFN', 'icao': 'FABL', 'latitude': -29.092699050900002, 'longitude': 26

.302400589, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, '
name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB
', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'AR8', 'ER3
', 'CR7']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
3885, 'name': 'Suvarnabhumi Airport', 'city': 'Bangkok', 'iata': 'BKK', 'icao
': 'VTBS', 'latitude': 13.681099891662598, 'longitude': 100.74700164794922, '
timezone': 7.0, 'dst': 'U', 'tz_id': 'Asia/Bangkok', 'type': 'airport', 'sour
ce': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo Int
ernational Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', '
latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id
': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codes
hare': True, 'stops': 0, 'equipment': ['777']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1044, 'name': 'Modibo Keita International Airport', 'city': 'Bamako', 'iata':
'BKO', 'icao': 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone'
: 0.0, 'dst': 'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1107, 'name': 'Addis Ababa Bole In
ternational Airport', 'city': 'Addis Ababa', 'iata': 'ADD', 'icao': 'HAAB', '
latitude': 8.97789001465, 'longitude': 38.7993011475, 'timezone': 3.0, 'dst':
'U', 'tz_id': 'Africa/Addis_Ababa', 'type': 'airport', 'source': 'OurAirports
'}, 'codeshare': True, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1044, 'name': 'Modibo Keita International Airport', 'city': 'Bamako', 'iata':
'BKO', 'icao': 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone'
: 0.0, 'dst': 'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'Ou
rAirports'}, 'dst_airport': {'airport_id': 1084, 'name': 'Léopold Sédar Sengh
or International Airport', 'city': 'Dakar', 'iata': 'DKR', 'icao': 'GOOY', 'l
atitude': 14.739700317382812, 'longitude': -17.49020004272461, 'timezone': 0.
0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': True, 'stops': 0, 'equipment': ['757']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1013, 'name': 'Chileka International Airport', 'city': 'Blantyre', 'iata': 'B

LZ', 'icao': 'FWCL', 'latitude': -15.679100036621096, 'longitude': 34.9739990
234375, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Blantyre', 'type': 'air
port', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': '
OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao
': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
2997, 'name': 'Chhatrapati Shivaji International Airport', 'city': 'Mumbai',
'iata': 'BOM', 'icao': 'VABB', 'latitude': 19.088699340799998, 'longitude': 7
2.8678970337, 'timezone': 5.5, 'dst': 'N', 'tz_id': 'Asia/Calcutta', 'type':
'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name
': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', '
icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'd
st': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAi
rports'}, 'codeshare': False, 'stops': 0, 'equipment': ['332']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1001, 'name': 'Joshua Mqabuko Nkomo International Airport', 'city': 'Bulawayo
', 'iata': 'BUQ', 'icao': 'FVBU', 'latitude': -20.017401, 'longitude': 28.617
901, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport'
, 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Ta
mbo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'F
AOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'},
'codeshare': True, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
883, 'name': 'Maya-Maya Airport', 'city': 'Brazzaville', 'iata': 'BZV', 'icao
': 'FCBB', 'latitude': -4.251699924468993, 'longitude': 15.253000259399414, '
timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tamb
o International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAO
R', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', '
tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1128, 'name': 'Cairo International Airport', 'city': 'Cairo', 'iata': 'CAI',

'icao': 'HECA', 'latitude': 30.12190055847168, 'longitude': 31.40559959411621
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Cairo', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo
International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR'
, 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz
_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['330']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
245, 'name': 'Cadjehoun Airport', 'city': 'Cotonou', 'iata': 'COO', 'icao': '
DBBB', 'latitude': 6.357230186462402, 'longitude': 2.384350061416626, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Porto-Novo', 'type': 'airport', 'sourc
e': 'OurAirports'}, 'dst_airport': {'airport_id': 886, 'name': 'Pointe Noire
Airport', 'city': 'Pointe-noire', 'iata': 'PNR', 'icao': 'FCPP', 'latitude':
-4.816030025482178, 'longitude': 11.88659954071045, 'timezone': 1.0, 'dst': '
N', 'tz_id': 'Africa/Brazzaville', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['320']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 794, 'name': 'Br
am Fischer International Airport', 'city': 'Bloemfontein', 'iata': 'BFN', 'ic
ao': 'FABL', 'latitude': -29.092699050900002, 'longitude': 26.302400589, 'tim
ezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', '
source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733',
'738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 799, 'name': 'Ki
ng Shaka International Airport', 'city': 'Durban', 'iata': 'DUR', 'icao': 'FA
LE', 'latitude': -29.6144444444, 'longitude': 31.119722222199997, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':

797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 800, 'name': 'Ben Schoeman Airport', 'city': 'East London', 'iata': 'ELS', 'icao': 'FAEL', 'latitude': -33.0355987549, 'longitude': 27.825899124099998, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 804, 'name': 'George Airport', 'city': 'George', 'iata': 'GRJ', 'icao': 'FAGG', 'latitude': -34.0056, 'longitude': 22.378902, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2', 'ER3', 'AR8']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 811, 'name': 'Hoedspruit Air Force Base Airport', 'city': 'Hoedspruit', 'iata': 'HDS', 'icao': 'FAHS', 'latitude': -24.3686008453, 'longitude': 31.048700332600003, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':

797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 820, 'name': 'La
nseria Airport', 'city': 'Johannesburg', 'iata': 'HLA', 'icao': 'FALA', 'lati
tude': -25.9384994507, 'longitude': 27.926099777199997, 'timezone': 2.0, 'dst
': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR
Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao':
'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '320', '343', '319',
'733', '346', '332', '342']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 815, 'name': 'Ki
mberley Airport', 'city': 'Kimberley', 'iata': 'KIM', 'icao': 'FAKM', 'latitu
de': -28.802799224900003, 'longitude': 24.765199661300002, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2', 'ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 979, 'name': 'Ma
puto Airport', 'city': 'Maputo', 'iata': 'MPM', 'icao': 'FQMA', 'latitude': -
25.920799, 'longitude': 32.572601, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Afr
ica/Maputo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True,
'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO

K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5604, 'name': 'Kruger Mpumalanga International Airport', 'city': 'Mpumalanga', 'iata': 'MQP', 'icao': 'FAKN', 'latitude': -25.383199691799998, 'longitude': 31.105600357100002, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['AR8']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 838, 'name': 'Port Elizabeth Airport', 'city': 'Port Elizabeth', 'iata': 'PLZ', 'icao': 'FAPE', 'latitude': -33.984901428200004, 'longitude': 25.617300033600003, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['733']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 865, 'name': 'Pierre Van Ryneveld Airport', 'city': 'Upington', 'iata': 'UTN', 'icao': 'FAUP', 'latitude': -28.39909935, 'longitude': 21.260200500499998, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 4105, 'name': 'Hosea Kutako International Airport', 'city': 'Windhoek', 'iata': 'WDH', 'icao': 'FYWH', 'latitude': -22.4799, 'longitude': 17.4709, 'timezone': 1.0, 'dst': 'S', 'tz_id': 'Africa/Windhoek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}

{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata':
'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airpo
rt', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 6778, 'name': 'W
alvis Bay Airport', 'city': 'Walvis Bay', 'iata': 'WVB', 'icao': 'FYWB', 'lat
itude': -22.9799, 'longitude': 14.6453, 'timezone': 1.0, 'dst': 'S', 'tz_id':
'Africa/Windhoek', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1177, 'name': 'Julius Nyerere International Airport', 'city': 'Dar Es Salaam'
, 'iata': 'DAR', 'icao': 'HTDA', 'latitude': -6.87811, 'longitude': 39.202599
, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Dar_es_Salaam', 'type': 'airp
ort', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'O
R Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao'
: 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst':
'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': False, 'stops': 0, 'equipment': ['319', '320']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar',
'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -
17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1044,
'name': 'Modibo Keita International Airport', 'city': 'Bamako', 'iata': 'BKO'
, 'icao': 'GABS', 'latitude': 12.5335, 'longitude': -7.94994, 'timezone': 0.0
, 'dst': 'N', 'tz_id': 'Africa/Bamako', 'type': 'airport', 'source': 'OurAirp
orts'}, 'codeshare': True, 'stops': 0, 'equipment': ['763']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar',
'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -
17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 3714,
'name': 'Washington Dulles International Airport', 'city': 'Washington', 'iat
a': 'IAD', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitude': -77.45580292
, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airport

', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['3
43']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1084, 'name': 'Léopold Sédar Senghor International Airport', 'city': 'Dakar',
'iata': 'DKR', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -
17.49020004272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'typ
e': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, '
name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB
', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0
, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['343']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
897, 'name': 'Douala International Airport', 'city': 'Douala', 'iata': 'DLA',
'icao': 'FKKD', 'latitude': 4.0060801506, 'longitude': 9.71947956085, 'timezo
ne': 1.0, 'dst': 'N', 'tz_id': 'Africa/Douala', 'type': 'airport', 'source':
'OurAirports'}, 'dst_airport': {'airport_id': 970, 'name': "Libreville Leon M
'ba International Airport", 'city': 'Libreville', 'iata': 'LBV', 'icao': 'FOO
L', 'latitude': 0.45860001444799997, 'longitude': 9.4122800827, 'timezone': 1
.0, 'dst': 'N', 'tz_id': 'Africa/Libreville', 'type': 'airport', 'source': 'O
urAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 794, 'name':
'Bram Fischer International Airport', 'city': 'Bloemfontein', 'iata': 'BFN',
'icao': 'FABL', 'latitude': -29.092699050900002, 'longitude': 26.302400589, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport'
, 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER3
', 'J41']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 797, 'name':
'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao'

: 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source':
'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 2188, 'name':
'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB'
, 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0
, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirport
s'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 800, 'name':
'Ben Schoeman Airport', 'city': 'East London', 'iata': 'ELS', 'icao': 'FAEL',
'latitude': -33.0355987549, 'longitude': 27.825899124099998, 'timezone': 2.0,
'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 804, 'name':
'George Airport', 'city': 'George', 'iata': 'GRJ', 'icao': 'FAGG', 'latitude'
: -34.0056, 'longitude': 22.378902, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Af
rica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1005, 'name':
'Robert Gabriel Mugabe International Airport', 'city': 'Harare', 'iata': 'HRE

', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928, 'timezone':
2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name':
'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'ica
o': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst'
: 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '319', '320', '73
3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 907, 'name':
'Kenneth Kaunda International Airport Lusaka', 'city': 'Lusaka', 'iata': 'LUN
', 'icao': 'FLLS', 'latitude': -15.330800056500001, 'longitude': 28.452600479
1, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lusaka', 'type': 'airport',
'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']
}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai
rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 979, 'name':
'Maputo Airport', 'city': 'Maputo', 'iata': 'MPM', 'icao': 'FQMA', 'latitude'
: -25.920799, 'longitude': 32.572601, 'timezone': 2.0, 'dst': 'U', 'tz_id': '
Africa/Maputo', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': Tru
e, 'stops': 0, 'equipment': ['J41']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'D
UR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199
997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'ai

rport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 5604, 'name': 'Kruger Mpumalanga International Airport', 'city': 'Mpumalanga', 'iata': 'MQP', 'icao': 'FAKN', 'latitude': -25.383199691799998, 'longitude': 31.105600357100002, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['ER3', 'J41']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'DUR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 838, 'name': 'Port Elizabeth Airport', 'city': 'Port Elizabeth', 'iata': 'PLZ', 'icao': 'FAPE', 'latitude': -33.984901428200004, 'longitude': 25.617300033600003, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, 'timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'DUR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 2188, 'name': 'Dubai International Airport', 'city': 'Dubai', 'iata': 'DXB', 'icao': 'OMDB', 'latitude': 25.252799987800003, 'longitude': 55.3643989563, '

timezone': 4.0, 'dst': 'U', 'tz_id': 'Asia/Dubai', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['77W']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 1187, 'name': 'Entebbe International Airport', 'city': 'Entebbe', 'iata': 'EBB', 'icao': 'HUEN', 'latitude': 0.042386, 'longitude': 32.443501, 'timezone': 3.0, 'dst': 'U', 'tz_id': 'Africa/Kampala', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['319']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 800, 'name': 'Ben Schoeman Airport', 'city': 'East London', 'iata': 'ELS', 'icao': 'FAEL', 'latitude': -33.0355987549, 'longitude': 27.825899124099998, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 797, 'name': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4', 'CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 800, 'name': 'Ben Schoeman Airport', 'city': 'East London', 'iata': 'ELS', 'icao': 'FAEL', 'latitude': -33.0355987549, 'longitude': 27.825899124099998, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 799, 'name': 'King Shaka International Airport', 'city': 'Durban', 'iata': 'DUR', 'icao': 'FALE', 'latitude': -29.6144444444, 'longitude': 31.119722222199997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 800, 'name': 'Ben Schoeman Airport', 'city': 'East London', 'iata': 'ELS', 'icao': 'FAEL', 'latitude': -33.0355987549, 'longitude': 27.825899124099998, 't

imezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['320', '319']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 800, 'name': 'Ben Schoeman Airport', 'city': 'East London', 'iata': 'ELS', 'icao': 'FAEL', 'latitude': -33.0355987549, 'longitude': 27.825899124099998, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 838, 'name': 'Port Elizabeth Airport', 'city': 'Port Elizabeth', 'iata': 'PLZ', 'icao': 'FAPE', 'latitude': -33.984901428200004, 'longitude': 25.617300033600003, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['J41']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 1038, 'name': 'Lubumbashi International Airport', 'city': 'Lubumashi', 'iata': 'FBM', 'icao': 'FZQA', 'latitude': -11.5913000107, 'longitude': 27.5308990479, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Lubumbashi', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR7']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 1020, 'name': 'Ndjili International Airport', 'city': 'Kinshasa', 'iata': 'FIH', 'icao': 'FZAA', 'latitude': -4.38575, 'longitude': 15.4446, 'timezone': 1.0, 'dst': 'N', 'tz_id': 'Africa/Kinshasa', 'type': 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['738', '319', '320']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'SAA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBOK', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id': 340, 'name': 'Frankfurt am Main Airport', 'city': 'Frankfurt', 'iata': 'FRA', 'icao': 'EDDF', 'latitude': 50.033333, 'longitude': 8.570556, 'timezone': 1.0

, 'dst': 'E', 'tz_id': 'Europe/Berlin', 'type': 'airport', 'source': 'OurAirp
orts'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Ai
rport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -2
6.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Jo
hannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False,
'stops': 0, 'equipment': ['346']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
881, 'name': 'Sir Seretse Khama International Airport', 'city': 'Gaberone', '
iata': 'GBE', 'icao': 'FBSK', 'latitude': -24.555201, 'longitude': 25.9182, '
timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Gaborone', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo
International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR'
, 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz
_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': True, 'stops': 0, 'equipment': ['DH4', 'AR8', 'CR2', 'ER3', 'CR7']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
804, 'name': 'George Airport', 'city': 'George', 'iata': 'GRJ', 'icao': 'FAGG
', 'latitude': -34.0056, 'longitude': 22.378902, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 797, 'name': 'Cape Town International Airport',
'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', 'latitude': -33.964801788
3, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/
Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': True
, 'stops': 0, 'equipment': ['CR2', 'ER3', 'AR8']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
804, 'name': 'George Airport', 'city': 'George', 'iata': 'GRJ', 'icao': 'FAGG
', 'latitude': -34.0056, 'longitude': 22.378902, 'timezone': 2.0, 'dst': 'U',
'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 799, 'name': 'King Shaka International Airport'
, 'city': 'Durban', 'iata': 'DUR', 'icao': 'FALE', 'latitude': -29.6144444444
, 'longitude': 31.119722222199997, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Afr
ica/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare':
True, 'stops': 0, 'equipment': ['ER3']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
804, 'name': 'George Airport', 'city': 'George', 'iata': 'GRJ', 'icao': 'FAGG
', 'latitude': -34.0056, 'longitude': 22.378902, 'timezone': 2.0, 'dst': 'U',

'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'},
'dst_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport',
'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392,
'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesbu
rg', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops'
: 0, 'equipment': ['738', '733']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
2564, 'name': 'Guarulhos - Governador André Franco Montoro International Airp
ort', 'city': 'Sao Paulo', 'iata': 'GRU', 'icao': 'SBGR', 'latitude': -23.435
556411743164, 'longitude': -46.47305679321289, 'timezone': -3.0, 'dst': 'S',
'tz_id': 'America/Sao_Paulo', 'type': 'airport', 'source': 'OurAirports'}, 'd
st_airport': {'airport_id': 813, 'name': 'OR Tambo International Airport', 'c
ity': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR', 'latitude': -26.1392, 'l
ongitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg
', 'type': 'airport', 'source': 'OurAirports'}, 'codeshare': False, 'stops':
0, 'equipment': ['346', '332', '343']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
811, 'name': 'Hoedspruit Air Force Base Airport', 'city': 'Hoedspruit', 'iata
': 'HDS', 'icao': 'FAHS', 'latitude': -24.3686008453, 'longitude': 31.0487003
32600003, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 797, 'na
me': 'Cape Town International Airport', 'city': 'Cape Town', 'iata': 'CPT', '
icao': 'FACT', 'latitude': -33.9648017883, 'longitude': 18.6016998291, 'timez
one': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'so
urce': 'OurAirports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
811, 'name': 'Hoedspruit Air Force Base Airport', 'city': 'Hoedspruit', 'iata
': 'HDS', 'icao': 'FAHS', 'latitude': -24.3686008453, 'longitude': 31.0487003
32600003, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type'
: 'airport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'na
me': 'OR Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB',
'icao': 'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, '
dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurA
irports'}, 'codeshare': True, 'stops': 0, 'equipment': ['DH4']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
3077, 'name': 'Hong Kong International Airport', 'city': 'Hong Kong', 'iata':

'HKG', 'icao': 'VHHH', 'latitude': 22.308901000000002, 'longitude': 113.91500
1, 'timezone': 8.0, 'dst': 'U', 'tz_id': 'Asia/Hong_Kong', 'type': 'airport',
'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tamb
o International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAO
R', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', '
tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, '
codeshare': False, 'stops': 0, 'equipment': ['343', '346']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
820, 'name': 'Lanseria Airport', 'city': 'Johannesburg', 'iata': 'HLA', 'icao
': 'FALA', 'latitude': -25.9384994507, 'longitude': 27.926099777199997, 'time
zone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 's
ource': 'OurAirports'}, 'dst_airport': {'airport_id': 797, 'name': 'Cape Town
International Airport', 'city': 'Cape Town', 'iata': 'CPT', 'icao': 'FACT', '
latitude': -33.9648017883, 'longitude': 18.6016998291, 'timezone': 2.0, 'dst'
: 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirpo
rts'}, 'codeshare': False, 'stops': 0, 'equipment': ['738']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1005, 'name': 'Robert Gabriel Mugabe International Airport', 'city': 'Harare'
, 'iata': 'HRE', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 799, 'name': 'King Sha
ka International Airport', 'city': 'Durban', 'iata': 'DUR', 'icao': 'FALE', '
latitude': -29.6144444444, 'longitude': 31.119722222199997, 'timezone': 2.0,
'dst': 'U', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'Our
Airports'}, 'codeshare': True, 'stops': 0, 'equipment': ['CR2']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
1005, 'name': 'Robert Gabriel Mugabe International Airport', 'city': 'Harare'
, 'iata': 'HRE', 'icao': 'FVHA', 'latitude': -17.931801, 'longitude': 31.0928
, 'timezone': 2.0, 'dst': 'U', 'tz_id': 'Africa/Harare', 'type': 'airport', '
source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR Tambo
International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao': 'FAOR'
, 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U', 'tz
_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'}, 'co
deshare': False, 'stops': 0, 'equipment': ['738', '319', '320']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
3714, 'name': 'Washington Dulles International Airport', 'city': 'Washington'

```
, 'iata': 'IAD', 'icao': 'KIAD', 'latitude': 38.94449997, 'longitude': -77.45
580292, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'a
irport', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 1084, 'name'
: 'Léopold Sédar Senghor International Airport', 'city': 'Dakar', 'iata': 'DK
R', 'icao': 'GOOY', 'latitude': 14.739700317382812, 'longitude': -17.49020004
272461, 'timezone': 0.0, 'dst': 'N', 'tz_id': 'Africa/Dakar', 'type': 'airpor
t', 'source': 'OurAirports'}, 'codeshare': False, 'stops': 0, 'equipment': ['
343']}
{'airline': {'airline_id': 4305, 'name': 'South African Airways', 'alias': 'S
AA South African Airways', 'iata': 'SA', 'icao': 'SAA', 'callsign': 'SPRINGBO
K', 'country': 'South Africa', 'active': True}, 'src_airport': {'airport_id':
3797, 'name': 'John F Kennedy International Airport', 'city': 'New York', 'ia
ta': 'JFK', 'icao': 'KJFK', 'latitude': 40.63980103, 'longitude': -73.7789001
5, 'timezone': -5.0, 'dst': 'A', 'tz_id': 'America/New_York', 'type': 'airpor
t', 'source': 'OurAirports'}, 'dst_airport': {'airport_id': 813, 'name': 'OR
Tambo International Airport', 'city': 'Johannesburg', 'iata': 'JNB', 'icao':
'FAOR', 'latitude': -26.1392, 'longitude': 28.246, 'timezone': 2.0, 'dst': 'U
', 'tz_id': 'Africa/Johannesburg', 'type': 'airport', 'source': 'OurAirports'
}, 'codeshare': False, 'stops': 0, 'equipment': ['346']}
IOPub data rate exceeded.
The notebook server will temporarily stop sending output
to the client in order to avoid crashing it.
To change this limit, set the config variable
`--NotebookApp.iopub_data_rate_limit`.

Current values:
NotebookApp.iopub_data_rate_limit=1000000.0 (bytes/sec)
NotebookApp.rate_limit_window=3.0 (secs)
```

### 3.1.c Parquet

In [22]:

```python
def create_parquet_dataset():
    src_data_path = 'data/processed/openflights/routes.jsonl.gz'
    parquet_output_path = results_dir.joinpath('routes.parquet')
    s3 = s3fs.S3FileSystem(
        anon=True,
        client_kwargs={
            'endpoint_url': endpoint_url
        }
    )

    with s3.open(src_data_path, 'rb') as f_gz:
        with gzip.open(f_gz, 'rb') as f:
```

```
            pass
            ## TODO: Use Apache Arrow to create Parquet table and save the da
taset
            table = read_json(f)

    pq.write_table(table, parquet_output_path)
create_parquet_dataset()

parquet_output_path = results_dir.joinpath('routes.parquet')

pq_file = pq.ParquetFile(parquet_output_path)
pq_file.metadata
```

Out[22]:

```
<pyarrow._parquet.FileMetaData object at 0x7fc6daf520e0>
  created_by: parquet-cpp version 1.5.1-SNAPSHOT
  num_columns: 38
  num_rows: 67663
  num_row_groups: 1
  format_version: 1.0
  serialized_size: 7571
```

In [23]:

```
pq_file.schema
```

Out[23]:

```
<pyarrow._parquet.ParquetSchema object at 0x7fc6c1cdfc80>
required group field_id=0 schema {
  optional group field_id=1 airline {
    optional int64 field_id=2 airline_id;
    optional binary field_id=3 name (String);
    optional binary field_id=4 alias (String);
    optional binary field_id=5 iata (String);
    optional binary field_id=6 icao (String);
    optional binary field_id=7 callsign (String);
    optional binary field_id=8 country (String);
    optional boolean field_id=9 active;
  }
  optional group field_id=10 src_airport {
    optional int64 field_id=11 airport_id;
    optional binary field_id=12 name (String);
    optional binary field_id=13 city (String);
    optional binary field_id=14 country (String);
    optional binary field_id=15 iata (String);
    optional binary field_id=16 icao (String);
    optional double field_id=17 latitude;
```

```
    optional double field_id=18 longitude;
    optional int64 field_id=19 altitude;
    optional double field_id=20 timezone;
    optional binary field_id=21 dst (String);
    optional binary field_id=22 tz_id (String);
    optional binary field_id=23 type (String);
    optional binary field_id=24 source (String);
  }
  optional group field_id=25 dst_airport {
    optional int64 field_id=26 airport_id;
    optional binary field_id=27 name (String);
    optional binary field_id=28 city (String);
    optional binary field_id=29 country (String);
    optional binary field_id=30 iata (String);
    optional binary field_id=31 icao (String);
    optional double field_id=32 latitude;
    optional double field_id=33 longitude;
    optional int64 field_id=34 altitude;
    optional double field_id=35 timezone;
    optional binary field_id=36 dst (String);
    optional binary field_id=37 tz_id (String);
    optional binary field_id=38 type (String);
    optional binary field_id=39 source (String);
  }
  optional boolean field_id=40 codeshare;
  optional group field_id=41 equipment (List) {
    repeated group field_id=42 list {
      optional binary field_id=43 item (String);
    }
  }
}
```

### 3.1.d Protocol Buffers

In [26]:

```
sys.path.insert(0, os.path.abspath('routes_pb2'))

import routes_pb2

def _airport_to_proto_obj(airport):
    obj = routes_pb2.Airport()
    if airport is None:
        return None
    if airport.get('airport_id') is None:
        return None
```

```
    obj.airport_id = airport.get('airport_id')
    if airport.get('name'):
        obj.name = airport.get('name')
    if airport.get('city'):
        obj.city = airport.get('city')
    if airport.get('iata'):
        obj.iata = airport.get('iata')
    if airport.get('icao'):
        obj.icao = airport.get('icao')
    if airport.get('altitude'):
        obj.altitude = airport.get('altitude')
    if airport.get('timezone'):
        obj.timezone = airport.get('timezone')
    if airport.get('dst'):
        obj.dst = airport.get('dst')
    if airport.get('tz_id'):
        obj.tz_id = airport.get('tz_id')
    if airport.get('type'):
        obj.type = airport.get('type')
    if airport.get('source'):
        obj.source = airport.get('source')

    obj.latitude = airport.get('latitude')
    obj.longitude = airport.get('longitude')

    return obj


def _airline_to_proto_obj(airline):
    obj = routes_pb2.Airline()
    ## TODO: Create an Airline obj using Protocol Buffers API
    if airline is None:
        return None
    if airline.get('airline_id') is None:
        return None

    obj.airline_id = airline.get('airline_id')
    if airline.get('name'):
        obj.name = airline.get('name')
    if airline.get('alias'):
        obj.alias = airline.get('alias')
    if airline.get('iata'):
        obj.iata = airline.get('iata')
```

```
    if airline.get('icao'):
        obj.icao = airline.get('icao')
    if airline.get('callsign'):
        obj.callsign = airline.get('callsign')
    if airline.get('country'):
        obj.country = airline.get('country')
    if airline.get('active'):
        obj.active = airline.get('active')
    else:
        obj.active = False

    return obj


def create_protobuf_dataset(records):
    routes = routes_pb2.Routes()
    for record in records:
        route = routes_pb2.Route()
        ## TODO: Implement the code to create the Protocol Buffers Dataset
        airline = _airline_to_proto_obj(record.get('airline', {}))
        if airline:
            route.airline.CopyFrom(airline)
        src_airport = _airport_to_proto_obj(record.get('src_airport', {}))
        if src_airport:
            route.src_airport.CopyFrom(src_airport)
        dst_airport = _airport_to_proto_obj(record.get('dst_airport', {}))
        if dst_airport:
            route.dst_airport.CopyFrom(dst_airport)

        if record.get('codeshare'):
            route.codeshare = record.get('codeshare')
        else:
            route.codeshare = False

        if record.get('stops'):
            route.stops = record.get('stops')

        equipment = record.get('equipment')

        if len(equipment) > 1:
            for i, v in enumerate(equipment):
                route.equipment.append(v)
        else:
            equipment = record.get('equipment')
```

```
        routes.route.append(route)

    data_path = results_dir.joinpath('routes.pb')

    with open(data_path, 'wb') as f:
        f.write(routes.SerializeToString())

    compressed_path = results_dir.joinpath('routes.pb.snappy')

    with open(compressed_path, 'wb') as f:
        f.write(snappy.compress(routes.SerializeToString()))

create_protobuf_dataset(records)
```

# 3.2

## 3.2.a Simple Geohash Index

In [27]:

```
def create_hash_dirs(records):
    geoindex_dir = results_dir.joinpath('geoindex')
    geoindex_dir.mkdir(exist_ok=True, parents=True)
    hashes = []
    ## TODO: Create hash index
    for record in records:
        src_airport = record.get('src_airport', {})
        if src_airport:
            latitude = src_airport.get('latitude')
            longitude = src_airport.get('longitude')
            if latitude and longitude:
                hashes.append(pygeohash.encode(latitude, longitude))

    hashes.sort()

    three_letter = sorted(list(set([entry[:3] for entry in hashes])))

    hash_index = {value: [] for value in three_letter}

    for record in records:
        geohash = record.get('geohash')
        if geohash:
            hash_index[geohash[:3]].append(record)

    for key, values in hash_index.items():
        output_dir = geoindex_dir.joinpath(str(key[:1])).joinpath(str(key[:2]
))
```

```
        output_dir.mkdir(exist_ok=True, parents=True)
        output_path = output_dir.joinpath('{}.jsonl.gz'.format(key))
        with gzip.open(output_path, 'w') as f:
            json_output = '\n'.join([json.dumps(value) for value in values])
            f.write(json_output.encode('utf-8'))

create_hash_dirs(records)
```

### 3.2.b Simple Search Feature

In [30]:

```
def airport_search(latitude, longitude):
    ## TODO: Create simple search to return nearest airport
    geohash = pygeohash.encode(latitude, longitude)
    pass

airport_search(41.1499988, -95.91779)
```

In [31]:

```
pygeohash.geohash_approximate_distance('bcd3u', 'bc83n')
```

Out[31]:

```
625441
```

In [ ]: