

KYC Third-Party Data Pipelines – Technical Documentation

1. Overview

As part of the S&E (Sanctions & Embargoes) process, third-party data is ingested daily into the data lake to support the KYC (Know Your Customer) process. The objective is to prevent situations related to terrorism financing and money laundering by screening third-party entities (corporates and privates) against sanctions lists.

The data arrives from multiple source systems and is consolidated in Azure Data Lake Storage (ADLS) under the container `hq-riskandcompliance-[environment]`, in the folder path defined by the `SinkPath` pipeline parameter, typically `INPUT/CSV` or `INPUT/COMPLIANCE`.

All pipelines run within **Azure Data Factory (ADF)** and share a common global parameter `EnvironmentContainer` that dynamically routes data to the correct storage container depending on the environment (`prd`, `dev`, etc.).

2. Common Datasets and Parameters

2.1 Shared Datasets

Dataset Name	Description
<code>RCDM_DATASET_MultiTarget</code>	Multi-target dataset used as source and sink across most pipelines. Points to ADLS containers.
<code>NCDM_DATASET_MultiTarget_rp</code>	Variant used in specific pipelines (e.g., KYC Lafayette ALDle).
<code>ALDNAS_ALD_Country</code>	Dataset pointing to the NAS network share where ALDNAS files land.

Dataset Name	Description
LP_S4196_S4S1ItemingFiles	Dataset pointing to the LeasePlan source files in ADLS.
KYC_Lafayette_FleetpoolDE_Input	Dataset pointing to the Fleet Pool Germany source folder.

2.2 Common Global Parameters

Parameter	Description
Environment	Deployment environment (prd, dev, etc.)
EnvironmentContainer	Used to build the destination container name: hq-riskandcompliance-[EnvironmentContainer]

2.3 Common Sink Path Expression

The destination path is constructed dynamically using the following expression pattern:

```
@concat(
  if(equals(pipeline().globalParameters.Environment,
    'prc'),
    toUpper(pipeline().globalParameters.Environment),
    '/LOADER/'
  ),
  pipeline().parameters.SinkPath
)
```

The destination container is:

```
@concat('hq-riskandcompliance-',
  pipeline().globalParameters.EnvironmentContainer)
```

3. Third-Party Data Sources

3.1 ALDNAS (ALD NAS)

- **Description:** Cloud NAS site where files arrive in CSV format from various countries.

- **NAS Path:**
\\AyvensNAS\ALDI\CountryData\[Country]\CloudBID
ata\FDM
 - **Executed by:** Pipeline ALDNAS_Country, invoked from
KYC Lafayette ALDIe
 - **Format:** CSV
 - **Countries:** Multiple (see Annex – ALDNAS Country List)
-

3.2 ALD Ireland (ALDIe)

- **Description:** Source that provides corporate and private files for Ireland and related entities.
 - **Entities covered:** IE (Ireland), AER, RCDM, MCOPRIVATE
 - **Executed by:** Pipeline KYC Lafayette ALDIe, runs daily
 - **Format:** CSV
-

3.3 KYC Fleetpool DE (Fleet Pool Germany)

- **Description:** Pipeline that copies all files from Fleet Pool Germany.
 - **Source path:** aldstadataexchange/forces/aldi/
 - **File format pattern:** DS_DAT_rcdm_mcoprivate_*.csv
 - **Executed by:** Pipeline KYC Fleetpool DE
 - **Frequency:** Daily, files filtered by last modification (last 10 days)
-

3.4 KYC Italy (Run Loader Italy)

- **Description:** Copies corporate and private files for the Italy subsidiary.
 - **Subsidiary:** sb01
 - **Source dataset:** RCDM_DATASET_MultiTarget
 - **File format pattern:** IT_*.rcdm_m*.csv
 - **Frequency:** Daily, retrieves files from the last 3 days using the Array_days variable
 - **Source container path:** lafayette/[date]
-

3.5 KYC France

- **Description:** Copies both corporate and private files for France to the data lake.
 - **Source dataset:** RCDM_DATASET_MultiTarget
 - **File format pattern:** FR_CRM_rcdm_mcoprivate_*.csv
 - **Executed by:** Pipeline KYC France
 - **Frequency:** Daily, files filtered by last modification (last 10 days)
-

3.6 KYC LeasePlan

- **Description:** Copies files from LeasePlan source into the data lake compliance folder.
 - **Source dataset:** LP_S4196_SubFilteringFiles
 - **File format:** .xlsx
 - **Destination path:** INPUT/COMPLIANCE in the target container
 - **Executed by:** Pipeline KYC LeasePlan
 - **Filter:** Last modification filter enabled (@adddays(utcnow(), -10))
-

3.7 KYC Lafayette P3 – Salesforce (Third Parties)

- **Description:** Extracts corporate and private third parties from Salesforce.
 - **Source table:** Shareholder__c (Salesforce)
 - **Countries covered:**
 - Algeria
 - Morocco – MA
 - India – IN
 - Turkey – TR
 - Brazil – BR
 - Peru – PE
 - Mexico – MX
 - Colombia – CO
 - **Sub-pipelines invoked:** Lafayette Corporate, Lafayette Private
 - **Output:** CSV files stored in Loader/Input/CSV
-

3.8 KYC Lafayette P4 – Salesforce (Third Parties)

- **Description:** Same functionality as P3, extracts corporate and private third parties from Salesforce. Difference is in the countries covered.
- **Source table:** Shareholder__c (Salesforce)
- **Countries covered:**
 - Chile – CL
- **Sub-pipelines invoked:** Lafayette Corporate, Lafayette Private
- **Output:** CSV files stored in Loader/Input/CSV

4. Pipeline Details

4.1 KYC Lafayette P1 – Main Orchestrator

Purpose: Master orchestrator that chains all third-party ingestion pipelines in a defined sequence.

Trigger: Daily (Desencadenador 1)

Execution sequence:

```

Run_Loader_ALDIe
    ↓
Execute [Simba/secondary]
    ↓
Run_Loader_Lafayette [...]
    ↓
Copy Remaining Files — (Condition) — If File is
Monday to Friday
    ↓
[Bin de mesa / Copy Loader]
    ↓
Run_Loader_Tesco [...]
    ↓
Run_Loader_Laur [...]
    ↓
Run_Loader_PJ [...]
  
```

Parameters:

Name	Type	Default
objectCheck	int	-1

4.2 KYC Lafayette ALDle

Purpose: Orchestrates the ingestion of ALD Ireland and ALDNAS files by iterating over a list of countries.

Trigger: Daily

Top-level activity: ForEach → ForCountry

Parameters:

Name	Type	Default Value
daysToCheck	int	-1
daysToGetFiles	int	0
Country	Array	["ES"]
Messages	Array	["MMPRIVATE", "MCCORPORAT"]
CloudBIPath	String	YOM
SinkPath	String	INPUT/CSV

Copy Files activity – Origin:

Property	Value
Dataset	NCDM_DATASET_MultiTarget_rp
Container	hq-riskandcompliance-prd
Path	poyo/shares/R06U (static base, filtered dynamically)

Property	Value
Access type	Console file path (ruta de archivos de consola)
Last modification filter	@{if(equals(pipeline().parameters.daysToGetFiles, ...

Copy Files activity – Receptor (Sink):

Property	Value
Dataset	NCDM_DATASET_MultiTarget_rp
Container	@{concat('hq-riskandcompliance-', ...)}
Path	@{concat(pipeline().globalParameters...)}

4.3 ALDNAS_Country

Purpose: For each country, reads files from the NAS share and conditionally triggers the file transfer pipeline.

Parent pipeline: KYC Lafayette ALDIe

Flow:

```

ForEach (ForCountry)
  ↓
Get Files
  ↓
If Path Exists?
  | TRUE:
  |   ↓
  |   Filter (FilterMessages)
  |   ↓
  |   Execute ALDNAS_File_Transfer
  |   ↓
  |   Send Alert (Send Madgit Email) ← on error
  | FALSE: (no action)

```

Get Files activity:

Property	Value
Dataset	ALDNAS_ALD_Country/Data_OUTPUT/
Path	@concat(item(), '/CloudBIDat_2...') (dynamic per country)
Timeout	0.12:00:00
Retries	3
Retry interval	30 seconds

FilterMessages activity:

Property	Expression
Elements	@activity('Get Files').output.childItems
Condition	@contains(pipeline().parameters.Messages, ...)

Execute ALDNAS_File_Transfer – Parameters:

Parameter	Value
Files	@activity('FilterMessages').output.value
Country	@pipeline().parameters.Country (current item)
CloudBIPath	@pipeline().parameters.CloudBIPath
daysToGetFiles	@pipeline().parameters.daysToGetFiles

Parameter	Value
SinkPath	@pipeline().parameters.SinkPath

Send Alert (Send Madgit Email) – Parameters:

Parameter	Value
EmailTo	Dynamic (distribution list)
Activity	Activity name
errorMessage	@concat('Error loading Files: ', ...)
Pipeline	@pipeline().Pipeline

4.4 ALDNAS_File_Transfer

Purpose: Transfers individual files retrieved from the ALDNAS NAS to the data lake.

Activity: ForEach → ForEach_File (iterates over each file)

Parameters:

Name	Type
Files	Array
Country	String
CloudBIPath	String

Name	Type
daysToGetFiles	int
SinkPath	String

4.5 KYC LeasePlan

Purpose: Copies LeasePlan .xlsx files from the source ADLS path to the compliance input folder.

Activity: Copy Files (single activity)

Parameters:

Name	Type	Default
SinkPath	String	INPUT_COMPLIANCE/PSP

Origin:

Property	Value
Dataset	LP_S4196_S4S1ItemingFiles
Path	@concat(' FROM_LEASPLAN_TO_A...') (dynamic)
Access type	Console folder path (wildcard)
Wildcard	*.xlsx
Recursive	Yes

Property	Value
Last modification filter	@adddays(utcnow(), -10)

Receptor (Sink):

Property	Value
Dataset	RCDM_DATASET_MultiTarget_rp
Container	@concat('hq-riskandcompliance-', pipeline().globalParameters.EnvironmentContainer)
Path	Dynamic expression based on SinkPath parameter

4.6 KYC Fleetpool DE

Purpose: Copies corporate and private files from Fleet Pool Germany to the data lake.

Activities:

Copy Files Corporates → Copy Files Privates

Parameters:

Name	Type	Default
SinkPath	String	INPUT_COMPLIANCE

Copy Files Corporates – Origin:

Property	Value
Dataset	KYC_Lafayette_FleetpoolDE_Input
Access type	Console folder path (ruta de archivos de consola)
Source folder	aldstadataexchange/forces/aldi/
Last modification filter	@adddays(utcnow(), -10)

Copy Files Corporates – Receptor:

Property	Value
Dataset	RCDM_DATASET_MultiTarget
Container	Dynamic (EnvironmentContainer)
Path	Dynamic (SinkPath)

4.7 KYC Italy

Purpose: Copies corporate and private files for Italy from the last 3 days using a dynamic date array.

Flow:

```

Set Variable: Array list days to copy
↓
ForEach: For Each Days in days to copy
↓
Copy File (per day)

```

Parameters:

Name	Type	Default
SinkPath	String	INPUT_COMPLIANCE

Set Variable – "Array list days to copy":

Generates an array of relative day offsets: [today, -1, -2, -3] so the pipeline retrieves files from today and the previous 3 days.

Copy File – Origin (per day):

Property	Value
Dataset	RCDM_DATASET_MultiTarget
Container	@concat(if(cre3(item(), pipeline().globalParameters... (dynamic per environment)
Path	lafayette/[date from iterator]
Access type	Console folder path
Wildcard	IT_*.rcdm_m*.csv
Last modification filter	@adddays(utcnow(), -10)

4.8 KYC France

Purpose: Copies both corporate and private files for France to the data lake.

Flow:

Copy Files Corporate FR → Copy Files Private FR

Parameters:

Name	Type	Default
SinkPath	String	INPUT_COMPLIANCE

Copy Files Corporate FR – Origin:

Property	Value
Dataset	RCDM_DATASET_MultiTarget
Container	Dynamic (EnvironmentContainer)
Source folder	fr_corpsfables (or equivalent corporate France folder)
Wildcard	FR_CRM_rcdm_mcoprivate_*.csv
Last modification filter	@adddays(utcnow(), -10)

Copy Files Corporate FR – Receptor:

Property	Value
Dataset	RCDM_DATASET_MultiTarget
Container	@concat('hq-riskandcompliance-', pipeline().globalParameters.EnvironmentContainer)
Path	Dynamic (SinkPath parameter)

The same structure applies for **Copy Files Private FR**.

4.9 KYC Lafayette P3

Purpose: Extracts corporate and private third parties from Salesforce for P3 countries and saves them to CSV for further processing.

Source system: Salesforce – table `Shareholder__c`

Countries: Algeria, Morocco (MA), India (IN), Turkey (TR), Brazil (BR), Peru (PE), Mexico (MX), Colombia (CO)

Flow: For each country/subsidiary combination, executes both `Lafayette Corporate` and `Lafayette Private` sub-pipelines, passing the subsidiary code and the ISO country code as parameters.

Activities (sequential executions per subsidiary):

```
Execute Lafayette Corporates (S1)
Execute Lafayette Privates (S1)
Execute Lafayette Corporates (S4s)
Execute Lafayette Privates (S4s)
Execute Lafayette Privates (S5)
...
```

4.10 KYC Lafayette P4

Purpose: Same as P3 but for P4 countries. Extracts corporate and private third parties from Salesforce.

Source system: Salesforce – table `Shareholder__c`

Countries: Chile (CL)

Flow: Identical to P3 – calls `Lafayette Corporate` and `Lafayette Private` for each country/subsidiary.

4.11 Lafayette Corporate (Sub-pipeline)

Purpose: Reads corporate third-party data from the Salesforce `Shareholder__c` table and exports it to CSV.

Flow:

```
Set DateTime
  ↓
Read Corporates (from Salesforce)
  ↓
Copy Data Corporates
  ↓
Apply Transformations
  ↓
Update Timestamp
```

Output: CSV file saved to Loader/Input/CSV – the same folder used by all other third-party sources.

Note: Guarantors are merged with corporate records before the CSV is written.

4.12 Lafayette Private (Sub-pipeline)

Purpose: Reads private third-party data from the Salesforce Shareholder__c table and exports it to CSV.

Flow:

```
Set DateTime
↓
Read Privates (from Salesforce)
↓
Copy Data Privates
↓
Apply Transformations
↓
Update Timestamp
```

Output: CSV file saved to Loader/Input/CSV.

Note: Guarantors are merged with private records before the CSV is written.

4.13 RCDM_Full_Run_V2

Purpose: Consolidation pipeline. Not exclusive to S&E reports. Processes all individual country files from all sources and loads them into data lake tables.

Note: Third-party data from all the above sources is ultimately processed through this pipeline.

5. Destination Storage Structure

All pipelines write to the following ADLS path pattern:

```
Container: hq-riskandcompliance-
[EnvironmentContainer]
Path:      /LOADER/[SinkPath]
           e.g. /LOADER/INPUT/CSV
                /LOADER/INPUT/COMPLIANCE
                /LOADER/INPUT/COMPLIANCE/PSP
```

6. Annex – ALDNAS Country List

The following countries are currently configured for ALDNAS_Country ingestion (full list to be confirmed):

Country	ISO Code
Spain	ES
<i>(additional countries – see ADF ForEach Country array)</i>	

7. Summary Table

Pipeline	Source System	Frequency	Format	Destination
KYC Lafayette ALDIe / ALDNAS_Country	NAS (\\AyvensNAS\ALDI\...)	Daily	CSV	INPUT/CSV
KYC Lafayette ALDIe (ALD Ireland)	ADLS (IE/AER files)	Daily	CSV	INPUT/CSV
KYC Fleetpool DE	ADLS (aldstadataexchange/forces/aldi/)	Daily	CSV	INPUT_COM
KYC Italy	ADLS (lafayette/[date])	Daily (last 3 days)	CSV	INPUT_COM
KYC France	ADLS (fr_corpsfables/)	Daily	CSV	INPUT_COM
KYC LeasePlan	ADLS (LP_S4196/...)	Daily	XLSX	INPUT_COM

Pipeline	Source System	Frequency	Format	Destination
KYC Lafayette P3	Salesforce (Shareholder__c)	Daily	CSV	Loader/In
KYC Lafayette P4	Salesforce (Shareholder__c)	Daily	CSV	Loader/In
RCDM_Full_Run_V2	All above (consolidated)	Daily	Multiple	Data Lake T