#### **Syracuse University SURFACE**

Center for Policy Research

Maxwell School of Citizenship and Public Affairs

2009

# Testing the Fixed Effects Restrictions? A Monte Carlo Study of Chamberlain's Minimum Chi-Squared Test

Badi H. Baltagi Syracuse University, bbaltagi@syr.edu

Georges Bresson Université Panthéon-Assas Paris II

Alain Pirotte Université Panthéon-Assas Paris II

Follow this and additional works at: http://surface.syr.edu/cpr



Part of the Mathematics Commons

#### Recommended Citation

Baltagi, Badi H.; Bresson, Georges; and Pirotte, Alain, "Testing the Fixed Effects Restrictions? A Monte Carlo Study of Chamberlain's Minimum Chi-Squared Test" (2009). Center for Policy Research. Paper 51. http://surface.syr.edu/cpr/51

This Working Paper is brought to you for free and open access by the Maxwell School of Citizenship and Public Affairs at SURFACE. It has been accepted for inclusion in Center for Policy Research by an authorized administrator of SURFACE. For more information, please contact surface@syr.edu.

ISSN: 1525-3066

### Center for Policy Research Working Paper No. 115

TESTING THE FIXED EFFECTS
RESTRICTIONS? A MONTE CARLO
STUDY OF CHAMBERLAIN'S MINIMUM
CHI-SQUARED TEST

Badi H. Baltagi, Georges Bresson, Alain Pirotte

Center for Policy Research

Maxwell School of Citizenship and Public Affairs

Syracuse University

426 Eggers Hall

Syracuse, New York 13244-1020

(315) 443-3114 | Fax (315) 443-1081

e-mail: ctrpol@syr.edu

March 2009

\$5.00

Up-to-date information about CPR's research projects and other activities is available from our World Wide Web site at **www-cpr.maxwell.syr.edu**. All recent working papers and Policy Briefs can be read and/or printed from there as well.

## **CENTER FOR POLICY RESEARCH – Spring 2009**

### Douglas A. Wolf, Interim Director Gerald B. Cramer Professor of Aging Studies, Professor of Public Administration

#### **Associate Directors**

Margaret Austin
Associate Director
Budget and Administration

John Yinger Professor of Economics and Public Administration Associate Director, Metropolitan Studies Program

#### **SENIOR RESEARCH ASSOCIATES**

SENIOR RESEARCH ASSOCIATES									
Badi Baltagi Economics Robert Bifulco Public Administration Kalena Cortes Education Thomas Dennison Public Administration William Duncombe Public Administration Gary Engelhardt Economics Deborah Freund Public Administration Madonna Harrington Meyer Sociology Christine Himes Sociology William C. Horrace Economics Duke Kao Economics Eric Kingson Social Work Sharon Kioko Public Administration Thomas Kniesner Economics Jeffrey Kubik Economics	Andrew London Sociology Len Lopoo Public Administration Amy Lutz Sociology Jerry Miner Economics Jan Ondrich Economics John Palmer Public Administration David Popp Public Administration Christopher Rohlfs Economics Stuart Rosenthal Economics Ross Rubenstein Public Administration Perry Singleton Economics Margaret Usdansky Sociology Michael Wasylenko Economics Jeffrey Weinstein Economics Janet Wilmoth Sociology								
GRADUATE A	ASSOCIATES								
Sonali Ballal	John Ligon Public Administration Allison Marier Economics Larry Miller Public Administration Mukta Mukherjee Economics Phuong Nguyen Public Administration Wendy Parker Sociology Kerri Raissian Public Administration Shawn Rohlin Economics Amanda Ross Economics Jeff Thompson Economics Tre Wentling Sociology Coady Wing Public Administration Ryan Yeung Public Administration								
STAFF									
Kelly BogartAdministrative Secretary Martha BonneyPublications/Events Coordinator Karen CimillucaOffice Coordinator Roseann DiMarzoAdministrative Secretary	Kitty NastoAdministrative Secretary Candi PattersonComputer Consultant Mary SantyAdministrative Secretary								

**Abstract** 

Chamberlain (1982) showed that the fixed effects (FE) specification imposes testable

restrictions on the coefficients from regressions of all leads and lags of dependent variables on

all leads and lags of independent variables. Angrist and Newey (1991) suggested computing this

test statistic as the degrees of freedom times the R2 from a regression of within residuals on all

leads and lags of the exogenous variables. Despite the simplicity of these tests, they are not

commonly used in practice. Instead, a Hausman (1978) test is used based on a contrast of the

fixed and random effects specifications. We advocate the use of Chamberlain (1982) test if the

researcher wants to settle on the FE specification and we check this test's performance using

Monte Carlo experiments and we apply it to the crime example of Cornwell and Trumbull

(1994).

Corresponding author: Badi H. Baltagi 315-443-1630/fax: 315-443-1081

E-mail address: bbaltagi@maxwell.syr.edu

Georges Bresson-ERMES (CNRS), Université Paris II, France

Alain Pirotte- ERMES (CNRS), Université Paris II, France and INRETS, National Institute of

Research on Transports and Safety, France

Keywords: Panel data; Fixed effects (FE); Random effects (RE); Chamberlain

test; Minimum chi-squared (MCS); Angrist-Newey test.

JEL classification: C23

## 1 Introduction

Chamberlain (1982) showed that the fixed effects (FE) specification imposes testable restrictions on the coefficients from regressions of all leads and lags of the dependent variable on all leads and lags of the independent variables. Chamberlain suggested the estimation and testing of these restrictions using a minimum chi-squared (MCS) method with the test statistic being the minimand. Angrist and Newey (1991) demonstrated that this MCS method has 3SLS equivalents and that the resulting over-identification test statistic is equivalent to the MCS test statistic suggested by Chamberlain (1982). In addition, they showed that in the standard fixed effects model with remainder disturbances having a scalar identity covariance matrix, this MCS test statistic can be obtained as the sum of T terms. Each term of this sum is simply the degrees of freedom times the  $R^2$  from a regression of within residuals for a particular period on all leads and lags of the independent variables. They applied this test to the union-wage effect using data from the NLSY random subsample of civilian men observed over the period 1983-1987. They failed to reject the fixed effects specification for the union-wage example. Next, they applied it to the estimation of the returns to schooling in a conventional human capital earnings equation. They found that the fixed effects estimates of the returns to schooling in the NLSY were roughly twice those of OLS. However, the over-identification test rejected the fixed effects restrictions.

Unfortunately, this careful testing of the FE restrictions has not been the usual practice in empirical work. In fact, the standard practice is to run a Hausman (1978) test. The latter statistic is based upon a contrast between the FE and random effects (RE) estimators. The RE estimator is an efficient estimator under the null hypothesis that the conditional mean of the disturbances given the regressors is zero, while the FE estimator is consistent under the null and alternative hypotheses. Not rejecting this null, the applied researcher reports the RE estimator. Otherwise, the researcher reports the FE estimator, see Owusu-Gyapong (1986) and Cardellichio (1990) for two such applications<sup>1</sup>. Rejecting the null of the Hausman test implies that the RE estimator is not consistent. This does not necessarily mean that the FE restrictions are satisfied. Therefore, a natural next step would be to test the FE restrictions before settling on this estimator as the preferred one.

<sup>&</sup>lt;sup>1</sup>For more discussion on the fixed versus random effects specification in panel data, see Baltagi (2008).

The aim of this paper is to check the performance of Chamberlain's test for the FE restrictions. This is done via Monte Carlo experiments. In one-design we let all regressors be correlated with the individual effects at every point in time, i.e., a Chamberlain reduced form (case 1). In another design, we let one regressor be correlated with the individual effects, whereas the other is not. Section 2 describes the model, the Chamberlain (1982) and the equivalent Angrist and Newey (1991) reformulation, and sets up the Monte Carlo design. Section 3 presents the Monte-Carlo results, while section 4 applies this test to the crime example of Cornwell and Trumbull (1994). Section 5 concludes.

## 2 The Model and Monte Carlo Design

Consider the panel data regression model with two regressors:

$$y_{i,t} = x_{1,i,t}\beta_1 + x_{2,i,t}\beta_2 + \alpha_i + u_{i,t} \tag{1}$$

where i = 1, 2, ..., N, t = 1, 2, ..., T and  $x'_{i,t} = [x_{1,i,t}, x_{2,i,t}]$ . Following Chamberlain (1982), we specify the relationship between the unobserved individual effects  $\alpha_i$  and  $x_{i,t}$  as follows:

$$\alpha_i = x'_{i,1}\lambda_1 + \dots + x'_{i,T}\lambda_T + \mu_i \tag{2}$$

where  $\lambda_t$  is  $2 \times 1$ ,  $\mu_i$  is not correlated with  $x'_{i,t}$  and  $u_{i,t} \sim IIN(0, \sigma_u^2)$  and  $\mu_i \sim IIN(0, \sigma_\mu^2)$ . For our experiments, we fix  $\beta_1 = \beta_2 = 1$ ; and we let N = 100 and T = 5 and 11. The number of replications is 1000. We also fix the total variance  $(\sigma_\alpha^2 + \sigma_u^2) = 20$  and vary  $\rho = \sigma_\alpha^2 / (\sigma_\alpha^2 + \sigma_u^2)$  over the values (0.2, 0.5, 0.9).

The error terms  $u_{i,t}$  and  $\mu_i$  are uncorrelated with  $x_{i,1},...,x_{i,T}$ , and with each other by construction. Let  $y_i^0 = (y_{i1},...,y_{iT})$  and  $x_i^0 = x_{i1}^0,...,x_{iT}^0$  and denote the "reduced form" regression of  $y_i^0$  on  $x_i^0$  by

$$y_i^0 = x_i^0 \pi + \eta_i \tag{3}$$

The restrictions between the reduced form and structural parameters are given by

$$\pi = (I_T \otimes \beta) + \lambda \iota_T^{\scriptscriptstyle 0} \tag{4}$$

with  $\lambda^{^{0}}=\lambda^{^{0}}_{1},...,\lambda^{^{0}}_{T}$ ,  $\beta'=(\beta_{1},\beta_{2}),$  and  $\iota_{T}$  is a vector of ones of dimension T. Chamberlain (1982) suggested estimation and testing be carried out using the minimum chi-square (MCS) method. Let be a consistent estimator of  $\pi$ , MCS estimates of  $\beta$  and  $\lambda$  are computed by minimizing

$$Nvec \quad b - ((I_T \otimes \beta) + \lambda \iota_T^{0}) \quad A^{-1}vec \quad b - ((I_T \otimes \beta) + \lambda \iota_T^{0}) \quad (5)$$

where  $\Omega$  is a consistent estimate of the asymptotic variance of  $\sqrt{N}vec(\mathfrak{b}-\pi)$ . The minimand is a  $\chi^2$  goodness of fit statistic for the restrictions on the reduced form with  $2T^2 - (2T + 2)$  degrees of freedom. Angrist and Newey (1991) showed that the minimand can be obtained as the sum of T terms. Each term of this sum is simply the degrees of freedom times the  $R^2$  from a regression of the Within residuals for a particular period on all leads and lags of the independent variables.

For the Monte Carlo experiments, the explanatory variables are generated by:

$$x_{j,i,t} = \delta_{j,i} + \omega_{j,i,t} \tag{6}$$

with  $\delta_{j,i} \sim N(m_{\delta_j}, \sigma_{\delta_j}^2)$  and  $\omega_{j,i,t} \sim N(m_{\omega_j}, \sigma_{\omega_j}^2)$ . Except for case 2, we have  $m_{\delta_1} = m_{\omega_1} = 5$ ,  $m_{\delta_2} = m_{\omega_2} = 10$  and  $\sigma_{\omega_1}^2 = \sigma_{\omega_2}^2 = \sigma_{\omega}^2 = 2$ ,  $\sigma_{\delta_1}^2 = \sigma_{\delta_2}^2 = \sigma_{\delta}^2 = 8$ , so  $\sigma_{x_1}^2 = \sigma_{x_2}^2 = \sigma_x^2 = 10$ .

Case 1.  $x_1$  and  $x_2$  are correlated with  $\alpha_i$ . For simplicity, we assume that the contributions of  $x_1$  and  $x_2$  to the total variance of  $\sigma_{\alpha}^2$  in (2) are the same. In particular,

$$\sigma_{\alpha}^{2} = \lambda_{1}^{2} T^{\dagger} \sigma_{\omega_{1}}^{2} + T \sigma_{\delta_{1}}^{2} + \lambda_{2}^{2} T^{\dagger} \sigma_{\omega_{2}}^{2} + T \sigma_{\delta_{2}}^{2} + \sigma_{\mu}^{2}$$
 (7)

Hence, if we let 
$$\lambda_1^2 T^{\dagger} \sigma_{\omega_1}^2 + T \sigma_{\delta_1}^2 = \lambda_2^2 T^{\dagger} \sigma_{\omega_2}^2 + T \sigma_{\delta_2}^2$$
, we get
$$S = \frac{S}{2T (\sigma_{\omega}^2 + T \sigma_{\delta}^2)}, \forall t$$
(8)

Case 2.  $x_1$  is not correlated with  $\alpha_i$ , but  $x_2$  is correlated with  $\alpha_i$ . In this case,  $\lambda_{1t} = 0$ ,  $\forall t$ , so expression (7) reduces to

$$\sigma_{\alpha}^{2} = \lambda_{2}^{2} T^{\dagger} \sigma_{\omega_{2}}^{2} + T \sigma_{\delta_{2}}^{2} + \sigma_{\mu}^{2} \tag{9}$$

with

$$\lambda_{2} = \frac{S}{T} \frac{\sigma_{\alpha}^{2} - \sigma_{\mu}^{2}}{T \sigma_{\omega_{2}}^{2} + T \sigma_{\delta_{2}}^{2}}, \forall t$$

$$(10)$$

## 3 Monte Carlo results

Table 1 gives the size of the Minimum Chi-Squared (MCS) Chamberlain test and its Angrist-Newey (AN) alternative, using the 1%, 5% and 10% significance levels. This is done for T=5,11,20 and N=100, and  $\rho=0.2,0.5,0.9$ . The degrees of freedom of the  $\chi^2$  statistics are 38 for T=5; 218 for T=11; and 758 for T=20. Their means should be 38, 218, and 758, and their variances should be 76, 436, and 1516, respectively. The empirical means, based on 1000 replications, for both statistics are very close to their theoretical values for all experiments conducted. However, the empirical variances, based on 1000 replications, are understated. This is more serious for large T. Rather than 76 we get variances between 60 and 71 for T=5, depending on the experiment performed. Also, rather than 436 we get variances between 281 and 358 for T=11, depending on the experiment performed. The worst case is for T=20, where the variance varies between 694 and 908 rather than 1516. A similar phenomenon was observed by Bowsher (2002) for the Sargan over-identification test in the context of dynamic panel data GMM estimation. Table 1 reports the frequency of rejections in 1000 replications for the MCS Chamberlain test and its associated Angrist-Newey version. Since the null hypothesis is always true, this represents the empirical size of the test. For T=5, the size of the MCS and AN tests overstate the 5% level for  $\rho = 0.2$  yielding 10.9 to 12.9% rejections. This improves as  $\rho$  increases to 0.5 yielding rejections between 7.2 to 9.3%. For  $\rho = 0.9$ , the corresponding rejections are between 3.3 to 4.8%. The results get better when T increases to 11. The size of the MCS and AN tests at the 5% level for  $\rho = 0.2$  yield 6.6 to 8.9% rejections. For  $\rho = 0.5$  the empirical size is between 4.7 to 6.1%. For  $\rho = 0.9$ , the corresponding size is understated varying between 2.3 to 3.2%. For T=20, the empirical size of the MCS and AN tests understate the 5% level. The only exception is for  $\rho = 0.2$  for the AN version of the test. This is not surprising given the understating of the true variance of the test statistic as T gets large. The last part of Table 1 reports the conflict between the MCS and AN tests in 1000 replications at various levels of significance. As clear from the table, there is at most 2.2 % conflict in the decision rendered by these two identical tests at the 5% level.

## 4 Empirical example

Cornwell and Trumbull (1994), hereafter (CT), estimated an economic model of crime using panel data on 90 counties in North Carolina over the period 1981-1987. The empirical model relates the crime rate (which is an FBI index measuring the number of crimes divided by the county population) to a set of explanatory variables which include deterrent variables as well as variables measuring returns to legal opportunities. All variables are in logs except for the regional dummies. Here we focus on the explanatory variables that were significant in the fixed effects specification of CT. This was their preferred estimator. These variable include the probability of arrest P<sub>A</sub> (which is measured by the ratio of arrests to offences), the probability of conviction given arrest P<sub>C</sub> (which is measured by the ratio of convictions to arrests), the probability of a prison sentence given a conviction  $P_P$  (measured by the proportion of total convictions resulting in prison sentences); the number of police per capita as a measure of the county's ability to detect crime (Police); the population density, which is the county population divided by county land area (Density); percent minority, which is the proportion of the county's population that is minority or non-white; regional dummies for western and central counties. Opportunities in the legal sector are captured by the average weekly wage in the county by industry. These industries are: transportation, utilities and communication (wtuc); manufacturing (wmfg).

Table 2 shows the fixed effects and MCS estimates. Compared to the FE estimates of CT, removing the insignificant variables does not change the results much, neither in magnitude nor in significance. The MCS estimates are slightly different from the FE estimates, with Police for example having an estimate of 0.305 for MCS as compared 0.412 for FE. The Chamberlain MCS test for the restrictions imposed by (4) yield a  $\chi^2$  value of 415.7 which is significant. Hence, the null is rejected, and the FE assumption may be inappropriate for the crime example.

Table 2. — Economics of Crime Estimates for North Carolina, 1981-1987 (standard errors and t-stats are in parentheses)

	Fixed effects	MCS
Constant		-5.444
	_	(0.915)
		(-5.945)
$\mathrm{P}_{\mathrm{A}}$	-0.351	-0.341
	(0.032)	(0.027)
	(-10.945)	(-12.377)
$\mathrm{P}_{\mathrm{C}}$	-0.282	-0.229
	(0.021)	(0.016)
_	(-13.405)	(-13.888)
$P_{P}$	-0.173	-0.180
	(0.032)	(0.023)
	(-5.389)	(-7.637)
Police	0.412	0.305
	(0.026) (15.796)	(0.026) (11.584)
Domaiter	0.482	
Density	0.48 <i>2</i> (0.278)	0.310 (0.313)
	(1.730)	(0.990)
wtuc	0.047	0.012
Wede	(0.018)	(0.011)
	(2.479)	(1.128)
$\operatorname{wmfg}$	-0.347	-0.233
O	(0.109)	(0.065)
	(-3.185)	(-3.557)
Percent minority		0.204
v	_	(0.035)
		(5.725)
west		-0.197
	_	(0.091)
		(-2.176)
central		-0.051
	_	(0.045)
		(-1.124)
		$\chi^2_{311} = 415.702$

## 5 Conclusion

The random effects (RE) model in panel data is usually criticized for imposing restrictive conditions requiring the independence of the individual effects and the regressors. Rejection of the RE model by a Hausman (1978) test does not necessarily mean that the researcher should adopt a FE specification. Instead, we argue that one should run the Chamberlain (1982) test or

its Angrist-Newey (1991) alternative to check that the restrictions imposed by a FE model are valid. Our Monte Carlo results show that these tests yield the same decision and are in conflict at most 2.2 % of the time. One caveat, is that like the Sargan overidentification test for dynamic panels, the MCS test tends to understate the true variance of the test statistic as T gets large. This is because as T gets large, the number of testable restrictions increase and the variance of the test statistic is understated. We illustrate the Chamberlain MCS test for the crime data of Cornwell and Trumbull (1994) finding that the FE restrictions are rejected by the data. When the Chamberalin test rejects the FE specification, and by default the reduced form implied by it, relating the individual effects to all the regressors at every point in time, we suggest careful examination of which regressors may or may not be correlated with the individual effects. In this case, one should be willing to entertain a more restricted model where only a subset of the regressors are correlated with the individual effects as proposed by Hausman and Taylor (1981). This would impose less restrictions than the general Chamberlain model and is also testable with a Hausman test. Alternatively, one could question the endogeneity of the regressors with the disturbances and not only with the individual effects. This endogeneity leads to inconsistency of the FE estimator and invalidates the Hausman test performed based on the fixed effects versus the random effects estimator, see Baltagi (2008). This requires an instrumental variable approach resulting in a fixed effects 2sls rather than a simple fixed effects estimator. The latter approach was actually considered in the application by Cornwell and Trumbull (1994). More generally, one could question the constancy of the parameters assumption over time which is underlying the panel data model and the fixed effects and random effects specification, see Crepon and Mairesse (2008) for an excellent survey as well as extensions of the Chamberlain model.

#### References

Angrist, J.D. and W.K. Newey, 1991, Over-identification tests in earnings functions with fixed effects, Journal of Business & Economic Statistics 9, 317-323.

Baltagi, B.H., 2008, Econometric Analysis of Panel Data, Wiley, Chichester.

Bowsher, C.G., 2002, On testing overidentifying restrictions in dynamic panel data models, Economics Letters 77, 211-220.

- Cardellichio, P.A., 1990, Estimation of production behavior using pooled microdata, Review of Economics and Statistics 72, 11-18.
- Chamberlain, G., 1982, Multivariate regression models for panel data, Journal of Econometrics 18, 5-46.
- Cornwell, C. and W.N. Trumbull, 1994, Estimating and economic model of crime with panel data, Review of Economics and Statistics 76, 360-366.
- Crépon, B. and J. Mairesse, 2008, The Chamberlain approach to panel data: an overview and some simulations, Chapter 5 in L. Mátyás and P. Sevestre (eds.) The Econometrics of Panel Data: Fundamentals and Recent Developments in Theory and Practice, Springer, Berlin, 113-183.
- Hausman, J.A., 1978, Specification tests in econometrics, Econometrica 46, 1251-1271.
- Hausman, J.A. and W.E. Taylor, 1981, Panel data and unobservable individual effects, Econometrica 49, 1377–1398.
- Owusu-Gyapong, A., 1986, Alternative estimating techniques for panel data on strike activity, Review of Economics and Statistics 68, 526-531.

Table 1. - Size of MCS and Angrist-Newey tests for  $N=100^1$ 

			Case 1			Case 2	
		$x_1$ and	$x_1$ and $x_2$ correlated with $\alpha_i$		Only $x_2$ is correlated with $\alpha_i$		
	ρ	0.9	0.5	0.2	0.9	0.5	0.2
	T						
MCS							
1% size	5	0.50	0.70	1.30	0.40	0.70	1.00
	11	0.20	0.30	0.40	0.10	0.10	0.20
	20	0.10	0.10	0.10	0.10	0.10	0.20
5% size	5	4.10	8.20	11.40	3.30	7.20	10.90
	11	3.00	5.70	7.40	2.30	4.70	6.60
	20	1.20	2.40	3.30	1.20	2.40	3.30
10% size	5	8.70	17.40	25.10	8.00	16.60	23.20
	11	6.50	12.80	16.50	5.60	11.50	17.60
	20	3.80	7.90	11.80	3.80	7.90	11.80
Mean	5	37.98	38.46	37.88	38.21	38.24	37.94
	11	218.45	218.11	217.36	217.94	218.61	219.42
	20	760.38	761.37	760.10	760.38	761.37	760.10
Variance	5	66.62	64.95	62.31	60.22	66.42	66.69
	11	327.18	308.28	290.73	280.50	288.82	288.85
	20	694.38	695.70	741.68	694.38	695.78	741.72
Angrist-Newey							
1% size	5	0.90	1.20	1.70	0.20	0.80	1.70
170 5120	11	0.50	1.20	1.40	0.30	0.60	0.70
	20	0.00	0.20	0.30	0.00	0.20	0.30
5% size	5	4.80	9.30	12.90	4.30	8.20	11.70
370 SIZE	11	3.20	6.10	8.10	2.90	6.10	8.90
	20	2.10	3.80	5.60	2.10	3.80	5.60
10% size	5	8.80	17.50	24.60	9.00	17.90	24.50
1070 5120	11	7.20	13.90	18.50	5.80	12.60	20.10
	20	5.00	9.60	14.70	5.00	9.60	14.70
Mean	5	37.95	38.38	37.80	38.13	38.13	37.83
Ivicali	11	218.01	218.28	217.09	217.47	218.75	219.22
	20	759.17	760.20	757.99	759.17	760.20	757.99
Variance 5	5	71.48	69.10	63.90	64.32	69.20	70.10
	11	358.25	347.13	320.25	314.93	322.04	309.41
	20	694.38	695.70	741.68	874.42	863.30	908.16
Conflict (%)	20	07-7.30	0,5.10	7-11.00	07-T.T2	003.30	700.10
for 1% size	5	0.40	0.40	0.40	0.20	0.20	0.20
101 1/0 5120	11	0.50	0.50	0.50	0.20	0.20	0.20
	20	0.10	0.10	0.10	0.10	0.10	0.10
for 5% size	5	1.30	1.20	1.20	2.20	2.10	1.90
101 3/0 SIZC	11	2.00	2.00	2.00	1.20	1.20	1.20
	20	1.90	1.90	1.90	1.90	1.90	1.90
for 10% size	5	2.50	2.20	2.20	2.80	2.50	2.30
101 10/0 SIZE	11	3.30	3.20	2.80	2.60	2.50	2.40
	20	3.60	3.20	3.10	3.60	3.20	3.10

<sup>&</sup>lt;sup>1</sup> For 1000 replications.